

# Referencias bibliográficas

## COMER PARA NO ENGORDAR

### Prefacio

1. Westfall JM, Mold J, Fagnan L. Practice-based research—Blue Highways on the NIH roadmap. *JAMA*. 2007; 297(4): 403–6.
2. Ornish D, Brown SE; Scherwitz, LW, *et al.* Can lifestyle changes reverse coronary heart disease? The Lifestyle Heart Trial. *Lancet*. 1990; 336(8708):129–33.
3. Allen J, Anderson DR, Baun B, et al. Reflections on developments in health promotion in the past quarter century from founding members of the American Journal of Health Promotion Editorial Board. *Am J Health Promot*. 2011; 25(4):eí–eviii.
4. Shapin S. Expertise, common sense, and the Atkins Diet. In: Porter J, Phillips PWB, eds. *Public Science in Liberal Democracy*. Toronto: University of Toronto Press; 2007:175–93.
5. Mayer J, chair. *White House Conference on Food, Nutrition, and Health: final report*. Washington, D.C.; 1969.
6. Mozaffarian D, Forouhi NG. Dietary guidelines and health—is nutrition science up to the task? *BMJ*. 2018; 360:k822.
7. Kassirer J, Angell M. Losing weight—an ill-fated New Year’s resolution. *N Engl J Med*. 1998; 338(1):52–4.
8. Casazza K, Fontaine KR, Astrup A, et al. Myths, presumptions, and facts about obesity. *N Engl J Med*. 2013; 368(5):446–54.

### Introducción

1. Hrudefy SE. Chlorination disinfection by-products, public health risk tradeoffs and me. *Water Res*. 2009; 43(8):2057–92.
2. Fryar CD, Carroll MD, Ogden CL. Prevalence of overweight, obesity, and extreme obesity among adults aged 20 and over: United States, 1960–1962 through 2013–2014. National Center for Health Statistics. Publicado el 18 de julio de 2016. Disponible en: [https://www.cdc.gov/nchs/data/hestat/obesity\\_adult\\_13\\_14/obesity\\_adult\\_13\\_14.htm](https://www.cdc.gov/nchs/data/hestat/obesity_adult_13_14/obesity_adult_13_14.htm). Acceso 9 de junio de 2019.
3. Hales CM, Fryar CD, Carroll MD, Freedman DS, Ogden CL. Trends in obesity and severe obesity prevalence in US youth and adults by sex and age, 2007–2008 to 2015–2016. *JAMA*. 2018; 319(16):1723–5.

4. The Coca-Cola Co. Coming Together [Video]. YouTube.com. Publicado en noviembre, 11, 2013. Disponible en: <https://www.youtube.com/watch?v=oV2D0Zq124g>. Acceso: marzo, 19, 2019.
5. Malik VS, Willett WC, Hu FB. The revised nutrition facts label: a step forward and more room for improvement. *JAMA*. 2016; 316(6):583–4.
6. Ha V, Cozma AI, Choo VL, Mejia SB, Souza RJ, Sievenpiper JL. Do fructose-containing sugars lead to adverse health consequences? Results of recent systematic reviews and meta-analyses. *Adv Nutr*. 2015; 6(4):504S–11S.
7. Viskaal-van Dongen M, Kok FJ, de Graaf C. Eating rate of commonly consumed foods promotes food and energy intake. *Appetite*. 2011; 56(1):25–31.
8. Purnell JQ, Fair DA. Fructose ingestion and cerebral, metabolic, and satiety responses. *JAMA*. 2013; 309(1):85–6.
9. Harris JL, Schwartz MB, Ustjanauskas A, Ohri-Vachaspati P, Brownell KD. Effects of serving high-sugar cereals on children’s breakfast-eating behavior. *Pediatrics*. 2011; 127(1):71–6

## 1. El problema

1. Regestein QR. The big, bad obesity pandemic. *Menopause*. 2018; 25(2):129–32.
2. Katz D. Obesity ... be damned!: what it will take to turn the tide. *Harvard Health Policy Rev*. 2006; 7(2):135–51.
3. National Center for Health Statistics. Table 53. Selected health conditions and risk factors, by age: United States, selected years 1988–1994 through 2015–2016. 2017. Disponible en: <https://www.cdc.gov/nchs/data/hus/2017/053.pdf>. Acceso: marzo, 19, 2019.
4. Inoue Y, Qin B, Poti J, Sokol R, Gordon-Larsen P. Epidemiology of obesity in adults: latest trends. *Curr Obes Rep*. 2018; 7(4):276–88.
5. Ludwig DS. Epidemic childhood obesity: not yet the end of the beginning. *Pediatrics*. 2018; 141(3):1–4.
6. Skinner AC, Ravanbakht SN, Skelton JA, et al. Prevalence of obesity and severe obesity in US children, 1999–2016. *Pediatrics*. 2018; 141(3):e20173459.
7. Helmchen LA, Henderson RM. Changes in the distribution of body mass index of white US men, 1890–2000. *Ann Hum Biol*. 2004; 31(2):174–81.
8. Inoue Y, Qin B, Poti J, Sokol R, Gordon-Larsen P. Epidemiology of obesity in adults: latest trends. *Curr Obes Rep*. 2018; 7(4):276–88.
9. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet*. 2011; 378(9793):804–14.
10. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet*. 2011; 378(9793):804–14.

11. Frank LD, Andresen MA, Schmid TL. Obesity relationships with community design, physical activity, and time spent in cars. *Am J Prev Med.* 2004; 27(2):87–96.
12. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet.* 2011; 378(9793):804–14.
13. European Association for the Study of Obesity. Obesity: perception and policy—multi-country review and survey of policymakers 2014. 2014. Disponible en: [https://web.archive.org/web/20180722003601/http://easo.org/wp-content/uploads/2014/05/C3\\_EASO\\_Survey\\_A4\\_Web-FINAL.pdf](https://web.archive.org/web/20180722003601/http://easo.org/wp-content/uploads/2014/05/C3_EASO_Survey_A4_Web-FINAL.pdf). Acceso: marzo, 19, 2019.
14. Rodgers A, Woodward A, Swinburn B, Dietz WH. Prevalence trends tell us what did not precipitate the US obesity epidemic. *Lancet Public Health.* 2018; 3(4):e162–3.
15. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes.* 2008; 57(7):1768–73.
16. Mangalindan J. PepsiCo CEO: «if all consumers exercised ... obesity wouldn't exist.» *Fortune.* Publicado en abril, 27, 2010. Disponible en: [http://archive.fortune.com/2010/04/27/news/companies/indra\\_nooyi\\_pepsico.fortune/index.htm](http://archive.fortune.com/2010/04/27/news/companies/indra_nooyi_pepsico.fortune/index.htm). Acceso: marzo, 19, 2019.
17. Barlow P, Serôdio P, Ruskin G, McKee M, Stuckler D. Science organisations and Coca-Cola's «war» with the public health community: insights from an internal industry document. *J Epidemiol Community Health.* 2018; 72(9):761–3.
18. Karnani A, McFerran B, Mukhopadhyay A. Leanwashing: a hidden factor in the obesity crisis. *Calif Manage Rev.* 2014; 56(4):5–30.
19. Scrinis G. Big Food corporations and the nutritional marketing and regulation of processed foods. *Canadian Food Studies.* 2015; 2(2):136–45.
20. What is Nestlé doing about obesity? Nestle.com. Disponible en: <https://www.nestle.com/ask-nestle/health-nutrition/answers/what-is-nestle-doing-about-obesity>. Acceso: marzo, 19, 2019.
21. Karnani A, McFerran B, Mukhopadhyay A. Leanwashing: a hidden factor in the obesity crisis. *Calif Manage Rev.* 2014; 56(4):5–30.
22. Flatt JP. Issues and misconceptions about obesity. *Obesity (Silver Spring).* 2011; 19(4):676–86.
23. McFerran B, Mukhopadhyay A. Lay theories of obesity predict actual body mass. *Psychol Sci.* 2013; 24(8):1428–36.
24. Flatt JP. Issues and misconceptions about obesity. *Obesity (Silver Spring).* 2011; 19(4):676–86.
25. Hill JO, Wyatt HR, Peters JC. Energy balance and obesity. *Circulation.* 2012; 126(1):126–32.

26. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
27. Vandevijvere S, Chow CC, Hall KD, Umali E, Swinburn BA. Increased food energy supply as a major driver of the obesity epidemic: a global analysis. *Bull World Health Organ.* 2015; 93(7):446–56.
28. Westerterp KR, Speakman JR. Physical activity energy expenditure has not declined since the 1980s and matches energy expenditures of wild mammals. *Int J Obes (Lond).* 2008; 32(8):1256–63.
29. Church T, Martin CK. The obesity epidemic: a consequence of reduced energy expenditure and the uncoupling of energy intake? *Obesity (Silver Spring).* 2018; 26(1):14–6.
30. Bleich S, Cutler D, Murray C, Adams A. Why is the developed world obese? *Annu Rev Public Health.* 2008; 29:273–95.
31. Tataranni PA, Harper IT, Snitker S, et al. Body weight gain in free-living Pima Indians: effect of energy intake vs expenditure. *Int J Obes Relat Metab Disord.* 2003; 27(12):1578–83.
32. McFerran B, Mukhopadhyay A. Lay theories of obesity predict actual body mass. *Psychol Sci.* 2013; 24(8):1428–36.
33. McFerran B, Mukhopadhyay A. Lay theories of obesity predict actual body mass. *Psychol Sci.* 2013; 24(8):1428–36.
34. McFerran B, Mukhopadhyay A. Lay theories of obesity predict actual body mass. *Psychol Sci.* 2013; 24(8):1428–36.
35. Locke AE, Kahali B, Berndt SI, et al. Genetic studies of body mass index yield new insights for obesity biology. *Nature.* 2015; 518(7538):197–206.
36. Loos RJ, Yeo GS. The bigger picture of FTO: the first GWAS-identified obesity gene. *Nat Rev Endocrinol.* 2014; 10(1):51–61.
37. Speliotes EK, Willer CJ, Berndt SI, et al. Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nat Genet.* 2010; 42(11):937–48.
38. Karra E, O’Daly OG, Choudhury AI, et al. A link between FTO, ghrelin, and impaired brain food-cue responsivity. *J Clin Invest.* 2013; 123(8):3539–51.
39. Cheung MK, Yeo GS. FTO biology and obesity: why do a billion of us weigh 3 kg more? *Front Endocrinol (Lausanne).* 2011; 2:4.
40. Tedstone AE. Obesity treatment—are personalised approaches missing the point? *BMJ.* 2016; 354:i4980.
41. Hall KD, Sacks G, Chandramohan D, et al. Quantification of the effect of energy imbalance on bodyweight. *Lancet.* 2011; 378(9793):826–37.
42. Loos RJ, Yeo GS. The bigger picture of FTO: the first GWAS-identified obesity gene. *Nat Rev Endocrinol.* 2014; 10(1):51–61.

43. Li S, Zhao JH, Luan J, et al. Cumulative effects and predictive value of common obesity-susceptibility variants identified by genome-wide association studies. *Am J Clin Nutr.* 2010; 91(1):184–90.
44. Kilpeläinen TO, Qi L, Brage S, et al. Physical activity attenuates the influence of FTO variants on obesity risk: a meta-analysis of 218,166 adults and 19,268 children. *PLoS Med.* 2011; 8(11):e1001116.
45. Corella D, Arnett DK, Tucker KL, et al. A high intake of saturated fatty acids strengthens the association between the fat mass and obesity-associated gene and BMI. *J Nutr.* 2011; 141(12):2219–25.
46. Livingstone KM, Celis-Morales C, Papanonatos GD, et al. FTO genotype and weight loss: systematic review and meta-analysis of 9563 individual participant data from eight randomised controlled trials. *BMJ.* 2016; 354:i4707.
47. Celis-Morales C, Marsaux CF, Livingstone KM, et al. Can genetic-based advice help you lose weight? Findings from the Food4Me European randomized controlled trial. *Am J Clin Nutr.* 2017; 105(5):1204–13.
48. Meisel SF, Walker C, Wardle J. Psychological responses to genetic testing for weight gain: a vignette study. *Obesity (Silver Spring).* 2012; 20(3):540–6.
49. Centre for Economic Performance. Vertical transmission of overweight: evidence from English adoptees. Publicado en octubre, 2016. Disponible en: <http://cep.lse.ac.uk/pubs/download/dp1324.pdf>. Acceso: marzo, 19, 2019.
50. Knowler WC, Pettitt DJ, Saad MF, et al. Obesity in the Pima Indians: its magnitude and relationship with diabetes. *Am J Clin Nutr.* 1991; 53(6 Suppl):1543S–51S.
51. Knowler WC, Pettitt DJ, Saad MF, Bennett PH. Diabetes mellitus in the Pima Indians: incidence, risk factors and pathogenesis. *Diabetes Metab Rev.* 1990; 6(1):1–27.
52. Ravussin E. Energy metabolism in obesity. Studies in the Pima Indians. *Diabetes Care.* 1993; 16(1):232–8.
53. Ravussin E. Energy metabolism in obesity. Studies in the Pima Indians. *Diabetes Care.* 1993; 16(1):232–8.
54. Boyce VL, Swinburn BA. The traditional Pima Indian diet. Composition and adaptation for use in a dietary intervention study. *Diabetes Care.* 1993; 16(1):369–71.
55. Howarth NC, Saltzman E, Roberts SB. Dietary fiber and weight regulation. *Nutr Rev.* 2001; 59(5):129–39.
56. Schulz LO, Bennett PH, Ravussin E, et al. Effects of traditional and western environments on prevalence of type 2 diabetes in Pima Indians in Mexico and the U.S. *Diabetes Care.* 2006; 29(8):1866–71.
57. Dobzhansky T. Nothing in biology makes sense except in the light of evolution. *Am Biol Teach.* 1973; 35(3):125–9.
58. Neel JV. Diabetes mellitus: a «thrifty» genotype rendered detrimental by «progress»? *Am J Hum Genet.* 1962; 14:353–62.

59. Genné-Bacon EA. Thinking evolutionarily about obesity. *Yale J Biol Med.* 2014; 87(2):99– 112.
60. Anderson RM, Brackenridge BP. Polar bears in the jungle: reflections on obesity and overeating. *Diabetes Educ.* 1999; 25(4):521–3.
61. Egger G, Swinburn B. An «ecological» approach to the obesity pandemic. *BMJ.* 1997; 315(7106):477–80.
62. Pimentel GD, Ganeshan K, Carnevalheira JB. Hypothalamic inflammation and the central nervous system control of energy homeostasis. *Mol Cell Endocrinol.* 2014; 397(1–2):15–22.
63. Speakman JR. Thrifty genes for obesity, an attractive but flawed idea, and an alternative perspective: the «drifty gene» hypothesis. *Int J Obes (Lond).* 2008; 32(11):1611–7.
64. Myslobodsky M, Ingraham LJ. Managing the pandemic of obesity: siding with the fox or the hedgehog? *Obes Facts.* 2009; 2(6):384–92.
65. Neel JV. Diabetes mellitus: a «thrifty» genotype rendered detrimental by «progress»? *Am J Hum Genet.* 1962; 14:353–62.
66. Genné-Bacon EA. Thinking evolutionarily about obesity. *Yale J Biol Med.* 2014; 87(2):99– 112.
67. American Medical Association’s Council on Science and Public Health. American Medical Association’s Council on Science and Public Health report 420 (A-13). 2013. Disponible en: <https://www.npr.org/documents/2013/jun/ama-resolution-obesity.pdf>. Acceso: marzo, 19, 2019.
68. The Council on Science and Public Health. Report of the Council on Science and Public Health: CSAPH report 3-A-13. 2013. Disponible en: <https://www.ama-assn.org/sites/ama-assn.org/files/corp/media-browser/public/about-ama/councils/Council%20Reports/council-on-science-public-health/a13csaph3.pdf>. Acceso: marzo, 19, 2019.
69. Katz D. Obesity ... be damned!: what it will take to turn the tide. *Harvard Health Policy Rev.* 2006; 7(2):135–51.
70. Rutter H. Where next for obesity? *Lancet.* 2011; 378(9793):746–7.
71. National Center for Health Statistics. Table 53. Selected health conditions and risk factors, by age: United States, selected years 1988–1994 through 2015–2016. 2017. Disponible en: <https://www.cdc.gov/nchs/data/hus/2017/053.pdf>. Acceso: marzo, 19, 2019.
72. Newburgh LH, Johnston MW. The nature of obesity. *J Clin Invest.* 1930; 8(2):197–213.
73. Swinburn BA. Obesity prevention: the role of policies, laws and regulations. *Aust New Zealand Health Policy.* 2008; 5(12):1–7.
74. Brunstrom JM, Drake ACL, Forde CG, Rogers PJ. Undervalued and ignored: are humans poorly adapted to energy-dense foods? *Appetite.* 2018; 120:589–95.
75. Gibson EL, Wardle J. Energy density predicts preferences for fruit and vegetables in 4-year-old children. *Appetite.* 2003; 41(1):97–8.

76. Laska M, Hernandez Salazar LT, Luna ER. Food preferences and nutrient composition in captive spider monkeys, *Ateles geoffroyi*. *Int J Primatol*. 2000; 21(4):671–3.
77. Brunstrom JM, Drake ACL, Forde CG, Rogers PJ. Undervalued and ignored: are humans poorly adapted to energy-dense foods? *Appetite*. 2018; 120:589–95.
78. United States Department of Agriculture. USDA food composition databases. Disponible en: <https://ndb.nal.usda.gov/ndb>. Acceso: marzo, 19, 2019.
79. Novick J. Added oils: the elephant in the room. Dr. McDougall's Health & Medical Center. Publicado en febrero, 28, 2018. Disponible en: <https://us4.campaign-archive.com/?e=fa8b8ba4e0&u=5e58f59d97611f910916b6276&id=cc2c77335d>. Acceso: marzo, 19, 2019.
80. Ifland J, Preuss HG, Marcus MT, Rourke KM, Taylor W, Theresa Wright H. Clearing the confusion around processed food addiction. *J Am Coll Nutr*. 2015; 34(3):240–3.
81. Fortuna JL. The obesity epidemic and food addiction: clinical similarities to drug dependence. *J Psychoactive Drugs*. 2012; 44(1):56–63.
82. Gearhardt AN, Yokum S, Orr PT, Stice E, Corbin WR, Brownell KD. Neural correlates of food addiction. *Arch Gen Psychiatry*. 2011; 68(8):808–16.
83. Childress AR, Mozley PD, McElgin W, Fitzgerald J, Reivich M, O'Brien CP. Limbic activation during cue-induced cocaine craving. *Am J Psychiatry*. 1999; 156(1):11–8.
84. Schneider F, Habel U, Wagner M, et al. Subcortical correlates of craving in recently abstinent alcoholic patients. *Am J Psychiatry*. 2001; 158(7):1075–83.
85. Schulte EM, Smeal JK, Gearhardt AN. Foods are differentially associated with subjective effect report questions of abuse liability. *PLoS ONE*. 2017; 12(8):e0184220.
86. Altmann J, Schoeller D, Altmann S, Muruthi P, Sapolsky R. Body size and fatness of free-living baboons reflect food availability and activity levels. *Am J Primatol*. 1993; 30(2):149–61.
87. Rubio-Ruiz ME, Peredo-Escárcega AE, Cano-Martínez A, Guarner-Lans V. An evolutionary perspective of nutrition and inflammation as mechanisms of cardiovascular disease. *Int J Evol Biol*. 2015; 2015:179791.
88. Jenkins DJ, Jenkins AL, Kendall CW, Vuksan V, Vidgen E. The garden of Eden: implications for cardiovascular disease prevention. *Asia Pac J Clin Nutr*. 2000; 9 Suppl 1:S1–3.
89. Regestein QR. The big, bad obesity pandemic. *Menopause*. 2018; 25(2):129–32.
90. Aronne LJ. Treatment of obesity in the primary care setting. In: Wadden TA, Stunkard AJ, eds. *Handbook of Obesity Treatment*. New York: The Guilford Press; 2002:383–94.

91. Battle EK, Brownell KD. Confronting a rising tide of eating disorders and obesity: treatment vs. prevention and policy. *Addict Behav.* 1996; 21(6):755–65.
92. Maffettone PB, Laursen PB. The prevalence of overfat adults and children in the US. *Front Public Health.* 2017; 5:290.
93. National Center for Health Statistics. Table 53. Selected health conditions and risk factors, by age: United States, selected years 1988–1994 through 2015–2016. 2017. Disponible en: <https://www.cdc.gov/nchs/data/abus/2017/053.pdf>. Acceso: marzo, 19, 2019.
94. Friedman JM. A war on obesity, not the obese. *Science.* 2003; 299(5608):856–8.
95. Bouchard C, Tremblay A, Després JP, et al. The response to long-term overfeeding in identical twins. *N Engl J Med.* 1990; 322(21):1477–82.
96. Bouchard C, Tremblay A, Després JP, et al. The response to exercise with constant energy intake in identical twins. *Obes Res.* 1994; 2(5):400–10.
97. Campbell MK. Biological, environmental, and social influences on childhood obesity. *Pediatr Res.* 2016; 79(1-2):205–11.
98. Brooks AA, Johnson MR, Steer PJ, Pawson ME, Abdalla HI. Birth weight: nature or nurture? *Early Hum Dev.* 1995; 42(1):29–35.
99. Waterland RA. Epigenetic mechanisms affecting regulation of energy balance: many questions, few answers. *Annu Rev Nutr.* 2014; 34:337–55.
100. Smith J, Cianflone K, Biron S, et al. Effects of maternal surgical weight loss in mothers on intergenerational transmission of obesity. *J Clin Endocrinol Metab.* 2009; 94(11):4275–83.
101. McAllister EJ, Dhurandhar NV, Keith SW, et al. Ten putative contributors to the obesity epidemic. *Crit Rev Food Sci Nutr.* 2009; 49(10):868–913.
102. Waterland RA. Epigenetic mechanisms affecting regulation of energy balance: many questions, few answers. *Annu Rev Nutr.* 2014; 34:337–55.
103. McAllister EJ, Dhurandhar NV, Keith SW, et al. Ten putative contributors to the obesity epidemic. *Crit Rev Food Sci Nutr.* 2009; 49(10):868–913.
104. Finch CE, Loehlin JC. Environmental influences that may precede fertilization: a first examination of the prezygotic hypothesis from maternal age influences on twins. *Behav Genet.* 1998; 28(2):101–6.
105. Keith SW, Redden DT, Katzmarzyk PT, et al. Putative contributors to the secular increase in obesity: exploring the roads less traveled. *Int J Obes (Lond).* 2006; 30(11):1585–94.
106. Katzmarzyk PT, Barlow S, Bouchard C, et al. An evolving scientific basis for the prevention and treatment of pediatric obesity. *Int J Obes (Lond).* 2014; 38(7):887–905.
107. Smith J, Cianflone K, Biron S, et al. Effects of maternal surgical weight loss in mothers on intergenerational transmission of obesity. *J Clin Endocrinol Metab.* 2009; 94(11):4275–83.

108. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
109. Vandevijvere S, Chow CC, Hall KD, Umali E, Swinburn BA. Increased food energy supply as a major driver of the obesity epidemic: a global analysis. *Bull World Health Organ.* 2015; 93(7):446–56.
110. Bleich S, Cutler D, Murray C, Adams A. Why is the developed world obese? *Annu Rev Public Health.* 2008; 29:273–95.
111. Gerrior S, Bente L, Hiza H. Nutrient content of the U.S. food supply, 1909–2000. *Home Economics Research Report No. 56.* United States Department of Agriculture, Center for Nutrition Policy and Promotion. Publicado en noviembre, 2004. Disponible en: [https://www.cnpp.usda.gov/sites/default/files/nutrient\\_content\\_of\\_the\\_us\\_food\\_supply/FoodSupply1909-2000.pdf](https://www.cnpp.usda.gov/sites/default/files/nutrient_content_of_the_us_food_supply/FoodSupply1909-2000.pdf). Acceso: marzo, 19, 2019.
112. Gerrior S, Bente L, Hiza H. Nutrient content of the U.S. food supply, 1909–2000. *Home Economics Research Report No. 56.* United States Department of Agriculture, Center for Nutrition Policy and Promotion. Publicado en noviembre 2004. Disponible en: [https://www.cnpp.usda.gov/sites/default/files/nutrient\\_content\\_of\\_the\\_us\\_food\\_supply/FoodSupply1909-2000.pdf](https://www.cnpp.usda.gov/sites/default/files/nutrient_content_of_the_us_food_supply/FoodSupply1909-2000.pdf). Acceso: marzo, 19, 2019.
113. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet.* 2011; 378(9793):804–14.
114. Cutler D, Glaeser E, Shapiro J. Why have Americans become more obese? *J Econ Perspect.* 2003; 17(3):93–118.
115. Cutler D, Glaeser E, Shapiro J. Why have Americans become more obese? *J Econ Perspect.* 2003; 17(3):93–118.
116. Moodie R, Stuckler D, Monteiro C, et al. Profits and pandemics: prevention of harmful effects of tobacco, alcohol, and ultra-processed food and drink industries. *Lancet.* 2013; 381(9867):670–9.
117. Scrinis G. Big Food corporations and the nutritional marketing and regulation of processed foods. *Canadian Food Studies.* 2015; 2(2):136–45.
118. Cutler D, Glaeser E, Shapiro J. Why have Americans become more obese? *J Econ Perspect.* 2003; 17(3):93–118.
119. Cutler D, Glaeser E, Shapiro J. Why have Americans become more obese? *J Econ Perspect.* 2003; 17(3):93–118.
120. Cutler D, Glaeser E, Shapiro J. Why have Americans become more obese? *J Econ Perspect.* 2003; 17(3):93–118.
121. Perry CL, Creamer MR. The childhood obesity epidemic: lessons learned from tobacco. *J Pediatr.* 2014; 164(1):178–85.
122. Centers for Disease Control and Prevention. Tobacco use—United States, 1900–1999. *MMWR Morb Mortal Wkly Rep.* 1999; 48(43):986–93.

123. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
124. Siegel KR, McKeever Bullard K, Imperatore G, et al. Association of higher consumption of foods derived from subsidized commodities with adverse cardiometabolic risk among US adults. *JAMA Intern Med*. 2016; 176(8):1124–32.
125. Franck C, Grandi SM, Eisenberg MJ. Agricultural subsidies and the American obesity epidemic. *Am J Prev Med*. 2013; 45(3):327–33.
126. Siegel KR, McKeever Bullard K, Imperatore G, et al. Association of higher consumption of foods derived from subsidized commodities with adverse cardiometabolic risk among US adults. *JAMA Intern Med*. 2016; 176(8):1124–32.
127. Popkin BM. Contemporary nutritional transition: determinants of diet and its impact on body composition. *Proc Nutr Soc*. 2011; 70(1):82–91.
128. Nestle M. Utopian dream: a new farm bill. *Dissent*. 2012; 59(2):15–9.
129. Popkin BM. Agricultural policies, food and public health. *EMBO Rep*. 2011; 12(1):11–8.
130. Popkin BM. Contemporary nutritional transition: determinants of diet and its impact on body composition. *Proc Nutr Soc*. 2011; 70(1):82–91.
131. Franck C, Grandi SM, Eisenberg MJ. Agricultural subsidies and the American obesity epidemic. *Am J Prev Med*. 2013; 45(3):327–33.
132. Harvie A, Wise TA. Sweetening the pot: implicit subsidies to corn sweeteners and the US obesity epidemic. Global Development and Environment Institute. Publicado en febrero, 2009. Disponible en: <http://www.ase.tufts.edu/gdae/Pubs/rp/PB09-01SweeteningPotFeb09.pdf>. Acceso: marzo, 19, 2019.
133. Wise TA, Starmer E. Industrial livestock companies' gains from low feed prices, 1997–2005. Global Development and Environment Institute. Publicado en febrero, 2007. Disponible en: <http://www.ase.tufts.edu/gdae/Pubs/rp/CompanyFeedSvgsFeb07.pdf>. Acceso: marzo, 19, 2019.
134. Putnam J, Allshouse J, Kantor LS. U.S. per capita food supply trends: more calories, refined carbohydrates, and fats. *FoodReview*. 2002; 25(3):2–15.
135. King DE, Mainous AG, Carnemolla M, Everett CJ. Adherence to healthy lifestyle habits in US adults, 1988–2006. *Am J Med*. 2009; 122(6):528–34.
136. Winson A. Bringing political economy into the debate on the obesity epidemic. *Agric Human Values*. 2004; 21(4):299–312.
137. Winson A. Bringing political economy into the debate on the obesity epidemic. *Agric Human Values*. 2004; 21(4):299–312.
138. Siegel KR, McKeever Bullard K, Imperatore G, et al. Association of higher consumption of foods derived from subsidized commodities with adverse cardiometabolic risk among US adults. *JAMA Intern Med*. 2016; 176(8):1124–32.
139. Putnam J, Allshouse J, Kantor LS. U.S. per capita food supply trends: more calories, refined carbohydrates, and fats. *FoodReview*. 2002; 25(3):2–15.

140. Putnam J, Allshouse J, Kantor LS. U.S. per capita food supply trends: more calories, refined carbohydrates, and fats. *FoodReview*. 2002; 25(3):2–15.
141. Gerrior S, Bente L, Hiza H. Nutrient content of the U.S. food supply, 1909–2000. *Home Economics Research Report No. 56*. United States Department of Agriculture, Center for Nutrition Policy and Promotion. Publicado en noviembre, 2004. Disponible en: [https://www.cnpp.usda.gov/sites/default/files/nutrient\\_content\\_of\\_the\\_us\\_food\\_supply/FoodSupply1909-2000.pdf](https://www.cnpp.usda.gov/sites/default/files/nutrient_content_of_the_us_food_supply/FoodSupply1909-2000.pdf). Acceso: marzo, 19, 2019.
142. Rehkamp S. A look at calorie sources in the American diet. Economic Research Service, United States Department of Agriculture. Publicado en diciembre, 5, 2016. Disponible en: <https://www.ers.usda.gov/amber-waves/2016/december/a-look-at-calorie-sources-in-the-american-diet>. Acceso: marzo, 31, 2019.
143. Nestle M. Utopian dream: a new farm bill. *Dissent*. 2012; 59(2):15–9.
144. Morris B. Tearing up the Jack Welch playbook. *Fortune*. Publicado en julio, 14, 2006. Disponible en: [https://money.cnn.com/sales/executive\\_resource\\_center/articles2/rules.fortune/index.htm](https://money.cnn.com/sales/executive_resource_center/articles2/rules.fortune/index.htm). Acceso: marzo, 19, 2019.
145. Nestle M. Interview with Marion Nestle. *Health Promot Pract*. 2008; 9(1):16–8.
146. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
147. Consumers Union. Out of balance: marketing of soda, candy, snacks and fast foods drowns out healthful messages. California Pan-Ethnic Health Network. Publicado en septiembre, 2005. Disponible en: [https://cpehn.org/sites/default/files/resource\\_files/outofbalance.pdf](https://cpehn.org/sites/default/files/resource_files/outofbalance.pdf). Acceso: mayo, 4, 2019.
148. Vranica S. McDonald’s to review its \$2 billion global media buying account. *Wall Street Journal*. Publicado en octubre, 26, 2017. Disponible en: <https://www.wsj.com/articles/mcdonalds-to-review-its-2-billion-global-media-buying-account-1509036600>. Acceso: marzo, 19, 2019.
149. Winson A. Bringing political economy into the debate on the obesity epidemic. *Agric Human Values*. 2004; 21(4):299–312.
150. Nestle M. Utopian dream: a new farm bill. *Dissent*. 2012; 59(2):15–9.
151. Horgen KB, Brownell KD. Confronting the toxic environment: environmental, public health actions in a world crisis. In: Wadden TA, Stunkard AJ, eds. *Handbook of Obesity Treatment*. New York: The Guilford Press; 2002:95–106.
152. Lapierre MA, Fleming-Milici F, Rozendaal E, McAlister AR, Castonguay J. The effect of advertising on children and adolescents. *Pediatrics*. 2017; 140(Suppl 2):S152–6.
153. Harris JL, Pomeranz JL, Lobstein T, Brownell KD. A crisis in the marketplace: how food marketing contributes to childhood obesity and what can be done. *Annu Rev Public Health*. 2009; 30:211–25.

154. Harris JL, Pomeranz JL, Lobstein T, Brownell KD. A crisis in the marketplace: how food marketing contributes to childhood obesity and what can be done. *Annu Rev Public Health*. 2009; 30:211–25.
155. James P. All-of-government approach needed to tackle obesity. Interview by Fiona Fleck. *Bull World Health Organ*. 2013; 91(8):551–2.
156. Bond ME, Crammond BR, Loff B. It's not about choice: the supermarket and obesity. *Med J Aust*. 2012; 197(7):371.
157. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
158. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
159. Katz D. Obesity ... be damned!: what it will take to turn the tide. *Harvard Health Policy Rev*. 2006; 7(2):135–51.
160. Institute of Medicine. Food marketing to children and youth: threat or opportunity? National Academies Press. 2006. Disponible en: <https://www.nap.edu/catalog/11514/food-marketing-to-children-and-youth-threat-or-opportunity>. Acceso: marzo, 19, 2019.
161. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
162. Nestle M, Jacobson MF. Halting the obesity epidemic: a public health policy approach. *Public Health Rep*. 2000; 115(1):12–24.
163. Fersht A. The most influential journals: Impact Factor and Eigenfactor. *Proc Natl Acad Sci USA*. 2009; 106(17):6883–4.
164. North AC, Hargreaves DJ, McKendrick J. In-store music affects product choice. *Nature*. 1997; 390(132):132.
165. North AC, Hargreaves DJ, McKendrick J. In-store music affects product choice. *Nature*. 1997; 390(132):132.
166. Nestle M, Jacobson MF. Halting the obesity epidemic: a public health policy approach. *Public Health Rep*. 2000; 115(1):12–24.
167. Stanton RA. Food retailers and obesity. *Curr Obes Rep*. 2015; 4(1):54–9.
168. Muris TJ, Thompson MW, Swindle O, Leary TB, Jones HP. Slotting allowances in the retail grocery industry: select case studies in five product categories. Federal Trade Commission. Publicado en noviembre, 2003. Disponible en: <https://www.ftc.gov/sites/default/files/documents/reports/use-slotting-allowances-retail-grocery-industry/slottingallowancercrpt031114.pdf>. Acceso: marzo, 21, 2019.
169. Collier R. Call to reduce junk food at checkouts. *CMAJ*. 2015; 187(1):E14.
170. Cohen DA, Lesser LI. Obesity prevention at the point of purchase. *Obes Rev*. 2016; 17(5):389–96.
171. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.

172. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
173. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
174. Miller GA. The magical number seven plus or minus two: some limits on our capacity for processing information. *Psychol Rev*. 1956; 63(2):81–97.
175. Shiv B, Fedorikhin A. Heart and mind in conflict: the interplay of affect and cognition in consumer decision-making. *J Consum Res*. 1999; 26(3):278–92.
176. Zimmerman FJ, Shimoga SV. The effects of food advertising and cognitive load on food choices. *BMC Public Health*. 2014; 14:342.
177. Zimmerman FJ, Shimoga SV. The effects of food advertising and cognitive load on food choices. *BMC Public Health*. 2014; 14:342.
178. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
179. Nestle M. Utopian dream: a new farm bill. *Dissent*. 2012; 59(2):15–9.
180. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
181. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet*. 2011; 378(9793):804–14.
182. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
183. Williams KJ, Wu X. Imbalanced insulin action in chronic over nutrition: clinical harm, molecular mechanisms, and a way forward. *Atherosclerosis*. 2016; 247:225–82.
184. Poti JM, Duffey KJ, Popkin BM. The association of fast food consumption with poor dietary outcomes and obesity among children: is it the fast food or the remainder of the diet? *Am J Clin Nutr*. 2014; 99(1):162–71.
185. Alh eriti re A, Montois S, Galinski M, Tazarourte K, Lapostolle F. Worldwide relation between the number of McDonald’s restaurants and the prevalence of obesity. *J Intern Med*. 2013; 274(6):610–1.
186. Poti JM, Duffey KJ, Popkin BM. The association of fast food consumption with poor dietary outcomes and obesity among children: is it the fast food or the remainder of the diet? *Am J Clin Nutr*. 2014; 99(1):162–71.
187. Young LR, Nestle M. Portion sizes and obesity: responses of fast-food companies. *J Public Health Policy*. 2007; 28(2):238–48.
188. Rolls BJ. The supersizing of America: portion size and the obesity epidemic. *Nutr Today*. 2003; 38(2):42–53.
189. Young LR, Nestle M. Expanding portion sizes in the US marketplace: implications for nutrition counseling. *J Am Diet Assoc*. 2003; 103(2):231–4.

190. Rolls BJ. The supersizing of America: portion size and the obesity epidemic. *Nutr Today*. 2003; 38(2):42–53.
191. Rolls BJ. The supersizing of America: portion size and the obesity epidemic. *Nutr Today*. 2003; 38(2):42–53.
192. Herman CP, Polivy J, Vartanian LR, Pliner P. Are large portions responsible for the obesity epidemic? *Physiol Behav*. 2016; 156:177–81.
193. Livingstone MB, Pourshahidi LK. Portion size and obesity. *Adv Nutr*. 2014; 5(6):829–34.
194. Almiron-Roig E, Tsiountsioura M, Lewis HB, Wu J, Solis-Trapala I, Jebb SA. Large portion sizes increase bite size and eating rate in overweight women. *Physiol Behav*. 2015; 139:297–302.
195. Rolls BJ, Roe LS, Meengs JS. The effect of large portion sizes on energy intake is sustained for 11 days. *Obesity (Silver Spring)*. 2007; 15(6):1535–43.
196. Van Kleef E, Bruggers I, de Vet E. Encouraging vegetable intake as a snack among children: the influence of portion and unit size. *Public Health Nutr*. 2015; 18(15):2736–41.
197. Rolls BJ. What is the role of portion control in weight management? *Int J Obes (Lond)*. 2014; 38 Suppl 1:S1–8.
198. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
199. Cohen DA. Neurophysiological pathways to obesity: below awareness and beyond individual control. *Diabetes*. 2008; 57(7):1768–73.
200. Taillie LS, Ng SW, Popkin BM. Global growth of «big box» stores and the potential impact on human health and nutrition. *Nutr Rev*. 2016; 74(2):83–97.
201. Nestle M. Counting the cost of calories. Interview by Ben Jones. *Bull World Health Organ*. 2012; 90(8):566–7.
202. Duffey KJ, Popkin BM. Energy density, portion size, and eating occasions: contributions to increased energy intake in the United States, 1977–2006. *PLoS Med*. 2011; 8(6):e1001050.
203. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
204. Ludwig DS. Childhood obesity—the shape of things to come. *N Engl J Med*. 2007; 357(23):2325–7.
205. Bonnet J, George A, Evans P, Silberberg M, Dolinsky D. Rethinking obesity counseling: having the French Fry Discussion. *J Obes*. 2014; 2014:525021.
206. Grummer-Strawn LM, Scanlon KS, Fein SB. Infant feeding and feeding transitions during the first year of life. *Pediatrics*. 2008; 122 Suppl 2:S36–42.
207. Katz D. Obesity ... be damned!: what it will take to turn the tide. *Harvard Health Policy Rev*. 2006; 7(2):135–51.

208. Perry CL, Creamer MR. The childhood obesity epidemic: lessons learned from tobacco. *J Pediatr*. 2014; 164(1):178–85.
209. McCrory MA, Suen VM, Roberts SB. Biobehavioral influences on energy intake and adult weight gain. *J Nutr*. 2002; 132(12):3830S–4S.
210. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health*. 2011; 32:285–306.
211. McCrory MA, Suen VM, Roberts SB. Biobehavioral influences on energy intake and adult weight gain. *J Nutr*. 2002; 132(12):3830S–4S.
212. Scrinis G. Big Food corporations and the nutritional marketing and regulation of processed foods. *Canadian Food Studies*. 2015; 2(2):136–45.
213. Sacks G, Swinburn BA, Cameron AJ, Ruskin G. How food companies influence evidence and opinion—straight from the horse’s mouth. *Crit Public Health*. 2018; 28(2):253–6.
214. Moodie R, Stuckler D, Monteiro C, et al. Profits and pandemics: prevention of harmful effects of tobacco, alcohol, and ultra-processed food and drink industries. *Lancet*. 2013; 381(9867):670–9.
215. Lobbying spending database food & beverage, 2009. Center for Responsive Politics. Available at: <http://www.opensecrets.org/lobby/indusclient.php?id=n01&year=2009>. Acceso: marzo, 22, 2019.
216. *Citizens United v. Federal Election Commission*. 130 S.Ct. 876 08–205 (Roberts Court 2010).
217. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet*. 2011; 378(9793):804–14.
218. Steier G. Dead people don’t eat: food government economics and conflicts-of-interest in the USDA and FDA. *J Environ Public Health*. 2012; 7(1):1–77.
219. Brownell KD. Thinking forward: the quicksand of appeasing the food industry. *PLoS Med*. 2012; 9(7):e1001254.
220. Swinburn B, Vandevijvere S. WHO report on ending childhood obesity echoes earlier recommendations. *Public Health Nutr*. 2016; 19(1):1–2.
221. Liggett & Myers Tobacco Company Campaign: Doctor ordered. Tobacco.Stanford.edu. Disponible en: <https://stanford.io/2BfDHPx>. Acceso: marzo, 21, 2019.
222. Kirk SF, Penney TL, Freedhoff Y. Running away with the facts on food and fatness. *Public Health Nutr*. 2010; 13(1):147–8.
223. Our mission. HealthyChildren.org. Publicado en 2009. Disponible en: <https://web.archive.org/web/20120310054653/http://www.healthychildren.org:80/eng/lish/our-mission/sponsors/pages/default.aspx>. Acceso: marzo, 21, 2019.
224. Murray JL. Coke and the AAFP—the real thing or a dangerous liaison? *Fam Med*. 2010; 42(1):57–8.

225. Yanamadala S, Bragg MA, Roberto CA, Brownell KD. Food industry front groups and conflicts of interest: the case of Americans against food taxes. *Public Health Nutr.* 2012; 15(8):1331–2.
226. About. Americans for Food and Beverage Choice. Disponible en: <https://www.yourcartyourchoice.com/about-us>. Acceso: marzo, 21, 2019.
227. Barnes DE, Bero LA. Industry-funded research and conflict of interest: an analysis of research sponsored by the tobacco industry through the Center for Indoor Air Research. *J Health Polit Policy Law.* 1996; 21(3):515–42.
228. Mialon M, Mialon J. Corporate political activity of the dairy industry in France: an analysis of publicly available information. *Public Health Nutr.* 2017; 20(13):2432–9.
229. Perry CL, Creamer MR. The childhood obesity epidemic: lessons learned from tobacco. *J Pediatr.* 2014; 164(1):178–85.
230. Schleifer D. We spent a million bucks and then we had to do something: the unexpected implications of industry involvement in trans fat research. *Bull Sci Technol Soc.* 2011; 31(6):460–71.
231. Perry CL, Creamer MR. The childhood obesity epidemic: lessons learned from tobacco. *J Pediatr.* 2014; 164(1):178–85.
232. Schleifer D. We spent a million bucks and then we had to do something: the unexpected implications of industry involvement in trans fat research. *Bull Sci Technol Soc.* 2011; 31(6):460–71.
233. Beaglehole R, Bonita R, Horton R, et al. Priority actions for the non-communicable disease crisis. *Lancet.* 2011; 377(9775):1438–47.
234. Chan M. WHO Director-General addresses health promotion conference. World Health Organization. Publicado en junio, 10, 2013. Disponible en: [https://www.who.int/dg/speeches/2013/health\\_promotion\\_20130610/en](https://www.who.int/dg/speeches/2013/health_promotion_20130610/en). Acceso: marzo, 21, 2019.
235. Chan M. Obesity and diabetes: the slow-motion disaster. *Milbank Q.* 2017; 95(1):11–4.
236. Chan M. Obesity and diabetes: the slow-motion disaster. Keynote address at the 47th meeting of the National Academy of Medicine. World Health Organization. Publicado en octubre, 17, 2016. Disponible en: <https://www.who.int/dg/speeches/2016/obesity-diabetes-disaster/en>. Acceso: marzo, 21, 2019.
237. Ortiz SE, Zimmerman FJ, Gilliam FD. Weighing in: the taste-engineering frame in obesity expert discourse. *Am J Public Health.* 2015; 105(3):554–9.
238. Zimmerman FJ. Using marketing muscle to sell fat: the rise of obesity in the modern economy. *Annu Rev Public Health.* 2011; 32:285–306.
239. Brownell KD, Warner KE. The perils of ignoring history: Big Tobacco played dirty and millions died. How similar is Big Food? *Milbank Q.* 2009; 87(1):259–94.

240. Lifshitz F, Lifshitz JZ. Globesity: the root causes of the obesity epidemic in the USA and now worldwide. *Pediatr Endocrinol Rev*. 2014; 12(1):17–34.
241. Ortiz SE, Zimmerman FJ, Gilliam FD. Weighing in: the taste-engineering frame in obesity expert discourse. *Am J Public Health*. 2015; 105(3):554–9.
242. Hall KD, Guo J, Dore M, Chow CC. The progressive increase of food waste in America and its environmental impact. *PLoS ONE*. 2009; 4(11):e7940.
243. Hastings G. Why corporate power is a public health priority. *BMJ*. 2012; 345:e5124.
244. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. *Lancet*. 2011; 378(9793):804–14.
245. Nestle M. The ironic politics of obesity. *Science*. 2003; 299(5608):781.
246. Afshin A, Forouzanfar MH, Reitsma MB, et al. Health effects of overweight and obesity in 195 countries over 25 years. *N Engl J Med*. 2017; 377(1):13–27.
247. Liu Y, Hazlewood GS, Kaplan GG, Eksteen B, Barnabe C. Impact of obesity on remission and disease activity in rheumatoid arthritis: a systematic review and meta-analysis. *Arthritis Care Res (Hoboken)*. 2017; 69(2):157–65.
248. Aune D, Norat T, Vatten LJ. Body mass index and the risk of gout: a systematic review and dose-response meta-analysis of prospective studies. *Eur J Nutr*. 2014; 53(8):1591–601.
249. Thijssen E, van Caam A, van der Kraan PM. Obesity and osteoarthritis, more than just wear and tear: pivotal roles for inflamed adipose tissue and dyslipidaemia in obesity-induced osteoarthritis. *Rheumatology (Oxford)*. 2015; 54(4):588–600.
250. Kulkarni K, Karssiens T, Kumar V, Pandit H. Obesity and osteoarthritis. *Maturitas*. 2016; 89:22–8.
251. Kulkarni K, Karssiens T, Kumar V, Pandit H. Obesity and osteoarthritis. *Maturitas*. 2016; 89:22–8.
252. Baudart P, Louati K, Marcelli C, Berenbaum F, Sellam J. Association between osteoarthritis and dyslipidaemia: a systematic literature review and meta-analysis. *RMD Open*. 2017; 3(2):e000442.
253. Thijssen E, van Caam A, van der Kraan PM. Obesity and osteoarthritis, more than just wear and tear: pivotal roles for inflamed adipose tissue and dyslipidaemia in obesity-induced osteoarthritis. *Rheumatology (Oxford)*. 2015; 54(4):588–600.
254. Felson DT, Zhang Y, Anthony JM, Naimark A, Anderson JJ. Weight loss reduces the risk for symptomatic knee osteoarthritis in women. Framingham Study. *Ann Intern Med*. 1992; 116(7):535–9.
255. Christensen R, Astrup A, Bliddal H. Weight loss: the treatment of choice for knee osteoarthritis? A randomized trial. *Osteoarthr Cartil*. 2005; 13(1):20–7.
256. Bernstein J. Not the last word: safety alert: one in 200 knee replacement patients die within 90 days of surgery. *Clin Orthop Relat Res*. 2017; 475(2):318–23.

257. Bernstein J. Not the last word: safety alert: one in 200 knee replacement patients die within 90 days of surgery. *Clin Orthop Relat Res.* 2017; 475(2):318–23.
258. Bernstein J. Not the last word: safety alert: one in 200 knee replacement patients die within 90 days of surgery. *Clin Orthop Relat Res.* 2017; 475(2):318–23.
259. Bourne RB, Chesworth BM, Davis AM, Mahomed NN, Charron KD. Patient satisfaction after total knee arthroplasty: who is satisfied and who is not? *Clin Orthop Relat Res.* 2010; 468(1):57–63.
260. Zhang TT, Liu Z, Liu YL, Zhao JJ, Liu DW, Tian QB. Obesity as a risk factor for low back pain: a meta-analysis. *Clin Spine Surg.* 2018; 31(1):22–7.
261. Shiri R, Lallukka T, Karppinen J, Viikari-Juntura E. Obesity as a risk factor for sciatica: a meta-analysis. *Am J Epidemiol.* 2014; 179(8):929–37.
262. Xu X, Li X, Wu W. Association between overweight or obesity and lumbar disk diseases. *J Spinal Disord Tech.* 2015; 28(10):370–6.
263. Shiri R, Lallukka T, Karppinen J, Viikari-Juntura E. Obesity as a risk factor for sciatica: a meta-analysis. *Am J Epidemiol.* 2014; 179(8):929–37.
264. Xu X, Li X, Wu W. Association between overweight or obesity and lumbar disk diseases. *J Spinal Disord Tech.* 2015; 28(10):370–6.
265. Kauppila LI. Atherosclerosis and disc degeneration/low-back pain—a systematic review. *Eur J Vasc Endovasc Surg.* 2009; 37(6):661–70.
266. Naumnik B, Myśliwiec M. Renal consequences of obesity. *Med Sci Monit.* 2010; 16(8):RA163–70.
267. Arena R, Daugherty J, Bond S, Lavie CJ, Phillips S, Borghi-Silva A. The combination of obesity and hypertension: a highly unfavorable phenotype requiring attention. *Curr Opin Cardiol.* 2016; 31(4):394–401.
268. Poorolajal J, Hooshmand E, Bahrami M, Ameri P. How much excess weight loss can reduce the risk of hypertension? *J Public Health (Oxf).* 2017; 39(3):e95–102.
269. Jackson SL, King SM, Zhao L, Cogswell ME. Prevalence of excess sodium intake in the United States—NHANES, 2009–2012. *MMWR Morb Mortal Wkly Rep.* 2016; 64(52):1393–7.
270. He FJ, Li J, MacGregor GA. Effect of longer-term modest salt reduction on blood pressure. *Cochrane Database Syst Rev.* 2013; (4):CD004937.
271. Semlitsch T, Jeitler K, Berghold A, et al. Long-term effects of weight-reducing diets in people with hypertension. *Cochrane Database Syst Rev.* 2016; 3:CD008274.
272. Gulland A. Three in four are unaware of obesity link to cancer, says charity. *BMJ.* 2016; 354:i4898.
273. Lauby-Secretan B, Scoccianti C, Loomis D, et al. Body fatness and cancer—viewpoint of the IARC working group. *N Engl J Med.* 2016; 375(8):794–8.
274. Kolb R, Sutterwala FS, Zhang W. Obesity and cancer: inflammation bridges the two. *Curr Opin Pharmacol.* 2016; 29:77–89.

275. Poloz Y, Stambolic V. Obesity and cancer, a case for insulin signaling. *Cell Death Dis.* 2015; 6:e2037.
276. O'Rourke RW. Obesity and cancer: at the crossroads of cellular metabolism and proliferation. *Surg Obes Relat Dis.* 2014; 10(6):1208–19.
277. Cleland WH, Mendelson CR, Simpson ER. Effects of aging and obesity on aromatase activity of human adipose cells. *J Clin Endocrinol Metab.* 1985; 60(1):174–7.
278. Cauley JA, Gutai JP, Kuller LH, Ledonne D, Powell JG. The epidemiology of serum sex hormones in postmenopausal women. *Am J Epidemiol.* 1989; 129(6):1120–31.
279. Goodwin PJ, Stambolic V. Impact of the obesity epidemic on cancer. *Annu Rev Med.* 2015; 66:281–96.
280. Carpenter CL, Duvall K, Jardack P, et al. Weight loss reduces breast ductal fluid estrogens in obese postmenopausal women: a single arm intervention pilot study. *Nutr J.* 2012; 11:102.
281. Zhang X, Zhou G, Sun B, et al. Impact of obesity upon prostate cancer-associated mortality: a meta-analysis of 17 cohort studies. *Oncol Lett.* 2015; 9(3):1307–12.
282. Barnes KT, McDowell BD, Button A, Smith BJ, Lynch CF, Gupta A. Obesity is associated with increased risk of invasive penile cancer. *BMC Urol.* 2016; 16(1):42.
283. Sjöström L, Gummesson A, Sjöström CD, et al. Effects of bariatric surgery on cancer incidence in obese patients in Sweden (Swedish Obese Subjects Study): a prospective, controlled intervention trial. *Lancet Oncol.* 2009; 10(7):653–62.
284. Tao W, Konings P, Hull MA, Adami HO, Mattsson F, Lagergren J. Colorectal cancer prognosis following obesity surgery in a population-based cohort study. *Obes Surg.* 2017; 27(5):1233–9.
285. Tao W, Konings P, Hull MA, Adami HO, Mattsson F, Lagergren J. Colorectal cancer prognosis following obesity surgery in a population-based cohort study. *Obes Surg.* 2017; 27(5):1233–9.
286. Kant P, Sainsbury A, Reed KR, et al. Rectal epithelial cell mitosis and expression of macrophage migration inhibitory factor are increased 3 years after Roux-en-Y gastric bypass (RYGB) for morbid obesity: implications for long-term neoplastic risk following RYGB. *Gut.* 2011; 60(7):893–901.
287. Alberti KG, Zimmet P, Shaw J. International Diabetes Federation: a consensus on type 2 diabetes prevention. *Diabet Med.* 2007; 24(5):451–63.
288. Centers for Disease Control and Prevention. About diabetes. CDC.gov. Publicado en junio, 1, 2017. Disponible en: <https://www.cdc.gov/diabetes/basics/diabetes.html>. Acceso: marzo, 22, 2019.
289. Lau DC, Teoh H. Impact of current and emerging glucose-lowering drugs on body weight in type 2 diabetes. *Can J Diabetes.* 2015; 39 Suppl 5:S148–54.

290. Pedditzi E, Peters R, Beckett N. The risk of overweight/obesity in mid-life and late life for the development of dementia: a systematic review and meta-analysis of longitudinal studies. *Age Ageing*. 2016; 45(1):14–21.
291. Loef M, Walach H. Midlife obesity and dementia: meta-analysis and adjusted forecast of dementia prevalence in the United States and China. *Obesity (Silver Spring)*. 2013; 21(1):E51–5.
292. Yang Y, Shields GS, Guo C, Liu Y. Executive function performance in obesity and overweight individuals: a meta-analysis and review. *Neurosci Biobehav Rev*. 2018; 84:225–44.
293. McCrady-Spitzer SK, Levine JA. Nonexercise activity thermogenesis: a way forward to treat the worldwide obesity epidemic. *Surg Obes Relat Dis*. 2012; 8(5):501–6.
294. Willette AA, Kapogiannis D. Does the brain shrink as the waist expands? *Ageing Res Rev*. 2015; 20:86–97.
295. Walther K, Birdsill AC, Glisky EL, Ryan L. Structural brain differences and cognitive functioning related to body mass index in older females. *Hum Brain Mapp*. 2010; 31(7):1052–64.
296. Kullmann S, Schweizer F, Veit R, Fritsche A, Preissl H. Compromised white matter integrity in obesity. *Obes Rev*. 2015; 16(4):273–81.
297. Yang Y, Shields GS, Guo C, Liu Y. Executive function performance in obesity and overweight individuals: a meta-analysis and review. *Neurosci Biobehav Rev*. 2018; 84:225–44.
298. Veronese N, Facchini S, Stubbs B, et al. Weight loss is associated with improvements in cognitive function among overweight and obese people: a systematic review and meta-analysis. *Neurosci Biobehav Rev*. 2017; 72:87–94.
299. Veronese N, Facchini S, Stubbs B, et al. Weight loss is associated with improvements in cognitive function among overweight and obese people: a systematic review and meta-analysis. *Neurosci Biobehav Rev*. 2017; 72:87–94.
300. Best D, Avenell A, Bhattacharya S. How effective are weight-loss interventions for improving fertility in women and men who are overweight or obese? A systematic review and meta-analysis of the evidence. *Hum Reprod Update*. 2017; 23(6):681–705.
301. Sermondade N, Faure C, Fezeu L, et al. BMI in relation to sperm count: an updated systematic review and collaborative meta-analysis. *Hum Reprod Update*. 2013; 19(3):221–31.
302. Davidson LM, Millar K, Jones C, Fatum M, Coward K. Deleterious effects of obesity upon the hormonal and molecular mechanisms controlling spermatogenesis and male fertility. *Hum Fertil (Camb)*. 2015; 18(3):184–93.
303. Eriksson J, Haring R, Grarup N, et al. Causal relationship between obesity and serum testosterone status in men: a bi-directional Mendelian randomization analysis. *PLoS ONE*. 2017; 12(4):e0176277.

304. Cavayero CT, Cooper MA, Harlin SL. Adult-acquired hidden penis in obese patients: a critical survey of the literature. *J Am Osteopath Assoc*. 2015; 115(3):150–6.
305. Portincasa P, Moschetta A, Palasciano G. Cholesterol gallstone disease. *Lancet*. 2006; 368(9531):230–9.
306. Alexander HC, Bartlett AS, Wells CI, et al. Reporting of complications after laparoscopic cholecystectomy: a systematic review. *HPB (Oxford)*. 2018; 20(9):786–94.
307. Pucher PH, Brunt LM, Davies N, et al. Outcome trends and safety measures after 30 years of laparoscopic cholecystectomy: a systematic review and pooled data analysis. *Surg Endosc*. 2018; 32(5):2175–83.
308. Isherwood J, Oakland K, Khanna A. A systematic review of the aetiology and management of post cholecystectomy syndrome. *Surgeon*. 2019; 17(1):33–42.
309. Portincasa P, Moschetta A, Palasciano G. Cholesterol gallstone disease. *Lancet*. 2006; 368(9531):230–9.
310. Pradhan SB, Joshi MR, Vaidya A. Prevalence of different types of gallstone in the patients with cholelithiasis at Kathmandu Medical College, Nepal. *Kathmandu Univ Med J (KUMJ)*. 2009; 7(27):268–71.
311. McConnell TJ, Appleby PN, Key TJ. Vegetarian diet as a risk factor for symptomatic gallstone disease. *Eur J Clin Nutr*. 2017; 71(6):731–5.
312. Chang CM, Chiu THT, Chang CC, Lin MN, Lin CL. Plant-based diet, cholesterol, and risk of gallstone disease: a prospective study. *Nutrients*. 2019; 11(2):335.
313. Stender S, Nordestgaard BG, Tybjaerg-Hansen A. Elevated body mass index as a causal risk factor for symptomatic gallstone disease: a Mendelian randomization study. *Hepatology*. 2013; 58(6):2133–41.
314. Cruz-Monserrate Z, Conwell DL, Krishna SG. The impact of obesity on gallstone disease, acute pancreatitis, and pancreatic cancer. *Gastroenterol Clin North Am*. 2016; 45(4):625–37.
315. Stampfer MJ, Maclure KM, Colditz GA, Manson JE, Willett WC. Risk of symptomatic gallstones in women with severe obesity. *Am J Clin Nutr*. 1992; 55(3):652–8.
316. Weinsier RL, Wilson LJ, Lee J. Medically safe rate of weight loss for the treatment of obesity: a guideline based on risk of gallstone formation. *Am J Med*. 1995; 98(2):115–7.
317. Tsai CJ, Leitzmann MF, Willett WC, Giovannucci EL. Long-term intake of dietary fiber and decreased risk of cholecystectomy in women. *Am J Gastroenterol*. 2004; 99(7):1364–70.
318. Sulaberidze G, Okujava M, Liluashvili K, Tughushi M, Bezashvili S. Dietary fiber's benefit for gallstone disease prevention during rapid weight loss in obese patients. *Georgian Med News*. 2014; (231):95–9.

319. Hampel H, Abraham N, El-Serag H. Meta-analysis: obesity and the risk for gastroesophageal reflux disease and its complications. *Ann Intern Med.* 2005; 143(3):199–211.
320. Giri A, Hartmann KE, Hellwege JN, Velez Edwards DR, Edwards TL. Obesity and pelvic organ prolapse: a systematic review and meta-analysis of observational studies. *Am J Obstet Gynecol.* 2017; 217(1):11–26.e3.
321. Gallacher J, McPherson S. Practical diagnosis and staging of nonalcoholic fatty liver disease: a narrative review. *EMJ.* 2018; 3(2):108–18.
322. Gallacher J, McPherson S. Practical diagnosis and staging of nonalcoholic fatty liver disease: a narrative review. *EMJ.* 2018; 3(2):108–18.
323. Chalasani N, Younossi Z, Lavine JE, et al. The diagnosis and management of non-alcoholic fatty liver disease: practice guideline by the American Gastroenterological Association, American Association for the Study of Liver Diseases, and American College of Gastroenterology. *Gastroenterology.* 2012; 142(7):1592–609.
324. Calzadilla Bertot L, Adams LA. The natural course of non-alcoholic fatty liver disease. *Int J Mol Sci.* 2016; 17(5):774.
325. Nouredin M, Vipani A, Bresee C, et al. NASH leading cause of liver transplant in women: updated analysis of indications for liver transplant and ethnic and gender variances. *Am J Gastroenterol.* 2018; 113(11):1649–59.
326. Afshin A, Forouzanfar MH, Reitsma MB, et al. Health effects of overweight and obesity in 195 countries over 25 years. *N Engl J Med.* 2017; 377(1):13–27.
327. Hägg S, Fall T, Ploner A, et al. Adiposity as a cause of cardiovascular disease: a Mendelian randomization study. *Int J Epidemiol.* 2015; 44(2):578–86.
328. Sjöström L. Review of the key results from the Swedish Obese Subjects (SOS) trial—a prospective controlled intervention study of bariatric surgery. *J Intern Med.* 2013; 273(3):219–34.
329. Sjöström L. Review of the key results from the Swedish Obese Subjects (SOS) trial—a prospective controlled intervention study of bariatric surgery. *J Intern Med.* 2013; 273(3):219–34.
330. Jahn J, Spielau M, Brandsch C, et al. Decreased NK cell functions in obesity can be reactivated by fat mass reduction. *Obesity (Silver Spring).* 2015; 23(11):2233–41.
331. Walsh NP, Gleeson M, Shephard RJ, et al. Position statement. Part one: immune function and exercise. *Exerc Immunol Rev.* 2011; 17:6–63.
332. Mokry LE, Ross S, Timpson NJ, Sawcer S, Davey Smith G, Richards JB. Obesity and multiple sclerosis: a Mendelian randomization study. *PLoS Med.* 2016; 13(6):e1002053.
333. Chen S, Akbar SM, Miyake T, et al. Diminished immune response to vaccinations in obesity: role of myeloid-derived suppressor and other myeloid cells. *Obes Res Clin Pract.* 2015; 9(1):35–44.

334. Kovesdy CP, Furth SL, Zoccali C. Obesity and kidney disease: hidden consequences of the epidemic. *Am J Nephrol*. 2017; 45:283–91.
335. Forno E, Han YY, Mullen J, Celedón JC. Overweight, obesity, and lung function in children and adults—a meta-analysis. *J Allergy Clin Immunol Pract*. 2018; 6(2):570–81.e10.
336. Zafar U, Khaliq S, Ahmad HU, Manzoor S, Lone KP. Metabolic syndrome: an update on diagnostic criteria, pathogenesis, and genetic links. *Hormones (Athens)*. 2018; 17(3):299–313.
337. Hogerzeil DP, Hartholt KA, de Vries MR. Xiphoidectomy: a surgical intervention for an underdocumented disorder. *Case Rep Surg*. 2016; 2016:9306262.
338. Kim DD, Basu A. Estimating the medical care costs of obesity in the United States: systematic review, meta-analysis, and empirical analysis. *Value Health*. 2016; 19(5):602–13.
339. Thompson D, Edelsberg J, Colditz GA, Bird AP, Oster G. Lifetime health and economic consequences of obesity. *Arch Intern Med*. 1999; 159(18):2177–83.
340. Bhattacharya J, Bundorf MK. The incidence of the healthcare costs of obesity. *J Health Econ*. 2009; 28(3):649–58.
341. Hamilton D, Dee A, Perry IJ. The lifetime costs of overweight and obesity in childhood and adolescence: a systematic review. *Obes Rev*. 2018; 19(4):452–63.
342. Kim DD, Basu A. Estimating the medical care costs of obesity in the United States: systematic review, meta-analysis, and empirical analysis. *Value Health*. 2016; 19(5):602–13.
343. Wang YC, McPherson K, Marsh T, Gortmaker SL, Brown M. Health and economic burden of the projected obesity trends in the USA and the UK. *Lancet*. 2011; 378(9793):815–25.
344. Waters H, DeVol R. Weighing down America: the health and economic impact of obesity. Milken Institute. Publicado en noviembre, 2016. Disponible en: <https://assets1b.milkeninstitute.org/assets/publication/researchreport/pdf/weighing-down-america-web.pdf>. Acceso: marzo, 21, 2019.
345. Under Secretary of Defense (Comptroller), Chief Financial Officer. Defense Budget Overview. United States Department of Defense. Publicado en mayo, 12, 2017. Disponible en: [https://comptroller.defense.gov/portals/45/documents/defbudget/fy2018/fy2018\\_budget\\_request\\_overview\\_book.pdf](https://comptroller.defense.gov/portals/45/documents/defbudget/fy2018/fy2018_budget_request_overview_book.pdf). Acceso: marzo, 22, 2019.
346. van Baal PH, Polder JJ, de Wit GA, et al. Lifetime medical costs of obesity: prevention no cure for increasing health expenditure. *PLoS Med*. 2008; 5(2):e29.
347. King, ML Jr. *Stride Toward Freedom: The Montgomery Story*. New York: Harper; 1958.
348. Mathers JC. Obesity and mortality: is childhood obesity shortening life expectancy? *Maturitas*. 2015; 81(1):1–2.
349. Ludwig DS. Lifespan weighed down by diet. *JAMA*. 2016; 315(21):2269–70.

350. Mathers JC. Obesity and mortality: is childhood obesity shortening life expectancy? *Maturitas*. 2015; 81(1):1–2.
351. Olshansky SJ, Passaro DJ, Hershow RC, et al. A potential decline in life expectancy in the United States in the 21st century. *N Engl J Med*. 2005; 352(11):1138–45.
352. Ludwig DS. Lifespan weighed down by diet. *JAMA*. 2016; 315(21):2269–70.
353. Mann CC. Public health. Provocative study says obesity may reduce U.S. life expectancy. *Science*. 2005; 307(5716):1716–7.
354. Tobias DK, Hu FB. Does being overweight really reduce mortality? *Obesity (Silver Spring)*. 2013; 21(9):1746–9.
355. Fryar CD, Gu Q, Ogden CL, Flegal KM. Anthropometric reference data for children and adults: United States, 2011–2014. *Vital Health Stat 3*. 2016; (39):1–46.
356. Flegal KM, Kit BK, Orpana H, Graubard BI. Association of all-cause mortality with overweight and obesity using standard body mass index categories: a systematic review and meta-analysis. *JAMA*. 2013; 309(1):71–82.
357. National Health Service. Overweight people «live longer» study claims. NHS.uk. Publicado en enero, 2, 2013. Disponible en: <https://www.nhs.uk/news/obesity/overweight-people-live-longer-study-claims>. Acceso: marzo, 21, 2019.
358. Beck M. A few extra pounds won't kill you—really. *Wall Street Journal*. Publicado en enero, 1, 2013. Disponible en: <https://www.wsj.com/articles/SB10001424127887323635504578215801377387088>. Acceso: marzo, 21, 2019.
359. Aubrey A. Research: a little extra fat may help you live longer. National Public Radio. Publicado en enero, 2, 2013. Disponible en: <https://www.npr.org/sections/health-shots/2013/01/02/168437030/research-a-little-extra-fat-may-help-you-live-longer>. Acceso: marzo, 21, 2019.
360. Hughes V. The big fat truth. *Nature*. Publicado en mayo, 22, 2013. Disponible en: <https://www.nature.com/news/the-big-fat-truth-1.13039>. Acceso: marzo, 21, 2019.
361. Aubrey A. Research: a little extra fat may help you live longer. National Public Radio. Publicado en enero, 2, 2013. Disponible en: <https://www.npr.org/sections/health-shots/2013/01/02/168437030/research-a-little-extra-fat-may-help-you-live-longer>. Acceso: marzo, 21, 2019.
362. Hughes V. The big fat truth. *Nature*. Publicado en mayo, 22, 2013. Disponible en: <https://www.nature.com/news/the-big-fat-truth-1.13039>. Acceso: marzo, 21, 2019.
363. Flegal KM, Ioannidis JPA. The obesity paradox: a misleading term that should be abandoned. *Obesity (Silver Spring)*. 2018; 26(4):629–30.
364. Stokes A, Preston SH. Smoking and reverse causation create an obesity paradox in cardiovascular disease. *Obesity (Silver Spring)*. 2015; 23(12):2485–90.

365. Hennekens CH, Andreotti F. Leading avoidable cause of premature deaths worldwide: case for obesity. *Am J Med.* 2013; 126(2):97–8.
366. Willett WC, Dietz WH, Colditz GA. Guidelines for healthy weight. *N Engl J Med.* 1999; 341(6):427–34.
367. National Center for Health Statistics. Trend Tables, National Health and Nutrition Examination Survey. Appendix I. Centers for Disease Control and Prevention. Publicado en agosto, 9, 2018. Disponible en: <https://www.cdc.gov/nchs/hus/contents2017.htm#053>. Acceso: marzo, 18, 2019.
368. Willett WC, Hu FB, Thun M. Overweight, obesity, and all-cause mortality. *JAMA.* 2013; 309(16):1681.
369. Berrigan D, Troiano RP, Graubard BI. BMI and mortality: the limits of epidemiological evidence. *Lancet.* 2016; 388(10046):734–6.
370. Di Angelantonio E, Bhupathiraju SN, et al. Body-mass index and all-cause mortality: individual-participant-data meta-analysis of 239 prospective studies in four continents. *Lancet.* 2016; 388(10046):776–86.
371. Stokes A, Preston SH. Smoking and reverse causation create an obesity paradox in cardiovascular disease. *Obesity (Silver Spring).* 2015; 23(12):2485–90.
372. Obesity paradox? Just a myth. *Harv Heart Lett.* 2014; 24(8):8.
373. Pontiroli AE, Morabito A. Long-term prevention of mortality in morbid obesity through bariatric surgery. A systematic review and meta-analysis of trials performed with gastric banding and gastric bypass. *Ann Surg.* 2011; 253(3):484–7.
374. Kritchevsky SB, Beavers KM, Miller ME, et al. Intentional weight loss and all-cause mortality: a meta-analysis of randomized clinical trials. *PLoS ONE.* 2015; 10(3):e0121993.
375. Barry VW, Caputo JL, Kang M. The joint association of fitness and fatness on cardiovascular disease mortality: a meta-analysis. *Prog Cardiovasc Dis.* 2018; 61(2):136–41.
376. Shea MK, Houston DK, Nicklas BJ, et al. The effect of randomization to weight loss on total mortality in older overweight and obese adults: the ADAPT Study. *J Gerontol A Biol Sci Med Sci.* 2010; 65(5):519–25.
377. Berrington de Gonzalez A, Hartge P, Cerhan JR, et al. Body-mass index and mortality among 1.46 million white adults. *N Engl J Med.* 2010; 363(23):2211–9.
378. Afshin A, Forouzanfar MH, Reitsma MB, et al. Health effects of overweight and obesity in 195 countries over 25 years. *N Engl J Med.* 2017; 377(1):13–27.
379. Aune D, Sen A, Prasad M, et al. BMI and all cause mortality: systematic review and non-linear dose-response meta-analysis of 230 cohort studies with 3.74 million deaths among 30.3 million participants. *BMJ.* 2016; 353:i2156.
380. Fontana L, Hu FB. Optimal body weight for health and longevity: bridging basic, clinical, and population research. *Aging Cell.* 2014; 13(3):391–400.

381. Thorogood M, Appleby PN, Key TJ, Mann J. Relation between body mass index and mortality in an unusually slim cohort. *J Epidemiol Community Health*. 2003; 57(2):130–3.
382. Kitahara CM, Flint AJ, Berrington de Gonzalez A, et al. Association between class III obesity (BMI of 40–59 kg/m<sup>2</sup>) and mortality: a pooled analysis of 20 prospective studies. *PLoS Med*. 2014; 11(7):e1001673.
383. Gard M. Truth, belief and the cultural politics of obesity scholarship and public health policy. *Crit Public Health*. 2011; 21(1):37–48.
384. Saguy AC, Riley KW. Weighing both sides: morality, mortality, and framing contests over obesity. *J Health Polit Policy Law*. 2005; 30(5):869–921.
385. Saguy AC, Riley KW. Weighing both sides: morality, mortality, and framing contests over obesity. *J Health Polit Policy Law*. 2005; 30(5):869–921.
386. Gurrieri L, Cherrier H. Queering beauty: fatshionistas in the fatosphere. *Qual Market Res Int J*. 2013; 16(3):276–95.
387. Santos-Lozano A, Pareja-Galeano H, Fuku N, et al. Implications of obesity in exceptional longevity. *Ann Transl Med*. 2016; 4(20):416.
388. Brown RE, Kuk JL. Consequences of obesity and weight loss: a devil’s advocate position. *Obes Rev*. 2015; 16(1):77–87.
389. Kramer CK, Zinman B, Retnakaran R. Are metabolically healthy overweight and obesity benign conditions? A systematic review and meta-analysis. *Ann Intern Med*. 2013; 159(11):758–69.
390. Appleton SL, Seaborn CJ, Visvanathan R, et al. Diabetes and cardiovascular disease outcomes in the metabolically healthy obese phenotype: a cohort study. *Diabetes Care*. 2013; 36(8):2388–94.
391. Bell JA, Kivimaki M, Hamer M. Metabolically healthy obesity and risk of incident type 2 diabetes: a meta-analysis of prospective cohort studies. *Obes Rev*. 2014; 15(6):504–15.
392. Chang Y, Jung HS, Cho J, et al. Metabolically healthy obesity and the development of nonalcoholic fatty liver disease. *Am J Gastroenterol*. 2016; 111(8):1133–40.
393. Kramer CK, Zinman B, Retnakaran R. Are metabolically healthy overweight and obesity benign conditions? A systematic review and meta-analysis. *Ann Intern Med*. 2013; 159(11):758–69.
394. Hill JO, Wyatt HR. The myth of healthy obesity. *Ann Intern Med*. 2013; 159(11):789–90.
395. Puhl R, Brownell KD. Bias, discrimination, and obesity. *Obes Res*. 2001; 9(12):788–805.
396. Seacat JD, Dougal SC, Roy D. A daily diary assessment of female weight stigmatization. *J Health Psychol*. 2016; 21(2):228–40.

397. Puhl RM, Andreyeva T, Brownell KD. Perceptions of weight discrimination: prevalence and comparison to race and gender discrimination in America. *Int J Obes (Lond)*. 2008; 32(6):992–1000.
398. Cramer P, Steinwert T. Thin is good, fat is bad: how early does it begin? *J Appl Dev Psychol*. 1998; 19(3):429–51.
399. Richardson S, Goodman N, Hastorf A, Dornbusch S. Cultural uniformity in reaction to physical disabilities. *Am Sociol Rev*. 1961; 26(2):241.
400. Latner JD, Stunkard AJ. Getting worse: the stigmatization of obese children. *Obes Res*. 2003; 11(3):452–6.
401. Andreyeva T, Puhl RM, Brownell KD. Changes in perceived weight discrimination among Americans, 1995–1996 through 2004–2006. *Obesity (Silver Spring)*. 2008; 16(5):1129–34.
402. Neumark-Sztainer D, Story M, Harris T. Beliefs and attitudes about obesity among teachers and school health care providers working with adolescents. *J Nutr Educ Behav*. 1999; 31(1):3–9.
403. Crandall C. Do parents discriminate against their heavyweight daughters? *Pers Soc Psychol Bull*. 1995; 21(7):724–35.
404. Puhl R, Brownell KD. Bias, discrimination, and obesity. *Obes Res*. 2001; 9(12):788–805.
405. Foster GD, Wadden TA, Makris AP, et al. Primary care physicians' attitudes about obesity and its treatment. *Obes Res*. 2003; 11(10):1168–77.
406. Bagley CR, Conklin DN, Isherwood RT, Pechiulis DR, Watson LA. Attitudes of nurses toward obesity and obese patients. *Percept Mot Skills*. 1989; 68(3 Pt 1):954.
407. Poorolajal J, Jenabi E. The association between BMI and cervical cancer risk: a meta-analysis. *Eur J Cancer Prev*. 2016; 25(3):232–8.
408. Adams CH, Smith NJ, Wilbur DC, Grady KE. The relationship of obesity to the frequency of pelvic examinations: do physician and patient attitudes make a difference? *Women Health*. 1993; 20(2):45–57.
409. Hernandez-Boussard T, Ahmed SM, Morton JM. Obesity disparities in preventive care: findings from the National Ambulatory Medical Care Survey, 2005–2007. *Obesity (Silver Spring)*. 2012; 20(8):1639–44.
410. LaMendola B. Overweight women: some ob-gyns in South Florida turn away overweight women. *Sun Sentinel*. Publicado en mayo, 16, 2011. Disponible en: [http://articles.sun-sentinel.com/2011-05-16/health/fl-hk-no-obesity-doc-20110516\\_1\\_gyn-ob-gyn-obese-patients](http://articles.sun-sentinel.com/2011-05-16/health/fl-hk-no-obesity-doc-20110516_1_gyn-ob-gyn-obese-patients). Acceso: abril, 17, 2019.
411. Hebl MR, Xu J. Weighing the care: physicians' reactions to the size of a patient. *Int J Obes Relat Metab Disord*. 2001; 25(8):1246–52.
412. Gudzone KA, Beach MC, Roter DL, Cooper LA. Physicians build less rapport with obese patients. *Obesity (Silver Spring)*. 2013; 21(10):2146–52.

413. Gudzone KA, Huizinga MM, Beach MC, Cooper LA. Obese patients overestimate physicians' attitudes of respect. *Patient Educ Couns*. 2012; 88(1):23–8.
414. Sutin AR, Terracciano A. Perceived weight discrimination and obesity. *PLoS ONE*. 2013; 8(7):e70048.
415. Vartanian LR, Novak SA. Internalized societal attitudes moderate the impact of weight stigma on avoidance of exercise. *Obesity (Silver Spring)*. 2011; 19(4):757–62.
416. Ball K, Crawford D, Owen N. Too fat to exercise? Obesity as a barrier to physical activity. *Aust N Z J Public Health*. 2000; 24(3):331–3.
417. Robertson N, Vohora R. Fitness vs. fatness: implicit bias towards obesity among fitness professionals and regular exercisers. *Psychol Sport Exerc*. 2008; 9(4):547–57.
418. Vartanian LR, Novak SA. Internalized societal attitudes moderate the impact of weight stigma on avoidance of exercise. *Obesity (Silver Spring)*. 2011; 19(4):757–62.
419. Robinson E, Sutin A, Daly M. Perceived weight discrimination mediates the prospective relation between obesity and depressive symptoms in U.S. and U.K. adults. *Health Psychol*. 2017; 36(2):112–21.
420. Sutin AR, Stephan Y, Luchetti M, Terracciano A. Perceived weight discrimination and C-reactive protein. *Obesity (Silver Spring)*. 2014; 22(9):1959–61.
421. Tomiyama AJ, Epel ES, McClatchey TM, et al. Associations of weight stigma with cortisol and oxidative stress independent of adiposity. *Health Psychol*. 2014; 33(8):862–7.
422. Sutin AR, Stephan Y, Terracciano A. Weight discrimination and risk of mortality. *Psychol Sci*. 2015; 26(11):1803–11.
423. Callahan D. Obesity: chasing an elusive epidemic. *Hastings Cent Rep*. 2013; 43(1):34–40.
424. Puhl R, Luedicke J, Lee Peterson J. Public reactions to obesity-related health campaigns: a randomized controlled trial. *Am J Prev Med*. 2013; 45(1):36–48.
425. Grinberg E. Georgia's child obesity ads aim to create movement out of controversy. *CNN*. Publicado en febrero, 7, 2012. Disponible en: <https://www.cnn.com/2012/02/07/health/atlanta-child-obesity-ads/index.html>. Acceso: abril, 17, 2019.
426. Hunger JM, Tomiyama AJ. Weight labeling and obesity: a longitudinal study of girls aged 10 to 19 years. *JAMA Pediatr*. 2014; 168(6):579–80.
427. Churchill J, Ward E. Communicating with pet owners about obesity: roles of the veterinary health care team. *Vet Clin North Am Small Anim Pract*. 2016; 46(5):899–911.

428. Perrin EM, Skinner AC, Steiner MJ. Parental recall of doctor communication of weight status: national trends from 1999 through 2008. *Arch Pediatr Adolesc Med.* 2012; 166(4):317–22.
429. Callahan D. Obesity: chasing an elusive epidemic. *Hastings Cent Rep.* 2013; 43(1):34–40.
430. Rose SA, Poynter PS, Anderson JW, Noar SM, Conigliaro J. Physician weight loss advice and patient weight loss behavior change: a literature review and meta-analysis of survey data. *Int J Obes (Lond).* 2013; 37(1):118–28.
431. Pool AC, Kraschnewski JL, Cover LA, et al. The impact of physician weight discussion on weight loss in US adults. *Obes Res Clin Pract.* 2014; 8(2):e131–9.
432. Bleich SN, Bennett WL, Gudzone KA, Cooper LA. Impact of physician BMI on obesity care and beliefs. *Obesity (Silver Spring).* 2012; 20(5):999–1005.
433. Berry AC, Berry NA, Myers TS, Reznicek J, Berry BB. Physician body mass index and bias toward obesity documentation patterns. *Ochsner J.* 2018; 18(1):66–71.
434. Bleich SN, Gudzone KA, Bennett WL, Jarlenski MP, Cooper LA. How does physician BMI impact patient trust and perceived stigma? *Prev Med.* 2013; 57(2):120–4.
435. Kraschnewski JL, Sciamanna CN, Stuckey HL, et al. A silent response to the obesity epidemic: decline in US physician weight counseling. *Med Care.* 2013; 51(2):186–92.
436. Smith AW, Borowski LA, Liu B, et al. U.S. primary care physicians' diet-, physical activity-, and weight-related care of adult patients. *Am J Prev Med.* 2011; 41(1):33–42.
437. Foster GD, Wadden TA, Makris AP, et al. Primary care physicians' attitudes about obesity and its treatment. *Obes Res.* 2003; 11(10):1168–77.
438. Adler NE, Stewart J. Reducing obesity: motivating action while not blaming the victim. *Milbank Q.* 2009; 87(1):49–70.
439. Tomiyama AJ, Mann T. If shaming reduced obesity, there would be no fat people. *Hastings Cent Rep.* 2013; 43(3):4–5.
440. Rand CS, MacGregor AM. Successful weight loss following obesity surgery and the perceived liability of morbid obesity. *Int J Obes.* 1991; 15(9):577–9.
441. Wright B. Sensitizing outsiders to the position of the insider. *Rehabil Psychol.* 1975; 22(2):129–35.
442. Rand CS, Macgregor AM. Successful weight loss following obesity surgery and the perceived liability of morbid obesity. *Int J Obes.* 1991; 15(9):577–9.
443. Pellagra: secondary to antiobesity diet. *Postgrad Med.* 1955; 17(3):37.
444. Afshin A, Forouzanfar MH, Reitsma MB, et al. Health effects of overweight and obesity in 195 countries over 25 years. *N Engl J Med.* 2017; 377(1):13–27.

445. Zheng Y, Manson JE, Yuan C, et al. Associations of weight gain from early to middle adulthood with major health outcomes later in life. *JAMA*. 2017; 318(3):255–69.
446. Chaston TB, Dixon JB. Factors associated with percent change in visceral versus subcutaneous abdominal fat during weight loss: findings from a systematic review. *Int J Obes (Lond)*. 2008; 32(4):619–28.
447. Warkentin LM, Majumdar SR, Johnson JA, et al. Weight loss required by the severely obese to achieve clinically important differences in health-related quality of life: two-year prospective cohort study. *BMC Med*. 2014; 12:175.
448. Williamson DA, Bray GA, Ryan DH. Is 5% weight loss a satisfactory criterion to define clinically significant weight loss? *Obesity (Silver Spring)*. 2015; 23(12):2319–20.
449. Hamman RF, Wing RR, Edelstein SL, et al. Effect of weight loss with lifestyle intervention on risk of diabetes. *Diabetes Care*. 2006; 29(9):2102–7.
450. Mackie GM, Samocha-Bonet D, Tam CS. Does weight cycling promote obesity and metabolic risk factors? *Obes Res Clin Pract*. 2017; 11(2):131–9.
451. Mehta T, Smith DL, Muhammad J, Casazza K. Impact of weight cycling on risk of morbidity and mortality. *Obes Rev*. 2014; 15(11):870–81.
452. Brownell KD, Greenwood MR, Stellar E, Shrager EE. The effects of repeated cycles of weight loss and regain in rats. *Physiol Behav*. 1986; 38(4):459–64.
453. Mehta T, Smith DL, Muhammad J, Casazza K. Impact of weight cycling on risk of morbidity and mortality. *Obes Rev*. 2014; 15(11):870–81.
454. Smith DL, Yang Y, Nagy TR, et al. Weight cycling increases longevity compared with sustained obesity in mice. *Obesity (Silver Spring)*. 2018; 26(11):1733–9.
455. Syngal S, Coakley EH, Willett WC, Byers T, Williamson DF, Colditz GA. Long-term disease in men. *Arch Intern Med*. 2006; 166(21):2369–74.
456. Tsai CJ, Leitzmann MF, Willett WC, Giovannucci EL. Weight cycling and risk of gallstone disease in men. *Arch Intern Med*. 2006;166(21):2369–74.
457. Mehta T, Smith DL, Muhammad J, Casazza K. Impact of weight cycling on risk of morbidity and mortality. *Obes Rev*. 2014; 15(11):870–81.
458. Di Germanio C, Di Francesco A, Bernier M, de Cabo R. Yo-yo dieting is better than none. *Obesity (Silver Spring)*. 2018; 26(11):1673.
459. Afshin A, Reitsma MB, Murray CJL. Health effects of overweight and obesity in 195 countries. *N Engl J Med*. 2017; 377(15):1496–7.
460. Romero-Corral A, Somers VK, Sierra-Johnson J, et al. Accuracy of body mass index in diagnosing obesity in the adult general population. *Int J Obes (Lond)*. 2008; 32(6):959–66.
461. Ortega FB, Sui X, Lavie CJ, Blair SN. Body mass index, the most widely used but also widely criticized index: would a criterion standard measure of total body fat be

- a better predictor of cardiovascular disease mortality? *Mayo Clin Proc.* 2016; 91(4):443–55.
462. Romero-Corral A, Somers VK, Sierra-Johnson J, et al. Accuracy of body mass index in diagnosing obesity in the adult general population. *Int J Obes (Lond).* 2008; 32(6):959–66.
463. Dickey RA, Bartuska DG, Bray GW, et al. AACE/ACE position statement on the prevention, diagnosis, and treatment of obesity (1998 revision). *Endocr Pract.* 1998; 4(5):300–30.
464. Nuttall FQ. Body mass index: obesity, BMI, and health: a critical review. *Nutr Today.* 2015; 50(3):117–28.
465. Oliveros E, Somers VK, Sochor O, Goel K, Lopez-Jimenez F. The concept of normal weight obesity. *Prog Cardiovasc Dis.* 2014; 56(4):426–33.
466. Romero-Corral A, Somers VK, Sierra-Johnson J, et al. Accuracy of body mass index in diagnosing obesity in the adult general population. *Int J Obes (Lond).* 2008; 32(6):959–66.
467. Romero-Corral A, Somers VK, Sierra-Johnson J, et al. Accuracy of body mass index in diagnosing obesity in the adult general population. *Int J Obes (Lond).* 2008; 32(6):959–66.
468. Ortega FB, Sui X, Lavie CJ, Blair SN. Body mass index, the most widely used but also widely criticized index: would a criterion standard measure of total body fat be a better predictor of cardiovascular disease mortality? *Mayo Clin Proc.* 2016; 91(4):443–55.
469. Wells JC. Commentary: the paradox of body mass index in obesity assessment: not a good index of adiposity, but not a bad index of cardio-metabolic risk. *Int J Epidemiol.* 2014; 43(3):672–4.
470. Gwartney D, Allison A, Pastuszak AW, et al. MP47-17: rates of mortality are higher among professional male bodybuilders. *J Urology.* 2016; 195(4S):e633.
471. Frati P, Busardò FP, Cipolloni L, Dominicis ED, Fineschi V. Anabolic androgenic steroid (AAS) related deaths: autoptical, histopathological and toxicological findings. *Curr Neuropharmacol.* 2015; 13(1):146–59.
472. Schemmel R, Vaghefi S, Bowman B. Olaf Mickelsen (July 29, 1912 to August 8, 1999). *J Nutr.* 2001; 131(2):205–10.
473. Blackburn H, Jacobs D. Commentary: origins and evolution of body mass index (BMI): continuing saga. *Int J Epidemiol.* 2014; 43(3):665–9.
474. Smith U. Abdominal obesity: a marker of ectopic fat accumulation. *J Clin Invest.* 2015; 125(5):1790–2.
475. Flegal KM, Graubard BI. Estimates of excess deaths associated with body mass index and other anthropometric variables. *Am J Clin Nutr.* 2009; 89(4):1213–9.

476. Cerhan JR, Moore SC, Jacobs EJ, et al. A pooled analysis of waist circumference and mortality in 650,000 adults. *Mayo Clin Proc.* 2014; 89(3):335–45.
477. Sahakyan KR, Somers VK, Rodriguez-Escudero JP, et al. Normal-weight central obesity: implications for total and cardiovascular mortality. *Ann Intern Med.* 2015; 163(11):827–35.
478. Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organ Tech Rep Ser.* 2000; 894:i–xii,1–253.
479. Working group of the North American Association for the Study of Obesity, National Heart, Lung, and Blood Institute, and the American Society for Bariatric Surgery. Practical guide to the identification, evaluation and treatment of overweight and obesity in adults. National Institutes of Health. Publicado en octubre, 2000. Disponible en: [https://www.nhlbi.nih.gov/files/docs/guidelines/prctgd\\_c.pdf](https://www.nhlbi.nih.gov/files/docs/guidelines/prctgd_c.pdf). Acceso: marzo, 21, 2019.
480. Rao G, Powell-Wiley TM, Ancheta I, et al. Identification of obesity and cardiovascular risk in ethnically and racially diverse populations: a scientific statement from the American Heart Association. *Circulation.* 2015; 132(5):457–72.
481. Rubin R. Postmenopausal women with a «normal» BMI might be overweight or even obese. *JAMA.* 2018; 319(12):1185–7.
482. Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organ Tech Rep Ser.* 2000; 894:i–xii,1–253.
483. IDF Task Force on Epidemiology and Prevention Writing Group. The IDF consensus worldwide definition of the metabolic syndrome. International Diabetes Federation. Publicado en 2006. Disponible en: <https://www.idf.org/e-library/consensus-statements/60-idfconsensus-worldwide-definition-of-the-metabolic-syndrome>. Acceso: marzo, 21, 2019.
484. Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organ Tech Rep Ser.* 2000; 894:i–xii,1–253.
485. Cerhan JR, Moore SC, Jacobs EJ, et al. A pooled analysis of waist circumference and mortality in 650,000 adults. *Mayo Clin Proc.* 2014; 89(3):335–45.
486. Brown RE, Randhawa AK, Canning KL, et al. Waist circumference at five common measurement sites in normal weight and overweight adults: which site is most optimal? *Clin Obes.* 2018; 8(1):21–9.
487. Brown RE, Randhawa AK, Canning KL, et al. Waist circumference at five common measurement sites in normal weight and overweight adults: which site is most optimal? *Clin Obes.* 2018; 8(1):21–9.
488. Shi W, Neubeck L, Gallagher R. Measurement matters: a systematic review of waist measurement sites for determining central adiposity. *Collegian.* 2016; 24(5):513–23.

489. Swainson MG, Batterham AM, Tsakirides C, Rutherford ZH, Hind K. Prediction of whole-body fat percentage and visceral adipose tissue mass from five anthropometric variables. *PLoS ONE*. 2017; 12(5):e0177175.
490. Yoo EG. Waist-to-height ratio as a screening tool for obesity and cardiometabolic risk. *Korean J Pediatr*. 2016; 59(11):425–31.
491. Swainson MG, Batterham AM, Tsakirides C, Rutherford ZH, Hind K. Prediction of whole-body fat percentage and visceral adipose tissue mass from five anthropometric variables. *PLoS ONE*. 2017; 12(5):e0177175.
492. Ashwell M, Gunn P, Gibson S. Waist-to-height ratio is a better screening tool than waist circumference and BMI for adult cardiometabolic risk factors: systematic review and meta-analysis. *Obes Rev*. 2012; 13(3):275–86.
493. Martin-Calvo N, Moreno-Galarraga L, Martinez-Gonzalez MA. Association between body mass index, waist-to-height ratio and adiposity in children: a systematic review and meta-analysis. *Nutrients*. 2016; 8(8):512.
494. Carmienke S, Freitag MH, Pischon T, et al. General and abdominal obesity parameters and their combination in relation to mortality: a systematic review and meta-regression analysis. *Eur J Clin Nutr*. 2013; 67(6):573–85.
495. Frank A. Futility and avoidance: medical professionals in the treatment of obesity. *JAMA*. 1993; 269(16):2132–3.
496. Astwood EB. The heritage of corpulence. *Endocrinology*. 1962; 71:337–41.
497. Garrow JS. Treatment of obesity. *Lancet*. 1992; 340(8816):409–13.
498. Frank A. Futility and avoidance: medical professionals in the treatment of obesity. *JAMA*. 1993; 269(16):2132–3.
499. Chaiton M, Diemert L, Cohen JE, et al. Estimating the number of quit attempts it takes to quit smoking successfully in a longitudinal cohort of smokers. *BMJ Open*. 2016; 6(6):e011045.
500. Garrow JS. Treatment of obesity. *Lancet*. 1992; 340(8816):409–13.
501. Vallgård S. Childhood obesity policies—mighty concerns, meek reactions. *Obes Rev*. 2018; 19(3):295–301.
502. Vallgård S. Childhood obesity policies—mighty concerns, meek reactions. *Obes Rev*. 2018; 19(3):295–301.
503. Biltekoff C. The terror within: obesity in post 9/11 U.S. life. *American Studies*. 2007; 48(3):29–48.
504. European Commission. EU action plan on childhood obesity 2014-2020. EC.Europa.eu. Publicado en febrero, 24, 2014. Disponible en: [https://ec.europa.eu/health/sites/health/files/nutrition\\_physical\\_activity/docs/childhood\\_obesity\\_a\\_ctionplan\\_2014\\_2020\\_en.pdf](https://ec.europa.eu/health/sites/health/files/nutrition_physical_activity/docs/childhood_obesity_a_ctionplan_2014_2020_en.pdf). Acceso: marzo, 21, 2019.
505. Hill JO. Can a small-changes approach help address the obesity epidemic? A report of the Joint Task Force of the American Society for Nutrition, Institute of Food Technologists, and International Food Information Council. *Am J Clin Nutr*. 2009; 89(2):477–84.

506. Hill JO. Can a small-changes approach help address the obesity epidemic? A report of the Joint Task Force of the American Society for Nutrition, Institute of Food Technologists, and International Food Information Council. *Am J Clin Nutr*. 2009; 89(2):477–84.
507. Guth E. Counting calories as an approach to achieve weight control. *JAMA*. 2018; 319(3):225–6.
508. Guth E. Counting calories as an approach to achieve weight control. *JAMA*. 2018; 319(3):225–6.
509. Sterodimas A, Boriani F, Magarakis E, Nicaretta B, Pereira LH, Illouz YG. Thirtyfour years of liposuction: past, present and future. *Eur Rev Med Pharmacol Sci*. 2012; 16(3):393–406.
510. Grazer FM, De jong RH. Fatal outcomes from liposuction: census survey of cosmetic surgeons. *Plast Reconstr Surg*. 2000; 105(1):436–46.
511. Bellini E, Grieco MP, Raposio E. A journey through liposuction and liposculture: review. *Ann Med Surg (Lond)*. 2017; 24:53–60.
512. Klein S, Fontana L, Young VL, et al. Absence of an effect of liposuction on insulin action and risk factors for coronary heart disease. *N Engl J Med*. 2004; 350(25):2549–57.
513. Blackburn G. Effect of degree of weight loss on health benefits. *Obes Res*. 1995; 3 Suppl 2:211s–6s.
514. Klein S, Fontana L, Young VL, et al. Absence of an effect of liposuction on insulin action and risk factors for coronary heart disease. *N Engl J Med*. 2004; 350(25):2549–57.
515. Scopinaro N. The IFSO and obesity surgery throughout the world. *Obes Surg*. 1998; 8(1):3–8.
516. American Society for Metabolic and Bariatric Surgery. Estimate of bariatric surgery numbers, 2011–2017. ASMBS.org. Publicado en junio, 2018. Disponible en: <https://asmbs.org/resources/estimate-of-bariatric-surgery-numbers>. Acceso: marzo, 21, 2019.
517. DiBaise J, Parrish C, Thompson J. *Short Bowel Syndrome: Practical Approach to Management*. 1st ed. Boca Raton, FL: CRC Press; 2016.
518. Pories WJ. Bariatric surgery: risks and rewards. *J Clin Endocrinol Metab*. 2008; 93(11 Suppl 1):S89–96.
519. Celio AC, Pories WJ. A history of bariatric surgery: the maturation of a medical discipline. *Surg Clin North Am*. 2016; 96(4):655–67.
520. Dixon JB, Logue J, Komesaroff PA. Promises and ethical pitfalls of surgical innovation: the case of bariatric surgery. *Obes Surg*. 2013; 23(10):1698–702.
521. Pories WJ. Bariatric surgery: risks and rewards. *J Clin Endocrinol Metab*. 2008; 93(11 Suppl 1):S89–96.
522. Celio AC, Pories WJ. A history of bariatric surgery: the maturation of a medical discipline. *Surg Clin North Am*. 2016; 96(4):655–67.

523. Drenick EJ, Simmons F, Murphy JF. Effect on hepatic morphology of treatment of obesity by fasting, reducing diets and small-bowel bypass. *N Engl J Med.* 1970; 282(15):829–34.
524. Pories WJ. Bariatric surgery: risks and rewards. *J Clin Endocrinol Metab.* 2008; 93(11 Suppl 1):S89–96.
525. Dartmouth Atlas Working Group. Variation in the care of surgical conditions: obesity. Dartmouth Institute for Health Policy & Clinical Practice. Publicado en septiembre, 2014. Disponible en: [https://www.researchgate.net/publication/283298425\\_Variation\\_in\\_the\\_Care\\_of\\_Surgical\\_Conditions\\_Obesity](https://www.researchgate.net/publication/283298425_Variation_in_the_Care_of_Surgical_Conditions_Obesity). Acceso: marzo, 21, 2019.
526. Cardoso L, Rodrigues D, Gomes L, Carrilho F. Short-and long-term mortality after bariatric surgery: a systematic review and meta-analysis. *Diabetes Obes Metab.* 2017; 19(9):1223–32.
527. Ozsoy Z, Demir E. Which bariatric procedure is the most popular in the world? A bibliometric comparison. *Obes Surg.* 2018; 28(8):2339–52.
528. Pories WJ. Bariatric surgery: risks and rewards. *J Clin Endocrinol Metab.* 2008; 93(11 Suppl 1):S89–96.
529. Garrow JS. Treatment of obesity. *Lancet.* 1992; 340(8816):409–13.
530. English WJ, Demaria EJ, Brethauer SA, Mattar SG, Rosenthal RJ, Morton JM. American Society for Metabolic and Bariatric Surgery estimation of metabolic and bariatric procedures performed in the United States in 2016. *Surg Obes Relat Dis.* 2018; 14(3):259–63.
531. Beaulac J, Sandre D. Critical review of bariatric surgery, medically supervised diets, and behavioural interventions for weight management in adults. *Perspect Public Health.* 2017; 137(3):162–72.
532. Golzarand M, Toolabi K, Farid R. The bariatric surgery and weight losing: a meta-analysis in the long-and very long-term effects of laparoscopic adjustable gastric banding, laparoscopic Roux-en-Y gastric bypass and laparoscopic sleeve gastrectomy on weight loss in adults. *Surg Endosc.* 2017; 31(11):4331–45.
533. Panagiotou OA, Markozannes G, Adam GP, et al. Comparative effectiveness and safety of bariatric procedures in Medicare-eligible patients: a systematic review. *JAMA Surg.* 2018; 153(11):e183326.
534. De Ville K. Bariatric surgery, ethical obligation, and the life cycle of medical innovation. *Am J Bioeth.* 2010; 10(12):22–4.
535. Dixon JB, Logue J, Komesaroff PA. Promises and ethical pitfalls of surgical innovation: the case of bariatric surgery. *Obes Surg.* 2013; 23(10):1698–702.
536. English WJ, Demaria EJ, Brethauer SA, Mattar SG, Rosenthal RJ, Morton JM. American Society for Metabolic and Bariatric Surgery estimation of metabolic and bariatric procedures performed in the United States in 2016. *Surg Obes Relat Dis.* 2018; 14(3):259–63.

537. Pinto-Bastos A, Conceição EM, Machado PPP. Reoperative bariatric surgery: a systematic review of the reasons for surgery, medical and weight loss outcomes, relevant behavioral factors. *Obes Surg*. 2017; 27(10):2707–15.
538. Bray GA, Frühbeck G, Ryan DH, Wilding JP. Management of obesity. *Lancet*. 2016; 387(10031):1947–56.
539. Shehab H. Enteral stents in the management of post-bariatric surgery leaks. *Surg Obes Relat Dis*. 2018; 14(3):393–403.
540. Pinto-Bastos A, Conceição EM, Machado PPP. Reoperative bariatric surgery: a systematic review of the reasons for surgery, medical and weight loss outcomes, relevant behavioral factors. *Obes Surg*. 2017; 27(10):2707–15.
541. Birkmeyer JD, Finks JF, O'Reilly A, et al. Surgical skill and complication rates after bariatric surgery. *N Engl J Med*. 2013; 369(15):1434–42.
542. Birkmeyer JD, Finks JF, O'Reilly A, et al. Surgical skill and complication rates after bariatric surgery. *N Engl J Med*. 2013; 369(15):1434–42.
543. Doumouras AG, Saleh F, Anvari S, Gmora S, Anvari M, Hong D. Mastery in bariatric surgery: the long-term surgeon learning curve of Roux-en-Y gastric bypass. *Ann Surg*. 2018; 267(3):489–94.
544. Azagury D, Morton JM. Bariatric surgery outcomes in US accredited vs non-accredited centers: a systematic review. *J Am Coll Surg*. 2016; 223(3):469–77.
545. Bray GA, Frühbeck G, Ryan DH, Wilding JP. Management of obesity. *Lancet*. 2016; 387(10031):1947–56.
546. Trilk JL, Kennedy AB. Using lifestyle medicine in U.S. health care to treat obesity: too many bariatric surgeries? *Curr Sports Med Rep*. 2015; 14(2):96–9.
547. Pories WJ. Bariatric surgery: risks and rewards. *J Clin Endocrinol Metab*. 2008; 93(11 Suppl 1):S89–96.
548. Rapoport Y, Lavin PJ. Nutritional optic neuropathy caused by copper deficiency after bariatric surgery. *J Neuroophthalmol*. 2016; 36(2):178–81.
549. Oudman E, Wijnia JW, van Dam M, Biter LU, Postma A. Preventing Wernicke encephalopathy after bariatric surgery. *Obes Surg*. 2018; 28(7):2060–8.
550. Bohan PK, Yonge J, Connelly C, Watson JJ, Friedman E, Fielding G. Wernicke encephalopathy after restrictive bariatric surgery. *Am Surg*. 2016; 82(4):E73–5.
551. Sherf Dagan S, Goldenshluger A, Globus I, et al. Nutritional recommendations for adult bariatric surgery patients: clinical practice. *Adv Nutr*. 2017; 8(2):382–94.
552. Banerjee A, Ding Y, Mikami DJ, Needleman BJ. The role of dumping syndrome in weight loss after gastric bypass surgery. *Surg Endosc*. 2013; 27(5):1573–8.

553. Hofmann B. Parachutes for diabetes: bariatric surgery beyond evidence? *Diabetes Res Clin Pract.* 2012; 98(3):406–7.
554. Amouyal C, Andreelli F. What is the evidence for metabolic surgery for type 2 diabetes? A critical perspective. *Diabetes Metab.* 2017; 43(1):9–17.
555. Taylor R. Calorie restriction and reversal of type 2 diabetes. *Expert Rev Endocrinol Metab.* 2016; 11(6):521–8.
556. Sjöström L, Peltonen M, Jacobson P, et al. Association of bariatric surgery with long-term remission of type 2 diabetes and with microvascular and macrovascular complications. *JAMA.* 2014; 311(22):2297–304.
557. Pop LM, Mari A, Zhao TJ, et al. Roux-en-Y gastric bypass compared with equivalent diet restriction: mechanistic insights into diabetes remission. *Diabetes Obes Metab.* 2018; 20(7):1710–21.
558. Taylor R. Calorie restriction and reversal of type 2 diabetes. *Expert Rev Endocrinol Metab.* 2016; 11(6):521–8.
559. Hall TC, Pellen MG, Sedman PC, Jain PK. Preoperative factors predicting remission of type 2 diabetes mellitus after Roux-en-Y gastric bypass surgery for obesity. *Obes Surg.* 2010; 20(9):1245–50.
560. Rosenbaum M, Sy M, Pavlovich K, Leibel RL, Hirsch J. Leptin reverses weight loss– induced changes in regional neural activity responses to visual food stimuli. *J Clin Invest.* 2008; 118(7):2583–91.
561. Korner J, Conroy R, Febres G, et al. Randomized double-blind placebo-controlled study of leptin administration after gastric bypass. *Obesity (Silver Spring).* 2013; 21(5):951–6.
562. Lips MA, van Klinken JB, Pijl H, et al. Weight loss induced by very low calorie diet is associated with a more beneficial systemic inflammatory profile than by Roux-en-Y gastric bypass. *Metab Clin Exp.* 2016; 65(11):1614–20.
563. Young L, Nor Hanipah Z, Brethauer SA, Schauer PR, Aminian A. Long-term impact of bariatric surgery in diabetic nephropathy. *Surg Endosc.* 2019; 33(5):1654–60.
564. Cheung D, Switzer NJ, Ehmann D, Rudnisky C, Shi X, Karmali S. The impact of bariatric surgery on diabetic retinopathy: a systematic review and meta-analysis. *Obes Surg.* 2015; 25(9):1604–9.
565. Chen Y, Laybourne JP, Sandinha MT, et al. Does bariatric surgery prevent progression of diabetic retinopathy? *Eye (Lond).* 2017; 31(8):1131–9.
566. Wing RR, Bolin P, Brancati FL, et al. Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. *N Engl J Med.* 2013; 369(2):145–54.
567. Kempner W. Treatment of heart and kidney disease and of hypertensive and arteriosclerotic vascular disease with the rice diet. *Ann Intern Med.* 1949; 31(5):821–56, illust.

568. Kempner W, Peschel RL, Schlayer C. Effect of rice diet on diabetes mellitus associated with vascular disease. *Postgrad Med*. 1958; 24(4):359–71.
569. Mozetic V, Daou JP, Martimbianco AL, Riera R. What do Cochrane systematic reviews say about diabetic retinopathy? *Sao Paulo Med J*. 2017; 135(1):79–87.
570. Alasil T, Waheed NK. Pan retinal photocoagulation for proliferative diabetic retinopathy: pattern scan laser versus argon laser. *Curr Opin Ophthalmol*. 2014; 25(3):164–70.
571. Kempner W, Newborg BC, Peschel RL, Skyler JS. Treatment of massive obesity with rice/reduction diet program. An analysis of 106 patients with at least a 45-kg weight loss. *Arch Intern Med*. 1975; 135(12):1575–84.
572. Kempner W. The Treatment of Retinopathy in Kidney Disease and Hypertensive and Arteriosclerotic Vascular Disease with the Rice Diet. *Revista dos Tribunais*; 1951.
573. Katz DL. Perspective: obesity is not a disease. *Nature*. 2014; 508(7496):S57.
574. Magro DO, Geloneze B, Delfini R, Pareja BC, Callejas F, Pareja JC. Long-term weight regain after gastric bypass: a 5-year prospective study. *Obes Surg*. 2008; 18(6):648–51.
575. Shukla AP, He D, Saunders KH, Andrew C, Aronne LJ. Current concepts in management of weight regain following bariatric surgery. *Expert Rev Endocrinol Metab*. 2018; 13(2):67–76.
576. Ghaferi AA, Varban OA. Setting appropriate expectations after bariatric surgery: evaluating weight regain and clinical outcomes. *JAMA*. 2018; 320(15):1543–4.
577. Pizato N, Botelho PB, Gonçalves VSS, Dutra ES, de Carvalho KMB. Effect of grazing behavior on weight regain post-bariatric surgery: a systematic review. *Nutrients*. 2017; 9(12).
578. Kruseman M, Leimgruber A, Zumbach F, Golay A. Dietary, weight, and psychological changes among patients with obesity, 8 years after gastric bypass. *J Am Diet Assoc*. 2010; 110(4):527–34.
579. van Geelen SM, Bolt IL, van der Baan-Slootweg OH, van Summeren MJ. The controversy over pediatric bariatric surgery: an explorative study on attitudes and normative beliefs of specialists, parents, and adolescents with obesity. *J Bioeth Inq*. 2013; 10(2):227–37.
580. Groven KS, Braithwaite J. Happily-ever-after: personal narratives in weight-loss surgery advertising. *Health Care Women Int*. 2016; 37(11):1221–38.
581. Rouleau CR, Rash JA, Mothersill KJ. Ethical issues in the psychosocial assessment of bariatric surgery candidates. *J Health Psychol*. 2016; 21(7):1457–71.
582. Lin HC, Tsao LI. Living with my small stomach: the experiences of post-bariatric surgery patients within 1 year after discharge. *J Clin Nurs*. 2018; 27(23–24):4279–89.

583. Velapati SR, Shah M, Kuchkuntla AR, et al. Weight regain after bariatric surgery: prevalence, etiology, and treatment. *Curr Nutr Rep.* 2018; 7(4):329–34.
584. Lu CW, Chang YK, Lee YH, et al. Increased risk for major depressive disorder in severely obese patients after bariatric surgery—a 12-year nationwide cohort study. *Ann Med.* 2018; 50(7):605–12.
585. Castaneda D, Popov VB, Wander P, Thompson CC. Risk of suicide and self-harm is increased after bariatric surgery—a systematic review and meta-analysis. *Obes Surg.* 2019; 29(1):322–33.
586. Sarwer DB, Polonsky HM. The psychosocial burden of obesity. *Endocrinol Metab Clin North Am.* 2016; 45(3):677–88.
587. Neovius M, Bruze G, Jacobson P, et al. Risk of suicide and non-fatal self-harm after bariatric surgery: results from two matched cohort studies. *Lancet Diabetes Endocrinol.* 2018; 6(3):197–207.
588. Castaneda D, Popov VB, Wander P, Thompson CC. Risk of suicide and self-harm is increased after bariatric surgery—a systematic review and meta-analysis. *Obes Surg.* 2019; 29(1):322–33.
589. Castaneda D, Popov VB, Wander P, Thompson CC. Risk of suicide and self-harm is increased after bariatric surgery—a systematic review and meta-analysis. *Obes Surg.* 2019; 29(1):322–33.
590. Castaneda D, Popov VB, Wander P, Thompson CC. Risk of suicide and self-harm is increased after bariatric surgery—a systematic review and meta-analysis. *Obes Surg.* 2019; 29(1):322–33.
591. Castaneda D, Popov VB, Wander P, Thompson CC. Risk of suicide and self-harm is increased after bariatric surgery—a systematic review and meta-analysis. *Obes Surg.* 2019; 29(1):322–33.
592. Courcoulas A. Who, why, and how? Suicide and harmful behaviors after bariatric surgery. *Ann Surg.* 2017; 265(2):253–4.
593. Sarwer DB, Polonsky HM. The psychosocial burden of obesity. *Endocrinol Metab Clin North Am.* 2016; 45(3):677–88.
594. Steffen KJ, Engel SG, Pollert GA, Li C, Mitchell JE. Blood alcohol concentrations rise rapidly and dramatically after Roux-en-Y gastric bypass. *Surg Obes Relat Dis.* 2013; 9(3):470–3.
595. King WC, Chen JY, Mitchell JE, et al. Prevalence of alcohol use disorders before and after bariatric surgery. *JAMA.* 2012; 307(23):2516–25.
596. Canetti L, Bachar E, Bonne O. Deterioration of mental health in bariatric surgery after 10 years despite successful weight loss. *Eur J Clin Nutr.* 2016; 70(1):17–22.
597. Trainer S, Benjamin T. Elective surgery to save my life: rethinking the «choice» in bariatric surgery. *J Adv Nurs.* 2017; 73(4):894–904.

598. Trainer S, Brewis A, Wutich A. Not «taking the easy way out»: reframing bariatric surgery from low-effort weight loss to hard work. *Anthropol Med*. 2017; 24(1):96–110.
599. Mattingly B, Stambush M, Hill A. Shedding the pounds but not the stigma: negative attributions as a function of a target’s method of weight loss. *J Appl Biobehav Res*. 2010; 14(3):128–44.
600. Pinkney JH, Johnson AB, Gale EA. The big fat bariatric bandwagon. *Diabetologia*. 2010; 53(9):1815–22.
601. Katz D. Obesity ... be damned!: what it will take to turn the tide. *Harvard Health Policy Rev*. 2006; 7(2):135–51.
602. Oliver JE. The politics of pathology: how obesity became an epidemic disease. *Perspect Biol Med*. 2006; 49(4):611–27.
603. Hofmann B. Bariatric surgery for obese children and adolescents: a review of the moral challenges. *BMC Med Ethics*. 2013; 14:18.
604. Alqahtani AR, Antonisamy B, Alamri H, Elahmedi M, Zimmerman VA. Laparoscopic sleeve gastrectomy in 108 obese children and adolescents aged 5 to 21 years. *Ann Surg*. 2012; 256(2):266–73.
605. Sarr MG. The problem of obesity: how are we going to address it? *Am J Bioeth*. 2010; 10(12):12–3.
606. Ortiz SE, Kawachi I, Boyce AM. The medicalization of obesity, bariatric surgery, and population health. *Health (Lond)*. 2017; 21(5):498–518.
607. van Geelen SM, Bolt IL, van der Baan-Slootweg OH, van Summeren MJ. The controversy over pediatric bariatric surgery: an explorative study on attitudes and normative beliefs of specialists, parents, and adolescents with obesity. *J Bioeth Inq*. 2013; 10(2):227–37.
608. Fontaine KR, Redden DT, Wang C, Westfall AO, Allison DB. Years of life lost due to obesity. *JAMA*. 2003; 289(2):187–93.
609. Cardoso L, Rodrigues D, Gomes L, Carrilho F. Short-and long-term mortality after bariatric surgery: a systematic review and meta-analysis. *Diabetes Obes Metab*. 2017; 19(9):1223–32.
610. Trainer S, Benjamin T. Elective surgery to save my life: rethinking the «choice» in bariatric surgery. *J Adv Nurs*. 2017; 73(4):894–904.
611. Vittal H, Raju GS. Endoscopic bubble: can it bust the obesity bubble? *Gastroenterology*. 2005; 129(3):1130–2.
612. Ross S, Robert M, Harvey MA, et al. Ethical issues associated with the introduction of new surgical devices, or just because we can, doesn’t mean we should. *J Obstet Gynaecol Can*. 2008; 30(6):508–13.
613. Twardzik M, Wiewiora M, Glück M, Piecuch J. Mechanical intestinal obstruction caused by displacement of a stomach balloon—case report. *Wideochir Inne Tech Maloinwazyjne*. 2018; 13(2):278–81.

614. Lindor KD, Hughes RW, Ilstrup DM, Jensen MD. Intra-gastric balloons in comparison with standard therapy for obesity—a randomized, double-blind trial. *Mayo Clin Proc.* 1987; 62(11):992–6.
615. Benjamin SB, Maher KA, Cattau EL, et al. Double-blind controlled trial of the Garren-Edwards gastric bubble: an adjunctive treatment for exogenous obesity. *Gastroenterology.* 1988; 95(3):581–8.
616. Tate CM, Geliebter A. Intra-gastric balloon treatment for obesity: review of recent studies. *Adv Ther.* 2017; 34(8):1859–75.
617. English WJ, Demaria EJ, Brethauer SA, Mattar SG, Rosenthal RJ, Morton JM. American Society for Metabolic and Bariatric Surgery estimation of metabolic and bariatric procedures performed in the United States in 2016. *Surg Obes Relat Dis.* 2018; 14(3):259–63.
618. Ziai K, Pigazzi A, Smith BR, et al. Association of compensation from the surgical and medical device industry to physicians and self-declared conflict of interest. *JAMA Surg.* 2018; 153(11):997–1002.
619. Camp MW, Mattingly DA, Gross AE, Nousiainen MT, Alman BA, McKneally MF. Patients’ views on surgeons’ financial conflicts of interest. *J Bone Joint Surg Am.* 2013; 95(2):e9(1–8).
620. Ziai K, Pigazzi A, Smith BR, et al. Association of compensation from the surgical and medical device industry to physicians and self-declared conflict of interest. *JAMA Surg.* 2018; 153(11):997–1002.
621. United States Food and Drug Administration. Update: potential risks with liquid-filled intra-gastric balloons—letter to health care providers. FDA.gov. Publicado en agosto, 10, 2017. Disponible en: <https://www.fda.gov/medicaldevices/safety/letterstohealthcareproviders/ucm570707.htm>. Acceso: marzo, 22, 2019.
622. Ashrafian H, Monnich M, Braby TS, Smellie J, Bonanomi G, Efthimiou E. Intra-gastric balloon outcomes in super-obesity: a 16-year city center hospital series. *Surg Obes Relat Dis.* 2018; 14(11):1691–9.
623. Trang J, Lee SS, Miller A, et al. Incidence of nausea and vomiting after intra-gastric balloon placement in bariatric patients—a systematic review and meta-analysis. *Int J Surg.* 2018; 57:22–9.
624. Vellante P, Carnevale A, D’Ovidio C. An autopsy case of misdiagnosed Wernicke’s Syndrome after intra-gastric balloon therapy. *Case Rep Gastrointest Med.* 2018; 2018:1510850.
625. Saunders KH, Igel LI, Saumoy M, Sharaiha RZ, Aronne LJ. Devices and endoscopic bariatric therapies for obesity. *Curr Obes Rep.* 2018; 7(2):162–71.
626. United States Food and Drug Administration. The FDA alerts health care providers about potential risks with liquid-filled intra-gastric balloons. FDA.gov. Publicado en febrero, 9, 2017. Disponible en: <https://www.fda.gov/MedicalDevices/Safety/LetterstoHealthCareProviders/ucm540655.htm>. Acceso: marzo, 22, 2019.

627. de Quadros LG, Dos Passos Galvão Neto M, Grecco E, et al. Intra-gastric balloon hyperinsufflation as a cause of acute obstructive abdomen. *ACG Case Rep J*. 2018; 5:e69.
628. Landon J, DiGregorio V. The phenomenon of the spontaneously autoinflating breast implant. Northeastern Society of Plastic Surgeons. 2014. Disponible en: <http://meeting.nesps.org/abstracts/2014/54.cgi>. Acceso: marzo, 21, 2019.
629. Landon J, DiGregorio V. The phenomenon of the spontaneously autoinflating breast implant. Northeastern Society of Plastic Surgeons. 2014. Disponible en: <http://meeting.nesps.org/abstracts/2014/54.cgi>. Acceso: marzo, 21, 2019.
630. Robinson OG, Benos DJ, Mazzochi C. Spontaneous autoinflation of saline mammary implants: further studies. *Aesthet Surg J*. 2005; 25(6):582–6.
631. Hogan RB, Johnston JH, Long BW, et al. A double-blind, randomized, sham-controlled trial of the gastric bubble for obesity. *Gastrointest Endosc*. 1989; 35(5):381–5.
632. Ali MR, Moustarah F, Kim JJ. American Society for Metabolic and Bariatric Surgery position statement on intra-gastric balloon therapy endorsed by the Society of American Gastrointestinal and Endoscopic Surgeons. *Surg Obes Relat Dis*. 2016; 12(3):462–7.
633. Maffulli N. We are operating too much. *J Orthop Traumatol*. 2017; 18(4):289–92.
634. Moseley JB, O’Malley K, Petersen NJ, et al. A controlled trial of arthroscopic surgery for osteoarthritis of the knee. *N Engl J Med*. 2002; 347(2):81–8.
635. Sihvonen R, Paavola M, Malmivaara A, et al. Arthroscopic partial meniscectomy versus sham surgery for a degenerative meniscal tear. *N Engl J Med*. 2013; 369(26):2515–24.
636. Al-Lamee R, Thompson D, Dehbi HM, et al. Percutaneous coronary intervention in stable angina (ORBITA): a double-blind, randomised controlled trial. *Lancet*. 2018; 391(10115):31–40.
637. McCormack RG, Hutchinson MR. Rocking the shoulder surgeon’s world. *Br J Sports Med*. 2017; 51(24):1727.
638. Hogan RB, Johnston JH, Long BW, et al. A double-blind, randomized, sham-controlled trial of the gastric bubble for obesity. *Gastrointest Endosc*. 1989; 35(5):381–5.
639. Martinez-Brocca MA, Belda O, Parejo J, et al. Intra-gastric balloon-induced satiety is not mediated by modification in fasting or postprandial plasma ghrelin levels in morbid obesity. *Obes Surg*. 2007; 17(5):649–57.
640. Genco A, Cipriano M, Bacci V, et al. BioEnterics Intra-gastric Balloon (BIB): a short-term, double-blind, randomised, controlled, crossover study on weight reduction in morbidly obese patients. *Int J Obes (Lond)*. 2006; 30(1):129–33.
641. Dumonceau JM, François E, Hittelet A, Mehdi AI, Barea M, Deviere J. Single vs repeated treatment with the intra-gastric balloon: a 5-year weight loss study. *Obes Surg*. 2010; 20(6):692–7.

642. Martinez-Brocca MA, Belda O, Parejo J, et al. Intra-gastric balloon-induced satiety is not mediated by modification in fasting or postprandial plasma ghrelin levels in morbid obesity. *Obes Surg.* 2007; 17(5):649–57.
643. Thorlund JB. Deconstructing a popular myth: why knee arthroscopy is no better than placebo surgery for degenerative meniscal tears. *Br J Sports Med.* 2017; 51(22):1630–1.
644. Rongen JJ, Rovers MM, van Tienen TG, Buma P, Hannink G. Increased risk for knee replacement surgery after arthroscopic surgery for degenerative meniscal tears: a multi-center longitudinal observational study using data from the osteoarthritis initiative. *Osteoarthr Cartil.* 2017; 25(1):23–9.
645. Orchard J, Moen MH. Has reimbursement for knee osteoarthritis treatments now reached «postfact» status? *Br J Sports Med.* 2017; 51(21):1510–1.
646. Xia Y, Kelton CM, Guo JJ, Bian B, Heaton PC. Treatment of obesity: pharmacotherapy trends in the United States from 1999 to 2010. *Obesity (Silver Spring).* 2015; 23(8):1721–8.
647. Halpern B, Halpern A. Why are anti-obesity drugs stigmatized? *Expert Opin Drug Saf.* 2015; 14(2):185–9.
648. McGee S. Getting unstuck: rubber bands and public health. *Am J Bioeth.* 2010; 10(12):1–2.
649. Wharton S, Serodio KJ. Next generation of weight management medications: implications for diabetes and CVD risk. *Curr Cardiol Rep.* 2015; 17(5):35.
650. Colman E. Dinitrophenol and obesity: an early twentieth-century regulatory dilemma. *Regul Toxicol Pharmacol.* 2007; 48(2):115–7.
651. Rodin FH. Cataracts following the use of dinitrophenol: a summary of thirty-two cases. *Cal West Med.* 1936; 44(4):276–9.
652. Center for Drug Evaluation and Research 2002. Defendant pleads guilty in internet drug case. United States Food and Drug Administration. Disponible en: <https://www.fda.gov/iceci/enforcementactions/enforcementstory/enforcementstoryarchiv/e/ucm103554.htm>. Acceso: marzo, 22, 2019.
653. Miranda EJ, McIntyre IM, Parker DR, Gary RD, Logan BK. Two deaths attributed to the use of 2,4-dinitrophenol. *J Anal Toxicol.* 2006; 30(3):219–22.
654. Ahrnsbrak R, Bose J, Hedden SL, Lipari RN, Park-Lee E. Key substance use and mental health indicators in the United States: results from the 2016 national survey on drug use and health. Substance Abuse and Mental Health Services Administration. Publicado en septiembre, 2017. Disponible en: <https://www.samhsa.gov/data/sites/default/files/NSDUH-FFR1-2016/NSDUH-FFR1-2016.pdf>. Acceso: marzo, 22, 2019.
655. Rasmussen N. America's first amphetamine epidemic 1929–1971: a quantitative and qualitative retrospective with implications for the present. *Am J Public Health.* 2008; 98(6):974–85.

656. Rasmussen N. America's first amphetamine epidemic 1929–1971: a quantitative and qualitative retrospective with implications for the present. *Am J Public Health*. 2008; 98(6):974–85.
657. Graham J. Amphetamine politics on Capitol Hill. *Society*. 1972; 9(3):14–22.
658. McGee M, Whitehead N, Martin J, Collins N. Drug-associated pulmonary arterial hypertension. *Clin Toxicol (Phila)*. 2018; 56(9):801–9.
659. Kassirer JP, Angell M. Losing weight—an ill-fated New Year's resolution. *N Engl J Med*. 1998; 338(1):52–4.
660. Connolly HM, Crary JL, McGoon MD, et al. Valvular heart disease associated with fenfluramine-phentermine. *N Engl J Med*. 1997; 337(9):581–8.
661. James WP, Caterson ID, Coutinho W, et al. Effect of sibutramine on cardiovascular outcomes in overweight and obese subjects. *N Engl J Med*. 2010; 363(10):905–17.
662. Christensen R, Kristensen PK, Bartels EM, Bliddal H, Astrup A. Efficacy and safety of the weight-loss drug rimonabant: a meta-analysis of randomised trials. *Lancet*. 2007; 370(9600):1706–13.
663. Lagerros YT, Rössner S. Obesity management: what brings success? *Therap Adv Gastroenterol*. 2013; 6(1):77–88.
664. Haslam D. Weight management in obesity—past and present. *Int J Clin Pract*. 2016; 70(3):206–17.
665. Chawla A, Carls G, Deng E, Tuttle E. The expected net present value of developing weight management drugs in the context of drug safety litigation. *Pharmacoeconomics*. 2015; 33(7):749–63.
666. Diet, drugs, devices, and surgery for weight management. *Med Lett Drugs Ther*. 2018; 60(1548):91–8.
667. Woloshin S, Schwartz LM. The new weight-loss drugs, lorcaserin and phentermine-topiramate: slim pickings? *JAMA Intern Med*. 2014; 174(4):615–9.
668. Nuffer W, Trujillo JM, Megyeri J. A comparison of new pharmacological agents for the treatment of obesity. *Ann Pharmacother*. 2016; 50(5):376–88.
669. Rodríguez JE, Campbell KM. Past, present, and future of pharmacologic therapy in obesity. *Prim Care*. 2016; 43(1):61–7, viii.
670. Pi-Sunyer X, Astrup A, Fujioka K, et al. A randomized, controlled trial of 3.0 mg of liraglutide in weight management. *N Engl J Med*. 2015; 373(1):11–22.
671. Igel LI, Kumar RB, Saunders KH, Aronne LJ. Practical use of pharmacotherapy for obesity. *Gastroenterology*. 2017; 152(7):1765–79.
672. Igel LI, Kumar RB, Saunders KH, Aronne LJ. Practical use of pharmacotherapy for obesity. *Gastroenterology*. 2017; 152(7):1765–79.

673. Shepherd RW. No evidence for benefit of medication for obesity. *Can Fam Physician*. 2017; 63(4):276.
674. Hollander PA, Elbein SC, Hirsch IB, et al. Role of orlistat in the treatment of obese patients with type 2 diabetes. A 1-year randomized double-blind study. *Diabetes Care*. 1998; 21(8):1288–94.
675. Schroll JB, Penninga EI, Gøtzsche PC. Assessment of adverse events in protocols, clinical study reports, and published papers of trials of orlistat: a document analysis. *PLoS Med*. 2016; 13(8):e1002101.
676. Bourns L, Shiau J. Rebuttal: should family physicians prescribe medication for obesity? YES. *Can Fam Physician*. 2017; 63(2):e82.
677. Haddock CK, Poston WS, Dill PL, Foreyt JP, Ericsson M. Pharmacotherapy for obesity: a quantitative analysis of four decades of published randomized clinical trials. *Int J Obes Relat Metab Disord*. 2002; 26(2):262–73.
678. Rodríguez JE, Campbell KM. Past, present, and future of pharmacologic therapy in obesity. *Prim Care*. 2016; 43(1):61–7,viii.
679. Hemo B, Endevelt R, Porath A, Stampfer MJ, Shai I. Adherence to weight loss medications; post-marketing study from HMO pharmacy data of one million individuals. *Diabetes Res Clin Pract*. 2011; 94(2):269–75.
680. Glauser TA, Roepke N, Stevenin B, Dubois AM, Ahn SM. Physician knowledge about and perceptions of obesity management. *Obes Res Clin Pract*. 2015; 9(6):573–83.
681. Apovian CM, Aronne LJ, Bessesen DH, et al. Pharmacological management of obesity: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab*. 2015; 100(2):342–62.
682. Yeh JS, Kushner RF, Schiff GD. Obesity and management of weight loss. *N Engl J Med*. 2016; 375(12):1187–9.
683. Apovian CM, Aronne LJ, Bessesen DH, et al. Pharmacological management of obesity: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab*. 2015; 100(2):342–62.
684. Brauer P, Connor Gorber S, Shaw E, et al. Recommendations for prevention of weight gain and use of behavioural and pharmacologic interventions to manage overweight and obesity in adults in primary care. *CMAJ*. 2015; 187(3):184–95.
685. Pillitteri JL, Shiffman S, Rohay JM, Harkins AM, Burton SL, Wadden TA. Use of dietary supplements for weight loss in the United States: results of a national survey. *Obesity (Silver Spring)*. 2008; 16(4):790–6.
686. Austin SB, Yu K, Liu SH, Dong F, Tefft N. Household expenditures on dietary supplements sold for weight loss, muscle building, and sexual function: disproportionate burden by gender and income. *Prev Med Rep*. 2017; 6:236–41.
687. Pillitteri JL, Shiffman S, Rohay JM, Harkins AM, Burton SL, Wadden TA. Use of dietary supplements for weight loss in the United States: results of a national survey. *Obesity (Silver Spring)*. 2008; 16(4):790–6.

688. United States Government Accountability Office. Dietary supplements: FDA should take further actions to improve oversight and consumer understanding. GAO.gov. Publicado en enero, 29, 2009. Disponible en: <https://www.gao.gov/products/GAO-09-250>. Acceso: marzo, 22, 2019.
689. Marcus DM. Dietary supplements: what's in a name? What's in the bottle? *Drug Test Anal.* 2016; 8(3–4):410–2.
690. Starfield B. Is US health really the best in the world? *JAMA.* 2000; 284(4):483–5.
691. Center for Drug Evaluation and Research. Drug approval process. United States Food and Drug Administration. Disponible en: <https://www.fda.gov/downloads/drugs/resourcesforyou/consumers/ucm284393.pdf>. Acceso: marzo, 22, 2019.
692. Boozer CN, Nasser JA, Heymsfield SB, Wang V, Chen G, Solomon JL. An herbal supplement containing Ma Huang-Guarana for weight loss: a randomized, double-blind trial. *Int J Obes Relat Metab Disord.* 2001; 25(3):316–24.
693. Statement of Marcia Crosse. Dietary supplements containing ephedra: health risks and FDA's oversight. United States Government Accountability Office. Publicado en julio, 23, 2003. Disponible en: <https://www.gao.gov/products/GAO-03-1042T>. Acceso: marzo, 22, 2019.
694. Long J. FDA GMP inspectors cite 70% of dietary supplement firms. *Natural Products INSIDER.* Publicado en mayo, 20, 2013. Disponible en: <https://www.naturalproductsinsider.com/fda-gmp-inspectors-cite-70-dietary-supplement-firms>. Acceso: marzo, 22, 2019.
695. Newmaster SG, Grguric M, Shanmughanandhan D, Ramalingam S, Ragupathy S. DNA barcoding detects contamination and substitution in North American herbal products. *BMC Med.* 2013; 11:222.
696. Vilanova-Sanchez A, Gasior AC, Toocheck N, et al. Are *Senna* based laxatives safe when used as long term treatment for constipation in children? *J Pediatr Surg.* 2018; 53(4):722–7.
697. Newmaster SG, Grguric M, Shanmughanandhan D, Ramalingam S, Ragupathy S. DNA barcoding detects contamination and substitution in North American herbal products. *BMC Med.* 2013; 11:222.
698. O'Connor A. New York attorney general targets supplements at major retailers. *New York Times.* Publicado en febrero, 3, 2015. Disponible en: <https://well.blogs.nytimes.com/2015/02/03/new-york-attorney-general-targets-supplements-at-major-retailers>. Acceso: marzo, 22, 2019.
699. Marcus DM. Dietary supplements: what's in a name? What's in the bottle? *Drug Test Anal.* 2016; 8(3–4):410–2.
700. Hachem R, Assemat G, Martins N, et al. Proton NMR for detection, identification and quantification of adulterants in 160 herbal food supplements marketed for weight loss. *J Pharm Biomed Anal.* 2016; 124:34–47.

701. Moreira AP, Motta MJ, Dal Molin TR, Viana C, de Carvalho LM. Determination of diuretics and laxatives as adulterants in herbal formulations for weight loss. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 2013; 30(7):1230–7.
702. Eichner S, Maguire M, Shea LA, Fete MG. Banned and discouraged-use ingredients found in weight loss supplements. *J Am Pharm Assoc (2003).* 2016; 56(5):538–43.
703. Mathews NM. Prohibited contaminants in dietary supplements. *Sports Health.* 2018; 10(1):19–30.
704. Chen SP, Tang MH, Ng SW, Poon WT, Chan AY, Mak TW. Psychosis associated with usage of herbal slimming products adulterated with sibutramine: a case series. *Clin Toxicol (Phila).* 2010; 48(8):832–8.
705. Ozdemir B, Sahin I, Kapucu H, et al. How safe is the use of herbal weight-loss products sold over the internet? *Hum Exp Toxicol.* 2013; 32(1):101–6.
706. Cohen PA, Maller G, Desouza R, Neal-Kababick J. Presence of banned drugs in dietary supplements following FDA recalls. *JAMA.* 2014; 312(16):1691–3.
707. Marcus DM. Dietary supplements: what’s in a name? What’s in the bottle? *Drug Test Anal.* 2016; 8(3–4):410–2.
708. Petróczi A, Ocampo JA, Shah I, et al. Russian roulette with unlicensed fat-burner drug 2,4-dinitrophenol (DNP): evidence from a multidisciplinary study of the internet, bodybuilding supplements and DNP users. *Subst Abuse Treat Prev Policy.* 2015; 10:39.
709. Slomski A. A trip on «bath salts» is cheaper than meth or cocaine but much more dangerous. *JAMA.* 2012; 308(23):2445–7.
710. Mathews NM. Prohibited contaminants in dietary supplements. *Sports Health.* 2018; 10(1):19–30.
711. Archer JR, Dargan PI, Lostia AM, et al. Running an unknown risk: a marathon death associated with the use of 1,3-dimethylamylamine (DMAA). *Drug Test Anal.* 2015; 7(5):433–8.
712. Young C, Oladipo O, Frasier S, Putko R, Chronister S, Marovich M. Hemorrhagic stroke in young healthy male following use of sports supplement Jack3d. *Mil Med.* 2012; 177(12):1450–4.
713. Cohen PA, Travis JC, Keizers PHJ, Deuster P, Venhuis BJ. Four experimental stimulants found in sports and weight loss supplements: 2-amino-6-methylheptane (octodrine), 1,4-dimethylamylamine (1,4-DMAA), 1,3-dimethylamylamine (1,3-DMAA) and 1,3-dimethylbutylamine (1,3-DMBA). *Clin Toxicol (Phila).* 2018; 56(6):421–6.
714. Shekelle PG, Hardy ML, Morton SC, et al. Efficacy and safety of ephedra and ephedrine for weight loss and athletic performance: a meta-analysis. *JAMA.* 2003; 289(12):1537–45.
715. Mullin GE. Supplements for weight loss: hype or help for obesity? Part III. *Nutr Clin Pract.* 2015; 30(3):446–9.

716. Gibson-Moore H. Do slimming supplements work? *Nutr Bull.* 2010; 34(4):300–3.
717. Onakpoya IJ, Wider B, Pittler MH, Ernst E. Food supplements for body weight reduction: a systematic review of systematic reviews. *Obesity (Silver Spring)*. 2011; 19(2):239–44.
718. Poddar K, Kolge S, Bezman L, Mullin GE, Cheskin LJ. Nutraceutical supplements for weight loss: a systematic review. *Nutr Clin Pract.* 2011; 26(5):539–52.
719. Chang YY, Chiou WB. The liberating effect of weight loss supplements on dietary control: a field experiment. *Nutrition.* 2014; 30(9):1007–10.
720. Chiou WB, Wan CS, Wu WH, Lee KT. A randomized experiment to examine unintended consequences of dietary supplement use among daily smokers: taking supplements reduces self-regulation of smoking. *Addiction.* 2011; 106(12):2221–8.
721. Chiou WB, Yang CC, Wan CS. Ironic effects of dietary supplementation: illusory invulnerability created by taking dietary supplements licenses health-risk behaviors. *Psychol Sci.* 2011; 22(8):1081–6.
722. Chang YY, Chiou WB. The liberating effect of weight loss supplements on dietary control: a field experiment. *Nutrition.* 2014; 30(9):1007–10.
723. Chang YY, Chiou WB. Taking weight-loss supplements may elicit liberation from dietary control. A laboratory experiment. *Appetite.* 2014; 72:8–12.
724. Chiou WB, Yang CC, Wan CS. Ironic effects of dietary supplementation: illusory invulnerability created by taking dietary supplements licenses health-risk behaviors. *Psychol Sci.* 2011; 22(8):1081–6.
725. World Health Organization. Global action plan for the prevention and control of noncommunicable diseases 2013–2020. Publicado en 2013. Disponible en: [https://www.who.int/nmh/events/ncd\\_action\\_plan/en](https://www.who.int/nmh/events/ncd_action_plan/en). Acceso: marzo, 22, 2019.
726. Roberto CA, Swinburn B, Hawkes C, et al. Patchy progress on obesity prevention: emerging examples, entrenched barriers, and new thinking. *Lancet.* 2015; 385(9985):2400–9.
727. Neal B. Fat chance for physical activity. *Popul Health Metr.* 2013; 11(1):9.
728. Roberto CA, Swinburn B, Hawkes C, et al. Patchy progress on obesity prevention: emerging examples, entrenched barriers, and new thinking. *Lancet.* 2015; 385(9985):2400–9.
729. Murray S. The world’s biggest industry. *Forbes*. Publicado en noviembre, 15, 2007. Disponible en: [https://www.forbes.com/2007/11/11/growth-agriculture-business-forbeslife-food07-cx\\_sm\\_1113bigfood.html](https://www.forbes.com/2007/11/11/growth-agriculture-business-forbeslife-food07-cx_sm_1113bigfood.html). Acceso: marzo, 22, 2019.
730. Packaged food market is expected to reach \$3.03 trillion, globally, by 2020. Allied Market Research. 2015. Disponible en: <https://www.alliedmarketresearch.com/press-release/packaged-food-market-is-expected-to-reach-3.03-trillion-worldwide-by-2020-allied-market-research.html>. Acceso: marzo, 22, 2019.

731. Neal B. Fat chance for physical activity. *Popul Health Metr.* 2013; 11(1):9.
732. Marlow M. Weight loss nudges: market test or government guess? Mercatus Center at George Mason University. Publicado en septiembre, 2014. Disponible en: <https://www.mercatus.org/system/files/Marlow-Weight-Loss-Nudges.pdf>. Acceso: marzo, 22, 2019.
733. Marlow M. Weight loss nudges: market test or government guess? Mercatus Center at George Mason University. Publicado en septiembre, 2014. Disponible en: <https://www.mercatus.org/system/files/Marlow-Weight-Loss-Nudges.pdf>. Acceso: marzo, 22, 2019.
734. Kirkwood K. Lipids, liberty, and the integrity of free actions. *Am J Bioeth.* 2010; 10(3):45–6.
735. Popkin BM. Agricultural policies, food and public health. *EMBO Rep.* 2011; 12(1):11–8.
736. Brownell KD, Warner KE. The perils of ignoring history: Big Tobacco played dirty and millions died. How similar is Big Food? *Milbank Q.* 2009; 87(1):259–94.
737. Engelhard CL, Garson A, Dorn S. Reducing obesity: policy strategies from the tobacco wars. *Methodist Debaque Cardiovasc J.* 2009; 5(4):46–50.
738. Jamal A, Phillips E, Gentzke AS, et al. Current cigarette smoking among adults—United States, 2016. *MMWR Morb Mortal Wkly Rep.* 2018; 67(2):53–9.
739. Mokdad AH, Ballestros K, Echko M, et al. The state of US health, 1990–2016: burden of diseases, injuries, and risk factors among US states. *JAMA.* 2018; 319(14):1444–72.
740. Lagerros YT, Rössner S. Obesity management: what brings success? *Therap Adv Gastroenterol.* 2013; 6(1):77–88.
741. Engelhard CL, Garson A, Dorn S. Reducing obesity: policy strategies from the tobacco wars. *Methodist Debaque Cardiovasc J.* 2009; 5(4):46–50.
742. Biener L, Aseltine RH, Cohen B, Anderka M. Reactions of adult and teenaged smokers to the Massachusetts tobacco tax. *Am J Public Health.* 1998; 88(9):1389–91.
743. World Health Organization. WHO report on the global tobacco epidemic, 2008. Publicado en 2008. Disponible en: [https://www.who.int/tobacco/mpower/gtcr\\_download/en](https://www.who.int/tobacco/mpower/gtcr_download/en). Acceso: marzo, 22, 2019.
744. Smith A. *An Inquiry into the Nature and Causes of the Wealth of Nations.* Methuen and Co Ltd; 1904.
745. Engelhard CL, Garson A, Dorn S. Reducing obesity: policy strategies from the tobacco wars. *Methodist Debaque Cardiovasc J.* 2009; 5(4):46–50.
746. Graff SK, Kappagoda M, Wooten HM, McGowan AK, Ashe M. Policies for healthier communities: historical, legal, and practical elements of the obesity prevention movement. *Annu Rev Public Health.* 2012; 33:307–24.
747. Engelhard CL, Garson A, Dorn S. Reducing obesity: policy strategies from the tobacco wars. *Methodist Debaque Cardiovasc J.* 2009; 5(4):46–50.

748. Marshall T. Exploring a fiscal food policy: the case of diet and ischaemic heart disease. *BMJ*. 2000; 320(7230):301–5.
749. Thow AM, Downs S, Jan S. A systematic review of the effectiveness of food taxes and subsidies to improve diets: understanding the recent evidence. *Nutr Rev*. 2014; 72(9):551–65.
750. Marshall T. Exploring a fiscal food policy: the case of diet and ischaemic heart disease. *BMJ*. 2000; 320(7230):301–5.
751. Marshall T. Exploring a fiscal food policy: the case of diet and ischaemic heart disease. *BMJ*. 2000; 320(7230):301–5.
752. Koh HK. An analysis of the successful 1992 Massachusetts tobacco tax initiative. *Tob Control*. 1996; 5(3):220–5.
753. Smith KE, Savell E, Gilmore AB. What is known about tobacco industry efforts to influence tobacco tax? A systematic review of empirical studies. *Tob Control*. 2013; 22(2):144–53.
754. Waterlander WE, Steenhuis IH, de Boer MR, Schuit AJ, Seidell JC. The effects of a 25% discount on fruits and vegetables: results of a randomized trial in a three-dimensional web-based supermarket. *Int J Behav Nutr Phys Act*. 2012; 9:11.
755. Ananthapavan J, Peterson A, Sacks G. Paying people to lose weight: the effectiveness of financial incentives provided by health insurers for the prevention and management of overweight and obesity—a systematic review. *Obes Rev*. 2018; 19(5):605–13.
756. An R, Patel D, Segal D, Sturm R. Eating better for less: a national discount program for healthy food purchases in South Africa. *Am J Health Behav*. 2013; 37(1):56–61.
757. Ananthapavan J, Peterson A, Sacks G. Paying people to lose weight: the effectiveness of financial incentives provided by health insurers for the prevention and management of overweight and obesity—a systematic review. *Obes Rev*. 2018; 19(5):605–13.
758. Yancy WS, Shaw PA, Wesby L, et al. Financial incentive strategies for maintenance of weight loss: results from an internet-based randomized controlled trial. *Nutr Diabetes*. 2018; 8(1):33.
759. Cawley J. Does anything work to reduce obesity? (Yes, modestly). *J Health Polit Policy Law*. 2016; 41(3):463–72.
760. Rahkovsky I, Gregory CA. Food prices and blood cholesterol. *Econ Hum Biol*. 2013; 11(1):95–107.
761. Cash S, Sunding D, Zilberman D. Fat taxes and thin subsidies: prices, diet, and health outcomes. *Acta Agr Scand C*. 2005; 2(3–4):167–74.
762. Hanks A, Wansink B, Just D, et al. From Coke to Coors: a field study of a fat tax and its unintended consequences. *J Nutr Educ Behav*. 2013; 45(4):S40. *Note:* The legitimacy of Brian Wansink’s research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.

763. Jue JJ, Press MJ, McDonald D, et al. The impact of price discounts and calorie messaging on beverage consumption: a multi-site field study. *Prev Med.* 2012; 55(6):629–33.
764. Brown AW, Allison DB. Unintended consequences of obesity-targeted health policy. *Virtual Mentor.* 2013; 15(4):339–46.
765. Richardson MB, Williams MS, Fontaine KR, Allison DB. The development of scientific evidence for health policies for obesity: why and how? *Int J Obes (Lond).* 2017; 41(6):840–8.
766. Folkvord F, Anschutz DJ, Buijzen M, Valkenburg PM. The effect of playing advergames that promote energy-dense snacks or fruit on actual food intake among children. *Am J Clin Nutr.* 2013; 97(2):239–45.
767. At a glance. Reducing tobacco use: a report of the Surgeon General—2000. *Oncology (Williston Park, NY).* 2000; 14(12):1671,1675,1764–5.
768. Bolton L, Cohen J, Bloom P. Does marketing products as remedies create «get out of jail free cards»? *J Consum Res.* 2006; 33(1):71–81.
769. Bolton L, Cohen J, Bloom P. Does marketing products as remedies create «get out of jail free cards»? *J Consum Res.* 2006; 33(1):71–81.
770. Burgers triumph over baguettes in French fast food wars. *Local.* Publicado en marzo, 20, 2018. Disponible en: <https://www.thelocal.fr/20180320/burgers-triumph-against-baguettes-in-french-fast-food-wars>. Acceso: marzo, 22, 2019.
771. Hawkes C. Regulating and litigating in the public interest: regulating food marketing to young people worldwide: trends and policy drivers. *Am J Public Health.* 2007; 97(11):1962–73.
772. Arrêté du 27 février 2007 fixant les conditions relatives aux informations à caractère sanitaire devant accompagner les messages publicitaires ou promotionnels en faveur de certains aliments et boissons. Légifrance. Publicado en febrero, 27, 2007. Disponible en: <https://www.legifrance.gouv.fr/eli/arrete/2007/2/27/SANP0720073A/jo/texte>. Acceso: marzo, 22, 2019.
773. Werle C, Cuny C. The boomerang effect of mandatory sanitary messages to prevent obesity. *Mark Lett.* 2012; 23(3):883–91.
774. Werle C, Cuny C. The boomerang effect of mandatory sanitary messages to prevent obesity. *Mark Lett.* 2012; 23(3):883–91.
775. Werle C, Cuny C. The boomerang effect of mandatory sanitary messages to prevent obesity. *Mark Lett.* 2012; 23(3):883–91.
776. Caraher M, Cowburn G. Guest commentary: fat and other taxes, lessons for the implementation of preventive policies. *Prev Med.* 2015; 77:204–6.
777. Moore M, Yeatman H, Davey R. Which nanny—the state or industry? Wowers, teetotallers and the fun police in public health advocacy. *Public Health.* 2015; 129(8):1030–7.

778. Gostin LO. Bloomberg's health legacy: urban innovator or meddling nanny? *Hastings Cent Rep.* 2013; 43(5):19–25.
779. Mejia P, Dorfman L, Cheyne A, et al. The origins of personal responsibility rhetoric in news coverage of the tobacco industry. *Am J Public Health.* 2014; 104(6):1048–51.
780. Gostin LO, Gostin KG. A broader liberty: J.S. Mill, paternalism and the public's health. *Public Health.* 2009; 123(3):214–21.
781. Gostin LO, Gostin KG. A broader liberty: J.S. Mill, paternalism and the public's health. *Public Health.* 2009; 123(3):214–21.
782. Hoek J. Informed choice and the nanny state: learning from the tobacco industry. *Public Health.* 2015; 129(8):1038–45.
783. Gostin LO, Gostin KG. A broader liberty: J.S. Mill, paternalism and the public's health. *Public Health.* 2009; 123(3):214–21.
784. World Health Organization. WHO Director-General addresses health promotion conference. Publicado en junio, 10, 2013. Disponible en: [http://www.who.int/dg/speeches/2013/health\\_promotion\\_20130610/en](http://www.who.int/dg/speeches/2013/health_promotion_20130610/en). Acceso: marzo, 22, 2019.
785. Brown & Williamson. Smoking and health proposal. 1969. Disponible en: <https://www.industrydocuments.ucsf.edu/tobacco/docs/#id=jryf0138>. Acceso: marzo, 22, 2019.
786. Ibrahim JK, Glantz SA. The rise and fall of tobacco control media campaigns, 1967–2006. *Am J Public Health.* 2007; 97(8):1383–96.
787. Weimholt J. «Bringing a butter knife to a gun fight»? Salience, disclosure, and FDA's differing approaches to the tobacco use and obesity epidemics. *Food Drug Law J.* 2015; 70(4):501–51, i.
788. Engelhard CL, Garson A, Dorn S. Reducing obesity: policy strategies from the tobacco wars. *Methodist Debaquey Cardiovasc J.* 2009; 5(4):46–50.
789. Engelhard CL, Garson A, Dorn S. Reducing obesity: policy strategies from the tobacco wars. *Methodist Debaquey Cardiovasc J.* 2009; 5(4):46–50.
790. Watson E. Front-of-pack nutrition labels prompt surprise swing in sales. *Food Manufacture.* Publicado en mayo, 1, 2006. Disponible en: <https://www.foodmanufacture.co.uk/Article/2006/05/02/Front-of-pack-nutrition-labels-prompt-surprise-swing-in-sales>. Acceso: marzo, 22, 2019.
791. Mindell JS, Reynolds L, Cohen DL, McKee M. All in this together: the corporate capture of public health. *BMJ.* 2012; 345:e8082.
792. Bleich SN, Wolfson JA, Jarlenski MP, Block JP. Restaurants with calories displayed on menus had lower calorie counts compared to restaurants without such labels. *Health Aff (Millwood).* 2015; 34(11):1877–84.
793. Dumanovsky T, Huang CY, Nonas CA, Matte TD, Bassett MT, Silver LD. Changes in energy content of lunchtime purchases from fast food restaurants after

- introduction of calorie labelling: cross sectional customer surveys. *BMJ*. 2011; 343:d4464.
794. Berry C, Burton S, Howlett E. The effects of voluntary versus mandatory menu calorie labeling on consumers' retailer-related responses. *J Retailing*. 2017; 94(1):73–88.
795. Strom S. McDonald's to start posting calorie counts. *New York Times*. Publicado en septiembre, 12, 2012. Disponible en: <https://www.nytimes.com/2012/09/13/business/mcdonalds-to-start-posting-calorie-counts.html>. Acceso: marzo, 22, 2019.
796. Wilcox K, Vallen B, Block L, Fitzsimons G. Vicarious goal fulfillment: when the mere presence of a healthy option leads to an ironically indulgent decision. *J Consum Res*. 2009; 36(3):380–93.
797. Wilcox K, Vallen B, Block L, Fitzsimons G. Vicarious goal fulfillment: when the mere presence of a healthy option leads to an ironically indulgent decision. *J Consum Res*. 2009; 36(3):380–93.
798. Chernev A. The dieter's paradox. *J Consum Psychol*. 2011; 21(2):178–83.
799. Chandon P, Wansink B. The biasing health halos of fast-food restaurant health claims: lower calorie estimates and higher side-dish consumption intentions. *J Consum Res*. 2007; 34(3):301–14. *Note:* The legitimacy of Brian Wansink's research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
800. Werle C, Cuny C. The boomerang effect of mandatory sanitary messages to prevent obesity. *Mark Lett*. 2012; 23(3):883–91.
801. Wilcox K, Vallen B, Block L, Fitzsimons G. Vicarious goal fulfillment: when the mere presence of a healthy option leads to an ironically indulgent decision. *J Consum Res*. 2009; 36(3):380–93.
802. Lagerros YT, Rössner S. Obesity management: what brings success? *Therap Adv Gastroenterol*. 2013; 6(1):77–88.
803. Chopra M, Darnton-Hill I. Tobacco and obesity epidemics: not so different after all? *BMJ*. 2004; 328(7455):1558–60.
804. Institute of Medicine. Food marketing to children and youth: threat or opportunity? National Academies Press. 2006. Disponible en: <https://www.nap.edu/catalog/11514/food-marketing-to-children-and-youth-threat-or-opportunity>. Acceso: marzo, 22, 2019.
805. Lyons R. Ban on sugary-cereal TV ads urged. *New York Times*. Publicado en marzo, 6, 1973. Disponible en: <https://www.nytimes.com/1973/03/06/archives/ban-on-sugarycereal-tv-ads-urged-sugarcoated-nothings-115-pounds-of.html>. Acceso: marzo, 22, 2019.
806. Congress of the United States Hearings Before the Select Committee on Nutrition and Human Needs of the United States Senate, Ninety-Second Congress, Second Session. Nutrition Education—1972. Part 1—Overview; Consultants'

- Recommendations. Washington, D.C., December 6, 1972. Washington, D.C.; 1972:1–191.
807. Congress of the United States Hearings Before the Select Committee on Nutrition and Human Needs of the United States Senate, Ninety-Third Congress, First Session. Nutrition Education—1973. Parts 3, 4, and 5—TV Advertising of Food to Children. Washington, D.C., March 5, 6, and 12, 1973. Washington, D.C.; 1973:1–546.
808. Congress of the United States Hearings Before the Select Committee on Nutrition and Human Needs of the United States Senate, Ninety-Third Congress, First Session. Nutrition Education—1973. Parts 3, 4, and 5—TV Advertising of Food to Children. Washington, D.C., March 5, 6, and 12, 1973. Washington, D.C.; 1973:1–546.
809. Congress of the United States Hearings Before the Select Committee on Nutrition and Human Needs of the United States Senate, Ninety-Third Congress, First Session. Nutrition Education—1973. Parts 3, 4, and 5—TV Advertising of Food to Children. Washington, D.C., March 5, 6, and 12, 1973. Washington, D.C.; 1973:1–546.
810. Children’s Food & Beverage Advertising Initiative. White paper on CFBAI’s uniform nutrition criteria. Council of Better Business Bureaus. Publicado en julio, 2011. Disponible en: <https://www.bbb.org/us/storage/0/Shared%20Documents/White%20Paper%20on%20CFBAI%20Uniform%20Nutrition%20Criteria%20July%202011.pdf>. Acceso: marzo, 22, 2019.
811. Harris JL, LoDolce M, Dembek C, Schwartz MB. Sweet promises: candy advertising to children and implications for industry self-regulation. *Appetite*. 2015; 95:585–92.
812. LoDolce ME, Harris JL, Schwartz MB. Sugar as part of a balanced breakfast? What cereal advertisements teach children about healthy eating. *J Health Commun*. 2013; 18(11):1293–309.
813. Dietz WH. New strategies to improve food marketing to children. *Health Aff (Millwood)*. 2013; 32(9):1652–8.
814. Pestano P, Yeshua E, Houlihan J. Sugar in children’s cereals: popular brands pack more sugar than snack cakes and cookies. Environmental Working Group. Publicado en diciembre, 2011. Disponible en: [https://www.foodpolitics.com/wp-content/uploads/CEREALSewg\\_press\\_cereal\\_report.pdf](https://www.foodpolitics.com/wp-content/uploads/CEREALSewg_press_cereal_report.pdf). Acceso: marzo, 22, 2019.
815. Harris JL, Schwartz MB, Brownell KD, et al. Cereal FACTS 2012: limited progress in the nutrition quality and marketing of children’s cereals. Rudd Center for Food Policy & Obesity. Publicado en junio, 2012. Disponible en: [http://www.cerealfacts.org/media/cereal\\_facts\\_report\\_2012\\_7.12.pdf](http://www.cerealfacts.org/media/cereal_facts_report_2012_7.12.pdf). Acceso: marzo, 22, 2019.
816. Westen T. Government regulation of food marketing to children: the Federal Trade Commission and the Kid-Vid controversy. *Loyola Los Angel Law Rev*. Publicado en mayo, 1, 2006. Disponible en: <https://digitalcommons.lmu.edu/ljr/vol39/iss1/4>. Acceso: marzo, 22, 2019.

817. Dietz WH. New strategies to improve food marketing to children. *Health Aff (Millwood)*. 2013; 32(9):1652–8.
818. Federal Trade Commission. Interagency Working Group seeks input on proposed voluntary principles for marketing food to children. FTC.gov. Publicado en abril, 28, 2011. Disponible en: <https://www.ftc.gov/news-events/press-releases/2011/04/interagency-working-group-seeks-input-proposed-voluntary>. Acceso: marzo, 22, 2019.
819. Federal Trade Commission. Interagency Working Group on food marketed to children. Preliminary proposed nutrition principles to guide industry self-regulatory efforts. Disponible en: [https://www.ftc.gov/sites/default/files/documents/public\\_events/food-marketed-children-forum-interagency-working-group-proposal/110428foodmarketproposedguide.pdf](https://www.ftc.gov/sites/default/files/documents/public_events/food-marketed-children-forum-interagency-working-group-proposal/110428foodmarketproposedguide.pdf). Acceso: marzo, 22, 2019.
820. Harris JL, Schwartz MB, Brownell KD, et al. Cereal FACTS 2012: limited progress in the nutrition quality and marketing of children’s cereals. Rudd Center for Food Policy & Obesity. Publicado en junio, 2012. Disponible en: [http://www.cerealfacts.org/media/cereal\\_facts\\_report\\_2012\\_7.12.pdf](http://www.cerealfacts.org/media/cereal_facts_report_2012_7.12.pdf). Acceso: marzo, 22, 2019.
821. General Mills. Re: Interagency Working Group on Food Marketed to Children: FTC Project No. P094513 Comments on Proposed Nutrition Principles and General Comments and Proposed Marketing Definitions. Washington, D.C. Publicado en julio, 14, 2011.
822. Jackson T. Dear Chairman Leibowitz. Ohio Grocers Association. 2011.
823. General Mills. Re: Interagency Working Group on Food Marketed to Children: FTC Project No. P094513 Comments on Proposed Nutrition Principles and General Comments and Proposed Marketing Definitions. Washington, D.C. Publicado en julio, 14, 2011.
824. Vladeck D. What’s on the table. Federal Trade Commission. Publicado en julio, 1, 2011. Disponible en: <https://www.ftc.gov/news-events/blogs/business-blog/2011/07/whats-table>. Acceso: marzo, 22, 2019.
825. Dietz WH. New strategies to improve food marketing to children. *Health Aff (Millwood)*. 2013; 32(9):1652–8.
826. Wilson D, Roberts J. Special report: how Washington went soft on childhood obesity. *Reuters*. Publicado en abril, 27, 2012. Disponible en: <https://www.reuters.com/article/us-usa-foodlobby/special-report-how-washington-went-soft-on-childhood-obesity-idUSBRE83Q0ED20120427>. Acceso: marzo, 22, 2019.
827. Wilson D, Roberts J. Special report: how Washington went soft on childhood obesity. *Reuters*. Publicado en abril, 27, 2012. Disponible en: <https://www.reuters.com/article/us-usa-foodlobby/special-report-how-washington-went-soft-on-childhood-obesity-idUSBRE83Q0ED20120427>. Acceso: marzo, 22, 2019.
828. Wilson D, Roberts J. Special report: how Washington went soft on childhood obesity. *Reuters*. Publicado en abril, 27, 2012. Disponible en:

- <https://www.reuters.com/article/us-usa-foodlobby/special-report-how-washington-went-soft-on-childhood-obesity-idUSBRE83Q0ED20120427>. Acceso: marzo, 22, 2019.
829. Wilson D, Roberts J. Special report: how Washington went soft on childhood obesity. *Reuters*. Publicado en abril, 27, 2012. Disponible en: <https://www.reuters.com/article/us-usa-foodlobby/special-report-how-washington-went-soft-on-childhood-obesity-idUSBRE83Q0ED20120427>. Acceso: marzo, 22, 2019.
830. Gerberding JL. Safer fats for healthier hearts: the case for eliminating dietary artificial trans fat intake. *Ann Intern Med*. 2009; 151(2):137–8.
831. Galizzi MM. Label, nudge or tax? A review of health policies for risky behaviours. *J Public Health Res*. 2012; 1(1):14–21.
832. Mozaffarian D, Rogoff KS, Ludwig DS. The real cost of food: can taxes and subsidies improve public health? *JAMA*. 2014; 312(9):889–90.
833. Barragan NC, Noller AJ, Robles B, et al. The «sugar pack» health marketing campaign in Los Angeles County, 2011–2012. *Health Promot Pract*. 2014; 15(2):208–16.
834. Processed meat is the next public health crisis. Physicians Committee for Responsible Medicine. Publicado en marzo, 20, 2012. Disponible en: <https://www.pcrm.org/news/blog/processed-meat-next-public-health-crisis>. Acceso: noviembre, 26, 2018.
835. Willett WC, Stampfer MJ, Manson JE, et al. Intake of trans fatty acids and risk of coronary heart disease among women. *Lancet*. 1993; 341(8845):581–5.
836. Astrup A. The trans fatty acid story in Denmark. *Atheroscler Suppl*. 2006; 7(2):43–6. 854.
837. McCarthy M. US moves to ban trans fats. *BMJ*. 2013; 347:f6749.
838. Gerberding JL. Safer fats for healthier hearts: the case for eliminating dietary artificial trans fat intake. *Ann Intern Med*. 2009; 151(2):137–8.
839. Cohen JT. FDA’s proposed ban on trans fats: how do the costs and benefits stack up? *Clin Ther*. 2014; 36(3):322–7.
840. Angell SY, Silver LD, Goldstein GP, et al. Cholesterol control beyond the clinic: New York City’s trans fat restriction. *Ann Intern Med*. 2009; 151(2):129–34.
841. European Dairy Association. Trans fatty acids: questions & answers. EDA.Euromilk.org. Publicado en 2015. Disponible en: [http://eda.euromilk.org/fileadmin/user\\_upload/Public\\_Documents/Nutrition\\_Factsheets/EDA-Nutrition\\_fact\\_sheet\\_Q\\_A\\_On\\_Trans\\_Fatty\\_Acids.pdf](http://eda.euromilk.org/fileadmin/user_upload/Public_Documents/Nutrition_Factsheets/EDA-Nutrition_fact_sheet_Q_A_On_Trans_Fatty_Acids.pdf). Acceso: marzo, 22, 2019.
842. Reeves RM. Effect of dietary trans fatty acids on cholesterol levels. *N Engl J Med*. 1991; 324(5):338–40.
843. Brownell KD, Pomeranz JL. The trans-fat ban—food regulation and long-term health. *N Engl J Med*. 2014; 370(19):1773–5.
844. Resnik D. Trans fat bans and human freedom. *Am J Bioeth*. 2010; 10(3):27–32.

845. Ferrara P. Rise of food fascism. *Washington Times*. Publicado en mayo, 31, 2003. Disponible en: <https://www.washingtontimes.com/news/2003/may/31/20030531-092643-1371r>. Acceso: marzo, 22, 2019.
846. Ross GL. Determining the benefits of the New York City trans fat ban. *Ann Intern Med*. 2010; 152(3):194.
847. Gostin LO. Bloomberg's health legacy: urban innovator or meddling nanny? *Hastings Cent Rep*. 2013; 43(5):19–25.
848. *National Federation of Independent Business, et al. v. Sebelius, Secretary of Health and Human Services, et al.* 567 U.S. 519 11-393 (Roberts Court 2011).
849. Bork R. *The Tempting of America*. New York: Free Press; 1997.
850. Angell SY, Silver LD, Goldstein GP, et al. Cholesterol control beyond the clinic: New York City's trans fat restriction. *Ann Intern Med*. 2009; 151(2):129–34.
851. Restrepo BJ, Rieger M. Trans fat and cardiovascular disease mortality: evidence from bans in restaurants in New York. *J Health Econ*. 2016; 45:176–96.
852. Coombes R. Trans fats: chasing a global ban. *BMJ*. 2011; 343:d5567.
853. Kirkwood K. Lipids, liberty, and the integrity of free actions. *Am J Bioeth*. 2010; 10(3):45– 6.
854. Golan E, Kuchler F, Krissow B. Do food labels make a difference? Sometimes. United States Department of Agriculture. Publicado en noviembre, 1, 2007. Disponible en: <https://www.ers.usda.gov/amber-waves/2007/november/do-food-labels-make-a-difference-sometimes>. Acceso: marzo, 22, 2019.
855. *Hoyte v. Yum! Brands, Inc.* 567 U.S. 519 06-1127 (United States District Court, District of Columbia, 2006).
856. Brownell KD, Warner KE. The perils of ignoring history: Big Tobacco played dirty and millions died. How similar is Big Food? *Milbank Q*. 2009; 87(1):259–94.
857. Jargon J. The gluten-free craze: is it healthy? *Wall Street Journal*. Publicado en junio, 22, 2014. Disponible en: <https://www.wsj.com/articles/how-we-eat-the-gluten-free-craze-is-it-healthy-1403491041>. Acceso: marzo, 22, 2019.
858. «Gluten free» claims in the marketplace. Agriculture and Agri-Food Canada. Publicado en abril, 2014. Available at: <http://www.agr.gc.ca/eng/industry-markets-and-trade/canadian-agri-food-sector-intelligence/processed-food-and-beverages/trends-and-market-opportunities-for-the-food-processing-sector/gluten-free-claims-in-the-marketplace>. Acceso: marzo, 22, 2019.
859. Jargon J. The gluten-free craze: is it healthy? *Wall Street Journal*. Publicado en junio, 22, 2014. Disponible en: <https://www.wsj.com/articles/how-we-eat-the-gluten-free-craze-is-it-healthy-1403491041>. Acceso: marzo, 22, 2019.
860. Fry L, Madden AM, Fallaize R. An investigation into the nutritional composition and cost of gluten-free versus regular food products in the UK. *J Hum Nutr Diet*. 2018; 31(1):108–20.

861. Elliott C. The nutritional quality of gluten-free products for children. *Pediatrics*. 2018; 142(2):e20180525.
862. He FJ, Pombo-Rodrigues S, MacGregor GA. Salt reduction in England from 2003 to 2011: its relationship to blood pressure, stroke and ischaemic heart disease mortality. *BMJ Open*. 2014; 4(4):e004549.
863. Dunford E, Webster J, Woodward M, et al. The variability of reported salt levels in fast foods across six countries: opportunities for salt reduction. *CMAJ*. 2012; 184(9):1023–8.
864. Coyne KJ, Baldrige AS, Huffman MD, Jenner K, Xavier D, Dunford EK. Differences in the sodium content of bread products in the USA and UK: implications for policy. *Public Health Nutr*. 2018; 21(3):632–6.
865. Wyness LA, Buttriss JL, Stanner SA. Reducing the population’s sodium intake: the UK Food Standards Agency’s salt reduction programme. *Public Health Nutr*. 2012; 15(2):254–61.
866. Roehr B. US tops salty fast food league table. *BMJ*. 2012; 344:e2769.
867. Ma Y, He FJ, Yin Y, Hashem KM, MacGregor GA. Gradual reduction of sugar in soft drinks without substitution as a strategy to reduce overweight, obesity, and type 2 diabetes: a modelling study. *Lancet Diabetes Endocrinol*. 2016; 4(2):105–14.
868. Hill JO. Can a small-changes approach help address the obesity epidemic? A report of the Joint Task Force of the American Society for Nutrition, Institute of Food Technologists, and International Food Information Council. *Am J Clin Nutr*. 2009; 89(2):477–84.
869. Brownell KD. Government intervention and the nation’s diet: the slippery slope of inaction. *Am J Bioeth*. 2010; 10(3):1–2.

## 2. Los ingredientes de la dieta ideal para adelgazar

1. Katz DL. Diets, diatribes, and a dearth of data. *Circ Cardiovasc Qual Outcomes*. 2014; 7(6):809–11.
2. Amazon.com: weight loss: books. Amazon.com. Disponible en: <https://amzn.to/2EK547G>. Acceso: marzo, 31, 2019.
3. Mishkin B, Mishkin S. Dietary fads and gut mysteries versus nutrition with a grain of common sense. *Can J Gastroenterol*. 1997; 11(4):371–5.
4. Yoder S. The Big Fat Surprise: a critical review; part 2. Science of Nutrition. Publicado en junio, 30, 2014. Disponible en: <https://thescienceofnutrition.wordpress.com/2014/06/30/the-big-fat-surprise-a-critical-review-part-2>. Acceso: marzo, 31, 2019.
5. Yoder S. The Big Fat Surprise: a critical review; part 1. Science of Nutrition. Publicado en agosto, 10, 2014. Disponible en: <https://thescienceofnutrition.wordpress.com/2014/08/10/the-big-fat-surprise-a-critical-review-part-1/>. Acceso: agosto, 20, 2019.

6. Goff SL, Foody JM, Inzucchi S, Katz D, Mayne ST, Krumholz HM. Brief report: nutrition and weight loss information in a popular diet book: is it fact, fiction, or something in between? *J Gen Intern Med*. 2006; 21(7):769–74.
7. Carroll AE. Obesity interventions can improve more than just body mass index. *JAMA Pediatr*. 2013; 167(11):1002–3.
8. Gudzone KA, Doshi RS, Mehta AK, et al. Efficacy of commercial weight-loss programs: an updated systematic review. *Ann Intern Med*. 2015; 162(7):501–12.
9. Rabasca Roepe L. The diet industry. SAGE Business Researcher. Publicado en marzo, 5, 2018. Available at: <http://businessresearcher.sagepub.com/sbr-1946-105904-2881576/20180305/the-diet-industry>. Acceso: marzo, 31, 2019.
10. Freedhoff Y. From plunger to *Punkt-roller*: a century of weight-loss quackery. *CMAJ*. 2009; 180(4):432–3.
11. Winter G. Fraudulent marketers capitalize on demand for sweat-free diets. *New York Times*. Publicado en octubre, 29, 2000. Disponible en: <https://www.nytimes.com/2000/10/29/business/fraudulent-marketers-capitalize-on-demand-for-sweat-free-diets.html>. Acceso: marzo, 3, 2019.
12. Ware L. *Selling It*. New York: Norton; 2002.
13. Blast up to 49 pounds off you in only 29 days! *Working Mother*. 1996; (11):73. 900. Kicklighter JR. Update on congressional hearings on the diet industry. *Nutrition*. 1991; 7(4):297–9.
14. Kicklighter JR. Update on congressional hearings on the diet industry. *Nutrition*. 1991;7(4):297–9.
15. Cleland RL, Gross WC, Koss LD, Daynard M, Muoio KM. Weight-loss advertising: an analysis of current trends. Federal Trade Commission. 2002:1–58.
16. Gross JE. The First Amendment and diet industry advertising: how puffery in weight-loss advertisements has gone too far. *JLH*. 2007; 20(2):325–55.
17. Nguyen ES. Weight loss testimonials: a critique of potential FTC restrictions on diet advertising. *Food Drug Law J*. 2008; 63(2):493–507.
18. Gardner D. Numbers are nice, but stories matter. *CMAJ*. 2008; 179(1):108.
19. Small D, Loewenstein G, Slovic P. Sympathy and callousness: the impact of deliberative thought on donations to identifiable and statistical victims. *Organ Behav Hum Decis Process*. 2007; 102(2):143–53.
20. Polivy J, Herman CP. If at first you don't succeed. False hopes of self-change. *Am Psychol*. 2002; 57(9):677–89.
21. Gardner D. Numbers are nice, but stories matter. *CMAJ*. 2008; 179(1):108.
22. Vakil RM, Chaudhry ZW, Doshi RS, Clark JM, Gudzone KA. Commercial programs' online weight-loss claims compared to results from randomized controlled trials. *Obesity (Silver Spring)*. 2017; 25(11):1885–93.

23. Heshka S, Anderson JW, Atkinson RL, et al. Weight loss with self-help compared with a structured commercial program: a randomized trial. *JAMA*. 2003; 289(14):1792–8.
24. Vakil RM, Chaudhry ZW, Doshi RS, Clark JM, Gudzone KA. Commercial programs' online weight-loss claims compared to results from randomized controlled trials. *Obesity (Silver Spring)*. 2017; 25(11):1885–93.
25. Fatis M, Weiner A, Hawkins J, Van Dorsten B. Following up on a commercial weight loss program: do the pounds stay off after your picture has been in the newspaper? *J Am Diet Assoc*. 1989; 89(4):547–8.
26. Fatis M, Weiner A, Hawkins J, Van Dorsten B. Following up on a commercial weight loss program: do the pounds stay off after your picture has been in the newspaper? *J Am Diet Assoc*. 1989; 89(4):547–8.
27. United States. Congress. House. Committee on Small Business. Subcommittee on Regulation, Business Opportunities, and Energy. *Deception and Fraud in the Diet Industry*. Washington, D.C.: U.S. Government Printing Office; 1990.
28. Primack C. A review and critique of published real-world weight management program studies. *Postgrad Med*. 2018; 130(6):548–60.
29. Gudzone KA, Doshi RS, Mehta AK, et al. Efficacy of commercial weight-loss programs: an updated systematic review. *Ann Intern Med*. 2015; 162(7):501–12.
30. McEvedy SM, Sullivan-Mort G, McLean SA, Pascoe MC, Paxton SJ. Ineffectiveness of commercial weight-loss programs for achieving modest but meaningful weight loss: systematic review and meta-analysis. *J Health Psychol*. 2017; 22(12):1614–27.
31. Finkelstein EA, Kruger E. Meta-and cost-effectiveness analysis of commercial weight loss strategies. *Obesity (Silver Spring)*. 2014; 22(9):1942–51.
32. Finley CE, Barlow CE, Greenway FL, Rock CL, Rolls BJ, Blair SN. Retention rates and weight loss in a commercial weight loss program. *Int J Obes (Lond)*. 2007; 31(2):292–8.
33. Tsai AG, Wadden TA. Systematic review: an evaluation of major commercial weight loss programs in the United States. *Ann Intern Med*. 2005; 142(1):56–66.
34. Heshka S, Anderson JW, Atkinson RL, et al. Weight loss with self-help compared with a structured commercial program: a randomized trial. *JAMA*. 2003; 289(14):1792–8.
35. Paul-Ebhohimhen V, Avenell A. A systematic review of the effectiveness of group versus individual treatments for adult obesity. *Obes Facts*. 2009; 2(1):17–24.
36. Madigan CD, Daley AJ, Lewis AL, Jolly K, Aveyard P. Which weight-loss programmes are as effective as Weight Watchers®?: non-inferiority analysis. *Br J Gen Pract*. 2014; 64(620):e128–36.
37. Wagonfeld S, Wolowitz HM. Obesity and the self-help group: a look at TOPS. *Am J Psychiatry*. 1968; 125(2):249–52.

38. Mitchell NS, Dickinson LM, Kempe A, Tsai AG. Determining the effectiveness of Take Off Pounds Sensibly (TOPS), a nationally available nonprofit weight loss program. *Obesity (Silver Spring)*. 2011; 19(3):568–73.
39. Mitchell NS, Polsky S, Catenacci VA, Furniss AL, Prochazka AV. Up to 7 years of sustained weight loss for weight-loss program completers. *Am J Prev Med*. 2015; 49(2):248–58.
40. Stunkard AJ. The management of obesity. *NY State J of Med*. 1958; 58:79–87.
41. Calder RK, Mussap AJ. Factors influencing women’s choice of weight-loss diet. *J Health Psychol*. 2015; 20(5):612–24.
42. Slavich GM. Understanding inflammation, its regulation, and relevance for health: a top scientific and public priority. *Brain Behav Immun*. 2015; 45:13–4.
43. Egger G. In search of a germ theory equivalent for chronic disease. *Prev Chronic Dis*. 2012;9(11); E95.
44. Egger G. In search of a germ theory equivalent for chronic disease. *Prev Chronic Dis*. 2012;9(11); E95.
45. Ridker PM. C-reactive protein: a simple test to help predict risk of heart attack and stroke. *Circulation*. 2003; 108(12):e81–5.
46. Bray C, Bell LN, Liang H, et al. Erythrocyte sedimentation rate and C-reactive protein measurements and their relevance in clinical medicine. *WMJ*. 2016; 115(6):317–21.
47. Ridker PM. C-reactive protein: a simple test to help predict risk of heart attack and stroke. *Circulation*. 2003; 108(12):e81–5.
48. Ridker PM. C-reactive protein: a simple test to help predict risk of heart attack and stroke. *Circulation*. 2003; 108(12):e81–5.
49. Egger G. In search of a germ theory equivalent for chronic disease. *Prev Chronic Dis*. 2012; 9(11):E95.
50. Egger G, Dixon J. Non-nutrient causes of low-grade, systemic inflammation: support for a «canary in the mineshaft» view of obesity in chronic disease. *Obes Rev*. 2011; 12(5):339–45.
51. Shivappa N, Steck SE, Hurley TG, Hussey JR, Hébert JR. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr*. 2014; 17(8):1689–96.
52. Shivappa N, Steck SE, Hurley TG, Hussey JR, Hébert JR. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr*. 2014; 17(8):1689–96.
53. Shivappa N, Godos J, Hébert JR, et al. Dietary Inflammatory Index and cardiovascular risk and mortality—a meta-analysis. *Nutrients*. 2018; 10(2):200.
54. Xu H, Sjögren P, Ärnlov J, et al. A proinflammatory diet is associated with systemic inflammation and reduced kidney function in elderly adults. *J Nutr*. 2015; 145(4):729–35.

55. Han YY, Forno E, Shivappa N, Wirth MD, Hébert JR, Celedón JC. The Dietary Inflammatory Index and current wheeze among children and adults in the United States. *J Allergy Clin Immunol Pract*. 2018; 6(3):834–41.
56. Cantero I, Abete I, Babio N, et al. Dietary Inflammatory Index and liver status in subjects with different adiposity levels within the PREDIMED trial. *Clin Nutr*. 2018; 37(5):1736–43.
57. Shivappa N, Wirth MD, Hurley TG, Hébert JR. Association between the dietary inflammatory index (DII) and telomere length and C-reactive protein from the National Health and Nutrition Examination Survey—1999–2002. *Mol Nutr Food Res*. 2017; 61(4).
58. García-Calzón S, Zalba G, Ruiz-Canela M, et al. Dietary inflammatory index and telomere length in subjects with a high cardiovascular disease risk from the PREDIMED–NAVARRA study: cross-sectional and longitudinal analyses over 5 y. *Am J Clin Nutr*. 2015; 102(4):897–904.
59. Frith E, Shivappa N, Mann JR, Hébert JR, Wirth MD, Loprinzi PD. Dietary inflammatory index and memory function: population-based national sample of elderly Americans. *Br J Nutr*. 2018; 119(5):552–8.
60. Shivappa N, Stubbs B, Hébert JR, et al. The relationship between the Dietary Inflammatory Index and incident frailty: a longitudinal cohort study. *J Am Med Dir Assoc*. 2018; 19(1):77–82.
61. Phillips CM, Shivappa N, Hébert JR, Perry IJ. Dietary inflammatory index and mental health: a cross-sectional analysis of the relationship with depressive symptoms, anxiety and well-being in adults. *Clin Nutr*. 2018; 37(5):1485–91.
62. Shivappa N, Jackson MD, Bennett F, Hébert JR. Increased Dietary Inflammatory Index (DII) is associated with increased risk of prostate cancer in Jamaican men. *Nutr Cancer*. 2015; 67(6):941–8.
63. Shivappa N, Hébert JR, Jalilpiran Y, Faghieh S. Association between Dietary Inflammatory Index and prostate cancer in Shiraz province of Iran. *Asian Pac J Cancer Prev*. 2018; 19(2):415–20.
64. Shivappa N, Miao Q, Walker M, Hébert JR, Aronson KJ. Association between a Dietary Inflammatory Index and prostate cancer risk in Ontario, Canada. *Nutr Cancer*. 2017; 69(6):825–32.
65. Huang WQ, Mo XF, Ye YB, et al. A higher Dietary Inflammatory Index score is associated with a higher risk of breast cancer among Chinese women: a case-control study. *Br J Nutr*. 2017; 117(10):1358–67.
66. Shivappa N, Sandin S, Löf M, Hébert JR, Adami HO, Weiderpass E. Prospective study of dietary inflammatory index and risk of breast cancer in Swedish women. *Br J Cancer*. 2015; 113(7):1099–103.
67. Shivappa N, Hébert JR, Zucchetto A, et al. Dietary inflammatory index and endometrial cancer risk in an Italian case-control study. *Br J Nutr*. 2016; 115(1):138–46.

68. Shivappa N, Hébert JR, Rosato V, et al. Dietary inflammatory index and ovarian cancer risk in a large Italian case-control study. *Cancer Causes Control*. 2016; 27(7):897–906.
69. Shivappa N, Zucchetto A, Serraino D, Rossi M, La Vecchia C, Hébert JR. Dietary inflammatory index and risk of esophageal squamous cell cancer in a case-control study from Italy. *Cancer Causes Control*. 2015; 26(10):1439–47.
70. Shivappa N, Hébert JR, Ferraroni M, La Vecchia C, Rossi M. Association between dietary inflammatory index and gastric cancer risk in an Italian case-control study. *Nutr Cancer*. 2016; 68(8):1262–8.
71. Shivappa N, Hébert JR, Polesel J, et al. Inflammatory potential of diet and risk for hepatocellular cancer in a case-control study from Italy. *Br J Nutr*. 2016; 115(2):324–31.
72. Shivappa N, Bosetti C, Zucchetto A, Serraino D, La Vecchia C, Hébert JR. Dietary inflammatory index and risk of pancreatic cancer in an Italian case-control study. *Br J Nutr*. 2015; 113(2):292–8.
73. Shivappa N, Godos J, Hébert JR, et al. Dietary Inflammatory Index and colorectal cancer risk—a meta-analysis. *Nutrients*. 2017 Sep 20; 9(9):1043.
74. Shivappa N, Hébert JR, Rosato V, et al. Dietary Inflammatory Index and renal cell carcinoma risk in an Italian case-control study. *Nutr Cancer*. 2017; 69(6):833–9.
75. Shivappa N, Hébert JR, Rosato V, et al. Dietary Inflammatory Index and risk of bladder cancer in a large Italian case-control study. *Urology*. 2017; 100:84–9.
76. Shivappa N, Hébert JR, Taborelli M, et al. Dietary inflammatory index and non-Hodgkin lymphoma risk in an Italian case-control study. *Cancer Causes Control*. 2017; 28(7):791–9.
77. Fowler ME, Akinyemiju TF. Meta-analysis of the association between dietary inflammatory index (DII) and cancer outcomes. *Int J Cancer*. 2017; 141(11):2215–27.
78. Shivappa N, Hebert JR, Kivimaki M, Akbaraly T. Alternate Healthy Eating Index 2010, Dietary Inflammatory Index and risk of mortality: results from the Whitehall II cohort study and meta-analysis of previous Dietary Inflammatory Index and mortality studies. *Br J Nutr*. 2017; 118(3):210–21.
79. Edwards MK, Shivappa N, Mann JR, Hébert JR, Wirth MD, Loprinzi PD. The association between physical activity and dietary inflammatory index on mortality risk in U.S. adults. *Phys Sportsmed*. 2018; 46(2):249–54.
80. Shivappa N, Harris H, Wolk A, Hebert JR. Association between inflammatory potential of diet and mortality among women in the Swedish Mammography Cohort. *Eur J Nutr*. 2016; 55(5):1891–900.
81. Shivappa N, Blair CK, Prizment AE, Jacobs DR, Steck SE, Hébert JR. Association between inflammatory potential of diet and mortality in the Iowa Women’s Health study. *Eur J Nutr*. 2016; 55(4):1491–502.
82. Ruiz-Canela M, Zazpe I, Shivappa N, et al. Dietary inflammatory index and anthropometric measures of obesity in a population sample at high cardiovascular

- risk from the PREDIMED (PREvención con Dieta MEDiterránea) trial. *Br J Nutr.* 2015; 113(6):984–95.
83. Ramallal R, Toledo E, Martínez JA, et al. Inflammatory potential of diet, weight gain, and incidence of overweight/obesity: the SUN cohort. *Obesity (Silver Spring).* 2017; 25(6):997–1005.
  84. Choi J, Joseph L, Pilote L. Obesity and C-reactive protein in various populations: a systematic review and meta-analysis. *Obes Rev.* 2013; 14(3):232–44.
  85. Ellulu MS, Patimah I, Khaza'ai H, Rahmat A, Abed Y. Obesity and inflammation: the linking mechanism and the complications. *Arch Med Sci.* 2017; 13(4):851–63.
  86. Ellulu MS, Patimah I, Khaza'ai H, Rahmat A, Abed Y. Obesity and inflammation: the linking mechanism and the complications. *Arch Med Sci.* 2017; 13(4):851–63.
  87. Pasarica M, Sereda OR, Redman LM, et al. Reduced adipose tissue oxygenation in human obesity: evidence for rarefaction, macrophage chemotaxis, and inflammation without an angiogenic response. *Diabetes.* 2009; 58(3):718–25.
  88. Weisberg SP, McCann D, Desai M, Rosenbaum M, Leibel RL, Ferrante AW Jr. Obesity is associated with macrophage accumulation in adipose tissue. *J Clin Invest.* 2003; 112(12):1796–808.
  89. Cinti S, Mitchell G, Barbatelli G, et al. Adipocyte death defines macrophage localization and function in adipose tissue of obese mice and humans. *J Lipid Res.* 2005; 46(11):2347–55.
  90. Bays HE, González-Campoy JM, Bray GA, et al. Pathogenic potential of adipose tissue and metabolic consequences of adipocyte hypertrophy and increased visceral adiposity. *Expert Rev Cardiovasc Ther.* 2008; 6(3):343–68.
  91. Welsh P, Polisecki E, Robertson M, et al. Unraveling the directional link between adiposity and inflammation: a bidirectional Mendelian randomization approach. *J Clin Endocrinol Metab.* 2010; 95(1):93–9.
  92. Timpson NJ, Nordestgaard BG, Harbord RM, et al. C-reactive protein levels and body mass index: elucidating direction of causation through reciprocal Mendelian randomization. *Int J Obes (Lond).* 2011; 35(2):300–8.
  93. Kreutzer C, Peters S, Schulte DM, et al. Hypothalamic inflammation in human obesity is mediated by environmental and genetic factors. *Diabetes.* 2017; 66(9):2407–15.
  94. National Center for Health Statistics. FastStats: obesity and overweight. Centers for Disease Control and Prevention. Publicado en junio, 13, 2016. Disponible en: <https://www.cdc.gov/nchs/faststats/obesity-overweight.htm>. Acceso: marzo, 31, 2019.
  95. Araújo EP, Torsoni MA, Velloso LA. Hypothalamic inflammation and obesity. *Vitam Horm.* 2010; 82:129–43.
  96. Friedman JM. Modern science versus the stigma of obesity. *Nat Med.* 2004; 10(6):563–9.

97. Allison DB, Heshka S, Sepulveda D, Heymsfield SB. Counting calories—caveat emptor. *JAMA*. 1993; 270(12):1454–6.
98. Timper K, Brüning JC. Hypothalamic circuits regulating appetite and energy homeostasis: pathways to obesity. *Dis Model Mech*. 2017; 10(6):679–89.
99. Sims EA. Experimental obesity, dietary-induced thermogenesis, and their clinical implications. *Clin Endocrinol Metab*. 1976; 5(2):377–95.
100. Sims EA, Goldman RF, Gluck CM, Horton ES, Kelleher PC, Rowe DW. Experimental obesity in man. *Trans Assoc Am Physicians*. 1968; 81:153–70.
101. Thaler JP, Guyenet SJ, Dorfman MD, Wisse BE, Schwartz MW. Hypothalamic inflammation: marker or mechanism of obesity pathogenesis? *Diabetes*. 2013; 62(8):2629–34.
102. Mohr B. Neuropathology communication from Dr. Mohr, privat docent in Würzburg, 1840. *Obes Res*. 1993; 1(4):334–5.
103. Hochberg I, Hochberg Z. Expanding the definition of hypothalamic obesity. *Obes Rev*. 2010; 11(10):709–21.
104. Skorzevska A, Lal S, Wasserman J, Guyda H. Abnormal food-seeking behavior after surgery for craniopharyngioma. *Neuropsychobiology*. 1989; 21(1):17–20.
105. Montague CT, Farooqi IS, Whitehead JP, et al. Congenital leptin deficiency is associated with severe early-onset obesity in humans. *Nature*. 1997; 387(6636):903–8.
106. Farooqi IS, Jebb SA, Langmack G, et al. Effects of recombinant leptin therapy in a child with congenital leptin deficiency. *N Engl J Med*. 1999; 341(12):879–84.
107. Heymsfield SB, Greenberg AS, Fujioka K, et al. Recombinant leptin for weight loss in obese and lean adults: a randomized, controlled, dose-escalation trial. *JAMA*. 1999; 282(16):1568–75.
108. Cunha DA, Igoillo-Esteve M, Gurzov EN, et al. Death protein 5 and p53-upregulated modulator of apoptosis mediate the endoplasmic reticulum stress-mitochondrial dialog triggering lipotoxic rodent and human  $\beta$ -cell apoptosis. *Diabetes*. 2012; 61(11):2763–75.
109. Jais A, Brüning JC. Hypothalamic inflammation in obesity and metabolic disease. *J Clin Invest*. 2017; 127(1):24–32.
110. Laposata M. Fatty acids: biochemistry to clinical significance. *Am J Clin Pathol*. 1995; 104(2):172–9.
111. Sergi D, Kahn DE, Morris AC, Williams LM. Palmitic acid induces inflammation in hypothalamic neurons via ceramide synthesis. *Proc Nutr Soc*. 2016; 75(OCE2):E46.
112. Valdearcos M, Robblee MM, Benjamin DI, Nomura DK, Xu AW, Koliwad SK. Microglia dictate the impact of saturated fat consumption on hypothalamic inflammation and neuronal function. *Cell Rep*. 2014; 9(6):2124–38.

113. Berkseth KE, Guyenet SJ, Melhorn SJ, et al. Hypothalamic gliosis associated with high-fat diet feeding is reversible in mice: a combined immunohistochemical and magnetic resonance imaging study. *Endocrinology*. 2014; 155(8):2858–67.
114. Ioannidis JP. Extrapolating from animals to humans. *Sci Transl Med*. 2012; 4(151):151ps15.
115. Lai M, Chandrasekera PC, Barnard ND. You are what you eat, or are you? The challenges of translating high-fat-fed rodents to human obesity and diabetes. *Nutr Diabetes*. 2014; 4:e135.
116. Borg ML, Omran SF, Weir J, Meikle PJ, Watt MJ. Consumption of a high-fat diet, but not regular endurance exercise training, regulates hypothalamic lipid accumulation in mice. *J Physiol (Lond)*. 2012; 590(17):4377–89.
117. Agricultural Research Service, United States Department of Agriculture. Basic report: 10860, pork, cured, bacon, cooked, baked. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/301584>. Acceso: marzo, 31, 2019.
118. Thaler JP, Yi CX, Schur EA, et al. Obesity is associated with hypothalamic injury in rodents and humans. *J Clin Invest*. 2012;122(1); 153–62.
119. Schur EA, Melhorn SJ, Oh SK, et al. Radiologic evidence that hypothalamic gliosis is associated with obesity and insulin resistance in humans. *Obesity (Silver Spring)*. 2015; 23(11):2142–8.
120. 1006. Kreuzer C, Peters S, Schulte DM, et al. Hypothalamic inflammation in human obesity is mediated by environmental and genetic factors. *Diabetes*. 2017; 66(9):2407–15.
121. Kien CL, Bunn JY, Tompkins CL, et al. Substituting dietary monounsaturated fat for saturated fat is associated with increased daily physical activity and resting energy expenditure and with changes in mood. *Am J Clin Nutr*. 2013; 97(4):689–97.
122. Dumas JA, Bunn JY, Nickerson J, et al. Dietary saturated fat and monounsaturated fat have reversible effects on brain function and the secretion of pro-inflammatory cytokines in young women. *Metab Clin Exp*. 2016; 65(10):1582–8.
123. Kien CL, Bunn JY, Tompkins CL, et al. Substituting dietary monounsaturated fat for saturated fat is associated with increased daily physical activity and resting energy expenditure and with changes in mood. *Am J Clin Nutr*. 2013; 97(4):689–97.
124. Gan L, England E, Yang JY, et al. A 72-hour high fat diet increases transcript levels of the neuropeptide galanin in the dorsal hippocampus of the rat. *BMC Neurosci*. 2015; 16:51.
125. Hargrave SL, Jones S, Davidson TL. The outward spiral: a vicious cycle model of obesity and cognitive dysfunction. *Curr Opin Behav Sci*. 2016; 9:40–6.
126. Jacka FN, Cherbuin N, Anstey KJ, Sachdev P, Butterworth P. Western diet is associated with a smaller hippocampus: a longitudinal investigation. *BMC Med*. 2015; 13:215.

127. Morris MC, Evans DA, Bienias JL, Tangney CC, Wilson RS. Dietary fat intake and 6-year cognitive change in an older biracial community population. *Neurology*. 2004; 62(9):1573–9.
128. Edwards LM, Murray AJ, Holloway CJ, et al. Short-term consumption of a high-fat diet impairs whole-body efficiency and cognitive function in sedentary men. *FASEB J*. 2011; 25(3):1088–96.
129. Holloway CJ, Cochlin LE, Emmanuel Y, et al. A high-fat diet impairs cardiac high-energy phosphate metabolism and cognitive function in healthy human subjects. *Am J Clin Nutr*. 2011; 93(4):748–55.
130. Attuquayefio T, Stevenson RJ, Oaten MJ, Francis HM. A four-day Western-style dietary intervention causes reductions in hippocampal-dependent learning and memory and interoceptive sensitivity. *PLoS ONE*. 2017; 12(2):e0172645.
131. Attuquayefio T, Stevenson RJ, Oaten MJ, Francis HM. A four-day Western-style dietary intervention causes reductions in hippocampal-dependent learning and memory and interoceptive sensitivity. *PLoS ONE*. 2017; 12(2):e0172645.
132. Attuquayefio T, Stevenson RJ, Oaten MJ, Francis HM. A four-day Western-style dietary intervention causes reductions in hippocampal-dependent learning and memory and interoceptive sensitivity. *PLoS ONE*. 2017; 12(2):e0172645.
133. Hernández EÁ, Kahl S, Seelig A, et al. Acute dietary fat intake initiates alterations in energy metabolism and insulin resistance. *J Clin Invest*. 2017; 127(2):695–708.
134. Parks E, Yki-Järvinen H, Hawkins M. Out of the frying pan: dietary saturated fat influences nonalcoholic fatty liver disease. *J Clin Invest*. 2017; 127(2):454–6.
135. Shivappa N, Steck SE, Hurley TG, Hussey JR, Hébert JR. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr*. 2014; 17(8):1689–96.
136. United States Department of Health and Human Services, United States Department of Agriculture. Appendix 13. Food sources of dietary fiber. *2015–2020 Dietary Guidelines for Americans. 8th Edition*. DietaryGuidelines.gov. Publicado en diciembre, 2015. Disponible en: <https://health.gov/dietaryguidelines/2015/guidelines/appendix-13>. Acceso: marzo, 31, 2019.
137. Hostetler GL, Ralston RA, Schwartz SJ. Flavones: food sources, bioavailability, metabolism, and bioactivity. *Adv Nutr*. 2017; 8(3):423–35.
138. Haytowitz DB, Bhagwat S, Harnly J, Holden JM, Gebhardt SE. Sources of flavonoids in the U.S. diet using USDA’s updated database on the flavonoid content of selected foods. United States Department of Agriculture. 2006. Disponible en: [https://www.ars.usda.gov/ARUserFiles/80400525/Articles/AICR06\\_flav.pdf](https://www.ars.usda.gov/ARUserFiles/80400525/Articles/AICR06_flav.pdf). Acceso: marzo, 31, 2019.
139. Hostetler GL, Ralston RA, Schwartz SJ. Flavones: food sources, bioavailability, metabolism, and bioactivity. *Adv Nutr*. 2017; 8(3):423–35.

140. Epidemiology and Genomics Research Program. Top food sources of saturated fat among U.S. population, 2005–2006 NHANES. National Cancer Institute Division of Cancer Control and Population Sciences, National Institutes of Health. Actualizado en abril, 20, 2018. Disponible en: [https://epi.grants.cancer.gov/diet/foodsources/sat\\_fat/sf.html](https://epi.grants.cancer.gov/diet/foodsources/sat_fat/sf.html). Acceso: marzo, 31, 2019.
141. Exler J, Lemar L, Smith J. Fat and fatty acid content of selected foods containing trans-fatty acids. United States Department of Agriculture. Publicado en enero, 1996. Disponible en: [https://www.ars.usda.gov/arsuserfiles/80400525/data/classics/trans\\_fa.pdf](https://www.ars.usda.gov/arsuserfiles/80400525/data/classics/trans_fa.pdf). Acceso: marzo, 31, 2019.
142. Ricker MA, Haas WC. Anti-inflammatory diet in clinical practice: a review. *Nutr Clin Pract*. 2017; 32(3):318–25.
143. Shivappa N, Steck SE, Hurley TG, Hussey JR, Hébert JR. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr*. 2014; 17(8):1689–96.
144. Muldoon MF, Laderian B, Kuan DC, Sereika SM, Marsland AL, Manuck SB. Fish oil supplementation does not lower C-reactive protein or interleukin-6 levels in healthy adults. *J Intern Med*. 2016; 279(1):98–109.
145. Li K, Huang T, Zheng J, Wu K, Li D. Effect of marine-derived n-3 polyunsaturated fatty acids on C-reactive protein, interleukin 6 and tumor necrosis factor  $\alpha$ : a meta-analysis. *PLoS ONE*. 2014; 9(2):e88103.
146. Gopinath B, Buyken AE, Flood VM, Empson M, Rochtchina E, Mitchell P. Consumption of polyunsaturated fatty acids, fish, and nuts and risk of inflammatory disease mortality. *Am J Clin Nutr*. 2011; 93(5):1073–9.
147. Raymond MR, Christensen KY, Thompson BA, Anderson HA. Associations between fish consumption and contaminant biomarkers with cardiovascular conditions among older male anglers in Wisconsin. *J Occup Environ Med*. 2016; 58(7):676–82.
148. Baillie-Hamilton PF. Chemical toxins: a hypothesis to explain the global obesity epidemic. *J Altern Complement Med*. 2002; 8(2):185–92.
149. Thayer KA, Heindel JJ, Bucher JR, Gallo MA. Role of environmental chemicals in diabetes and obesity: a National Toxicology Program workshop review. *Environ Health Perspect*. 2012; 120(6):779–89.
150. Lind L, Lind PM, Lejonklou MH, et al. Uppsala consensus statement on environmental contaminants and the global obesity epidemic. *Environ Health Perspect*. 2016; 124(5):A81–3.
151. Davy BM, Estabrooks PA. The validity of self-reported dietary intake data: focus on the «What We Eat In America» component of the National Health and Nutrition Examination Survey research initiative. *Mayo Clin Proc*. 2015; 90(7):845–7.
152. Chamorro-García R, Sahu M, Abbey RJ, Laude J, Pham N, Blumberg B. Transgenerational inheritance of increased fat depot size, stem cell reprogramming, and hepatic steatosis elicited by prenatal exposure to the obesogen tributyltin in mice. *Environ Health Perspect*. 2013; 121(3):359–66.

153. Baynes RE, Dedonder K, Kissell L, et al. Health concerns and management of select veterinary drug residues. *Food Chem Toxicol.* 2016; 88:112–22.
154. Nachman KE, Raber G, Francesconi KA, Navas-Acien A, Love DC. Arsenic species in poultry feather meal. *Sci Total Environ.* 2012; 417–8:183–8.
155. Love DC, Halden RU, Davis MF, Nachman KE. Feather meal: a previously unrecognized route for reentry into the food supply of multiple pharmaceuticals and personal care products (PPCPs). *Environ Sci Technol.* 2012; 46(7):3795–802.
156. Love DC, Halden RU, Davis MF, Nachman KE. Feather meal: a previously unrecognized route for reentry into the food supply of multiple pharmaceuticals and personal care products (PPCPs). *Environ Sci Technol.* 2012; 46(7):3795–802.
157. Baillie-Hamilton PF. Chemical toxins: a hypothesis to explain the global obesity epidemic. *J Altern Complement Med.* 2002; 8(2):185–92.
158. Day MJ. One Health approach to preventing obesity in people and their pets. *J Comp Pathol.* 2017; 156(4):293–5.
159. Klimentidis YC, Beasley TM, Lin HY, et al. Canaries in the coal mine: a cross-species analysis of the plurality of obesity epidemics. *Proc Biol Sci.* 2011; 278(1712):1626–32.
160. Janesick AS, Blumberg B. Obesogens: an emerging threat to public health. *Am J Obstet Gynecol.* 2016; 214(5):559–65.
161. Heindel JJ, Newbold R, Schug TT. Endocrine disruptors and obesity. *Nat Rev Endocrinol.* 2015; 11(11):653–61.
162. Gore AC, Crews D, Doan LL, La Merrill M, Patisaul H, Zota A. Introduction to endocrine disrupting chemicals (EDCs): a guide for public interest organizations and policy-makers. Endocrine Society, IPEN. Publicado en diciembre, 2014. Disponible en: [http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1\\_9a-en-web.pdf](http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1_9a-en-web.pdf). Acceso: marzo, 31, 2019.
163. Sousa ACA, Pastorinho MR, Takahashi S, et al. History on organotin compounds, from snails to humans. *Environ Chem Lett.* 2014;12(117); 117–37.
164. Filipkowska A, Złoch I, Wawrzyniak-Wydrowska B, Kowalewska G. Organotins in fish muscle and liver from the Polish coast of the Baltic Sea: is the total ban successful? *Mar Pollut Bull.* 2016; 111(1–2):493–9.
165. Holtcamp W. Obesogens: an environmental link to obesity. *Environ Health Perspect.* 2012; 120(2):a62–8.
166. Holtcamp W. Obesogens: an environmental link to obesity. *Environ Health Perspect.* 2012; 120(2):a62–8.
167. Janesick AS, Blumberg B. Obesogens: an emerging threat to public health. *Am J Obstet Gynecol.* 2016; 214(5):559–65.
168. Janesick A, Blumberg B. Endocrine disrupting chemicals and the developmental programming of adipogenesis and obesity. *Birth Defects Res C Embryo Today.* 2011; 93(1):34– 50.

169. Janesick AS, Blumberg B. Obesogens: an emerging threat to public health. *Am J Obstet Gynecol.* 2016; 214(5):559–65.
170. Darbre PD. Endocrine disruptors and obesity. *Curr Obes Rep.* 2017; 6(1):18–27.
171. Pillai HK, Fang M, Beglov D, et al. Ligand binding and activation of PPAR $\gamma$  by Firemaster® 550: effects on adipogenesis and osteogenesis in vitro. *Environ Health Perspect.* 2014; 122(11):1225–32.
172. Rosen CJ, Bouxsein ML. Mechanisms of disease: is osteoporosis the obesity of bone? *Nat Clin Pract Rheumatol.* 2006; 2(1):35–43.
173. Kahn SE, Zinman B, Lachin JM, et al. Rosiglitazone-associated fractures in type 2 diabetes: an analysis from A Diabetes Outcome Progression Trial (ADOPT). *Diabetes Care.* 2008; 31(5):845–51.
174. Sousa ACA, Pastorinho MR, Takahashi S, et al. History on organotin compounds, from snails to humans. *Environ Chem Lett.* 2014; 12(117):117–37.
175. Filipkowska A, Złoch I, Wawrzyniak-Wydrowska B, Kowalewska G. Organotins in fish muscle and liver from the Polish coast of the Baltic Sea: is the total ban successful? *Mar Pollut Bull.* 2016; 111(1–2):493–9.
176. Guérin T, Sirot V, Volatier JL, Leblanc JC. Organotin levels in seafood and its implications for health risk in high-seafood consumers. *Sci Total Environ.* 2007; 388(1–3):66–77.
177. Cardwell RD, Keithly J, Simmonds J. Tributyltin in U.S. market-bought seafood and assessment of human health risks. *Hum Ecol Risk Assess.* 1999; 5(2):317–35.
178. Belfroid AC, Purperhart M, Ariese F. Organotin levels in seafood. *Mar Pollut Bull.* 2000; 40(3):226–32.
179. Zoeller RT. Regulation of endocrine-disrupting chemicals insufficient to safeguard public health. *J Clin Endocrinol Metab.* 2014; 99(6):1993–4.
180. Fromberg A, Granby K, Højgård A, Fagt S, Larsen JC. Estimation of dietary intake of PCB and organochlorine pesticides for children and adults. *Food Chem.* 2011; 125:1179–87.
181. Cano-Sancho G, Salmon AG, La Merrill MA. Association between exposure *p,p'*-DDT and its *p,p'*-DDE with obesity: integrated systematic review and meta-analysis. *Environ Health Perspect.* 2017; 125(9):096002.
182. Legler J, Fletcher T, Govarts E, et al. Obesity, diabetes, and associated costs of exposure to endocrine-disrupting chemicals in the European Union. *J Clin Endocrinol Metab.* 2015; 100(4):1278–88.
183. Howden LM, Meyer JA. Age and sex composition, 2010. United States Census Bureau. Publicado en mayo, 2011. Disponible en: <https://www.census.gov/prod/cen2010/briefs/c2010br-03.pdf>. Acceso: marzo, 31, 2019.
184. Child and Adolescent Health Measurement Initiative. 2016 National Survey of Children’s Health (NSCH) data query. Data Resource Center for Child and Adolescent Health. Disponible en: <https://www.childhealthdata.org>. Acceso: marzo, 31, 2019.

185. Legler J, Fletcher T, Govarts E, et al. Obesity, diabetes, and associated costs of exposure to endocrine-disrupting chemicals in the European Union. *J Clin Endocrinol Metab.* 2015; 100(4):1278–88.
186. Rochester JR. Bisphenol A and human health: a review of the literature. *Reprod Toxicol.* 2013; 42:132–55.
187. Dodds EC, Lawson W. Synthetic estrogenic agents without the phenanthrene nucleus. *Nature.* 1936; 137:996.
188. Eladak S, Grisin T, Moison D, et al. A new chapter in the bisphenol A story: bisphenol S and bisphenol F are not safe alternatives to this compound. *Fertil Steril.* 2015; 103(1):11–21.
189. Rezg R, El-Fazaa S, Gharbi N, Mornagui B. Bisphenol A and human chronic diseases: current evidences, possible mechanisms, and future perspectives. *Environ Int.* 2014; 64:83–90.
190. Masuno H, Iwanami J, Kidani T, Sakayama K, Honda K. Bisphenol A accelerates terminal differentiation of 3T3-L1 cells into adipocytes through the phosphatidylinositol 3-kinase pathway. *Toxicol Sci.* 2005; 84(2):319–27.
191. Boucher JG, Boudreau A, Atlas E. Bisphenol A induces differentiation of human preadipocytes in the absence of glucocorticoid and is inhibited by an estrogen-receptor antagonist. *Nutr Diabetes.* 2014; 4:e102.
192. Calafat AM, Ye X, Wong LY, Reidy JA, Needham LL. Exposure of the U.S. population to bisphenol A and 4-tertiary-octylphenol: 2003–2004. *Environ Health Perspect.* 2008; 116(1):39–44.
193. Vandenberg LN, Chahoud I, Heindel JJ, Padmanabhan V, Paumgarten FJ, Schoenfelder G. Urinary, circulating, and tissue biomonitoring studies indicate widespread exposure to bisphenol A. *Environ Health Perspect.* 2010; 118(8):1055–70.
194. Krishnan AV, Stathis P, Permuth SF, Tokes L, Feldman D. Bisphenol-A: an estrogenic substance is released from polycarbonate flasks during autoclaving. *Endocrinology.* 1993; 132(6):2279–86.
195. Wang J, Sun B, Hou M, Pan X, Li X. The environmental obesogen bisphenol A promotes adipogenesis by increasing the amount of 11 $\beta$ -hydroxysteroid dehydrogenase type 1 in the adipose tissue of children. *Int J Obes (Lond).* 2013; 37(7):999–1005.
196. Ben-Jonathan N, Hugo ER, Brandebourg TD. Effects of bisphenol A on adipokine release from human adipose tissue: implications for the metabolic syndrome. *Mol Cell Endocrinol.* 2009; 304(1–2):49–54.
197. Ohlstein JF, Strong AL, McLachlan JA, Gimble JM, Burow ME, Bunnell BA. Bisphenol A enhances adipogenic differentiation of human adipose stromal/stem cells. *J Mol Endocrinol.* 2014; 53(3):345–53.
198. Holtcamp W. Obesogens: an environmental link to obesity. *Environ Health Perspect.* 2012; 120(2):a62–8.

199. Boucher JG, Boudreau A, Ahmed S, Atlas E. In vitro effects of bisphenol A  $\beta$ -D-glucuronide (BPA-G) on adipogenesis in human and murine preadipocytes. *Environ Health Perspect*. 2015; 123(12):1287–93.
200. Legeay S, Faure S. Is bisphenol A an environmental obesogen? *Fundam Clin Pharmacol*. 2017; 31(6):594–609.
201. Do MT, Chang VC, Mendez MA, de Groh M. Urinary bisphenol A and obesity in adults: results from the Canadian Health Measures Survey. *Health Promot Chronic Dis Prev Can*. 2017; 37(12):403–12.
202. Rancière F, Lyons JG, Loh VH, et al. Bisphenol A and the risk of cardiometabolic disorders: a systematic review with meta-analysis of the epidemiological evidence. *Environ Health*. 2015; 14:46.
203. Corbasson I, Hankinson SE, Stanek EJ III, Reeves KW. Urinary bisphenol-A, phthalate metabolites and body composition in US adults, NHANES 1999–2006. *Int J Environ Health Res*. 2016; 26(5–6):606–17.
204. Li DK, Zhou Z, Miao M, et al. Relationship between urine bisphenol-A level and declining male sexual function. *J Androl*. 2010; 31(5):500–6.
205. Geens T, Aerts D, Berthot C, et al. A review of dietary and non-dietary exposure to bisphenol-A. *Food Chem Toxicol*. 2012; 50(10):3725–40.
206. Hormann AM, vom Saal FS, Nagel SC, et al. Holding thermal receipt paper and eating food after using hand sanitizer results in high serum bioactive and urine total levels of bisphenol A (BPA). *PLoS ONE*. 2014; 9(10):e110509.
207. Geens T, Aerts D, Berthot C, et al. A review of dietary and non-dietary exposure to bisphenol-A. *Food Chem Toxicol*. 2012; 50(10):3725–40.
208. Christensen KL, Lorber M, Koslitz S, Brüning T, Koch HM. The contribution of diet to total bisphenol A body burden in humans: results of a 48 hour fasting study. *Environ Int*. 2012; 50:7–14.
209. Trasande L. Further limiting bisphenol A in food uses could provide health and economic benefits. *Health Aff (Millwood)*. 2014; 33(2):316–23.
210. Rudel RA, Gray JM, Engel CL, et al. Food packaging and bisphenol A and bis(2-ethylhexyl) phthalate exposure: findings from a dietary intervention. *Environ Health Perspect*. 2011; 119(7):914–20.
211. Carwile JL, Ye X, Zhou X, Calafat AM, Michels KB. Canned soup consumption and urinary bisphenol A: a randomized crossover trial. *JAMA*. 2011; 306(20):2218–20.
212. Bertoli S, Leone A, Battezzati A. Human bisphenol A exposure and the «diabesity phenotype.» *Dose Response*. 2015; 13(3):1559325815599173.
213. Schecter A, Malik N, Haffner D, et al. Bisphenol A (BPA) in U.S. food. *Environ Sci Technol*. 2010; 44(24):9425–30.
214. Song Y, Hauser R, Hu FB, Franke AA, Liu S, Sun Q. Urinary concentrations of bisphenol A and phthalate metabolites and weight change: a prospective investigation in US women. *Int J Obes (Lond)*. 2014; 38(12):1532–7.

215. Legler J, Fletcher T, Govarts E, et al. Obesity, diabetes, and associated costs of exposure to endocrine-disrupting chemicals in the European Union. *J Clin Endocrinol Metab.* 2015; 100(4):1278–88.
216. Koch HM, Lorber M, Christensen KL, Pålmeke C, Koslitz S, Brüning T. Identifying sources of phthalate exposure with human biomonitoring: results of a 48h fasting study with urine collection and personal activity patterns. *Int J Hyg Environ Health.* 2013; 216(6):672–81.
217. Ji K, Lim Kho Y, Park Y, Choi K. Influence of a five-day vegetarian diet on urinary levels of antibiotics and phthalate metabolites: a pilot study with «Temple Stay» participants. *Environ Res.* 2010; 110(4):375–82.
218. Serrano SE, Braun J, Trasande L, Dills R, Sathyanarayana S. Phthalates and diet: a review of the food monitoring and epidemiology data. *Environ Health.* 2014; 13(1):43.
219. Colacino JA, Harris TR, Schechter A. Dietary intake is associated with phthalate body burden in a nationally representative sample. *Environ Health Perspect.* 2010; 118(7):998–1003.
220. Castle L, Gilbert J, Eklund T. Migration of plasticizer from poly(vinyl chloride) milk tubing. *Food Addit Contam.* 1990; 7(5):591–6.
221. Serrano SE, Braun J, Trasande L, Dills R, Sathyanarayana S. Phthalates and diet: a review of the food monitoring and epidemiology data. *Environ Health.* 2014; 13(1):43.
222. 1108. Gore AC, Crews D, Doan LL, La Merrill M, Patisaul H, Zota A. Introduction to endocrine disrupting chemicals (EDCs): a guide for public interest organizations and policy-makers. Endocrine Society, IPEN. Publicado en diciembre, 2014. Disponible en: [http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1\\_9a-en-web.pdf](http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1_9a-en-web.pdf). Acceso: marzo, 31, 2019.
223. Gore AC, Crews D, Doan LL, La Merrill M, Patisaul H, Zota A. Introduction to endocrine disrupting chemicals (EDCs): a guide for public interest organizations and policy-makers. Endocrine Society, IPEN. Publicado en diciembre, 2014. Disponible en: [http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1\\_9a-en-web.pdf](http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1_9a-en-web.pdf). Acceso: marzo, 31, 2019.
224. Corbasson I, Hankinson SE, Stanek EJ, Reeves KW. Urinary bisphenol-A, phthalate metabolites and body composition in US adults, NHANES 1999–2006. *Int J Environ Health Res.* 2016; 26(5–6):606–17.
225. United States Food and Drug Administration. Bisphenol A (BPA): use in food contact application. Actualizado en junio, 27, 2018. Disponible en: <https://www.fda.gov/newsevents/publichealthfocus/ucm064437.htm>. Acceso: marzo, 31, 2019.
226. Dallio M, Masarone M, Errico S, et al. Role of bisphenol A as environmental factor in the promotion of non-alcoholic fatty liver disease: in vitro and clinical study. *Aliment Pharmacol Ther.* 2018; 47(6):826–37.
227. United States Consumer Product Safety Commission. CPSC prohibits certain phthalates in children’s toys and child care products. Publicado en octubre, 20, 2017.

- Disponibile en: <https://www.cpsc.gov/content/cpsc-prohibits-certain-phthalates-in-children%E2%80%99s-toys-and-child-care-products>. Acceso: marzo, 31, 2019.
228. Nilsson NH, Malmgren-Hansen B, Bernth N, Pedersen E, Pommer K. Survey and health assessment of chemicals substances in sex toys. *Survey of Chemical Substances in Consumer Products*. 2006; 77:1–85. Disponible en: <https://www2.mst.dk/udgiv/publications/2006/87-7052-227-8/pdf/87-7052-228-6.pdf>. Acceso: marzo, 31, 2019.
229. Barrett ES, Parlett LE, Wang C, Drobnis EZ, Redmon JB, Swan SH. Environmental exposure to di-2-ethylhexyl phthalate is associated with low interest in sexual activity in premenopausal women. *Horm Behav*. 2014; 66(5):787–92.
230. Domingo JL, Nadal M. Carcinogenicity of consumption of red and processed meat: what about environmental contaminants? *Environ Res*. 2016; 145:109–15.
231. Trafialek J, Kolanowski W. Dietary exposure to meat-related carcinogenic substances: is there a way to estimate the risk? *Int J Food Sci Nutr*. 2014; 65(6):774–80.
232. Wu CC, Bao LJ, Guo Y, Li SM, Zeng EY. Barbecue fumes: an overlooked source of health hazards in outdoor settings? *Environ Sci Technol*. 2015; 49(17):10607–15.
233. Scinicariello F, Buser MC. Urinary polycyclic aromatic hydrocarbons and childhood obesity: NHANES (2001–2006). *Environ Health Perspect*. 2014; 122(3):299–303.
234. Steck SE, Gaudet MM, Eng SM, et al. Cooked meat and risk of breast cancer—lifetime versus recent dietary intake. *Epidemiology*. 2007; 18(3):373–82.
235. Rundle A, Hoepner L, Hassoun A, et al. Association of childhood obesity with maternal exposure to ambient air polycyclic aromatic hydrocarbons during pregnancy. *Am J Epidemiol*. 2012; 175(11):1163–72.
236. Van Rooij JG, Veeger MM, Bodelier-Bade MM, Scheepers PT, Jongeneelen FJ. Smoking and dietary intake of polycyclic aromatic hydrocarbons as sources of interindividual variability in the baseline excretion of 1-hydroxypyrene in urine. *Int Arch Occup Environ Health*. 1994; 66(1):55–65.
237. Ramesh A, Walker SA, Hood DB, Guillén MD, Schneider K, Weyand EH. Bioavailability and risk assessment of orally ingested polycyclic aromatic hydrocarbons. *Int J Toxicol*. 2004; 23(5):301–33.
238. Harris KL, Banks LD, Mantey JA, Huderson AC, Ramesh A. Bioaccessibility of polycyclic aromatic hydrocarbons: relevance to toxicity and carcinogenesis. *Expert Opin Drug Metab Toxicol*. 2013; 9(11):1465–80.
239. Crinnion WJ. The role of persistent organic pollutants in the worldwide epidemic of type 2 diabetes mellitus and the possible connection to farmed Atlantic salmon (*Salmo salar*). *Altern Med Rev*. 2011; 16(4):301–13.

240. Li Z, Romanoff L, Bartell S, et al. Excretion profiles and half-lives of ten urinary polycyclic aromatic hydrocarbon metabolites after dietary exposure. *Chem Res Toxicol*. 2012; 25(7):1452–61.
241. Li QQ, Loganath A, Chong YS, Tan J, Obbard JP. Persistent organic pollutants and adverse health effects in humans. *J Toxicol Environ Health Part A*. 2006; 69(21):1987–2005.
242. Schafer KS, Kegley SE. Persistent toxic chemicals in the US food supply. *J Epidemiol Community Health*. 2002; 56(11):813–7.
243. Dearfield KL, Edwards SR, O’Keefe MM, et al. Dietary estimates of dioxins consumed in U.S. Department of Agriculture–regulated meat and poultry products. *J Food Prot*. 2013; 76(9):1597–607.
244. Hernández ÁR, Boada LD, Almeida-González M, et al. An estimation of the carcinogenic risk associated with the intake of multiple relevant carcinogens found in meat and charcuterie products. *Sci Total Environ*. 2015; 514:33–41.
245. Hernández ÁR, Boada LD, Almeida-González M, et al. An estimation of the carcinogenic risk associated with the intake of multiple relevant carcinogens found in meat and charcuterie products. *Sci Total Environ*. 2015; 514:33–41.
246. Huwe JK, Larsen GL. Polychlorinated dioxins, furans, and biphenyls, and polybrominated diphenyl ethers in a U.S. meat market basket and estimates of dietary intake. *Environ Sci Technol*. 2005; 39(15):5606–11.
247. Fang M, Webster TF, Ferguson PL, Stapleton HM. Characterizing the peroxisome proliferator-activated receptor (PPAR $\gamma$ ) ligand binding potential of several major flame retardants, their metabolites, and chemical mixtures in house dust. *Environ Health Perspect*. 2015; 123(2):166–72.
248. Pillai HK, Fang M, Beglov D, et al. Ligand binding and activation of PPAR $\gamma$  by Firemaster® 550: effects on adipogenesis and osteogenesis in vitro. *Environ Health Perspect*. 2014; 122(11):1225–32.
249. Fraser AJ, Webster TF, McClean MD. Diet contributes significantly to the body burden of PBDEs in the general U.S. population. *Environ Health Perspect*. 2009; 117(10):1520–5.
250. Hergenrather J, Hlady G, Wallace B, Savage E. Pollutants in breast milk of vegetarians. *N Engl J Med*. 1981; 304(13):792.
251. Lee YM, Kim KS, Jacobs DR, Lee DH. Persistent organic pollutants in adipose tissue should be considered in obesity research. *Obes Rev*. 2017; 18(2):129–39.
252. Srikumar TS, Källgård B, Ockerman PA, Akesson B. The effects of a 2-year switch from a mixed to a lactovegetarian diet on trace element status in hypertensive subjects. *Eur J Clin Nutr*. 1992; 46(9):661–9.
253. Hernández ÁR, Boada LD, Mendoza Z, et al. Consumption of organic meat does not diminish the carcinogenic potential associated with the intake of persistent organic pollutants (POPs). *Environ Sci Pollut Res Int*. 2017; 24(5):4261–73.

254. Lee DH, Lee IK, Song K, et al. A strong dose-response relation between serum concentrations of persistent organic pollutants and diabetes: results from the National Health and Examination Survey 1999–2002. *Diabetes Care*. 2006; 29(7):1638–44.
255. Ax E, Lampa E, Lind L, et al. Circulating levels of environmental contaminants are associated with dietary patterns in older adults. *Environ Int*. 2015; 75:93–102.
256. Ax E, Lampa E, Lind L, et al. Circulating levels of environmental contaminants are associated with dietary patterns in older adults. *Environ Int*. 2015; 75:93–102.
257. Muscogiuri G, Barrea L, Laudisio D, Savastano S, Colao A. Obesogenic endocrine disruptors and obesity: myths and truths. *Arch Toxicol*. 2017; 91(11):3469–75.
258. Jansen A, Lyche JL, Polder A, Aaseth J, Skaug MA. Increased blood levels of persistent organic pollutants (POP) in obese individuals after weight loss—a review. *J Toxicol Environ Health B Crit Rev*. 2017; 20(1):22–37.
259. Hue O, Marcotte J, Berrigan F, et al. Increased plasma levels of toxic pollutants accompanying weight loss induced by hypocaloric diet or by bariatric surgery. *Obes Surg*. 2006; 16(9):1145–54.
260. Tremblay A, Pelletier C, Doucet E, Imbeault P. Thermogenesis and weight loss in obese individuals: a primary association with organochlorine pollution. *Int J Obes Relat Metab Disord*. 2004; 28(7):936–9.
261. Lee YM, Kim KS, Jacobs DR, Lee DH. Persistent organic pollutants in adipose tissue should be considered in obesity research. *Obes Rev*. 2017; 18(2):129–39.
262. Janesick AS, Blumberg B. Obesogens: an emerging threat to public health. *Am J Obstet Gynecol*. 2016; 214(5):559–65.
263. Laverda NL, Goldsmith DF, Alavanja MC, Hunting KL. Pesticide exposures and body mass index (BMI) of pesticide applicators from the Agricultural Health Study. *J Toxicol Environ Health Part A*. 2015; 78(20):1255–76.
264. Hayes TB, Khoury V, Narayan A, et al. Atrazine induces complete feminization and chemical castration in male African clawed frogs (*Xenopus laevis*). *Proc Natl Acad Sci USA*. 2010; 107(10):4612–7.
265. Laverda NL, Goldsmith DF, Alavanja MC, Hunting KL. Pesticide exposures and body mass index (BMI) of pesticide applicators from the Agricultural Health Study. *J Toxicol Environ Health Part A*. 2015; 78(20):1255–76.
266. Kesse-Guyot E, Péneau S, Méjean C, et al. Profiles of organic food consumers in a large sample of French adults: results from the Nutrinet-Santé cohort study. *PLoS ONE*. 2013; 8(10):e76998.
267. Newton S, Braithwaite D, Akinyemiju TF. Socio-economic status over the life course and obesity: systematic review and meta-analysis. *PLoS ONE*. 2017; 12(5):e0177151.

268. Kim TJ, Roesler NM, von dem Knesebeck O. Causation or selection—examining the relation between education and overweight/obesity in prospective observational studies: a meta-analysis. *Obes Rev*. 2017; 18(6):660–72.
269. Kesse-Guyot E, Péneau S, Méjean C, et al. Profiles of organic food consumers in a large sample of French adults: results from the Nutrinet-Santé cohort study. *PLoS ONE*. 2013; 8(10):e76998.
270. Kesse-Guyot E, Baudry J, Assmann KE, Galan P, Hercberg S, Lairon D. Prospective association between consumption frequency of organic food and body weight change, risk of overweight or obesity: results from the NutriNet-Santé Study. *Br J Nutr*. 2017; 117(2):325–34.
271. Hyatt JW Jr. Improved molding composition to imitate ivory and other substances. United States Patent 88,633. abril, 6,1869.
272. Erren TC, Gross JV, Steffany F, Meyer-Rochow VB. «Plastic ocean»: what about cancer? *Environ Pollut*. 2015; 207:436–7.
273. Seltenrich N. New link in the food chain? Marine plastic pollution and seafood safety. *Environ Health Perspect*. 2015; 123(2):A34–41.
274. Cheung PK, Fok L. Evidence of microbeads from personal care product contaminating the sea. *Mar Pollut Bull*. 2016; 109(1):582–5.
275. Seltenrich N. New link in the food chain? Marine plastic pollution and seafood safety. *Environ Health Perspect*. 2015; 123(2):A34–41.
276. Reposi A, Farabegoli F, Gazzotti T, Zironi E, Pagliuca G. Bisphenol A in edible part of seafood. *Ital J Food Saf*. 2016; 5(2):5666.
277. Santillo D, Miller K, Johnston P. Microplastics as contaminants in commercially important seafood species. *Integr Environ Assess Manag*. 2017; 13(3):516–21.
278. Karami A, Golieskardi A, Choo CK, Larat V, Karbalaei S, Salamatinia B. Microplastic and mesoplastic contamination in canned sardines and sprats. *Sci Total Environ*. 2018; 612:1380–6.
279. Vandermeersch G, Van Cauwenberghe L, Janssen CR, et al. A critical view on microplastic quantification in aquatic organisms. *Environ Res*. 2015; 143(Pt B):46–55.
280. Karami A, Golieskardi A, Ho YB, Larat V, Salamatinia B. Microplastics in eviscerated flesh and excised organs of dried fish. *Sci Rep*. 2017; 7(1):5473.
281. Akhbarizadeh R, Moore F, Keshavarzi B. Investigating a probable relationship between microplastics and potentially toxic elements in fish muscles from northeast of Persian Gulf. *Environ Pollut*. 2018; 232:154–63.
282. Akhbarizadeh R, Moore F, Keshavarzi B. Investigating a probable relationship between microplastics and potentially toxic elements in fish muscles from northeast of Persian Gulf. *Environ Pollut*. 2018; 232:154–63.
283. Sharma S, Chatterjee S. Microplastic pollution, a threat to marine ecosystem and human health: a short review. *Environ Sci Pollut Res Int*. 2017; 24(27):21530–47.

284. Akhbarizadeh R, Moore F, Keshavarzi B. Investigating a probable relationship between microplastics and potentially toxic elements in fish muscles from northeast of Persian Gulf. *Environ Pollut.* 2018; 232:154–63.
285. Janesick AS, Blumberg B. Obesogens: an emerging threat to public health. *Am J Obstet Gynecol.* 2016; 214(5):559–65.
286. Gore AC, Crews D, Doan LL, La Merrill M, Patisaul H, Zota A. Introduction to endocrine disrupting chemicals (EDCs): a guide for public interest organizations and policy-makers. Endocrine Society, IPEN. Publicado en diciembre, 2014. Disponible en: [http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1\\_9a-en-web.pdf](http://ipen.org/sites/default/files/documents/ipen-intro-edc-v1_9a-en-web.pdf). Acceso: marzo, 31, 2019.
287. Roberts R. BPA exposure and health effects: educating physicians and patients. *Am Fam Physician.* 2012; 85(11):1040–4.
288. Ryan KK, Seeley RJ. Physiology. Food as a hormone. *Science.* 2013; 339(6122):918–9.
289. Schmier JK, Miller PE, Levine JA, et al. Cost savings of reduced constipation rates attributed to increased dietary fiber intakes: a decision-analytic model. *BMC Public Health.* 2014; 14:374.
290. Sender R, Fuchs S, Milo R. Revised estimates for the number of human and bacteria cells in the body. *PLoS Biol.* 2016; 14(8):e1002533.
291. Tsai F, Coyle WJ. The microbiome and obesity: is obesity linked to our gut flora? *Curr Gastroenterol Rep.* 2009; 11(4):307–13.
292. O’Hara AM, Shanahan F. The gut flora as a forgotten organ. *EMBO Rep.* 2006; 7(7):688–93.
293. Kumari M, Kozyrskyj AL. Gut microbial metabolism defines host metabolism: an emerging perspective in obesity and allergic inflammation. *Obes Rev.* 2017; 18(1):18–31.
294. Haines I, Baines KJ, Berthon BS, MacDonald-Wicks LK, Gibson PG, Wood LG. Soluble fibre meal challenge reduces airway inflammation and expression of GPR43 and GPR41 in asthma. *Nutrients.* 2017; 9(1):57.
295. Kim YK, Shin C. The microbiota-gut-brain axis in neuropsychiatric disorders: pathophysiological mechanisms and novel treatments. *Curr Neuropharmacol.* 2018; 16(5):559–73.
296. Cani PD, Joly E, Horsmans Y, Delzenne NM. Oligofructose promotes satiety in healthy human: a pilot study. *Eur J Clin Nutr.* 2006; 60(5):567–72.
297. Howarth NC, Saltzman E, Roberts SB. Dietary fiber and weight regulation. *Nutr Rev.* 2001; 59(5):129–39.
298. Trumbo P, Schlicker S, Yates AA, Poos M. Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein and amino acids. *J Am Diet Assoc.* 2002; 102(11):1621–30.
299. Howarth NC, Saltzman E, Roberts SB. Dietary fiber and weight regulation. *Nutr Rev.* 2001; 59(5):129–39.

300. Agricultural Research Service, United States Department of Agriculture. Basic report: 09003, apples, raw, with skin (includes foods for USDA's Food Distribution Program). National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/2122>. Acceso: marzo, 31, 2019.
301. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45138303, Evolution Fresh, cold-pressed juice, apple, UPC: 762357515155. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45138303>. Acceso: marzo, 31, 2019.
302. Slavin JL. Dietary fiber and body weight. *Nutrition*. 2005; 21(3):411–8.
303. McCance RA, Prior KM, Widdowson EM. A radiological study of the rate of passage of brown and white bread through the digestive tract of man. *Br J Nutr*. 1953; 7(1–2):98–104.
304. Berthoud HR. The vagus nerve, food intake and obesity. *Regul Pept*. 2008; 149(1–3):15– 25.
305. Lyon MR, Kacinik V. Is there a place for dietary fiber supplements in weight management? *Curr Obes Rep*. 2012; 1(2):59–67.
306. Benini L, Castellani G, Brighenti F, et al. Gastric emptying of a solid meal is accelerated by the removal of dietary fibre naturally present in food. *Gut*. 1995; 36(6):825–30.
307. Southgate DA, Durnin JV. Calorie conversion factors. An experimental reassessment of the factors used in the calculation of the energy value of human diets. *Br J Nutr*. 1970; 24(2):517–35.
308. Macrae TF, Hutchinson JC, Irwin JO, Bacon JS, McDougall EI. Comparative digestibility of wholemeal and white breads and the effect of the degree of fineness of grinding on the former. *J Hyg (Lond)*. 1942; 42(4):423–35.
309. Southgate DA, Durnin JV. Calorie conversion factors. An experimental reassessment of the factors used in the calculation of the energy value of human diets. *Br J Nutr*. 1970; 24(2):517–35.
310. Levine AS, Silvis SE. Absorption of whole peanuts, peanut oil, and peanut butter. *N Engl J Med*. 1980; 303(16):917–8.
311. Macrae TF, Hutchinson JC, Irwin JO, Bacon JS, McDougall EI. Comparative digestibility of wholemeal and white breads and the effect of the degree of fineness of grinding on the former. *J Hyg (Lond)*. 1942; 42(4):423–35.
312. Jumpertz R, Le DS, Turnbaugh PJ, et al. Energy-balance studies reveal associations between gut microbes, caloric load, and nutrient absorption in humans. *Am J Clin Nutr*. 2011; 94(1):58–65.
313. Beyer PL, Flynn MA. Effects of high-and low-fiber diets on human feces. *J Am Diet Assoc*. 1978; 72(3):271–7.

314. Rizzo NS, Jaceldo-Siegl K, Sabate J, Fraser GE. Nutrient profiles of vegetarian and nonvegetarian dietary patterns. *J Acad Nutr Diet.* 2013; 113(12):1610–9.
315. Wisker E, Maltz A, Feldheim W. Metabolizable energy of diets low or high in dietary fiber from cereals when eaten by humans. *J Nutr.* 1988; 118(8):945–52.
316. Baer DJ, Rimpler WV, Miles CW, Fahey GC. Dietary fiber decreases the metabolizable energy content and nutrient digestibility of mixed diets fed to humans. *J Nutr.* 1997; 127(4):579–86.
317. Chambers ES, Morrison DJ, Frost G. Control of appetite and energy intake by SCFA: what are the potential underlying mechanisms? *Proc Nutr Soc.* 2015; 74(3):328–36.
318. Slavin JL. Dietary fiber and body weight. *Nutrition.* 2005; 21(3):411–8.
319. Heaton KW. Food fibre as an obstacle to energy intake. *Lancet.* 1973; 2(7843):1418–21.
320. Van Avesaat M, Troost FJ, Ripken D, Hendriks HF, Masclee AA. Ileal brake activation: macronutrient-specific effects on eating behavior? *Int J Obes (Lond).* 2015; 39(2):235–43.
321. Hocking MP, Davis GL, Franzini DA, Woodward ER. Long-term consequences after jejunioileal bypass for morbid obesity. *Dig Dis Sci.* 1998; 43(11):2493–9.
322. Van Avesaat M, Troost FJ, Ripken D, Hendriks HF, Masclee AA. Ileal brake activation: macronutrient-specific effects on eating behavior? *Int J Obes (Lond).* 2015; 39(2):235–43.
323. Howarth NC, Saltzman E, Roberts SB. Dietary fiber and weight regulation. *Nutr Rev.* 2001; 59(5):129–39.
324. Castiglia-Delavaud C, Verdier E, Besle JM, et al. Net energy value of non-starch polysaccharide isolates (sugarbeet fibre and commercial inulin) and their impact on nutrient digestive utilization in healthy human subjects. *Br J Nutr.* 1998; 80(4):343–52.
325. Yen JT, Nienaber JA, Hill DA, Pond WG. Oxygen consumption by portal vein-drained organs and by whole animal in conscious growing swine. *Proc Soc Exp Biol Med.* 1989; 190(4):393–8.
326. Cherbut C, Bruley des Varannes S, Schnee M, Rival M, Galmiche JP, Delort-Laval J. Involvement of small intestinal motility in blood glucose response to dietary fibre in man. *Br J Nutr.* 1994; 71(5):675–85.
327. Brown AJ, Goldsworthy SM, Barnes AA, et al. The orphan G protein-coupled receptors GPR41 and GPR43 are activated by propionate and other short chain carboxylic acids. *J Biol Chem.* 2003; 278(13):11312–9.
328. Bianconi E, Piovesan A, Facchin F, et al. An estimation of the number of cells in the human body. *Ann Hum Biol.* 2013; 40(6):463–71.

329. O'Connor CM, Adams JU. *Essentials of Cell Biology*. Cambridge, MA: NPG Education; 2010.
330. Hauser AS, Attwood MM, Rask-Andersen M, Schiöth HB, Gloriam DE. Trends in GPCR drug discovery: new agents, targets and indications. *Nat Rev Drug Discov*. 2017; 16(12):829–42.
331. Layden BT, Angueira AR, Brodsky M, Durai V, Lowe WL. Short chain fatty acids and their receptors: new metabolic targets. *Transl Res*. 2013; 161(3):131–40.
332. Kumari M, Kozyrskyj AL. Gut microbial metabolism defines host metabolism: an emerging perspective in obesity and allergic inflammation. *Obes Rev*. 2017; 18(1):18–31.
333. Brown AJ, Goldsworthy SM, Barnes AA, et al. The orphan G protein-coupled receptors GPR41 and GPR43 are activated by propionate and other short chain carboxylic acids. *J Biol Chem*. 2003; 278(13):11312–9.
334. Ang Z, Ding JL. GPR41 and GPR43 in obesity and inflammation—protective or causative? *Front Immunol*. 2016; 7:28.
335. McKenzie CI, Mackay CR, Macia L. GPR43—a prototypic metabolite sensor linking metabolic and inflammatory diseases. *Trends Endocrinol Metab*. 2015; 26(10):511–2.
336. Jiao J, Xu JY, Zhang W, Han S, Qin LQ. Effect of dietary fiber on circulating C-reactive protein in overweight and obese adults: a meta-analysis of randomized controlled trials. *Int J Food Sci Nutr*. 2015; 66(1):114–9.
337. Halnes I, Baines KJ, Berthon BS, MacDonald-Wicks LK, Gibson PG, Wood LG. Soluble fibre meal challenge reduces airway inflammation and expression of GPR43 and GPR41 in asthma. *Nutrients*. 2017; 9(1):57.
338. Al-Lahham SH, Roelofsen H, Priebe M, et al. Regulation of adipokine production in human adipose tissue by propionic acid. *Eur J Clin Invest*. 2010; 40(5):401–7.
339. Schwartz MW, Morton GJ. Obesity: keeping hunger at bay. *Nature*. 2002; 418(6898):595–7.
340. Helander HF, Fändriks L. The enteroendocrine «letter cells»—time for a new nomenclature? *Scand J Gastroenterol*. 2012; 47(1):3–12.
341. Kaji I, Karaki S, Kuwahara A. Short-chain fatty acid receptor and its contribution to glucagon-like peptide-1 release. *Digestion*. 2014; 89(1):31–6.
342. Kumari M, Kozyrskyj AL. Gut microbial metabolism defines host metabolism: an emerging perspective in obesity and allergic inflammation. *Obes Rev*. 2017; 18(1):18–31.
343. Freeland KR, Wolever TM. Acute effects of intravenous and rectal acetate on glucagon-like peptide-1, peptide YY, ghrelin, adiponectin and tumour necrosis factor-alpha. *Br J Nutr*. 2010; 103(3):460–6.

344. Greenway F, O'Neil CE, Stewart L, Rood J, Keenan M, Martin R. Fourteen weeks of treatment with Viscofiber increased fasting levels of glucagon-like peptide-1 and peptide-YY. *J Med Food*. 2007; 10(4):720–4.
345. Sandberg JC, Björck IM, Nilsson AC. Rye-based evening meals favorably affected glucose regulation and appetite variables at the following breakfast; a randomized controlled study in healthy subjects. *PLoS ONE*. 2016; 11(3):e0151985.
346. Canfora EE, Jocken JW, Blaak EE. Short-chain fatty acids in control of body weight and insulin sensitivity. *Nat Rev Endocrinol*. 2015; 11(10):577–91.
347. Schwartz MW, Morton GJ. Obesity: keeping hunger at bay. *Nature*. 2002; 418(6898):595–7.
348. Tarini J, Wolever TM. The fermentable fibre inulin increases postprandial serum short-chain fatty acids and reduces free-fatty acids and ghrelin in healthy subjects. *Appl Physiol Nutr Metab*. 2010; 35(1):9–16.
349. Hume MP, Nicolucci AC, Reimer RA. Prebiotic supplementation improves appetite control in children with overweight and obesity: a randomized controlled trial. *Am J Clin Nutr*. 2017; 105(4):790–9.
350. Byrne CS, Chambers ES, Alhabeab H, et al. Increased colonic propionate reduces anticipatory reward responses in the human striatum to high-energy foods. *Am J Clin Nutr*. 2016; 104(1):5–14.
351. Sayer RD, Amankwaah AF, Tamer GG, et al. Effects of dietary protein and fiber at breakfast on appetite, ad libitum energy intake at lunch, and neural responses to visual food stimuli in overweight adults. *Nutrients*. 2016; 8(1):21.
352. McRorie JW. Evidence-based approach to fiber supplements and clinically meaningful health benefits, part 1: what to look for and how to recommend an effective fiber therapy. *Nutr Today*. 2015; 50(2):82–9.
353. Burkitt DP, Walker AR, Painter NS. Dietary fiber and disease. *JAMA*. 1974; 229(8):1068–74.
354. King DE, Mainous AG, Lambourne CA. Trends in dietary fiber intake in the United States, 1999–2008. *J Acad Nutr Diet*. 2012; 112(5):642–8.
355. Balthazar EA, de Oliveira MR. Differences in dietary pattern between obese and eutrophic children. *BMC Res Notes*. 2011; 4:567.
356. Davis JN, Alexander KE, Ventura EE, Toledo-Corral CM, Goran MI. Inverse relation between dietary fiber intake and visceral adiposity in overweight Latino youth. *Am J Clin Nutr*. 2009; 90(5):1160–6.
357. Tucker LA, Thomas KS. Increasing total fiber intake reduces risk of weight and fat gains in women. *J Nutr*. 2009; 139(3):576–81.
358. Drehmer M, Camey SA, Nunes MA, et al. Fibre intake and evolution of BMI: from pre-pregnancy to postpartum. *Public Health Nutr*. 2013; 16(8):1403–13.

359. Du H, van der A DL, Boshuizen HC, et al. Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. *Am J Clin Nutr.* 2010; 91(2):329–36.
360. Slavin JL. Dietary fiber and body weight. *Nutrition.* 2005; 21(3):411–8.
361. Canfora EE, van der Beek CM, Jocken JWE, et al. Colonic infusions of short-chain fatty acid mixtures promote energy metabolism in overweight/obese men: a randomized crossover trial. *Sci Rep.* 2017; 7(1):2360.
362. Van der Beek CM, Canfora EE, Lenaerts K, et al. Distal, not proximal, colonic acetate infusions promote fat oxidation and improve metabolic markers in overweight/obese men. *Clin Sci.* 2016; 130(22):2073–82.
363. Canfora EE, van der Beek CM, Jocken JWE, et al. Colonic infusions of short-chain fatty acid mixtures promote energy metabolism in overweight/obese men: a randomized crossover trial. *Sci Rep.* 2017; 7(1):2360.
364. Chambers ES, Byrne CS, Aspey K, et al. Acute oral sodium propionate supplementation raises resting energy expenditure and lipid oxidation in fasted humans. *Diabetes Obes Metab.* 2018; 20(4):1034–9.
365. Alhabeeb H, Chambers ES, Frost G, Morrison DJ, Preston T. Inulin propionate ester increases satiety and decreases appetite but does not affect gastric emptying in healthy humans. *Proc Nutr Soc.* 2014; 73(OCE1):E21.
366. Chambers ES, Viardot A, Psichas A, et al. Targeted delivery of propionate to the colon stimulates the release of anorectic gut hormones and suppresses appetite in humans. *Proc Nutr Soc.* 2014; 73(OCE1):E15.
367. Polyviou T, MacDougall K, Chambers ES, et al. Randomised clinical study: inulin short-chain fatty acid esters for targeted delivery of short-chain fatty acids to the human colon. *Aliment Pharmacol Ther.* 2016; 44(7):662–72.
368. Nilsson A, Johansson E, Ekström L, Björck I. Effects of a brown beans evening meal on metabolic risk markers and appetite regulating hormones at a subsequent standardized breakfast: a randomized cross-over study. *PLoS ONE.* 2013; 8(4):e59985.
369. Ibrügger S, Vignsnaes LK, Blennow A, et al. Second meal effect on appetite and fermentation of wholegrain rye foods. *Appetite.* 2014; 80:248–56.
370. Brownlee I, Chater P, Pearson J, Wilcox MD. Dietary fibre and weight loss: where are we now? *Food Hydrocoll.* 2017; 68:186–91.
371. Chambers ES, Viardot A, Psichas A, et al. Effects of targeted delivery of propionate to the human colon on appetite regulation, body weight maintenance and adiposity in overweight adults. *Gut.* 2015; 64(11):1744–54.
372. Thompson SV, Hannon BA, An R, Holscher HD. Effects of isolated soluble fiber supplementation on body weight, glycemia, and insulinemia in adults with overweight and obesity: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2017; 106(6):1514–28.

373. Abrams SA, Griffin IJ, Hawthorne KM, Ellis KJ. Effect of prebiotic supplementation and calcium intake on body mass index. *J Pediatr*. 2007; 151(3):293–8.
374. Rytting KR, Tellnes G, Haegh L, Bøe E, Fagerthun H. A dietary fibre supplement and weight maintenance after weight reduction: a randomized, double-blind, placebo-controlled long-term trial. *Int J Obes*. 1989; 13(2):165–71.
375. Kellow NJ, Coughlan MT, Reid CM. Metabolic benefits of dietary prebiotics in human subjects: a systematic review of randomised controlled trials. *Br J Nutr*. 2014; 111(7):1147–61.
376. Clark MJ, Slavin JL. The effect of fiber on satiety and food intake: a systematic review. *J Am Coll Nutr*. 2013; 32(3):200–11.
377. Grube B, Chong PW, Lau KZ, Orzechowski HD. A natural fiber complex reduces body weight in the overweight and obese: a double-blind, randomized, placebo-controlled study. *Obesity (Silver Spring)*. 2013; 21(1):58–64.
378. Howarth NC, Saltzman E, McCrory MA, et al. Fermentable and nonfermentable fiber supplements did not alter hunger, satiety or body weight in a pilot study of men and women consuming self-selected diets. *J Nutr*. 2003; 133(10):3141–4.
379. Ma Y, Olendzki BC, Wang J, et al. Single-component versus multicomponent dietary goals for the metabolic syndrome: a randomized trial. *Ann Intern Med*. 2015; 162(4):248–57.
380. McCarthy M. High fibre diet may be good alternative to complex weight loss regimen, US study finds. *BMJ*. 2015; 350:h965.
381. Ma Y, Olendzki BC, Wang J, et al. Single-component versus multicomponent dietary goals for the metabolic syndrome: a randomized trial. *Ann Intern Med*. 2015; 162(4):248–57.
382. Ma Y, Olendzki BC, Wang J, et al. Single-component versus multicomponent dietary goals for the metabolic syndrome: a randomized trial. *Ann Intern Med*. 2015; 162(4):248–57.
383. King DE, Mainous AG, Lambourne CA. Trends in dietary fiber intake in the United States, 1999–2008. *J Acad Nutr Diet*. 2012; 112(5):642–8.
384. Institute of Medicine. *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein and Amino Acids*. Washington, D.C.: National Academies Press; 2005.
385. Baron JA, Schori A, Crow B, Carter R, Mann JI. A randomized controlled trial of low carbohydrate and low fat/high fiber diets for weight loss. *Am J Public Health*. 1986; 76(11):1293–6.
386. Clemens R, Kranz S, Mobley AR, et al. Filling America’s fiber intake gap: summary of a roundtable to probe realistic solutions with a focus on grain-based foods. *J Nutr*. 2012; 142(7):1390S–401S.

387. Institute of Medicine. *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein and Amino Acids*. Washington, D.C.: National Academies Press; 2005.
388. Jew S, Abumweis SS, Jones PJ. Evolution of the human diet: linking our ancestral diet to modern functional foods as a means of chronic disease prevention. *J Med Food*. 2009; 12(5):925–34.
389. Jew S, Abumweis SS, Jones PJ. Evolution of the human diet: linking our ancestral diet to modern functional foods as a means of chronic disease prevention. *J Med Food*. 2009; 12(5):925–34.
390. Leach JD, Sobolik KD. High dietary intake of prebiotic inulin-type fructans in the prehistoric Chihuahuan Desert. *Br J Nutr*. 2010; 103(11):1558–61.
391. Spiller G. *Topics in Dietary Fiber Research*. New York: Plenum Press; 1978.
392. Ungar PS, Sponheimer M. The diets of early hominins. *Science*. 2011; 334(6053):190–3.
393. McKenzie CI, Mackay CR, Macia L. GPR43—a prototypic metabolite sensor linking metabolic and inflammatory diseases. *Trends Endocrinol Metab*. 2015; 26(10):511–2.
394. Frost GS, Walton GE, Swann JR, et al. Impacts of plant-based foods in ancestral hominin diets on the metabolism and function of gut microbiota in vitro. *MBio*. 2014; 5(3):e00853–14.
395. Sleeth ML, Thompson EL, Ford HE, Zac-Varghese SE, Frost G. Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation. *Nutr Res Rev*. 2010; 23(1):135–45.
396. King DE, Mainous AG, Lambourne CA. Trends in dietary fiber intake in the United States, 1999–2008. *J Acad Nutr Diet*. 2012; 112(5):642–8.
397. Wick JY. Diverticular disease: eat your fiber! *Consult Pharm*. 2012; 27(9):613–8.
398. Institute of Medicine (U.S.). *Dietary Reference Intakes: Proposed Definition of Dietary Fiber*. Washington, D.C.: National Academies Press; 2001.
399. Krebs-Smith SM, Guenther PM, Subar AF, Kirkpatrick SI, Dodd KW. Americans do not meet federal dietary recommendations. *J Nutr*. 2010; 140(10):1832–8.
400. Block G, Lanza E. Dietary fiber sources in the United States by demographic group. *J Natl Cancer Inst*. 1987; 79(1):83–91.
401. Chambers ES, Viardot A, Psichas A, et al. Effects of targeted delivery of propionate to the human colon on appetite regulation, body weight maintenance and adiposity in overweight adults. *Gut*. 2015; 64(11):1744–54.
402. Polyviou T, MacDougall K, Chambers ES, et al. Randomised clinical study: inulin short-chain fatty acid esters for targeted delivery of short-chain fatty acids to the human colon. *Aliment Pharmacol Ther*. 2016; 44(7):662–72.

403. Chambers ES, Viardot A, Psichas A, et al. Effects of targeted delivery of propionate to the human colon on appetite regulation, body weight maintenance and adiposity in overweight adults. *Gut*. 2015; 64(11):1744–54.
404. Kimura I, Inoue D, Hirano K, Tsujimoto G. The SCFA receptor GPR43 and energy metabolism. *Front Endocrinol (Lausanne)*. 2014; 5:85.
405. Sleeth ML, Thompson EL, Ford HE, Zac-Varghese SE, Frost G. Free fatty acid receptor 2 and nutrient sensing: a proposed role for fibre, fermentable carbohydrates and short-chain fatty acids in appetite regulation. *Nutr Res Rev*. 2010; 23(1):135–45.
406. Sugerman DT. JAMA patient page. Constipation. *JAMA*. 2013; 310(13):1416.
407. Burkitt DP, Meisner P. How to manage constipation with high-fiber diet. *Geriatrics*. 1979; 34(2):33–5, 38–40.
408. Holt SH, Miller JC, Petocz P, Farmakalidis E. A satiety index of common foods. *Eur J Clin Nutr*. 1995; 49(9):675–90.
409. Holt SH, Miller JC, Petocz P, Farmakalidis E. A satiety index of common foods. *Eur J Clin Nutr*. 1995; 49(9):675–90.
410. Agricultural Research Service. USDA Food Composition Databases. United States Department of Agriculture. 2018. Disponible en: <https://ndb.nal.usda.gov/ndb>. Acceso: abril, 1, 2019.
411. Welch RW. Satiety: have we neglected dietary non-nutrients? *Proc Nutr Soc*. 2011; 70(2):145–54.
412. Welch RW. Satiety: have we neglected dietary non-nutrients? *Proc Nutr Soc*. 2011; 70(2):145–54.
413. Spetter MS, Mars M, Viergever MA, de Graaf C, Smeets PA. Taste matters—effects of bypassing oral stimulation on hormone and appetite responses. *Physiol Behav*. 2014; 137:9–17.
414. Agricultural Research Service. USDA Food Composition Databases. United States Department of Agriculture. 2018. Disponible en: <https://ndb.nal.usda.gov/ndb>. Acceso: abril, 1, 2019.
415. Alexander JE, Colyer A, Morris PJ. The effect of reducing dietary energy density via the addition of water to a dry diet, on body weight, energy intake and physical activity in adult neutered cats. *J Nutr Sci*. 2014; 3:e21.
416. Alexander JE, Colyer A, Morris PJ. The effect of reducing energy density, via the addition of water to dry diet, on body weight and activity in dogs. *J Nutr Sci*. 2017; 6:e42.
417. Lappalainen R, Mennen L, van Weert L, Mykkänen H. Drinking water with a meal: a simple method of coping with feelings of hunger, satiety and desire to eat. *Eur J Clin Nutr*. 1993; 47(11):815–9.
418. Rolls BJ, Kim S, Fedoroff IC. Effects of drinks sweetened with sucrose or aspartame on hunger, thirst and food intake in men. *Physiol Behav*. 1990; 48(1):19–26.

419. DellaValle DM, Roe LS, Rolls BJ. Does the consumption of caloric and non-caloric beverages with a meal affect energy intake? *Appetite*. 2005; 44(2):187–93.
420. Camps G, Mars M, de Graaf C, Smeets PAM. A tale of gastric layering and sieving: gastric emptying of a liquid meal with water blended in or consumed separately. *Physiol Behav*. 2017; 176:26–30.
421. Westerterp-Plantenga MS. Analysis of energy density of food in relation to energy intake regulation in human subjects. *Br J Nutr*. 2001; 85(3):351–61.
422. Rolls BJ, Bell EA, Thorwart ML. Water incorporated into a food but not served with a food decreases energy intake in lean women. *Am J Clin Nutr*. 1999; 70(4):448–55.
423. Marciani L, Hall N, Pritchard SE, et al. Preventing gastric sieving by blending a solid/water meal enhances satiation in healthy humans. *J Nutr*. 2012; 142(7):1253–8.
424. Santangelo A, Peracchi M, Conte D, Fraquelli M, Porrini M. Physical state of meal affects gastric emptying, cholecystokinin release and satiety. *Br J Nutr*. 1998; 80(6):521–7.
425. Marciani L, Hall N, Pritchard SE, et al. Preventing gastric sieving by blending a solid/water meal enhances satiation in healthy humans. *J Nutr*. 2012; 142(7):1253–8.
426. Camps G, Mars M, de Graaf C, Smeets PAM. A tale of gastric layering and sieving: gastric emptying of a liquid meal with water blended in or consumed separately. *Physiol Behav*. 2017; 176:26–30.
427. Murakami K, Sasaki S, Takahashi Y, Uenishi K. Intake of water from foods, but not water from beverages, is related to lower body mass index and waist circumference in free-living humans [corrected]. *Nutrition*. 2008; 24(10):925–32.
428. Agricultural Research Service. USDA Food Composition Databases. United States Department of Agriculture. 2018. Disponible en: <https://ndb.nal.usda.gov/ndb>. Acceso: abril, 1, 2019.
429. Wilson T, Anderson JA, Andersen KF, et al. Glycemic response of type 2 diabetics to raisins. *FNS*. 2012; 3(8):1162–6.
430. Keast DR, O’Neil CE, Jones JM. Dried fruit consumption is associated with improved diet quality and reduced obesity in US adults: National Health and Nutrition Examination Survey, 1999–2004. *Nutr Res*. 2011; 31(6):460–7.
431. Patel BP, Bellissimo N, Luhovyy B, et al. An after-school snack of raisins lowers cumulative food intake in young children. *J Food Sci*. 2013; 78 Suppl 1:A5–10.
432. James LJ, Funnell MP, Milner S. An afternoon snack of berries reduces subsequent energy intake compared to an isoenergetic confectionary snack. *Appetite*. 2015; 95:132–7.
433. Flood-Obbagy JE, Rolls BJ. The effect of fruit in different forms on energy intake and satiety at a meal. *Appetite*. 2009; 52(2):416–22.

434. Conceição de Oliveira M, Sichier R, Sanchez Moura A. Weight loss associated with a daily intake of three apples or three pears among overweight women. *Nutrition*. 2003; 19(3):253–6.
435. Patel BP, Bellissimo N, Luhovyy B, et al. An after-school snack of raisins lowers cumulative food intake in young children. *J Food Sci*. 2013; 78 Suppl 1:A5–10.
436. Patel BP, Luhovyy B, Mollard R, Painter JE, Anderson GH. A premeal snack of raisins decreases mealtime food intake more than grapes in young children. *Appl Physiol Nutr Metab*. 2013; 38(4):382–9.
437. Furchner-Evanson A, Petrisko Y, Howarth L, Nemoseck T, Kern M. Type of snack influences satiety responses in adult women. *Appetite*. 2010; 54(3):564–9.
438. Farajian P, Katsagani M, Zampelas A. Short-term effects of a snack including dried prunes on energy intake and satiety in normal-weight individuals. *Eat Behav*. 2010; 11(3):201–3.
439. Howarth L, Petrisko Y, Furchner-Evanson A, Nemoseck T, Kern M. Snack selection influences nutrient intake, triglycerides, and bowel habits of adult women: a pilot study. *J Am Diet Assoc*. 2010; 110(9):1322–7.
440. Puglisi MJ, Vaishnav U, Shrestha S, et al. Raisins and additional walking have distinct effects on plasma lipids and inflammatory cytokines. *Lipids Health Dis*. 2008; 7:14.
441. Chai SC, Hooshmand S, Saadat RL, Payton ME, Brummel-Smith K, Arjmandi BH. Daily apple versus dried plum: impact on cardiovascular disease risk factors in postmenopausal women. *J Acad Nutr Diet*. 2012; 112(8):1158–68.
442. Peterson JM, Montgomery S, Haddad E, Kearney L, Tonstad S. Effect of consumption of dried California mission figs on lipid concentrations. *Ann Nutr Metab*. 2011; 58(3):232–8.
443. Rock W, Rosenblat M, Borochoy-Neori H, et al. Effects of date (*Phoenix dactylifera* L., Medjool or Hallawi Variety) consumption by healthy subjects on serum glucose and lipid levels and on serum oxidative status: a pilot study. *J Agric Food Chem*. 2009; 57(17):8010–7.
444. Chai SC, Hooshmand S, Saadat RL, Payton ME, Brummel-Smith K, Arjmandi BH. Daily apple versus dried plum: impact on cardiovascular disease risk factors in postmenopausal women. *J Acad Nutr Diet*. 2012; 112(8):1158–68.
445. Patel BP, Luhovyy B, Mollard R, Painter JE, Anderson GH. A premeal snack of raisins decreases mealtime food intake more than grapes in young children. *Appl Physiol Nutr Metab*. 2013; 38(4):382–9.
446. Augustin LS, Kendall CW, Jenkins DJ, et al. Glycemic index, glycemic load and glycemic response: an International Scientific Consensus Summit from the International Carbohydrate Quality Consortium (ICQC). *Nutr Metab Cardiovasc Dis*. 2015; 25(9):795–815.

447. Granfeldt Y, Björck I, Hagander B. On the importance of processing conditions, product thickness and egg addition for the glycaemic and hormonal responses to pasta: a comparison with bread made from «pasta ingredients.» *Eur J Clin Nutr.* 1991; 45(10):489–99.
448. Woolnough JW, Bird AR, Monro JA, Brennan CS. The effect of a brief salivary  $\alpha$ -amylase exposure during chewing on subsequent in vitro starch digestion curve profiles. *Int J Mol Sci.* 2010; 11(8):2780–90.
449. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care.* 2008; 31(12):2281–3.
450. Lennerz BS, Alsop DC, Holsen LM, et al. Effects of dietary glycemic index on brain regions related to reward and craving in men. *Am J Clin Nutr.* 2013; 98(3):641–7.
451. Schulte EM, Avena NM, Gearhardt AN. Which foods may be addictive? The roles of processing, fat content, and glycemic load. *PLoS ONE.* 2015; 10(2):e0117959.
452. Warren JM, Henry CJ, Simonite V. Low glycemic index breakfasts and reduced food intake in preadolescent children. *Pediatrics.* 2003; 112(5):e414.
453. Bornet FRJ, Jardy-Gennetier AE, Jacquet N, Stowell J. Glycaemic response to foods: impact on satiety and long-term weight regulation. *Appetite.* 2007; 49(3):535–53.
454. Wu CL, Nicholas C, Williams C, Took A, Hardy L. The influence of high-carbohydrate meals with different glycaemic indices on substrate utilisation during subsequent exercise. *Br J Nutr.* 2003; 90(6):1049–56.
455. Sun FH, Wong SH, Huang YJ, Chen YJ, Tsang KF. Substrate utilization during brisk walking is affected by glycemic index and fructose content of a pre-exercise meal. *Eur J Appl Physiol.* 2012; 112(7):2565–74.
456. Wu CL, Nicholas C, Williams C, Took A, Hardy L. The influence of high-carbohydrate meals with different glycaemic indices on substrate utilisation during subsequent exercise. *Br J Nutr.* 2003; 90(6):1049–56.
457. Leibel RL, Rosenbaum M, Hirsch J. Changes in energy expenditure resulting from altered body weight. *N Engl J Med.* 1995; 332(10):621–8.
458. Pereira MA, Swain J, Goldfine AB, Rifai N, Ludwig DS. Effects of a low-glycemic load diet on resting energy expenditure and heart disease risk factors during weight loss. *JAMA.* 2004; 292(20):2482–90.
459. Kahlhöfer J, Lagerpusch M, Enderle J, et al. Carbohydrate intake and glycemic index affect substrate oxidation during a controlled weight cycle in healthy men. *Eur J Clin Nutr.* 2014; 68(9):1060–6.
460. Pereira EV, Costa Jde A, Alfenas Rde C. Effect of glycemic index on obesity control. *Arch Endocrinol Metab.* 2015; 59(3):245–51.

461. Ebbeling CB, Leidig MM, Sinclair KB, Hangen JP, Ludwig DS. A reduced-glycemic load diet in the treatment of adolescent obesity. *Arch Pediatr Adolesc Med.* 2003; 157(8):773–9.
462. Thomas DE, Elliott EJ, Baur L. Low glycaemic index or low glycaemic load diets for overweight and obesity. *Cochrane Database Syst Rev.* 2007; (3):CD005105.
463. Ludwig DS, Ebbeling CB. Weight-loss maintenance—mind over matter? *N Engl J Med.* 2010; 363(22):2159–61.
464. Larsen TM, Dalskov SM, van Baak M, et al. Diets with high or low protein content and glycemic index for weight-loss maintenance. *N Engl J Med.* 2010; 363(22):2102–13.
465. Aller EE, Larsen TM, Claus H, et al. Weight loss maintenance in overweight subjects on ad libitum diets with high or low protein content and glycemic index: the DIOGENES trial 12-month results. *Int J Obes (Lond).* 2014; 38(12):1511–7.
466. Aller EE, Larsen TM, Claus H, et al. Weight loss maintenance in overweight subjects on ad libitum diets with high or low protein content and glycemic index: the DIOGENES trial 12-month results. *Int J Obes (Lond).* 2014; 38(12):1511–7.
467. Pereira MA, Swain J, Goldfine AB, Rifai N, Ludwig DS. Effects of a low-glycemic load diet on resting energy expenditure and heart disease risk factors during weight loss. *JAMA.* 2004; 292(20):2482–90.
468. Jenkins DJ, Taylor RH, Goff DV, et al. Scope and specificity of acarbose in slowing carbohydrate absorption in man. *Diabetes.* 1981; 30(11):951–4.
469. Augustin LS, Kendall CW, Jenkins DJ, et al. Glycemic index, glycemic load and glycemic response: an International Scientific Consensus Summit from the International Carbohydrate Quality Consortium (ICQC). *Nutr Metab Cardiovasc Dis.* 2015; 25(9):795–815.
470. Li Y, Tong Y, Zhang Y, Huang L, Wu T, Tong N. Acarbose monotherapy and weight loss in Eastern and Western populations with hyperglycaemia: an ethnicity-specific meta-analysis. *Int J Clin Pract.* 2014; 68(11):1318–32.
471. Schnell O, Weng J, Sheu WH, et al. Acarbose reduces body weight irrespective of glycemic control in patients with diabetes: results of a worldwide, non-interventional, observational study data pool. *J Diabetes Complicat.* 2016; 30(4):628–37.
472. Grussu D, Stewart D, McDougall GJ. Berry polyphenols inhibit  $\alpha$ -amylase in vitro: identifying active components in rowanberry and raspberry. *J Agric Food Chem.* 2011; 59(6):2324–31.
473. Englyst H, Wiggins HS, Cummings JH. Determination of the non-starch polysaccharides in plant foods by gas-liquid chromatography of constituent sugars as alditol acetates. *Analyst.* 1982; 107(1272):307–18.
474. Goldring JM. Resistant starch: safe intakes and legal status. *J AOAC Int.* 2004; 87(3):733–9.

475. Yadav BS, Sharma A, Yadav RB. Studies on effect of multiple heating/cooling cycles on the resistant starch formation in cereals, legumes and tubers. *Int J Food Sci Nutr*. 2009; 60 Suppl 4:258–72.
476. Austin GL, Ogden LG, Hill JO. Trends in carbohydrate, fat, and protein intakes and association with energy intake in normal-weight, overweight, and obese individuals: 1971–2006. *Am J Clin Nutr*. 2011; 93(4):836–43.
477. Bentley J. U.S. trends in food availability and a dietary assessment of loss-adjusted food availability, 1970–2014. EIB-166. United States Department of Agriculture, Economic Research Service. Publicado en enero, 2017. Disponible en: <https://www.ers.usda.gov/publications/pub-details/?pubid=82219>. Acceso: abril, 1, 2019.
478. Austin GL, Ogden LG, Hill JO. Trends in carbohydrate, fat, and protein intakes and association with energy intake in normal-weight, overweight, and obese individuals: 1971–2006. *Am J Clin Nutr*. 2011; 93(4):836–43.
479. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr*. 2009; 90(6):1453–6.
480. Austin GL, Ogden LG, Hill JO. Trends in carbohydrate, fat, and protein intakes and association with energy intake in normal-weight, overweight, and obese individuals: 1971–2006. *Am J Clin Nutr*. 2011; 93(4):836–43.
481. Select Committee on Nutrition and Human Needs, United States Senate. *Dietary Goals for the United States, Second Edition*. Washington, D.C.: U.S. Government Printing Office; 1977. Disponible en: <https://thescienceofnutrition.files.wordpress.com/2014/03/dietary-goals-for-the-united-states.pdf>. Acceso: abril, 1, 2019.
482. Ludwig DS. Lowering the bar on the low-fat diet. *JAMA*. 2016; 316(20):2087–8.
483. Schermel A, Wong CL, L'Abbé MR. Are foods with fat-related claims useful for weight management? *Appetite*. 2016; 96:154–9.
484. Nguyen PK, Lin S, Heidenreich P. A systematic comparison of sugar content in low-fat vs regular versions of food. *Nutr Diabetes*. 2016; 6:e193.
485. McDevitt RM, Poppitt SD, Murgatroyd PR, Prentice AM. Macronutrient disposal during controlled overfeeding with glucose, fructose, sucrose, or fat in lean and obese women. *Am J Clin Nutr*. 2000; 72(2):369–77.
486. Raben A, MacDonald I, Astrup A. Replacement of dietary fat by sucrose or starch: effects on 14 d ad libitum energy intake, energy expenditure and body weight in formerly obese and never-obese subjects. *Int J Obes Relat Metab Disord*. 1997; 21(10):846–59.
487. Davis LW. Durable goods and residential demand for energy and water: evidence from a field trial. *RAND J Econ*. 2008; 39(2):530–46.
488. Schermel A, Wong CL, L'Abbé MR. Are foods with fat-related claims useful for weight management? *Appetite*. 2016; 96:154–9.
489. Wansink B, Chandon P. Can «low-fat» nutrition labels lead to obesity? *J Mark Res*. 2006; 43(4):605–17. *Note*: The legitimacy of Brian Wansink's research has been

called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.

490. Fernan C, Schuldt JP, Niederdeppe J. Health halo effects from product titles and nutrient content claims in the context of «protein» bars. *Health Commun.* 2018; 33(12):1425–33.
491. Scrinis G. On the ideology of nutritionism. *Gastronomica.* 2008; 8(1):39–48.
492. Schwartz MB, Vartanian LR, Wharton CM, Brownell KD. Examining the nutritional quality of breakfast cereals marketed to children. *J Am Diet Assoc.* 2008; 108(4):702–5.
493. Jacobs DR, Tapsell LC. Food, not nutrients, is the fundamental unit in nutrition. *Nutr Rev.* 2007; 65(10):439–50.
494. Schuldt JP, Pearson AR. Nutrient-centrism and perceived risk of chronic disease. *J Health Psychol.* 2015; 20(6):899–906.
495. Klem ML, Wing RR, McGuire MT, Seagle HM, Hill JO. A descriptive study of individuals successful at long-term maintenance of substantial weight loss. *Am J Clin Nutr.* 1997; 66(2):239–46.
496. Thomas JG, Bond DS, Phelan S, Hill JO, Wing RR. Weight-loss maintenance for 10 years in the National Weight Control Registry. *Am J Prev Med.* 2014; 46(1):17–23.
497. Catenacci VA, Ogden LG, Stuht J, et al. Physical activity patterns in the National Weight Control Registry. *Obesity (Silver Spring).* 2008; 16(1):153–61.
498. Thomas JG, Bond DS, Phelan S, Hill JO, Wing RR. Weight-loss maintenance for 10 years in the National Weight Control Registry. *Am J Prev Med.* 2014; 46(1):17–23.
499. Klem ML, Wing RR, McGuire MT, Seagle HM, Hill JO. A descriptive study of individuals successful at long-term maintenance of substantial weight loss. *Am J Clin Nutr.* 1997; 66(2):239–46.
500. Thomas JG, Bond DS, Phelan S, Hill JO, Wing RR. Weight-loss maintenance for 10 years in the National Weight Control Registry. *Am J Prev Med.* 2014; 46(1):17–23.
501. Food Surveys Research Group. Nutrient intakes from food: mean amounts and percentages of calories from protein, carbohydrate, fat, and alcohol, one day, 2005–2006. 2008. Agricultural Research Service, United States Department of Agriculture. Disponible en: [www.ars.usda.gov/ba/bhnrc/fsrg](http://www.ars.usda.gov/ba/bhnrc/fsrg). Acceso: abril, 1, 2019.
502. McGuire MT, Wing RR, Klem ML, Lang W, Hill JO. What predicts weight regain in a group of successful weight losers? *J Consult Clin Psychol.* 1999; 67(2):177–85.
503. Hill JO, Wyatt H, Phelan S, Wing R. The National Weight Control Registry: is it useful in helping deal with our obesity epidemic? *J Nutr Educ Behav.* 2005; 37(4):206–10.
504. Tobias DK, Chen M, Manson JE, Ludwig DS, Willett W, Hu FB. Effect of low-fat diet interventions versus other diet interventions on long-term weight change in adults: a systematic review and meta-analysis. *Lancet Diabetes Endocrinol.* 2015; 3(12):968–79.

505. Willett WC. Dietary fat plays a major role in obesity: no. *Obes Rev.* 2002; 3(2):59–68.
506. Hooper L, Abdelhamid A, Bunn D, Brown T, Summerbell CD, Skeaff CM. Effects of total fat intake on body weight. *Cochrane Database Syst Rev.* 2015; (8):CD011834.
507. Bray GA, Popkin BM. Dietary fat intake does affect obesity! *Am J Clin Nutr.* 1998; 68(6):1157–73.
508. Tobias DK, Chen M, Manson JE, Ludwig DS, Willett W, Hu FB. Effect of low-fat diet interventions versus other diet interventions on long-term weight change in adults: a systematic review and meta-analysis. *Lancet Diabetes Endocrinol.* 2015; 3(12):968–79.
509. Willcox BJ, Willcox DC, Todoriki H, et al. Caloric restriction, the traditional Okinawan diet, and healthy aging: the diet of the world’s longest-lived people and its potential impact on morbidity and life span. *Ann NY Acad Sci.* 2007; 1114:434–55.
510. Draper HH. The Aboriginal Eskimo diet in modern perspective. *Am Anthropol.* 1977; 79:309–16.
511. Barnard RJ. Very-low-fat diets. *Circulation.* 1999; 100(9):1011–5.
512. Eaton SB. Humans, lipids and evolution. *Lipids.* 1992; 27(10):814–20.
513. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45212188, lean ground beef, UPC: 710178576015. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45212188>. Acceso: marzo, 31, 2019.
514. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45346248, extra lean ground beef, UPC: 027182574211. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45346248>. Acceso: marzo, 31, 2019.
515. Baschetti R. Genetically unknown foods or thrifty genes? *Am J Clin Nutr.* 1999; 70(3):420–1.
516. Baschetti R. Definition of low-fat diets. *Arch Intern Med.* 2006; 166(13):1419–20.
517. Shai I, Schwarzfuchs D, Henkin Y, et al. Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. *N Engl J Med.* 2008; 359(3):229–41.
518. Bazzano LA, Hu T. Effects of low-carbohydrate and low-fat diets. *Ann Intern Med.* 2015; 162(5):393.
519. Gardner CD, Kiazand A, Alhassan S, et al. Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial. *JAMA.* 2007; 297(9):969–77.

520. McManus K, Antinoro L, Sacks F. A randomized controlled trial of a moderate-fat, low-energy diet compared with a low fat, low-energy diet for weight loss in overweight adults. *Int J Obes Relat Metab Disord*. 2001; 25(10):1503–11.
521. Azadbakht L, Mirmiran P, Esmailzadeh A, Azizi F. Better dietary adherence and weight maintenance achieved by a long-term moderate-fat diet. *Br J Nutr*. 2007; 97(2):399–404.
522. Das SK, Gilhooly CH, Golden JK, et al. Long-term effects of 2 energy-restricted diets differing in glycemic load on dietary adherence, body composition, and metabolism in CALERIE: a 1-y randomized controlled trial. *Am J Clin Nutr*. 2007; 85(4):1023–30.
523. Hall KD. Prescribing low-fat diets: useless for long-term weight loss? *Lancet Diabetes Endocrinol*. 2015; 3(12):920–1.
524. Hall KD. Prescribing low-fat diets: useless for long-term weight loss? *Lancet Diabetes Endocrinol*. 2015; 3(12):920–1.
525. Law M, Tang JL. An analysis of the effectiveness of interventions intended to help people stop smoking. *Arch Intern Med*. 1995; 155(18):1933–41.
526. Chaiton M, Diemert L, Cohen JE, et al. Estimating the number of quit attempts it takes to quit smoking successfully in a longitudinal cohort of smokers. *BMJ Open*. 2016; 6(6):e011045.
527. Shintani TT, Hughes CK, Beckham S, O'Connor HK. Obesity and cardiovascular risk intervention through the ad libitum feeding of traditional Hawaiian diet. *Am J Clin Nutr*. 1991; 53(6 Suppl):1647S–51S.
528. Thuesen L, Henriksen LB, Engby B. One-year experience with a low-fat, low-cholesterol diet in patients with coronary heart disease. *Am J Clin Nutr*. 1986; 44(2):212–9.
529. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA*. 1998; 280(23):2001–7.
530. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA*. 1998; 280(23):2001–7.
531. Zhi J, Melia AT, Guerciolini R, et al. Retrospective population-based analysis of the dose-response (fecal fat excretion) relationship of orlistat in normal and obese volunteers. *Clin Pharmacol Ther*. 1994; 56(1):82–5.
532. Sahebkar A, Simental-Mendía LE, Reiner Ž, et al. Effect of orlistat on plasma lipids and body weight: a systematic review and meta-analysis of 33 randomized controlled trials. *Pharmacol Res*. 2017; 122:53–65.
533. Sumithran P, Proietto J. Benefit-risk assessment of orlistat in the treatment of obesity. *Drug Saf*. 2014; 37(8):597–608.
534. Buyschaert B, Aydin S, Morelle J, Hermans MP, Jadoul M, Demoulin N. Weight loss at a high cost: orlistat-induced late-onset severe kidney disease. *Diabetes Metab*. 2016; 42(1):62–4.

535. Sall D, Wang J, Rashkin M, Welch M, Droege C, Schauer D. Orlistat-induced fulminant hepatic failure. *Clin Obes*. 2014; 4(6):342–7.
536. Hollywood A, Ogden J. Taking orlistat: predicting weight loss over 6 months. *J Obes*. 2011; 2011:806896.
537. Fox M, Thumshirn M, Menne D, Stutz B, Fried M, Schwizer W. The pathophysiology of faecal spotting in obese subjects during treatment with orlistat. *Aliment Pharmacol Ther*. 2004; 19(3):311–21.
538. Before you begin with alli. myalli.com. 2008. Disponible en: <https://web.archive.org/web/20080821141135/http://www.myalli.com:80/howdoesitwork/reatm-enteffects.aspx>. Acceso: marzo, 31, 2019.
539. Schroll JB, Penninga EI, Gøtzsche PC. Assessment of adverse events in protocols, clinical study reports, and published papers of trials of orlistat: a document analysis. *PLoS Med*. 2016; 13(8):e1002101.
540. Hollywood A, Ogden J. Taking orlistat: predicting weight loss over 6 months. *J Obes*. 2011; 2011:806896.
541. Padwal R, Kezouh A, Levine M, Etminan M. Long-term persistence with orlistat and sibutramine in a population-based cohort. *Int J Obes (Lond)*. 2007; 31(10):1567–70.
542. Shintani TT, Hughes CK, Beckham S, O'Connor HK. Obesity and cardiovascular risk intervention through the ad libitum feeding of traditional Hawaiian diet. *Am J Clin Nutr*. 1991; 53(6 Suppl):1647S–51S.
543. Schaefer EJ, Lichtenstein AH, Lamon-Fava S, et al. Body weight and low-density lipoprotein cholesterol changes after consumption of a low-fat ad libitum diet. *JAMA*. 1995; 274(18):1450–5.
544. Toubro S, Astrup A. Randomised comparison of diets for maintaining obese subjects' weight after major weight loss: ad lib, low fat, high carbohydrate diet v fixed energy intake. *BMJ*. 1997; 314(7073):29–34.
545. Donahoo W, Wyatt HR, Kriehn J, et al. Dietary fat increases energy intake across the range of typical consumption in the United States. *Obesity (Silver Spring)*. 2008; 16(1):64–9.
546. Lissner L, Levitsky DA, Strupp BJ, Kalkwarf HJ, Roe DA. Dietary fat and the regulation of energy intake in human subjects. *Am J Clin Nutr*. 1987; 46(6):886–92.
547. Astrup A. The role of dietary fat in the prevention and treatment of obesity. Efficacy and safety of low-fat diets. *Int J Obes Relat Metab Disord*. 2001; 25 Suppl 1:S46–50.
548. Saltzman E, Dallal GE, Roberts SB. Effect of high-fat and low-fat diets on voluntary energy intake and substrate oxidation: studies in identical twins consuming diets matched for energy density, fiber, and palatability. *Am J Clin Nutr*. 1997; 66(6):1332–9.
549. Gil KM, Skeie B, Kvetan V, Askanazi J, Friedman MI. Parenteral nutrition and oral intake: effect of glucose and fat infusions. *JPEN J Parenter Enteral Nutr*. 1991; 15(4):426–32.

550. Gil KM, Skeie B, Kvetan V, Askanazi J, Friedman MI. Parenteral nutrition and oral intake: effect of glucose and fat infusions. *JPEN J Parenter Enteral Nutr.* 1991; 15(4):426–32.
551. Blundell JE, Burley VJ, Cotton JR, Lawton CL. Dietary fat and the control of energy intake: evaluating the effects of fat on meal size and postmeal satiety. *Am J Clin Nutr.* 1993; 57(5 Suppl):772S–7S.
552. Van Avesaat M, Troost FJ, Ripken D, Hendriks HF, Masclee AA. Ileal brake activation: macronutrient-specific effects on eating behavior? *Int J Obes (Lond).* 2015; 39(2):235–43.
553. Westerterp KR. Physical activity and physical activity induced energy expenditure in humans: measurement, determinants, and effects. *Front Physiol.* 2013; 4:90.
554. Astrup A. The role of dietary fat in the prevention and treatment of obesity. Efficacy and safety of low-fat diets. *Int J Obes Relat Metab Disord.* 2001; 25 Suppl 1:S46–50.
555. Bray GA, Smith SR, Dejonge L, et al. Effect of diet composition on energy expenditure during weight loss: the POUNDS LOST Study. *Int J Obes (Lond).* 2012; 36(3):448–55.
556. Ainsworth BE, Haskell WL, Herrmann SD, et al. 2011 Compendium of Physical Activities: a second update of codes and MET values. *Med Sci Sports Exerc.* 2011; 43(8):1575–81.
557. Bray GA, Smith SR, Dejonge L, et al. Effect of diet composition on energy expenditure during weight loss: the POUNDS LOST Study. *Int J Obes (Lond).* 2012; 36(3):448–55.
558. Flatt JP. Misconceptions in body weight regulation: implications for the obesity pandemic. *Crit Rev Clin Lab Sci.* 2012; 49(4):150–65.
559. Astrup A. The role of dietary fat in the prevention and treatment of obesity. Efficacy and safety of low-fat diets. *Int J Obes Relat Metab Disord.* 2001; 25 Suppl 1:S46–50.
560. Lean ME, James WP. Metabolic effects of isoenergetic nutrient exchange over 24 hours in relation to obesity in women. *Int J Obes.* 1988; 12(1):15–27.
561. Lammert O, Grunnet N, Faber P, et al. Effects of isoenergetic overfeeding of either carbohydrate or fat in young men. *Br J Nutr.* 2000; 84(2):233–45.
562. Danforth E. Diet and obesity. *Am J Clin Nutr.* 1985; 41(5 Suppl):1132–45.
563. Danforth E. Diet and obesity. *Am J Clin Nutr.* 1985; 41(5 Suppl):1132–45.
564. Danforth E. Diet and obesity. *Am J Clin Nutr.* 1985; 41(5 Suppl):1132–45.

565. Ruge T, Hodson L, Cheeseman J, et al. Fasted to fed trafficking of fatty acids in human adipose tissue reveals a novel regulatory step for enhanced fat storage. *J Clin Endocrinol Metab.* 2009; 94(5):1781–8.
566. Maffeis C, Schutz Y, Grezzani A, Provera S, Piacentini G, Tatò L. Meal-induced thermogenesis and obesity: is a fat meal a risk factor for fat gain in children? *J Clin Endocrinol Metab.* 2001; 86(1):214–9.
567. Votruba SB, Mattison RS, Dumesic DA, Koutsari C, Jensen MD. Meal fatty acid uptake in visceral fat in women. *Diabetes.* 2007; 56(10):2589–97.
568. Björntorp P, Sjöström L. Carbohydrate storage in man: speculations and some quantitative considerations. *Metab Clin Exp.* 1978; 27(12 Suppl 2):1853–65.
569. Acheson KJ, Schutz Y, Bessard T, Anantharaman K, Flatt JP, Jéquier E. Glycogen storage capacity and de novo lipogenesis during massive carbohydrate overfeeding in man. *Am J Clin Nutr.* 1988; 48(2):240–7.
570. Sevastianova K, Santos A, Kotronen A, et al. Effect of short-term carbohydrate overfeeding and long-term weight loss on liver fat in overweight humans. *Am J Clin Nutr.* 2012; 96(4):727–34.
571. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45157114, cotton candy, UPC: 043427007795. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45157114>. Acceso: marzo, 31, 2019.
572. Sevastianova K, Santos A, Kotronen A, et al. Effect of short-term carbohydrate overfeeding and long-term weight loss on liver fat in overweight humans. *Am J Clin Nutr.* 2012; 96(4):727–34.
573. Aarsland A, Chinkes D, Wolfe RR. Hepatic and whole-body fat synthesis in humans during carbohydrate overfeeding. *Am J Clin Nutr.* 1997; 65(6):1774–82.
574. Schutz Y, Flatt JP, Jéquier E. Failure of dietary fat intake to promote fat oxidation: a factor favoring the development of obesity. *Am J Clin Nutr.* 1989; 50(2):307–14.
575. Flatt JP. Misconceptions in body weight regulation: implications for the obesity pandemic. *Crit Rev Clin Lab Sci.* 2012; 49(4):150–65.
576. Flatt JP. Misconceptions in body weight regulation: implications for the obesity pandemic. *Crit Rev Clin Lab Sci.* 2012; 49(4):150–65.
577. Lin PH, Wang Y, Grambow SC, Goggins W, Almirall D. Dietary saturated fat intake is negatively associated with weight maintenance among the PREMIER participants. *Obesity (Silver Spring).* 2012; 20(3):571–5.
578. Epidemiology and Genomics Research Program. Top food sources of saturated fat among U.S. population, 2005–2006 NHANES. National Cancer Institute Division of Cancer Control and Population Sciences, National Institutes of Health. Actailizado en abril, 20, 2018. Disponible en: [https://epi.grants.cancer.gov/diet/foodsources/sat\\_fat/sf.html](https://epi.grants.cancer.gov/diet/foodsources/sat_fat/sf.html). Acceso: marzo, 31, 2019.

579. Fernández de la Puebla RA, Fuentes F, Pérez-Martínez P, et al. A reduction in dietary saturated fat decreases body fat content in overweight, hypercholesterolemic males. *Nutr Metab Cardiovasc Dis.* 2003; 13(5):273–7.
580. Piers LS, Walker KZ, Stoney RM, Soares MJ, O’Dea K. Substitution of saturated with monounsaturated fat in a 4-week diet affects body weight and composition of overweight and obese men. *Br J Nutr.* 2003; 90(3):717–27.
581. Bjermo H, Iggman D, Kullberg J, et al. Effects of n-6 PUFAs compared with SFAs on liver fat, lipoproteins, and inflammation in abdominal obesity: a randomized controlled trial. *Am J Clin Nutr.* 2012; 95(5):1003–12.
582. Enjoji M, Nakamuta M. Is the control of dietary cholesterol intake sufficiently effective to ameliorate nonalcoholic fatty liver disease? *World J Gastroenterol.* 2010; 16(7):800–3.
583. Mokhtari Z, Poustchi H, Eslamparast T, Hekmatdoost A. Egg consumption and risk of non-alcoholic fatty liver disease. *World J Hepatol.* 2017; 9(10):503–9.
584. Rosqvist F, Iggman D, Kullberg J, et al. Overfeeding polyunsaturated and saturated fat causes distinct effects on liver and visceral fat accumulation in humans. *Diabetes.* 2014; 63(7):2356–68.
585. Bray GA, Krauss RM. Overfeeding of polyunsaturated versus saturated fatty acids reduces ectopic fat. *Diabetes.* 2014; 63(7):2222–4.
586. Sacks FM, Lichtenstein AH, Wu JHY, et al. Dietary fats and cardiovascular disease: a presidential advisory from the American Heart Association. *Circulation.* 2017; 136(3):e1–23.
587. Piers LS, Walker KZ, Stoney RM, Soares MJ, O’Dea K. The influence of the type of dietary fat on postprandial fat oxidation rates: monounsaturated (olive oil) vs saturated fat (cream). *Int J Obes Relat Metab Disord.* 2002; 26(6):814–21.
588. Jones PJ, Schoeller DA. Polyunsaturated:saturated ratio of diet fat influences energy substrate utilization in the human. *Metab Clin Exp.* 1988; 37(2):145–51.
589. Krishnan S, Cooper JA. Effect of dietary fatty acid composition on substrate utilization and body weight maintenance in humans. *Eur J Nutr.* 2014; 53(3):691–710.
590. Jonnalagadda SS, Egan SK, Heimbach JT, et al. Fatty acid consumption pattern of Americans: 1987–1988 USDA Nationwide Food Consumption Survey. *Nutr Res.* 1995; 15(12):1767–81.
591. Pimenta AS, Gaidhu MP, Habib S, et al. Prolonged exposure to palmitate impairs fatty acid oxidation despite activation of AMP-activated protein kinase in skeletal muscle cells. *J Cell Physiol.* 2008; 217(2):478–85.
592. Piers LS, Walker KZ, Stoney RM, Soares MJ, O’Dea K. The influence of the type of dietary fat on postprandial fat oxidation rates: monounsaturated (olive oil) vs saturated fat (cream). *Int J Obes Relat Metab Disord.* 2002; 26(6):814–21.

593. Fernández de la Puebla RA, Fuentes F, Pérez-Martínez P, et al. A reduction in dietary saturated fat decreases body fat content in overweight, hypercholesterolemic males. *Nutr Metab Cardiovasc Dis*. 2003; 13(5):273–7.
594. Casas-Agustench P, López-Uriarte P, Bulló M, et al. Acute effects of three high-fat meals with different fat saturations on energy expenditure, substrate oxidation and satiety. *Clin Nutr*. 2009; 28(1):39–45.
595. Clevenger HC, Kozimor AL, Paton CM, Cooper JA. Acute effect of dietary fatty acid composition on postprandial metabolism in women. *Exp Physiol*. 2014; 99(9):1182–90.
596. Kien CL, Bunn JY, Tompkins CL, et al. Substituting dietary monounsaturated fat for saturated fat is associated with increased daily physical activity and resting energy expenditure and with changes in mood. *Am J Clin Nutr*. 2013; 97(4):689–97.
597. Turner C. Coconut oil for weight loss. Nana's Nest. Publicado en noviembre, 25, 2015. Disponible en: <http://lg83.com/9-reasons-to-use-coconut-oil-daily>. Acceso: marzo, 31, 2019.
598. Maggio CA, Koopmans HS. Food intake after intragastric meals of short-, medium-, or long-chain triglyceride. *Physiol Behav*. 1982; 28(5):921–6.
599. Liau KM, Lee YY, Chen CK, Rasool AH. An open-label pilot study to assess the efficacy and safety of virgin coconut oil in reducing visceral adiposity. *ISRN Pharmacol*. 2011; 2011:949686.
600. Robinson E, Hardman CA, Halford JC, Jones A. Eating under observation: a systematic review and meta-analysis of the effect that heightened awareness of observation has on laboratory measured energy intake. *Am J Clin Nutr*. 2015; 102(2):324–37.
601. Valente FX, Cândido FG, Lopes LL, et al. Effects of coconut oil consumption on energy metabolism, cardiometabolic risk markers, and appetitive responses in women with excess body fat. *Eur J Nutr*. 2018; 57(4):1627–37.
602. Harris M, Hutchins A, Fryda L. The impact of virgin coconut oil and high-oleic safflower oil on body composition, lipids, and inflammatory markers in postmenopausal women. *J Med Food*. 2017; 20(4):345–51.
603. George BJ, Beasley TM, Brown AW, et al. Common scientific and statistical errors in obesity research. *Obesity (Silver Spring)*. 2016; 24(4):781–90.
604. Assunção ML, Ferreira HS, Dos Santos AF, Cabral CR, Florêncio TM. Effects of dietary coconut oil on the biochemical and anthropometric profiles of women presenting abdominal obesity. *Lipids*. 2009; 44(7):593–601.
605. Eyres L, Eyres MF, Chisholm A, Brown RC. Coconut oil consumption and cardiovascular risk factors in humans. *Nutr Rev*. 2016; 74(4):267–80.
606. Freeman AM, Morris PB, Barnard N, et al. Trending cardiovascular nutrition controversies. *J Am Coll Cardiol*. 2017; 69(9):1172–87.

607. Wang D, Hawley NL, Thompson AA, et al. Dietary patterns are associated with metabolic outcomes among adult Samoans in a cross-sectional study. *J Nutr.* 2017; 147(4):628–35.
608. DiBello JR, McGarvey ST, Kraft P, et al. Dietary patterns are associated with metabolic syndrome in adult Samoans. *J Nutr.* 2009; 139(10):1933–43.
609. Cabré E, Hernández-Pérez JM, Fluvià L, Pastor C, Corominas A, Gassull MA. Absorption and transport of dietary long-chain fatty acids in cirrhosis: a stable-isotope-tracing study. *Am J Clin Nutr.* 2005; 81(3):692–701.
610. Piers LS, Walker KZ, Stoney RM, Soares MJ, O’Dea K. Substitution of saturated with monounsaturated fat in a 4-week diet affects body weight and composition of overweight and obese men. *Br J Nutr.* 2003; 90(3):717–27.
611. Kien CL, Bunn JY, Tompkins CL, et al. Substituting dietary monounsaturated fat for saturated fat is associated with increased daily physical activity and resting energy expenditure and with changes in mood. *Am J Clin Nutr.* 2013; 97(4):689–97.
612. Hegsted M. Washington—dietary guidelines. FoodPolitics.com. Disponible en: <https://www.foodpolitics.com/wp-content/uploads/Hegsted.pdf>. Acceso: marzo, 31, 2019.
613. United States Congress Senate Select Committee on Nutrition and Human Needs. Diet related to killer diseases, III: hearings before the Select Committee on Nutrition and Human Needs of the United States Senate, Ninety-fifth Congress, first session, March 24, 1977. Response to Dietary Goals of the United States: re meat. Washington, D.C.: U.S. Government Printing Office; 1977. Disponible en: <https://catalog.hathitrust.org/Record/012480120/Home>. Acceso: febrero, 28, 2019.
614. United States Congress Senate Select Committee on Nutrition and Human Needs. Dietary goals for the United States—supplemental view. Ninety-fifth Congress, first session. Washington, D.C.: U.S. Government Printing Office; 1977. Disponible en: <https://catalog.hathitrust.org/Record/002942190>. Acceso: febrero, 28, 2019.
615. United States Congress Senate Select Committee on Nutrition and Human Needs. Dietary goals for the United States—supplemental view. Ninety-fifth Congress, first session. Washington, D.C.: U.S. Government Printing Office; 1977. Disponible en: <https://catalog.hathitrust.org/Record/002942190>. Acceso: febrero, 28, 2019.
616. Brownell KD, Warner KE. The perils of ignoring history: Big Tobacco played dirty and millions died. How similar is Big Food? *Milbank Q.* 2009; 87(1):259–94.
617. Boseley S. Political context of the World Health Organization: sugar industry threatens to scupper the WHO. *Int J Health Serv.* 2003; 33(4):831–3.
618. Cannon G. Why the Bush administration and the global sugar industry are determined to demolish the 2004 WHO global strategy on diet, physical activity and health. *Public Health Nutr.* 2004; 7(3):369–80.
619. Stuckler D, Basu S, McKee M. Commentary: UN high level meeting on non-communicable diseases: an opportunity for whom? *BMJ.* 2011; 343:d5336.

620. Stanhope KL. Sugar consumption, metabolic disease and obesity: the state of the controversy. *Crit Rev Clin Lab Sci*. 2016; 53(1):52–67.
621. Cottrell RC. Sugar: an excess of anything can harm. *Nature*. 2012; 483(7388):158.
622. Brownell KD. Does a «toxic» environment make obesity inevitable? *Obesity Management*. 2005; 1(2):52–5.
623. Roberto CA, Swinburn B, Hawkes C, et al. Patchy progress on obesity prevention: emerging examples, entrenched barriers, and new thinking. *Lancet*. 2015; 385(9985):2400–9.
624. Roth Y. Do brands serve as reliable signals of nutritional quality? The case of breakfast cereals. *J Food Prod Market*. 2017; 1:1–23.
625. Poti JM, Braga B, Qin B. Ultra-processed food intake and obesity: what really matters for health-processing or nutrient content? *Curr Obes Rep*. 2017; 6(4):420–31.
626. Brownell KD. Does a «toxic» environment make obesity inevitable? *Obesity Management*. 2005; 1(2):52–5.
627. Connor JM. Breakfast cereals: the extreme food industry. *Agribusiness*. 1999; 15(2):247–59.
628. Sheiham A, James WP. Diet and dental caries: the pivotal role of free sugars reemphasized. *J Dent Res*. 2015; 94(10):1341–7.
629. Kearns CE, Glantz SA, Schmidt LA. Sugar industry influence on the scientific agenda of the National Institute of Dental Research’s 1971 National Caries Program: a historical analysis of internal documents. *PLoS Med*. 2015; 12(3):e1001798.
630. Harrington M, Gibson S, Cottrell RC. A review and meta-analysis of the effect of weight loss on all-cause mortality risk. *Nutr Res Rev*. 2009; 22(1):93–108.
631. Global BMI Mortality Collaboration, Di Angelantonio E, Bhupathiraju SN, et al. Body-mass index and all-cause mortality: individual-participant-data meta-analysis of 239 prospective studies in four continents. *Lancet*. 2016; 388(10046):776–86.
632. Maffetone PB, Rivera-Dominguez I, Laursen PB. Overfat and underfat: new terms and definitions long overdue. *Front Public Health*. 2016; 4:279.
633. Maffetone PB, Laursen PB. The prevalence of overfat adults and children in the US. *Front Public Health*. 2017; 5:290.
634. JAMA Editorial Board. Sugar as food. *JAMA*. 1913; 61(7):492–3.
635. Stare F. Sugar is a cheap safe food. *Trends Biochem Sci*. 1976; 1(6):126–8.
636. Tappy L, Lê KA. Health effects of fructose and fructose-containing caloric sweeteners: where do we stand 10 years after the initial whistle blowings? *Curr Diab Rep*. 2015; 15(8):54.
637. Bowman SA, Clemens JC, Martin CL, Anand J, Steinfeldt LC, Moshfegh AJ. Added sugars intake of Americans: what we eat in America, NHANES 2013–2014. United States Department of Agriculture. Publicado en mayo, 2017. Disponible en: [https://www.ars.usda.gov/arsuserfiles/80400530/pdf/dbrief/18\\_added\\_sugars\\_intake\\_of\\_america\\_ns\\_2013-2014.pdf](https://www.ars.usda.gov/arsuserfiles/80400530/pdf/dbrief/18_added_sugars_intake_of_america_ns_2013-2014.pdf). Acceso: marzo, 31, 2019.

638. Rippe JM, Tappy L. Sweeteners and health: findings from recent research and their impact on obesity and related metabolic conditions. *Int J Obes (Lond)*. 2016; 40 Suppl 1:S1–5.
639. Lipton E. Rival industries sweet-talk the public. *New York Times*. Publicado en febrero, 11, 2014. Disponible en: <https://www.nytimes.com/2014/02/12/business/rival-industries-sweet-talk-the-public.html>. Acceso: marzo, 31, 2019.
640. Kahn R, Sievenpiper JL. Dietary sugar and body weight: have we reached a crisis in the epidemic of obesity and diabetes? We have, but the pox on sugar is overwrought and overworked. *Diabetes Care*. 2014; 37(4):957–62.
641. Scientific Advisory Committee on Nutrition. *Carbohydrates and Health*. United Kingdom: Stationery Office Ltd; 2015. Disponible en: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/445503/sacn\\_carbohydrates\\_and\\_health.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/445503/sacn_carbohydrates_and_health.pdf). Acceso: marzo, 31, 2019.
642. Rippe JM, Tappy L. Sweeteners and health: findings from recent research and their impact on obesity and related metabolic conditions. *Int J Obes (Lond)*. 2016; 40 Suppl 1:S1–5.
643. Sørensen LB, Raben A, Stender S, Astrup A. Effect of sucrose on inflammatory markers in overweight humans. *Am J Clin Nutr*. 2005; 82(2):421–7.
644. Te Morenga L, Mallard S, Mann J. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies. *BMJ*. 2012; 346:e7492.
645. EFSA Panel on Dietetic Products, Nutrition, and Allergies (NDA). Scientific opinion on Dietary Reference Values for carbohydrates and dietary fibre. *EFSA Journal*. 2010; 8(3):1–77.
646. Kuhnle GG, Tasevska N, Lentjes MA, et al. Association between sucrose intake and risk of overweight and obesity in a prospective sub-cohort of the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk). *Public Health Nutr*. 2015; 18(15):2815–24.
647. Kuhnle GG, Tasevska N, Lentjes MA, et al. Association between sucrose intake and risk of overweight and obesity in a prospective sub-cohort of the European Prospective Investigation into Cancer in Norfolk (EPIC-Norfolk). *Public Health Nutr*. 2015; 18(15):2815–24.
648. FDA approves new high-intensity sweetener sucralose. United States Food and Drug Administration. Publicado en abril, 1, 1998. Disponible en: [https://web.archive.org/web/20000818094111/http://www.fda.gov:80/bbs/topics/ANSWERS/AN\\_S00859.html](https://web.archive.org/web/20000818094111/http://www.fda.gov:80/bbs/topics/ANSWERS/AN_S00859.html). Acceso: abril, 1, 2019.
649. National Center for Biotechnology Information. Sucralose. PubChem, U.S. National Library of Medicine. Disponible en: <https://pubchem.ncbi.nlm.nih.gov/compound/71485>. Acceso: abril, 1, 2019.
650. Patel RM, Sarma R, Grimsley E. Popular sweetener sucralose as a migraine trigger. *Headache*. 2006; 46(8):1303–4.

651. Grotz V. Sucralose and migraine. *J Headache Pain*. 2007; 48(1):164–5.
652. Fowler SP. Low-calorie sweetener use and energy balance: results from experimental studies in animals, and large-scale prospective studies in humans. *Physiol Behav*. 2016; 164(Pt B):517–23.
653. Shearer J, Swithers SE. Artificial sweeteners and metabolic dysregulation: lessons learned from agriculture and the laboratory. *Rev Endocr Metab Disord*. 2016; 17(2):179–86.
654. Mandrioli D, Kearns CE, Bero LA. Relationship between research outcomes and risk of bias, study sponsorship, and author financial conflicts of interest in reviews of the effects of artificially sweetened beverages on weight outcomes: a systematic review of reviews. *PLoS ONE*. 2016; 11(9):e0162198.
655. Bes-Rastrollo M, Schulze M, Ruiz-Canela M, Martinez-Gonzalez M. Financial conflicts of interest and reporting bias regarding the association between sugar-sweetened beverages and weight gain: a systematic review of systematic reviews. *PLoS Med*. 2013; 10(12):e1001578.
656. Shearer J, Swithers SE. Artificial sweeteners and metabolic dysregulation: lessons learned from agriculture and the laboratory. *Rev Endocr Metab Disord*. 2016; 17(2):179–86.
657. Pearlman M, Obert J, Casey L. The association between artificial sweeteners and obesity. *Curr Gastroenterol Rep*. 2017; 19(12):64.
658. Shearer J, Swithers SE. Artificial sweeteners and metabolic dysregulation: lessons learned from agriculture and the laboratory. *Rev Endocr Metab Disord*. 2016; 17(2):179–86.
659. Pepino MY, Tiemann CD, Patterson BW, Wice BM, Klein S. Sucralose affects glycemic and hormonal responses to an oral glucose load. *Diabetes Care*. 2013; 36(9):2530–5.
660. Grotz V. Sucralose and migraine. *J Headache Pain*. 2007; 48(1):164–5.
661. Greenhill C. Gut microbiota: not so sweet—artificial sweeteners can cause glucose intolerance by affecting the gut microbiota. *Nat Rev Endocrinol*. 2014; 10(11):637.
662. Suez J, Korem T, Zilberman-Schapira G, Segal E, Elinav E. Non-caloric artificial sweeteners and the microbiome: findings and challenges. *Gut Microbes*. 2015; 6(2):149–55.
663. Suez J, Korem T, Zilberman-Schapira G, Segal E, Elinav E. Non-caloric artificial sweeteners and the microbiome: findings and challenges. *Gut Microbes*. 2015; 6(2):149–55.
664. Sylvetsky AC, Walter PJ, Garraffo HM, Robien K, Rother KI. Widespread sucralose exposure in a randomized clinical trial in healthy young adults. *Am J Clin Nutr*. 2017; 105(4):820–3.
665. Cantley LC. Cancer, metabolism, fructose, artificial sweeteners, and going cold turkey on sugar. *BMC Biol*. 2013; 12:8.

666. Hill SE, Prokosch ML, Morin A, Rodeheffer CD. The effect of non-caloric sweeteners on cognition, choice, and post-consumption satisfaction. *Appetite*. 2014; 83:82–8.
667. Van Opstal AM, Kaal I, Van den Berg-Huysmans AA, et al. Dietary sugars and non-caloric sweeteners elicit different homeostatic and hedonic responses in the brain. *Nutrition*. 2019; 60:80–6.
668. Tey SL, Salleh NB, Henry CJ, Forde CG. Effects of non-nutritive (artificial vs natural) sweeteners on 24-h glucose profiles. *Eur J Clin Nutr*. 2017; 71(9):1129–32.
669. Tey SL, Salleh NB, Henry J, Forde CG. Effects of aspartame-, monk fruit-, stevia-and sucrose-sweetened beverages on postprandial glucose, insulin and energy intake. *Int J Obes (Lond)*. 2017; 41(3):450–7.
670. Tey SL, Salleh NB, Henry J, Forde CG. Effects of aspartame-, monk fruit-, stevia-and sucrose-sweetened beverages on postprandial glucose, insulin and energy intake. *Int J Obes (Lond)*. 2017; 41(3):450–7.
671. Madjd A, Taylor MA, Delavari A, Malekzadeh R, MacDonald IA, Farshchi HR. Beneficial effects of replacing diet beverages with water on type 2 diabetic obese women following a hypo-energetic diet: a randomized, 24-week clinical trial. *Diabetes Obes Metab*. 2017; 19(1):125–32.
672. Madjd A, Taylor MA, Delavari A, Malekzadeh R, MacDonald IA, Farshchi HR. Effects on weight loss in adults of replacing diet beverages with water during a hypoenergetic diet: a randomized, 24-wk clinical trial. *Am J Clin Nutr*. 2015; 102(6):1305–12.
673. Suez J, Korem T, Zeevi D, et al. Artificial sweeteners induce glucose intolerance by altering the gut microbiota. *Nature*. 2014; 514(7521):181–6.
674. Malik VS, Willett WC, Hu FB. The Revised Nutrition Facts Label: a step forward and more room for improvement. *JAMA*. 2016; 316(6):583–4.
675. Ha V, Cozma AI, Choo VL, Mejia SB, de Souza RJ, Sievenpiper JL. Do fructose-containing sugars lead to adverse health consequences? Results of recent systematic reviews and meta-analyses. *Adv Nutr*. 2015; 6(4):504S–11S.
676. Purnell JQ, Fair DA. Fructose ingestion and cerebral, metabolic, and satiety responses. *JAMA*. 2013; 309(1):85–6.
677. Agricultural Research Service, United States Department of Agriculture. Basic report: 08013, cereals ready-to-eat, General Mills, Cheerios. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/08013>. Acceso: marzo, 31, 2019.
678. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45260354, Froot Loops, sweetened multi-grain cereal, UPC: 038000391255. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45260354>. Acceso: abril, 1, 2019.

679. Harris JL, Schwartz MB, Ustjanauskas A, Ohri-Vachaspati P, Brownell KD. Effects of serving high-sugar cereals on children's breakfast-eating behavior. *Pediatrics*. 2011; 127(1):71–6.
680. Harington K, Smeele R, Van Loon F, et al. Desire for sweet taste unchanged after eating: evidence of a dessert mentality? *J Am Coll Nutr*. 2016; 35(6):581–6.
681. Purnell JQ, Fair DA. Fructose ingestion and cerebral, metabolic, and satiety responses. *JAMA*. 2013; 309(1):85–6.
682. Harington K, Smeele R, Van Loon F, et al. Desire for sweet taste unchanged after eating: evidence of a dessert mentality? *J Am Coll Nutr*. 2016; 35(6):581–6.
683. Tappy L. What nutritional physiology tells us about diet, sugar and obesity. *Int J Obes (Lond)*. 2016; 40 Suppl 1:S28–9.
684. Roberto CA, Swinburn B, Hawkes C, et al. Patchy progress on obesity prevention: emerging examples, entrenched barriers, and new thinking. *Lancet*. 2015; 385(9985):2400–9.
685. Thow AM, Hawkes C. Global sugar guidelines: an opportunity to strengthen nutrition policy. *Public Health Nutr*. 2014; 17(10):2151–5.
686. Kessler DA. Toward more comprehensive food labeling. *N Engl J Med*. 2014; 371:193–5.
687. Tang DW, Fellows LK, Small DM, Dagher A. Food and drug cues activate similar brain regions: a meta-analysis of functional MRI studies. *Physiol Behav*. 2012; 106(3):317–24.
688. Tryon MS, Stanhope KL, Epel ES, et al. Excessive sugar consumption may be a difficult habit to break: a view from the brain and body. *J Clin Endocrinol Metab*. 2015; 100(6):2239–47.
689. Bray GA, Popkin BM. Dietary sugar and body weight: have we reached a crisis in the epidemic of obesity and diabetes? Health be damned! Pour on the sugar. *Diabetes Care*. 2014; 37(4):950–6.
690. Bowman SA, Clemens JC, Martin CL, et al. Added sugars intake of Americans: what we eat in America, NHANES 2013–2014. Food Surveys Research Group. Dietary Data Brief No. 18. Publicado en mayo, 2017. Disponible en: [https://www.ars.usda.gov/ARSUserFiles/80400530/pdf/DBrief/18\\_Added\\_Sugars\\_Intake\\_of\\_Americans\\_2013-2014.pdf](https://www.ars.usda.gov/ARSUserFiles/80400530/pdf/DBrief/18_Added_Sugars_Intake_of_Americans_2013-2014.pdf). Acceso: abril, 1, 2019.
691. Linos N, Bassett MT. Added sugar intake and public health. *JAMA*. 2015; 314(2):187.
692. United States Department of Health and Human Services and United States Department of Agriculture. *2015–2020 Dietary Guidelines for Americans. 8th Edition*. Publicado en diciembre, 2015. Available at: <http://health.gov/dietaryguidelines/2015/guidelines>. Acceso: marzo, 31, 2019.
693. Zhang Z, Gillespie C, Welsh JA, Hu FB, Yang Q. Usual intake of added sugars and lipid profiles among the U.S. adolescents: National Health and Nutrition Examination Survey, 2005–2010. *J Adolesc Health*. 2015; 56(3):352–9.

694. Sugar Association. RE: Docket No. FDA-2012-N-1210, March 3, 2014, proposed rule, food labeling: revision of the Nutrition and Supplement Facts Label. Publicado en julio, 31, 2014. Disponible en: <https://web.archive.org/web/20170504162332/http://www.sugar.org/wp-content/uploads/2014/07/7-31-14-NFP-Comments-re-Sugar-Association-Docket-No-FDA-2012-N-12102.pdf>. Acceso: abril, 1, 2019.
695. Anderson AS. Sugars and health—risk assessment to risk management. *Public Health Nutr.* 2014; 17(10):2148–50.
696. Johnson RK, Appel LJ, Brands M, et al. Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. *Circulation.* 2009; 120(11):1011–20.
697. Centers for Disease Control and Prevention. Intake of calories and selected nutrients for the United States population, 1999–2000. United States Department of Health and Human Services. Disponible en: <https://www.cdc.gov/nchs/data/nhanes/databriefs/calories.pdf>. Acceso: abril, 1, 2019.
698. Johnson RK, Appel LJ, Brands M, et al. Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. *Circulation.* 2009; 120(11):1011–20.
699. Rippe JM, Sievenpiper JL, Lê KA, White JS, Clemens R, Angelopoulos TJ. What is the appropriate upper limit for added sugars consumption? *Nutr Rev.* 2017; 75(1):18–36.
700. Vos MB, Kaar JL, Welsh JA, et al. Added sugars and cardiovascular disease risk in children: a scientific statement from the American Heart Association. *Circulation.* 2017; 135(19):e1017–34.
701. Siega-Riz AM, Deming DM, Reidy KC, Fox MK, Condon E, Briefel RR. Food consumption patterns of infants and toddlers: where are we now? *J Am Diet Assoc.* 2010; 110(12 Suppl):S38–51.
702. Albertson AM, Thompson DR, Franko DL, Holschuh NM. Weight indicators and nutrient intake in children and adolescents do not vary by sugar content in ready-to-eat cereal: results from National Health and Nutrition Examination Survey 2001–2006. *Nutr Res.* 2011; 31(3):229–36.
703. United States Department of Agriculture. SuperTracker. 2018. Disponible en: <https://web.archive.org/web/20180329114134/https://www.supertracker.usda.gov/foodapedia.aspx>. Acceso: abril, 1, 2019.
704. Harris JL, Schwartz MB, Brownell KD, et al. Cereal FACTS 2012: limited progress in the nutrition quality and marketing of children’s cereals. Rudd Center for Food Policy & Obesity. Publicado en junio, 2012. Disponible en: [http://www.cerealfacts.org/media/cereal\\_facts\\_report\\_2012\\_7.12.pdf](http://www.cerealfacts.org/media/cereal_facts_report_2012_7.12.pdf). Acceso: abril, 1, 2019.
705. Undurraga D, Naidenko O, Sharp R. Children’s cereals: sugar by the pound. Washington, D.C.: Environmental Working Group; 2014. Disponible en: <https://static.ewg.org/reports/2014/cereals/pdf/2014-EWG-Cereals-Report.pdf>. Acceso: abril, 1, 2019.

706. Rippe JM, Sievenpiper JL, Lê KA, White JS, Clemens R, Angelopoulos TJ. What is the appropriate upper limit for added sugars consumption? *Nutr Rev*. 2017; 75(1):18–36.
707. Evans CEL. Sugars and health: a review of current evidence and future policy. *Proc Nutr Soc*. 2017; 76(3):400–7.
708. Guideline: sugars intake for adults and children. Geneva: World Health Organization. 2015; 1–49. Disponible en: [https://apps.who.int/iris/bitstream/handle/10665/149782/9789241549028\\_eng.pdf](https://apps.who.int/iris/bitstream/handle/10665/149782/9789241549028_eng.pdf). Acceso: abril, 1, 2019.
709. Thow AM, Hawkes C. Global sugar guidelines: an opportunity to strengthen nutrition policy. *Public Health Nutr*. 2014; 17(10):2151–5.
710. Agricultural Research Service, United States Department of Agriculture. Basic report: 14148, beverages, carbonated, cola, regular. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/14148>. Acceso: marzo, 31, 2019.
711. Madero M, Arriaga JC, Jalal D, et al. The effect of two energy-restricted diets, a low-fructose diet versus a moderate natural fructose diet, on weight loss and metabolic syndrome parameters: a randomized controlled trial. *Metab Clin Exp*. 2011; 60(11):1551–9.
712. Bartolotto C. Does consuming sugar and artificial sweeteners change taste preferences? *Perm J*. 2015; 19(3):81–4.
713. Ott V, Finlayson G, Lehnert H, et al. Oxytocin reduces reward-driven food intake in humans. *Diabetes*. 2013; 62(10):3418–25.
714. Volkow ND, Wang GJ, Baler RD. Reward, dopamine and the control of food intake: implications for obesity. *Trends Cogn Sci (Regul Ed)*. 2011; 15(1):37–46.
715. Szczypka MS, Kwok K, Brot MD, et al. Dopamine production in the caudate putamen restores feeding in dopamine-deficient mice. *Neuron*. 2001; 30(3):819–28.
716. Small DM, Jones-Gotman M, Dagher A. Feeding-induced dopamine release in dorsal striatum correlates with meal pleasantness ratings in healthy human volunteers. *Neuroimage*. 2003; 19(4):1709–15.
717. Janssen HG, Davies IG, Richardson LD, Stevenson L. Determinants of takeaway and fast food consumption: a narrative review. *Nutr Res Rev*. 2018; 31(1):16–34.
718. Erlanson-Albertsson C. How palatable food disrupts appetite regulation. *Basic Clin Pharmacol Toxicol*. 2005; 97(2):61–73.
719. Bragulat V, Dziedzic M, Bruno C, et al. Food-related odor probes of brain reward circuits during hunger: a pilot fMRI study. *Obesity (Silver Spring)*. 2010; 18(8):1566–71.
720. Nesse RM, Berridge KC. Psychoactive drug use in evolutionary perspective. *Science*. 1997; 278(5335):63–6.

721. Meule A. Back by popular demand: a narrative review on the history of food addiction research. *Yale J Biol Med.* 2015; 88(3):295–302.
722. Lenoir M, Serre F, Cantin L, Ahmed SH. Intense sweetness surpasses cocaine reward. *PLoS ONE.* 2007; 2(8):e698.
723. Dillehay TD, Rossen J, Ugent D, Karathanasis A, Vásquez V, Netherly P. Early Holocene coca chewing in northern Peru. *Antiquity.* 2010; 84(326):939–53.
724. Weil AT. Coca leaf as a therapeutic agent. *Am J Drug Alcohol Abuse.* 1978; 5(1):75–86.
725. Ifland JR, Preuss HG, Marcus MT, et al. Refined food addiction: a classic substance use disorder. *Med Hypotheses.* 2009; 72(5):518–26.
726. Belkova J, Rozkot M, Danek P, Klein P, Matonohova J, Podhorna I. Sugar and nutritional extremism. *Crit Rev Food Sci Nutr.* 2017; 57(5):933–6.
727. DiNicolantonio JJ, O’Keefe JH, Wilson WL. Sugar addiction: is it real? A narrative review. *Br J Sports Med.* 2018; 52(14):910–3.
728. Lenoir M, Serre F, Cantin L, Ahmed SH. Intense sweetness surpasses cocaine reward. *PLoS ONE.* 2007; 2(8):e698.
729. Gearhardt AN, Davis C, Kushner R, Brownell KD. The addiction potential of hyperpalatable foods. *Curr Drug Abuse Rev.* 2011; 4(3):140–5.
730. Stice E, Figlewicz DP, Gosnell BA, Levine AS, Pratt WE. The contribution of brain reward circuits to the obesity epidemic. *Neurosci Biobehav Rev.* 2013; 37(9 Pt A):2047–58.
731. Ifland J, Preuss HG, Marcus MT, Rourke KM, Taylor W, Wright HT. Clearing the confusion around processed food addiction. *J Am Coll Nutr.* 2015; 34(3):240–3.
732. Yeomans MR, Gray RW. Selective effects of naltrexone on food pleasantness and intake. *Physiol Behav.* 1996; 60(2):439–46.
733. Bertino M, Beauchamp GK, Engelman K. Naltrexone, an opioid blocker, alters taste perception and nutrient intake in humans. *Am J Physiol.* 1991; 261(1 Pt 2):R59–63.
734. Eikemo M, Løseth GE, Johnstone T, Gjerstad J, Willoch F, Leknes S. Sweet taste pleasantness is modulated by morphine and naltrexone. *Psychopharmacology (Berl).* 2016; 233(21-22):3711–23.
735. Trenchard E, Silverstone T. Naloxone reduces the food intake of normal human volunteers. *Appetite.* 1983; 4(1):43–50.
736. Spiegel TA, Stunkard AJ, Shrager EE, O’Brien CP, Morrison MF, Stellar E. Effect of naltrexone on food intake, hunger, and satiety in obese men. *Physiol Behav.* 1987; 40(2):135–41.
737. Volkow ND, Wang GJ, Baler RD. Reward, dopamine and the control of food intake: implications for obesity. *Trends Cogn Sci (Regul Ed).* 2011; 15(1):37–46.

738. Harrison D, Bueno M, Yamada J, Adams-Webber T, Stevens B. Analgesic effects of sweet-tasting solutions for infants: current state of equipoise. *Pediatrics*. 2010; 126(5):894–902.
739. Stevens B, Yamada J, Lee GY, Ohlsson A. Sucrose for analgesia in newborn infants undergoing painful procedures. *Cochrane Database Syst Rev*. 2013; (1):CD001069.
740. Frank S, Linder K, Kullmann S, et al. Fat intake modulates cerebral blood flow in homeostatic and gustatory brain areas in humans. *Am J Clin Nutr*. 2012; 95(6):1342–9.
741. Smeets PA, de Graaf C, Stafleu A, van Osch MJ, van der Grond J. Functional MRI of human hypothalamic responses following glucose ingestion. *Neuroimage*. 2005; 24(2):363–8.
742. Lemeshow AR, Rimm EB, Hasin DS, et al. Food and beverage consumption and food addiction among women in the Nurses' Health Studies. *Appetite*. 2018; 121:186–97.
743. Yanovski S. Sugar and fat: cravings and aversions. *J Nutr*. 2003; 133(3):835S–7S.
744. Ambrosini GL, Johns DJ, Northstone K, Emmett PM, Jebb SA. Free sugars and total fat are important characteristics of a dietary pattern associated with adiposity across childhood and adolescence. *J Nutr*. 2016; 146(4):778–84.
745. Drewnowski A. Why do we like fat? *J Am Diet Assoc*. 1997; 97(7 Suppl):S58–62.
746. Drewnowski A. Why do we like fat? *J Am Diet Assoc*. 1997; 97(7 Suppl):S58–62.
747. Ambrosini GL, Johns DJ, Northstone K, Emmett PM, Jebb SA. Free sugars and total fat are important characteristics of a dietary pattern associated with adiposity across childhood and adolescence. *J Nutr*. 2016; 146(4):778–84.
748. Stinson EJ, Piaggi P, Ibrahim M, Venti C, Krakoff J, Votruba SB. High fat and sugar consumption during ad libitum intake predicts weight gain. *Obesity (Silver Spring)*. 2018; 26(4):689–95.
749. Schulte EM, Avena NM, Gearhardt AN. Which foods may be addictive? The roles of processing, fat content, and glycemic load. *PLoS ONE*. 2015; 10(2):e0117959.
750. Katona SJ. The Baby Food Hypothesis: an explanation why high fat high sugar (HFHS) mixtures are so addictive, providing novel treatment strategies to control appetite in obesity and anorexia. *Med Hypotheses*. 2016; 88:33.
751. Schulte EM, Avena NM, Gearhardt AN. Which foods may be addictive? The roles of processing, fat content, and glycemic load. *PLoS ONE*. 2015; 10(2):e0117959.
752. Schulte EM, Avena NM, Gearhardt AN. Which foods may be addictive? The roles of processing, fat content, and glycemic load. *PLoS ONE*. 2015; 10(2):e0117959.

753. Schulte EM, Avena NM, Gearhardt AN. Which foods may be addictive? The roles of processing, fat content, and glycemic load. *PLoS ONE*. 2015; 10(2):e0117959.
754. Hall KD, Ayuketah A, Brychta R, et al. Ultra-processed diets cause excess calorie intake and weight gain: an inpatient randomized controlled trial of ad libitum food intake. *Cell Metab*. 2019; 30(1):67–77.
755. Roberto CA, Swinburn B, Hawkes C, et al. Patchy progress on obesity prevention: emerging examples, entrenched barriers, and new thinking. *Lancet*. 2015; 385(9985):2400–9.
756. Roberto CA, Swinburn B, Hawkes C, et al. Patchy progress on obesity prevention: emerging examples, entrenched barriers, and new thinking. *Lancet*. 2015; 385(9985):2400–9.
757. Tri-County Cessation Center. Cigarette ingredients. New York State Department of Health Tobacco Control Program. Disponible en: <https://web.archive.org/web/20160121165220/http://www.tricountycessation.org/tobaccofacts/Cigarette-Ingredients.html>. Acceso: abril, 1, 2019.
758. Cocores JA, Gold MS. The Salted Food Addiction Hypothesis may explain overeating and the obesity epidemic. *Med Hypotheses*. 2009; 73(6):892–9.
759. Harnack LJ, Cogswell ME, Shikany JM, et al. Sources of sodium in US adults from 3 geographic regions. *Circulation*. 2017; 135(19):1775–83.
760. Beck M. Dinner preparation in the modern United States. *Br Food J*. 2007; 109(7):531–47.
761. Kant AK, Whitley MI, Graubard BI. Away from home meals: associations with biomarkers of chronic disease and dietary intake in American adults, NHANES 2005–2010. *Int J Obes (Lond)*. 2015; 39(5):820–7.
762. An R. Fast-food and full-service restaurant consumption and daily energy and nutrient intakes in US adults. *Eur J Clin Nutr*. 2016; 70(1):97–103.
763. Kant AK, Whitley MI, Graubard BI. Away from home meals: associations with biomarkers of chronic disease and dietary intake in American adults, NHANES 2005–2010. *Int J Obes (Lond)*. 2015; 39(5):820–7.
764. Shaath T, Fischer R, Goeser M, Rajpara A, Aires D. Scurvy in the present times: vitamin C allergy leading to strict fast food diet. *Dermatol Online J*. 2016; 22(1).
765. Urban LE, Roberts SB, Fierstein JL, Gary CE, Lichtenstein AH. Sodium, saturated fat, and *trans* fat content per 1,000 kilocalories: temporal trends in fast-food restaurants, United States, 2000–2013. *Prev Chronic Dis*. 2014; 11:E228.
766. Nago ES, Lachat CK, Dossa RA, Kolsteren PW. Association of out-of-home eating with anthropometric changes: a systematic review of prospective studies. *Crit Rev Food Sci Nutr*. 2014; 54(9):1103–16.
767. Close MA, Lytle LA, Viera AJ. Is frequency of fast food and sit-down restaurant eating occasions differentially associated with less healthful eating habits? *Prev Med Rep*. 2016; 4:574–7.

768. Ebbeling CB, Garcia-Lago E, Leidig MM, Seger-Shippe LG, Feldman HA, Ludwig DS. Altering portion sizes and eating rate to attenuate gorging during a fast food meal: effects on energy intake. *Pediatrics*. 2007; 119(5):869–75.
769. Ebbeling CB, Sinclair KB, Pereira MA, Garcia-Lago E, Feldman HA, Ludwig DS. Compensation for energy intake from fast food among overweight and lean adolescents. *JAMA*. 2004; 291(23):2828–33.
770. Ebbeling CB, Garcia-Lago E, Leidig MM, Seger-Shippe LG, Feldman HA, Ludwig DS. Altering portion sizes and eating rate to attenuate gorging during a fast food meal: effects on energy intake. *Pediatrics*. 2007; 119(5):869–75.
771. Grow HM, Schwartz MB. Food marketing to youth: serious business. *JAMA*. 2014; 312(18):1918–9.
772. Flint SW. Infecting academic conferences: brands linked to ill health. *Lancet Glob Health*. 2015; 3(5):e259.
773. Keast RS, Sayompark D, Sacks G, Swinburn BA, Riddell LJ. The influence of caffeine on energy content of sugar-sweetened beverages: «the caffeine-calorie effect.» *Eur J Clin Nutr*. 2011; 65(12):1338–44.
774. Keast RS, Riddell LJ. Caffeine as a flavor additive in soft-drinks. *Appetite*. 2007; 49(1):255–9.
775. James JE. Dietary caffeine: «unnatural» exposure requiring precaution? *J Subst Use*. 2014; 19(5):394–7.
776. Griffiths RR, Woodson PP. Reinforcing effects of caffeine in humans. *J Pharmacol Exp Ther*. 1988; 246(1):21–9.
777. Yeomans MR, Jackson A, Lee MD, et al. Acquisition and extinction of flavour preferences conditioned by caffeine in humans. *Appetite*. 2000; 35(2):131–41.
778. James JE. Dietary caffeine: «unnatural» exposure requiring precaution? *J Subst Use*. 2014; 19(5):394–7.
779. Temple JL. Caffeine use in children: what we know, what we have left to learn, and why we should worry. *Neurosci Biobehav Rev*. 2009; 33(6):793–806.
780. Morin JP, Rodríguez-Durán LF, Guzmán-Ramos K, et al. Palatable hypercaloric foods impact on neuronal plasticity. *Front Behav Neurosci*. 2017; 11:19.
781. Abe S, Nishino S, Kanaya T, Inoue T. Yummy food is made from fat and sugar. *Circ J*. 2017; 81(8):1100–1.
782. Erlanson-Albertsson C. How palatable food disrupts appetite regulation. *Basic Clin Pharmacol Toxicol*. 2005; 97(2):61–73.
783. Anguah KO, Lovejoy JC, Craig BA, et al. Can the palatability of healthy, satiety-promoting foods increase with repeated exposure during weight loss? *Foods*. 2017; 6(2):16.
784. Blais CA, Pangborn RM, Borhani NO, et al. Effect of dietary sodium restriction on taste responses to sodium chloride: a longitudinal study. *Am J Clin Nutr*. 1986; 44(2):232–43.

785. DiPatrizio NV. Is fat taste ready for primetime? *Physiol Behav.* 2014; 136:145–54.
786. Grieve FG, Vander Weg MW. Desire to eat high-and low-fat foods following a low-fat dietary intervention. *J Nutr Educ Behav.* 2003; 35(2):98–102.
787. Stewart JE, Newman LP, Keast RS. Oral sensitivity to oleic acid is associated with fat intake and body mass index. *Clin Nutr.* 2011; 30(6):838–44.
788. Bolhuis DP, Newman LP, Keast RS. Effects of salt and fat combinations on taste preference and perception. *Chem Senses.* 2016; 41(3):189–95.
789. Beidler LM, Smallman RL. Renewal of cells within taste buds. *J Cell Biol.* 1965; 27(2):263–72.
790. Barlow P, Serôdio P, Ruskin G, McKee M, Stuckler D. Science organisations and Coca-Cola's «war» with the public health community: insights from an internal industry document. *J Epidemiol Community Health.* 2018; 72(9):761–3.
791. Westerterp KR, Speakman JR. Physical activity energy expenditure has not declined since the 1980s and matches energy expenditures of wild mammals. *Int J Obes (Lond).* 2008; 32(8):1256–63.
792. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
793. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
794. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
795. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
796. Hall KD, Guo J, Dore M, Chow CC. The progressive increase of food waste in America and its environmental impact. *PLoS ONE.* 2009; 4(11):e7940.
797. Swinburn B, Sacks G, Ravussin E. Increased food energy supply is more than sufficient to explain the US epidemic of obesity. *Am J Clin Nutr.* 2009; 90(6):1453–6.
798. Nielsen SJ, Popkin BM. Patterns and trends in food portion sizes, 1977–1998. *JAMA.* 2003; 289(4):450–3.
799. Wansink B, Park SB. At the movies: how external cues and perceived taste impact consumption volume. *Food Quality and Preference.* 2001; 12:69–74. Note: The legitimacy of Brian Wansink's research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
800. Lieberman LS. Evolutionary and anthropological perspectives on optimal foraging in obesogenic environments. *Appetite.* 2006; 47(1):3–9.
801. Duffey KJ, Popkin BM. Energy density, portion size, and eating occasions: contributions to increased energy intake in the United States, 1977–2006. *PLoS Med.* 2011; 8(6):e1001050.

802. Rolls BJ, Roe LS, Meengs JS. Reductions in portion size and energy density of foods are additive and lead to sustained decreases in energy intake. *Am J Clin Nutr.* 2006; 83(1):11–7.
803. Williams RA, Roe LS, Rolls BJ. Assessment of satiety depends on the energy density and portion size of the test meal. *Obesity (Silver Spring).* 2014; 22(2):318–24.
804. Westerterp-Plantenga MS, Pasman WJ, Yedema MJ, Wijckmans-Duijsens NE. Energy intake adaptation of food intake to extreme energy densities of food by obese and non-obese women. *Eur J Clin Nutr.* 1996; 50(6):401–7.
805. Agricultural Research Service, United States Department of Agriculture. Basic report: 04053, oil, olive, salad or cooking. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/04053>. Acceso: abril, 1, 2019.
806. Agricultural Research Service, United States Department of Agriculture. Basic report: 09042, blackberries, raw. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/301063>. Acceso: abril, 1, 2019.
807. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45059273, cherry tomatoes, UPC: 854693000447. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45059273>. Acceso: abril, 1, 2019.
808. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45156418, Jelly Belly, jelly beans, UPC: 071567997157. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45156418>. Acceso: abril, 1, 2019.
809. Agricultural Research Service, United States Department of Agriculture. Basic report: 11674, potatoes, baked, flesh and skin, without salt. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/11674>. Acceso: abril, 1, 2019.
810. Agricultural Research Service, United States Department of Agriculture. Basic report: 21238, McDonald's, french fries. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/305473>. Acceso: abril, 1, 2019.
811. Ebbeling CB, Garcia-Lago E, Leidig MM, Seger-Shippe LG, Feldman HA, Ludwig DS. Altering portion sizes and eating rate to attenuate gorging during a fast food meal: effects on energy intake. *Pediatrics.* 2007; 119(5):869–75.
812. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45184791, ice cream strawberries & cream, UPC: 079893092959. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45184791>. Acceso: abril, 1, 2019.
813. Agricultural Research Service, United States Department of Agriculture. Basic report: 09316, strawberries, raw. National Nutrient Database for Standard Reference

- Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/301283>. Acceso: abril, 1, 2019.
814. Agricultural Research Service, United States Department of Agriculture. Basic report: 11477, squash, summer, zucchini, includes skin, raw. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/302072>. Acceso: abril, 1, 2019.
815. Agricultural Research Service, United States Department of Agriculture. Basic report: 11206, cucumber, peeled, raw. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/11206>. Acceso: abril, 1, 2019.
816. Agricultural Research Service, United States Department of Agriculture. Basic report: 11233, kale, raw. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/301876>. Acceso: abril, 1, 2019.
817. Welch RW. Satiety: have we neglected dietary non-nutrients? *Proc Nutr Soc.* 2011; 70(2):145–54.
818. Ledikwe JH, Blanck HM, Kettel Khan L, et al. Dietary energy density is associated with energy intake and weight status in US adults. *Am J Clin Nutr.* 2006; 83(6):1362–8.
819. Ledikwe JH, Blanck HM, Kettel Khan L, et al. Dietary energy density is associated with energy intake and weight status in US adults. *Am J Clin Nutr.* 2006; 83(6):1362–8.
820. Rolls BJ. Plenary lecture 1: dietary strategies for the prevention and treatment of obesity. *Proc Nutr Soc.* 2010; 69(1):70–9.
821. Prentice AM, Jebb SA. Fast foods, energy density and obesity: a possible mechanistic link. *Obes Rev.* 2003; 4(4):187–94.
822. Ebbeling CB, Sinclair KB, Pereira MA, Garcia-Lago E, Feldman HA, Ludwig DS. Compensation for energy intake from fast food among overweight and lean adolescents. *JAMA.* 2004; 291(23):2828–33.
823. Stender S, Dyerberg J, Astrup A. Fast food: unfriendly and unhealthy. *Int J Obes (Lond).* 2007; 31(6):887–90.
824. Prentice AM, Jebb SA. Fast foods, energy density and obesity: a possible mechanistic link. *Obes Rev.* 2003; 4(4):187–94.
825. English LK, Fearnbach SN, Wilson SJ, et al. Food portion size and energy density evoke different patterns of brain activation in children. *Am J Clin Nutr.* 2017; 105(2):295–305.
826. Bailey RL. Modern foraging: presence of food and energy density influence motivational processing of food advertisements. *Appetite.* 2016; 107:568–74.
827. Hendry CJK. How much food does man require? New insights. *Nutr Bull.* 2012; 37(3):241–6.

828. Jenkins DJ, Kendall CW. The garden of Eden: plant-based diets, the genetic drive to store fat and conserve cholesterol, and implications for epidemiology in the 21st century. *Epidemiology*. 2006; 17(2):128–30.
829. Pérez-Escamilla R, Obbagy JE, Altman JM, et al. Dietary energy density and body weight in adults and children: a systematic review. *J Acad Nutr Diet*. 2012; 112(5):671–84.
830. Rolls BJ, Roe LS. Effect of the volume of liquid food infused intragastrically on satiety in women. *Physiol Behav*. 2002; 76(4–5):623–31.
831. Duncan KH, Bacon JA, Weinsier RL. The effects of high and low energy density diets on satiety, energy intake, and eating time of obese and nonobese subjects. *Am J Clin Nutr*. 1983; 37(5):763–7.
832. Pérez-Escamilla R, Obbagy JE, Altman JM, et al. Dietary energy density and body weight in adults and children: a systematic review. *J Acad Nutr Diet*. 2012; 112(5):671–84.
833. Ledikwe JH, Blanck HM, Kettel Khan LK, et al. Low-energy-density diets are associated with high diet quality in adults in the United States. *J Am Diet Assoc*. 2006; 106(8):1172–80.
834. Heymsfield SB. Meal replacements and energy balance. *Physiol Behav*. 2010; 100(1):90–4.
835. Wadden TA, Foster GD, Sarwer DB, et al. Dieting and the development of eating disorders in obese women: results of a randomized controlled trial. *Am J Clin Nutr*. 2004; 80(3):560–8.
836. Lowe MR, Butryn ML, Thomas JG, Coletta M. Meal replacements, reduced energy density eating, and weight loss maintenance in primary care patients: a randomized controlled trial. *Obesity (Silver Spring)*. 2014; 22(1):94–100.
837. Shintani TT, Hughes CK, Beckham S, O'Connor HK. Obesity and cardiovascular risk intervention through the ad libitum feeding of traditional Hawaiian diet. *Am J Clin Nutr*. 1991; 53(6 Suppl):1647S–51.
838. Grunwald GK, Seagle HM, Peters JC, Hill JO. Quantifying and separating the effects of macronutrient composition and non-macronutrients on energy density. *Br J Nutr*. 2001; 86(2):265–76.
839. Stubbs RJ, Harbron CG, Murgatroyd PR, Prentice AM. Covert manipulation of dietary fat and energy density: effect on substrate flux and food intake in men eating ad libitum. *Am J Clin Nutr*. 1995; 62(2):316–29.
840. Agricultural Research Service, United States Department of Agriculture. Food composition databases show nutrients list. Disponible en: <https://ndb.nal.usda.gov/ndb/nutrients/report/nutrientsfrm?max=25&offset=0&totalCount=0&nutrient1=208&nutrient2=&fg=4&subset=0&sort=f&measureby=g>. Acceso: abril, 1, 2019.
841. Agricultural Research Service, United States Department of Agriculture. Basic report: 01001, butter, salted. National Nutrient Database for Standard

- Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/299278>. Acceso: abril, 1, 2019.
842. Esposito K, Kastorini CM, Panagiotakos DB, Giugliano D. Mediterranean diet and weight loss: meta-analysis of randomized controlled trials. *Metab Syndr Relat Disord*. 2011; 9(1):1–12.
843. Bes-Rastrollo M, Sánchez-Villegas A, de la Fuente C, de Irala J, Martínez JA, Martínez-González MA. Olive oil consumption and weight change: the SUN prospective cohort study. *Lipids*. 2006; 41(3):249–56.
844. Benítez-Arciniega AD, Gómez-Ulloa D, Vila A, et al. Olive oil consumption, BMI, and risk of obesity in Spanish adults. *Obes Facts*. 2012; 5(1):52–9.
845. Bautista-Castaño I, Sánchez-Villegas A, Estruch R, et al. Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk. *Br J Nutr*. 2013; 110(2):337–46.
846. Stubbs RJ, Harbron CG, Murgatroyd PR, Prentice AM. Covert manipulation of dietary fat and energy density: effect on substrate flux and food intake in men eating ad libitum. *Am J Clin Nutr*. 1995; 62(2):316–29.
847. Prentice AM. Manipulation of dietary fat and energy density and subsequent effects on substrate flux and food intake. *Am J Clin Nutr*. 1998; 67(3 Suppl):535S–41S.
848. La Fontaine HA, Crowe TC, Swinburn BA, Gibbons CJ. Two important exceptions to the relationship between energy density and fat content: foods with reduced-fat claims and high-fat vegetable-based dishes. *Public Health Nutr*. 2004; 7(4):563–8.
849. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45317499, Devil’s Food Cookie Cakes, UPC: 819898019342. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45317499>. Acceso: abril, 1, 2019.
850. Agricultural Research Service, United States Department of Agriculture. Basic report: 18245, danish pastry, cheese. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/304541>. Acceso: abril, 1, 2019.
851. La Fontaine HA, Crowe TC, Swinburn BA, Gibbons CJ. Two important exceptions to the relationship between energy density and fat content: foods with reduced-fat claims and high-fat vegetable-based dishes. *Public Health Nutr*. 2004; 7(4):563–8.
852. Zhu Y, Hollis JH. Soup consumption is associated with a lower dietary energy density and a better diet quality in US adults. *Br J Nutr*. 2014; 111(8):1474–80.
853. Rolls BJ, Roe LS, Beach AM, Kris-Etherton PM. Provision of foods differing in energy density affects long-term weight loss. *Obes Res*. 2005; 13(6):1052–60.
854. Campbell’s® low sodium soups. Ready to serve low sodium chicken broth. Campbells.com. Disponible en: <https://www.campbells.com/campbell-soup/campbells-low-sodium-soups/ready-to-serve-low-sodium-chicken-broth>. Acceso: marzo, 31, 2019.

855. Smethers AD, Rolls BJ. Dietary management of obesity: cornerstones of healthy eating patterns. *Med Clin North Am.* 2018; 102(1):107–24.
856. Drewnowski A, Almiron-Roig E, Marmonier C, Lluch A. Dietary energy density and body weight: is there a relationship? *Nutr Rev.* 2004; 62(11):403–13.
857. Agricultural Research Service, United States Department of Agriculture. Food composition databases show nutrients list. Disponible en: <https://ndb.nal.usda.gov/ndb/nutrients/report/nutrientsfrm?max=25&offset=0&totCount=0&nutrient1=208&nutrient2=&fg=4&subset=0&sort=f&measureby=g>. Acceso: abril, 1, 2019.
858. Robson AA. Food nanotechnology: water is the key to lowering the energy density of processed foods. *Nutr Health.* 2011; 20(3–4):231–6.
859. Spill MK, Birch LL, Roe LS, Rolls BJ. Hiding vegetables to reduce energy density: an effective strategy to increase children’s vegetable intake and reduce energy intake. *Am J Clin Nutr.* 2011; 94(3):735–41.
860. Spill MK, Birch LL, Roe LS, Rolls BJ. Hiding vegetables to reduce energy density: an effective strategy to increase children’s vegetable intake and reduce energy intake. *Am J Clin Nutr.* 2011; 94(3):735–41.
861. Cooke L. The importance of exposure for healthy eating in childhood: a review. *J Hum Nutr Diet.* 2007; 20(4):294–301.
862. Pescud M, Pettigrew S. Parents’ experiences with hiding vegetables as a strategy for improving children’s diets. *BFJ.* 2014; 116(12):1853–63.
863. Blatt AD, Roe LS, Rolls BJ. Hidden vegetables: an effective strategy to reduce energy intake and increase vegetable intake in adults. *Am J Clin Nutr.* 2011; 93(4):756–63.
864. Katan MB, Ludwig DS. Extra calories cause weight gain—but how much? *JAMA.* 2010; 303(1):65–6.
865. Ello-Martin JA, Roe LS, Ledikwe JH, Beach AM, Rolls BJ. Dietary energy density in the treatment of obesity: a year-long trial comparing 2 weight-loss diets. *Am J Clin Nutr.* 2007; 85(6):1465–77.
866. Chang UJ, Hong YH, Suh HJ, Jung EY. Lowering the energy density of parboiled rice by adding water-rich vegetables can decrease total energy intake in a parboiled rice-based diet without reducing satiety on healthy women. *Appetite.* 2010; 55(2):338–42.
867. Leahy KE, Birch LL, Fisher JO, Rolls BJ. Reductions in entrée energy density increase children’s vegetable intake and reduce energy intake. *Obesity (Silver Spring).* 2008; 16(7):1559– 65.
868. Agricultural Research Service, United States Department of Agriculture. Basic report: 11260, mushrooms, white, raw. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/301902>. Acceso: abril, 1, 2019.

869. Cheskin LJ, Davis LM, Lipsky LM, et al. Lack of energy compensation over 4 days when white button mushrooms are substituted for beef. *Appetite*. 2008; 51(1):50–7.
870. Poddar KH, Ames M, Hsin-Jen C, Feeney MJ, Wang Y, Cheskin LJ. Positive effect of mushrooms substituted for meat on body weight, body composition, and health parameters. A 1-year randomized clinical trial. *Appetite*. 2013; 71:379–87.
871. Agricultural Research Service, United States Department of Agriculture. Basic report: 11179, corn, sweet, yellow, frozen, kernels cut off cob, boiled, drained, without salt. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/301833>. Acceso: abril, 1, 2019.
872. Agricultural Research Service, United States Department of Agriculture. Basic report: 19034, snacks, popcorn, air-popped. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/304810>. Acceso: abril, 1, 2019.
873. Nguyen V, Cooper L, Lowndes J, et al. Popcorn is more satiating than potato chips in normal-weight adults. *Nutr J*. 2012; 11:71.
874. Osterholt KM, Roe LS, Rolls BJ. Incorporation of air into a snack food reduces energy intake. *Appetite*. 2007; 48(3):351–8.
875. Cheetos® Crunchy cheese flavored snacks. Nutrition facts. FritoLay.com. Disponible en: <https://www.fritolay.com/snacks/product-page/cheetos>. Acceso: marzo, 31, 2019.
876. Cheetos® Puffs cheese flavored snacks. Nutrition facts. FritoLay.com. Disponible en: <https://www.fritolay.com/snacks/product-page/cheetos>. Acceso: marzo, 31, 2019.
877. Rolls BJ, Meengs JS, Roe LS. Variations in cereal volume affect the amount selected and eaten for breakfast. *J Acad Nutr Diet*. 2014; 114(9):1411–6.
878. Bell EA, Rolls BJ. Energy density of foods affects energy intake across multiple levels of fat content in lean and obese women. *Am J Clin Nutr*. 2001; 73(6):1010–8.
879. Welch RW. Satiety: have we neglected dietary non-nutrients? *Proc Nutr Soc*. 2011; 70(2):145–54.
880. De Oliveira MC, Sichieri R, Venturim Mozzar R. A low-energy-dense diet adding fruit reduces weight and energy intake in women. *Appetite*. 2008; 51(2):291–5.
881. Williams RA, Roe LS, Rolls BJ. Comparison of three methods to reduce energy density. Effects on daily energy intake. *Appetite*. 2013; 66:75–83.
882. Obbagy JE, Condrasky MD, Roe LS, Sharp JL, Rolls BJ. Chefs' opinions about reducing the calorie content of menu items in restaurants. *Obesity (Silver Spring)*. 2011; 19(2):332–7.
883. Fraser GE, Shavlik DJ. Ten years of life: is it a matter of choice? *Arch Intern Med*. 2001; 161(13):1645–52.

884. Tucker LA. Consumption of nuts and seeds and telomere length in 5,582 men and women of the National Health and Nutrition Examination Survey (NHANES). *J Nutr Health Aging*. 2017; 21(3):233–40.
885. Aune D, Keum N, Giovannucci E, et al. Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. *BMC Med*. 2016; 14(1):207.
886. Ros E. Eat nuts, live longer. *J Am Coll Cardiol*. 2017; 70(20):2533–5.
887. Aune D, Keum N, Giovannucci E, et al. Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. *BMC Med*. 2016; 14(1):207.
888. Fernández-Montero A, Bes-Rastrollo M, Barrio-López MT, et al. Nut consumption and 5-y all-cause mortality in a Mediterranean cohort: the SUN project. *Nutrition*. 2014; 30(9):1022–7.
889. Aune D, Keum N, Giovannucci E, et al. Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. *BMC Med*. 2016; 14(1):207.
890. Fernández-Montero A, Martínez-González MA, Moreno-Galarraga L. Re. «Nut consumption and 5-y all-cause mortality in a Mediterranean cohort: the SUN project»: authors' response. *Nutrition*. 2015; 31(10):1299–300.
891. Hull S, Re R, Chambers L, Echaniz A, Wickham MS. A mid-morning snack of almonds generates satiety and appropriate adjustment of subsequent food intake in healthy women. *Eur J Nutr*. 2015; 54(5):803–10.
892. Fraser GE, Bennett HW, Jaceldo KB, Sabaté J. Effect on body weight of a free 76 kilojoule (320 calorie) daily supplement of almonds for six months. *J Am Coll Nutr*. 2002; 21(3):275–83.
893. 1779. Wang X, Li Z, Liu Y, Lv X, Yang W. Effects of pistachios on body weight in Chinese subjects with metabolic syndrome. *Nutr J*. 2012; 11:20.
894. Tey SL, Gray AR, Chisholm AW, Delahunty CM, Brown RC. The dose of hazelnuts influences acceptance and diet quality but not inflammatory markers and body composition in overweight and obese individuals. *J Nutr*. 2013; 143(8):1254–62.
895. Sabaté J, Cordero-MacIntyre Z, Siapco G, Torabian S, Haddad E. Does regular walnut consumption lead to weight gain? *Br J Nutr*. 2005; 94(5):859–64.
896. Farr OM, Tuccinardi D, Upadhyay J, Oussaada SM, Mantzoros CS. Walnut consumption increases activation of the insula to highly desirable food cues: a randomized, double-blind, placebo-controlled, cross-over fMRI study. *Diabetes Obes Metab*. 2018; 20(1):173–7.

897. Baer DJ, Gebauer SK, Novotny JA. Walnuts consumed by healthy adults provide less available energy than predicted by the Atwater factors. *J Nutr*. 2016; 146(1):9–13.
898. Grundy MM, Carrière F, Mackie AR, Gray DA, Butterworth PJ, Ellis PR. The role of plant cell wall encapsulation and porosity in regulating lipolysis during the digestion of almond seeds. *Food Funct*. 2016; 7(1):69–78.
899. Fogelholm M, Anderssen S, Gunnarsdottir I, Lahti-Koski M. Dietary macronutrients and food consumption as determinants of long-term weight change in adult populations: a systematic literature review. *Food Nutr Res*. 2012; 56.
900. World Cancer Research Fund, American Institute for Cancer Research. Food, nutrition, physical activity, and the prevention of cancer: a global perspective. Washington, D.C.: American Institute for Cancer Research; 2007. Disponible en: <https://www.wcrf.org/sites/default/files/english.pdf>. Acceso: marzo, 31, 2019.
901. Hunt JN, Cash R, Newland P. Energy density of food, gastric emptying, and obesity. *Lancet*. 1975; 2(7941):905–6.
902. Milne I. 18th and 19th century dietary advice. *J R Coll Physicians Edinb*. 2014; 44(4):347.
903. Lobstein T. Child obesity: what can be done and who will do it? *Proc Nutr Soc*. 2008; 67(3):301–6.
904. American Egg Board. 2016 annual report. Chicago, IL; 2017. Disponible en: <https://www.aeb.org/about-aeb/annual-report>. Acceso: marzo, 31, 2019.
905. Cattlemen’s Beef Board. 2017 annual report. Centennial, CO; 2018. Disponible en: <https://www.beefboard.org/library/annual-reports.asp>. Acceso: marzo, 31, 2019.
906. United States Department of Agriculture. U.S. Department of Agriculture report to Congress on the Dairy Promotion and Research Program and the Fluid Milk Processor Promotion Program: 2015 program activities. 2016. Disponible en: <https://www.ams.usda.gov/reports/report-congress-dairy-fluid-milk-promotion-research- programs>. Acceso: marzo, 31, 2019.
907. National Pork Board. Audited financial statements and compliance report: years ended December 31, 2016 and 2015. 2017. Disponible en: <https://www.pork.org/about/annual-financial-reports>. Acceso: marzo, 31, 2019.
908. Le LT, Sabaté J. Beyond meatless, the health effects of vegan diets: findings from the Adventist cohorts. *Nutrients*. 2014; 6(6):2131–47.
909. Rosell M, Appleby P, Spencer E, Key T. Weight gain over 5 years in 21,966 meat-eating, fish-eating, vegetarian, and vegan men and women in EPIC-Oxford. *Int J Obes (Lond)*. 2006; 30(9):1389–96.
910. Sabaté J, Lindsted KD, Harris RD, Johnston PK. Anthropometric parameters of schoolchildren with different life-styles. *Am J Dis Child*. 1990; 144(10):1159–63.

911. Grant R, Bilgin A, Zeuschner C, et al. The relative impact of a vegetable-rich diet on key markers of health in a cohort of Australian adolescents. *Asia Pac J Clin Nutr.* 2008; 17(1):107–15.
912. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr.* 2010; 91(5):1525S–9S.
913. Fogelholm M, Anderssen S, Gunnarsdottir I, Lahti-Koski M. Dietary macronutrients and food consumption as determinants of long-term weight change in adult populations: a systematic literature review. *Food Nutr Res.* 2012; 56:19103.
914. Fogelholm M, Kanerva N, Männistö S. Association between red and processed meat consumption and chronic diseases: the confounding role of other dietary factors. *Eur J Clin Nutr.* 2015; 69(9):1060–5.
915. Fogelholm M, Anderssen S, Gunnarsdottir I, Lahti-Koski M. Dietary macronutrients and food consumption as determinants of long-term weight change in adult populations: a systematic literature review. *Food Nutr Res.* 2012; 56:19103.
916. Grosso G, Micek A, Godos J, et al. Health risk factors associated with meat, fruit and vegetable consumption in cohort studies: a comprehensive meta-analysis. *PLoS ONE.* 2017; 12(8):e0183787.
917. Le LT, Sabaté J. Beyond meatless, the health effects of vegan diets: findings from the Adventist cohorts. *Nutrients.* 2014; 6(6):2131–47.
918. Mozaffarian D, Hao T, Rimm EB, Willett WC, Hu FB. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med.* 2011; 364(25):2392–404.
919. Tucker LA, Tucker JM, Bailey B, Lecheminant JD. Meat intake increases risk of weight gain in women: a prospective cohort investigation. *Am J Health Promot.* 2014; 29(1):e43–52.
920. Babio N, Sorlí M, Bulló M, et al. Association between red meat consumption and metabolic syndrome in a Mediterranean population at high cardiovascular risk: cross-sectional and 1-year follow-up assessment. *Nutr Metab Cardiovasc Dis.* 2012; 22(3):200–7.
921. Kahn HS, Tatham LM, Heath CW. Contrasting factors associated with abdominal and peripheral weight gain among adult women. *Int J Obes Relat Metab Disord.* 1997; 21(10):903–11.
922. Kahn HS, Tatham LM, Rodriguez C, Calle EE, Thun MJ, Heath CW. Stable behaviors associated with adults' 10-year change in body mass index and likelihood of gain at the waist. *Am J Public Health.* 1997; 87(5):747–54.
923. Wang Y, Beydoun MA. Meat consumption is associated with obesity and central obesity among US adults. *Int J Obes (Lond).* 2009; 33(6):621–8.
924. Vergnaud AC, Norat T, Romaguera D, et al. Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. *Am J Clin Nutr.* 2010; 92(2):398–407.

925. Gilsing AM, Weijenberg MP, Hughes LA, et al. Longitudinal changes in BMI in older adults are associated with meat consumption differentially, by type of meat consumed. *J Nutr*. 2012; 142(2):340–9.
926. Astrup A, Clifton P, Layman DK, Mattes RD, Westterterp-Plantenga MS. Meat intake's influence on body fatness cannot be assessed without measurement of body fat. *Am J Clin Nutr*. 2010; 92(5):1274–5.
927. Vergnaud AC, Teresa N, Romaguera D, et al. Reply to A Astrup et al. *Am J Clin Nutr*. 2010; 92(5):1275–6.
928. Agricultural Research Service, United States Department of Agriculture. Basic report: 05061, chicken, broilers or fryers, breast, meat and skin, cooked, stewed. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/300147>. Acceso: abril, 1, 2019.
929. Gilsing AM, Weijenberg MP, Hughes LA, et al. Longitudinal changes in BMI in older adults are associated with meat consumption differentially, by type of meat consumed. *J Nutr*. 2012; 142(2):340–9.
930. Gilsing AM, Weijenberg MP, Hughes LA, et al. Longitudinal changes in BMI in older adults are associated with meat consumption differentially, by type of meat consumed. *J Nutr*. 2012; 142(2):340–9.
931. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45123781, chicken nuggets, UPC: 011110819659. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45123781>. Acceso: abril, 1, 2019.
932. Agricultural Research Service, United States Department of Agriculture. Basic report: 05057, chicken, broilers or fryers, breast, meat and skin, raw. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/05057>. Acceso: abril, 1, 2019.
933. Alkerwi A, Sauvageot N, Buckley JD, et al. The potential impact of animal protein intake on global and abdominal obesity: evidence from the Observation of Cardiovascular Risk Factors in Luxembourg (ORISCAV-LUX) study. *Public Health Nutr*. 2015; 18(10):1831–8.
934. Alkerwi A, Sauvageot N, Buckley JD, et al. The potential impact of animal protein intake on global and abdominal obesity: evidence from the Observation of Cardiovascular Risk Factors in Luxembourg (ORISCAV-LUX) study. *Public Health Nutr*. 2015; 18(10):1831–8.
935. Charlton KE, Tapsell LC, Batterham MJ, et al. Pork, beef and chicken have similar effects on acute satiety and hormonal markers of appetite. *Appetite*. 2011; 56(1):1–8.
936. Murphy KJ, Parker B, Dyer KA, et al. A comparison of regular consumption of fresh lean pork, beef and chicken on body composition: a randomized cross-over trial. *Nutrients*. 2014; 6(2):682–96.

937. Davidson MH, Hunninghake D, Maki KC, Kwiterovich PO, Kafonek S. Comparison of the effects of lean red meat vs lean white meat on serum lipid levels among free-living persons with hypercholesterolemia: a long-term, randomized clinical trial. *Arch Intern Med.* 1999; 159(12):1331–8.
938. Mahon AK, Flynn MG, Stewart LK, et al. Protein intake during energy restriction: effects on body composition and markers of metabolic and cardiovascular health in postmenopausal women. *J Am Coll Nutr.* 2007; 26(2):182–9.
939. Mann H, Djulbegovic B. Comparator bias: why comparisons must address genuine uncertainties. *J R Soc Med.* 2013; 106(1):30–3.
940. Burley VJ, Paul AW, Blundell JE. Influence of a high-fibre food (mycoprotein) on appetite: effects on satiation (within meals) and satiety (following meals). *Eur J Clin Nutr.* 1993; 47(6):409–18.
941. Bottin JH, Swann JR, Cropp E, et al. Mycoprotein reduces energy intake and postprandial insulin release without altering glucagon-like peptide-1 and peptide tyrosine-tyrosine concentrations in healthy overweight and obese adults: a randomised-controlled trial. *Br J Nutr.* 2016; 116(2):360–74.
942. Williamson DA, Geiselman PJ, Lovejoy J, et al. Effects of consuming mycoprotein, tofu or chicken upon subsequent eating behaviour, hunger and safety. *Appetite.* 2006; 46(1):41–8.
943. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr.* 2010; 91(5):1525S–9S.
944. Shah NJ, Sureshkumar S, Shewade DG. Metabolomics: a tool ahead for understanding molecular mechanisms of drugs and diseases. *Indian J Clin Biochem.* 2015; 30(3):247–54.
945. Miekisch W, Schubert JK, Noeldge-Schomburg GF. Diagnostic potential of breath analysis—focus on volatile organic compounds. *Clin Chim Acta.* 2004; 347(1–2):25–39.
946. Rak K, Rader DJ. Cardiovascular disease: the diet-microbe morbid union. *Nature.* 2011; 472(7341):40–1.
947. Tang WH, Wang Z, Levison BS, et al. Intestinal microbial metabolism of phosphatidylcholine and cardiovascular risk. *N Engl J Med.* 2013; 368(17):1575–84.
948. Tang WH, Wang Z, Levison BS, et al. Intestinal microbial metabolism of phosphatidylcholine and cardiovascular risk. *N Engl J Med.* 2013; 368(17):1575–84.
949. Koeth RA, Wang Z, Levison BS, et al. Intestinal microbiota metabolism of L-carnitine, a nutrient in red meat, promotes atherosclerosis. *Nat Med.* 2013; 19(5):576–85.
950. Koeth RA, Wang Z, Levison BS, et al. Intestinal microbiota metabolism of L-carnitine, a nutrient in red meat, promotes atherosclerosis. *Nat Med.* 2013; 19(5):576–85.
951. Cho CE, Taesuwan S, Malysheva OV, et al. Trimethylamine-N-oxide (TMAO) response to animal source foods varies among healthy young men and is influenced

- by their gut microbiota composition: a randomized controlled trial. *Mol Nutr Food Res.* 2017; 61(1).
952. Hernández-Alonso P, Cañueto D, Giardina S, et al. Effect of pistachio consumption on the modulation of urinary gut microbiota-related metabolites in prediabetic subjects. *J Nutr Biochem.* 2017; 45:48–53.
953. McCarty MF. L-carnitine consumption, its metabolism by intestinal microbiota, and cardiovascular health. *Mayo Clin Proc.* 2013; 88(8):786–9.
954. Miao J, Ling AV, Manthena PV, et al. Flavin-containing monooxygenase 3 as a potential player in diabetes-associated atherosclerosis. *Nat Commun.* 2015; 6:6498.
955. Schugar RC, Shih DM, Warriar M, et al. The TMAO-producing enzyme flavin-containing monooxygenase 3 regulates obesity and the beiging of white adipose tissue. *Cell Rep.* 2017; 19(12):2451–61.
956. Heianza Y, Sun D, Smith SR, Bray GA, Sacks FM, Qi L. Changes in gut microbiota-related metabolites and long-term successful weight loss in response to weight-loss diets: the POUNDS Lost Trial. *Diabetes Care.* 2018; 41(3):413–9.
957. Koeth RA, Wang Z, Levison BS, et al. Intestinal microbiota metabolism of L-carnitine, a nutrient in red meat, promotes atherosclerosis. *Nat Med.* 2013; 19(5):576–85.
958. Boutagy NE, Neilson AP, Osterberg KL, et al. Short-term high-fat diet increases postprandial trimethylamine-N-oxide in humans. *Nutr Res.* 2015; 35(10):858–64.
959. Storm JJ, Lima SL. Mothers forewarn offspring about predators: a transgenerational maternal effect on behavior. *Am Nat.* 2010; 175(3):382–90.
960. Galloway LF, Etterson JR. Transgenerational plasticity is adaptive in the wild. *Science.* 2007; 318(5853):1134–6.
961. Lee TM, Zucker I. Vole infant development is influenced perinatally by maternal photoperiodic history. *Am J Physiol.* 1988; 255(5 Pt 2):R831–8.
962. Kawahata A, Sakamoto H. Some observations on sweating of the Aino. *Jpn J Physiol.* 1951; 2(2):166–9.
963. Ravelli AC, van der Meulen JH, Osmond C, Barker DJ, Bleker OP. Obesity at the age of 50 y in men and women exposed to famine prenatally. *Am J Clin Nutr.* 1999; 70(5):811–6.
964. Maslova E, Rytter D, Bech BH, et al. Maternal protein intake during pregnancy and offspring overweight 20 y later. *Am J Clin Nutr.* 2014; 100(4):1139–48.
965. Yin J, Quinn S, Dwyer T, Ponsonby AL, Jones G. Maternal diet, breastfeeding and adolescent body composition: a 16-year prospective study. *Eur J Clin Nutr.* 2012; 66(12):1329–34.

966. Painter RC, Osmond C, Gluckman P, Hanson M, Phillips DI, Roseboom TJ. Transgenerational effects of prenatal exposure to the Dutch famine on neonatal adiposity and health in later life. *BJOG*. 2008; 115(10):1243–9.
967. Arya F, Egger S, Colquhoun D, Sullivan D, Pal S, Egger G. Differences in postprandial inflammatory responses to a «modern» v. traditional meat meal: a preliminary study. *Br J Nutr*. 2010; 104(5):724–8.
968. Buenz EJ. Lead exposure through eating wild game. *Am J Med*. 2016; 129(5):457–8.
969. Eaton SB. Humans, lipids and evolution. *Lipids*. 1992; 27(10):814–20.
970. Rehkamp S. A look at calorie sources in the American diet. Economic Research Service, United States Department of Agriculture. Publicado en diciembre, 5, 2016. Disponible en: <https://www.ers.usda.gov/amber-waves/2016/december/a-look-at-calorie-sources-in-the-american-diet>. Acceso: marzo, 31, 2019.
971. Wang Y, Lehane C, Ghebremeskel K, Crawford MA. Modern organic and broiler chickens sold for human consumption provide more energy from fat than protein. *Public Health Nutr*. 2010; 13(3):400–8.
972. Eaton SB. Humans, lipids and evolution. *Lipids*. 1992; 27(10):814–20.
973. Agricultural Research Service, United States Department of Agriculture. Basic report: 05123, chicken, stewing, meat and skin, raw. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/05123>. Acceso: abril, 1, 2019.
974. Wang Y, Lehane C, Ghebremeskel K, Crawford MA. Modern organic and broiler chickens sold for human consumption provide more energy from fat than protein. *Public Health Nutr*. 2010; 13(3):400–8.
975. Martínez Steele E, Baraldi LG, Louzada ML, Moubarac JC, Mozaffarian D, Monteiro CA. Ultra-processed foods and added sugars in the US diet: evidence from a nationally representative cross-sectional study. *BMJ Open*. 2016; 6(3):e009892.
976. Rehkamp S. A look at calorie sources in the American diet. Economic Research Service, United States Department of Agriculture. Publicado en diciembre, 5, 2016. Disponible en: <https://www.ers.usda.gov/amber-waves/2016/december/a-look-at-calorie-sources-in-the-american-diet>. Acceso: marzo, 31, 2019.
977. Huth PJ, Fulgoni VL, Keast DR, Park K, Auestad N. Major food sources of calories, added sugars, and saturated fat and their contribution to essential nutrient intakes in the U.S. diet: data from the National Health and Nutrition Examination Survey (2003–2006). *Nutr J*. 2013; 12:116.
978. Reedy J, Krebs-Smith SM. Dietary sources of energy, solid fats, and added sugars among children and adolescents in the United States. *J Am Diet Assoc*. 2010; 110(10):1477–84.
979. Katz D. *Disease-Proof: Slash Your Risk of Heart Disease, Cancer, Diabetes, and More—By 80 Percent*. New York: Penguin Group; 2013.
980. Rehkamp S. A look at calorie sources in the American diet. Economic Research Service, United States Department of Agriculture. Publicado en diciembre, 5, 2016.

- Disponibile en: <https://www.ers.usda.gov/amber-waves/2016/december/a-look-at-calorie-sources-in-the-american-diet>. Acceso: marzo, 31, 2019.
981. Mozaffarian D, Hao T, Rimm EB, Willett WC, Hu FB. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med*. 2011; 364(25):2392–404.
982. United States Department of Agriculture. Grains. ChooseMyPlate.gov. Actualizado en noviembre, 3, 2017. Disponible en: <https://www.choosemyplate.gov/grains>. Acceso: marzo, 31, 2019.
983. Giacco R, Della Pepa G, Luongo D, Riccardi G. Whole grain intake in relation to body weight: from epidemiological evidence to clinical trials. *Nutr Metab Cardiovasc Dis*. 2011; 21(12):901–8.
984. Choumenkovitch SF, McKeown NM, Tovar A, et al. Whole grain consumption is inversely associated with BMI Z-score in rural school-aged children. *Public Health Nutr*. 2013; 16(2):212–8.
985. Koh-Banerjee P, Franz M, Sampson L, et al. Changes in whole-grain, bran, and cereal fiber consumption in relation to 8-y weight gain among men. *Am J Clin Nutr*. 2004; 80(5):1237–45.
986. Williams PG. Evaluation of the evidence between consumption of refined grains and health outcomes. *Nutr Rev*. 2012; 70(2):80–99.
987. Karl JP, Saltzman E. The role of whole grains in body weight regulation. *Adv Nutr*. 2012; 3(5):697–707.
988. Mozaffarian D, Hao T, Rimm EB, Willett WC, Hu FB. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med*. 2011; 364(25):2392–404.
989. Karl JP, Saltzman E. The role of whole grains in body weight regulation. *Adv Nutr*. 2012; 3(5):697–707.
990. Isaksson H, Sundberg B, Aman P, Fredriksson H, Olsson J. Whole grain rye porridge breakfast improves satiety compared to refined wheat bread breakfast. *Food Nutr Res*. 2008; 52.
991. Bodinham CL, Hitchen KL, Youngman PJ, Frost GS, Robertson MD. Short-term effects of whole-grain wheat on appetite and food intake in healthy adults: a pilot study. *Br J Nutr*. 2011; 106(3):327–30.
992. Isaksson H, Sundberg B, Aman P, Fredriksson H, Olsson J. Whole grain rye porridge breakfast improves satiety compared to refined wheat bread breakfast. *Food Nutr Res*. 2008; 52.
993. Isaksson H, Tillander I, Andersson R, et al. Whole grain rye breakfast—sustained satiety during three weeks of regular consumption. *Physiol Behav*. 2012; 105(3):877–84.
994. Hajihashemi P, Azadbakht L, Hashemipor M, Kelishadi R, Esmailzadeh A. Whole-grain intake favorably affects markers of systemic inflammation in obese children: a randomized controlled crossover clinical trial. *Mol Nutr Food Res*. 2014; 58(6):1301–8.

995. Ye EQ, Chacko SA, Chou EL, Kugizaki M, Liu S. Greater whole-grain intake is associated with lower risk of type 2 diabetes, cardiovascular disease, and weight gain. *J Nutr*. 2012; 142(7):1304–13.
996. Shimabukuro M, Higa M, Kinjo R, et al. Effects of the brown rice diet on visceral obesity and endothelial function: the BRAVO study. *Br J Nutr*. 2014; 111(2):310–20.
997. Hajihashemi P, Azadbakht L, Hashemipor M, Kelishadi R, Esmailzadeh A. Whole-grain intake favorably affects markers of systemic inflammation in obese children: a randomized controlled crossover clinical trial. *Mol Nutr Food Res*. 2014; 58(6):1301–8.
998. Tighe P, Duthie G, Vaughan N, et al. Effect of increased consumption of whole-grain foods on blood pressure and other cardiovascular risk markers in healthy middle-aged persons: a randomized controlled trial. *Am J Clin Nutr*. 2010; 92(4):733–40.
999. Brownlee IA, Moore C, Chatfield M, et al. Markers of cardiovascular risk are not changed by increased whole-grain intake: the WHOLEheart study, a randomised, controlled dietary intervention. *Br J Nutr*. 2010; 104(1):125–34.
1000. McKeown NM, Jacobs DR. In defence of phytochemical-rich dietary patterns. *Br J Nutr*. 2010; 104(1):1–3.
1001. Brownlee IA, Moore C, Chatfield M, et al. Markers of cardiovascular risk are not changed by increased whole-grain intake: the WHOLEheart study, a randomised, controlled dietary intervention. *Br J Nutr*. 2010; 104(1):125–34.
1002. McKeown NM, Troy LM, Jacques PF, Hoffmann U, O'Donnell CJ, Fox CS. Whole-and refined-grain intakes are differentially associated with abdominal visceral and subcutaneous adiposity in healthy adults: the Framingham Heart Study. *Am J Clin Nutr*. 2010; 92(5):1165–71.
1003. Kristensen M, Pelletier X, Ross AB, Thielecke F. A high rate of non-compliance confounds the study of whole grains and weight maintenance in a randomised intervention trial—the case for greater use of dietary biomarkers in nutrition intervention studies. *Nutrients*. 2017; 9(1):55.
1004. Jones JM, Engleson J. Whole grains: benefits and challenges. *Annu Rev Food Sci Technol*. 2010; 1:19–40.
1005. Vanegas SM, Meydani M, Barnett JB, et al. Substituting whole grains for refined grains in a 6-wk randomized trial has a modest effect on gut microbiota and immune and inflammatory markers of healthy adults. *Am J Clin Nutr*. 2017; 105(3):635–50.
1006. Schroeder N, Gallaher DD, Arndt EA, Marquart L. Influence of whole grain barley, whole grain wheat, and refined rice-based foods on short-term satiety and energy intake. *Appetite*. 2009; 53(3):363–9.
1007. Karl JP, Saltzman E. The role of whole grains in body weight regulation. *Adv Nutr*. 2012; 3(5):697–707.
1008. Shimabukuro M, Higa M, Kinjo R, et al. Effects of the brown rice diet on visceral obesity and endothelial function: the BRAVO study. *Br J Nutr*. 2014; 111(2):310–20.

1009. Chang HC, Huang CN, Yeh DM, Wang SJ, Peng CH, Wang CJ. Oat prevents obesity and abdominal fat distribution, and improves liver function in humans. *Plant Foods Hum Nutr.* 2013; 68(1):18–23.
1010. Kikuchi Y, Nozaki S, Makita M, et al. Effects of whole grain wheat bread on visceral fat obesity in Japanese subjects: a randomized double-blind study. *Plant Foods Hum Nutr.* 2018; 73(3):161–5.
1011. Pol K, Christensen R, Bartels EM, Raben A, Tetens I, Kristensen M. Whole grain and body weight changes in apparently healthy adults: a systematic review and meta-analysis of randomized controlled studies. *Am J Clin Nutr.* 2013; 98(4):872–84.
1012. Karl JP, Meydani M, Barnett JB, et al. Substituting whole grains for refined grains in a 6-wk randomized trial favorably affects energy-balance metrics in healthy men and postmenopausal women. *Am J Clin Nutr.* 2017; 105(3):589–99.
1013. Livesey G. Thermogenesis associated with fermentable carbohydrate in humans, validity of indirect calorimetry, and implications of dietary thermogenesis for energy requirements, food energy and body weight. *Int J Obes Relat Metab Disord.* 2002; 26(12):1553–69.
1014. Zou ML, Moughan PJ, Awati A, Livesey G. Accuracy of the Atwater factors and related food energy conversion factors with low-fat, high-fiber diets when energy intake is reduced spontaneously. *Am J Clin Nutr.* 2007; 86(6):1649–56.
1015. Karl JP, Meydani M, Barnett JB, et al. Substituting whole grains for refined grains in a 6-wk randomized trial favorably affects energy-balance metrics in healthy men and postmenopausal women. *Am J Clin Nutr.* 2017; 105(3):589–99.
1016. Larsen SC, Ängquist L, Sørensen TI, Heitmann BL. 24h urinary sodium excretion and subsequent change in weight, waist circumference and body composition. *PLoS ONE.* 2013; 8(7):e69689.
1017. Roberts WC. High salt intake, its origins, its economic impact, and its effect on blood pressure. *Am J Cardiol.* 2001; 88(11):1338–46.
1018. Ellison RC, Sosenko JM, Harper GP, Gibbons L, Pratter FE, Miettinen OS. Obesity, sodium intake, and blood pressure in adolescents. *Hypertension.* 1980; 2(4 Pt 2):78–82.
1019. Moosavian SP, Haghghatdoost F, Surkan PJ, Azadbakht L. Salt and obesity: a systematic review and meta-analysis of observational studies. *Int J Food Sci Nutr.* 2017; 68(3):265–77.
1020. Elfassy T, Mossavar-Rahmani Y, Van Horn L, et al. Associations of sodium and potassium with obesity measures among diverse US Hispanic/Latino adults: results from the Hispanic Community Health Study/Study of Latinos. *Obesity (Silver Spring).* 2018; 26(2):442–50.
1021. Yoon YS, Oh SW. Sodium density and obesity; the Korea National Health and Nutrition Examination Survey 2007–2010. *Eur J Clin Nutr.* 2013; 67(2):141–6.
1022. Centers for Disease Control and Prevention. Sodium intake among adults—United States, 2005–2006. *MMWR Morb Mortal Wkly Rep.* 2010; 59(24):746–9.

1023. Ritz E. Salt appetite and addiction—unholy twins? *Nephrol Dial Transplant*. 2012; 27(6):2146–8.
1024. Mozaffarian D, Fahimi S, Singh GM, et al. Global sodium consumption and death from cardiovascular causes. *N Engl J Med*. 2014; 371(7):624–34.
1025. D’Elia L, Galletti F, Strazzullo P. Dietary salt intake and risk of gastric cancer. *Cancer Treat Res*. 2014; 159:83–95.
1026. Rosinger A, Herrick K, Gahche J, Park S. Sugar-sweetened beverage consumption among U.S. adults, 2011–2014. *NCHS Data Brief*. 2017; (270):1–8.
1027. Rosinger A, Herrick K, Gahche J, Park S. Sugar-sweetened beverage consumption among U.S. youth, 2011–2014. *NCHS Data Brief*. 2017; (271):1–8.
1028. He FJ, Markandu ND, Sagnella GA, MacGregor GA. Effect of salt intake on renal excretion of water in humans. *Hypertension*. 2001; 38(3):317–20.
1029. Ma Y, He FJ, MacGregor GA. High salt intake: independent risk factor for obesity? *Hypertension*. 2015; 66(4):843–9.
1030. Libuda L, Kersting M, Alexy U. Consumption of dietary salt measured by urinary sodium excretion and its association with body weight status in healthy children and adolescents. *Public Health Nutr*. 2012; 15(3):433–41.
1031. Lee SK, Kim MK. Relationship of sodium intake with obesity among Korean children and adolescents: Korea National Health and Nutrition Examination Survey. *Br J Nutr*. 2016; 115(5):834–41.
1032. Yoon YS, Oh SW. Sodium density and obesity; the Korea National Health and Nutrition Examination Survey 2007–2010. *Eur J Clin Nutr*. 2013; 67(2):141–6.
1033. Zhu H, Pollock NK, Kotak I, et al. Dietary sodium, adiposity, and inflammation in healthy adolescents. *Pediatrics*. 2014; 133(3):e635–42.
1034. Larsen SC, Ängquist L, Sørensen TI, Heitmann BL. 24h urinary sodium excretion and subsequent change in weight, waist circumference and body composition. *PLoS ONE*. 2013; 8(7):e69689.
1035. Zhu H, Pollock NK, Kotak I, et al. Dietary sodium, adiposity, and inflammation in healthy adolescents. *Pediatrics*. 2014; 133(3):e635–42.
1036. Ma Y, He FJ, MacGregor GA. High salt intake: independent risk factor for obesity? *Hypertension*. 2015; 66(4):843–9.
1037. Larsen SC, Ängquist L, Sørensen TI, Heitmann BL. 24h urinary sodium excretion and subsequent change in weight, waist circumference and body composition. *PLoS ONE*. 2013; 8(7):e69689.
1038. Lee SK, Kim MK. Relationship of sodium intake with obesity among Korean children and adolescents: Korea National Health and Nutrition Examination Survey. *Br J Nutr*. 2016; 115(5):834–41.
1039. Fonseca-Alaniz MH, Brito LC, Borges-Silva CN, Takada J, Andreotti S, Lima FB. High dietary sodium intake increases white adipose tissue mass and plasma leptin in rats. *Obesity (Silver Spring)*. 2007; 15(9):2200–8.

1040. Cui H, Yang S, Zheng M, Liu R, Zhao G, Wen J. High-salt intake negatively regulates fat deposition in mouse. *Sci Rep.* 2017; 7(1):2053.
1041. Zhang Y, Li F, Liu FQ, et al. Elevation of fasting ghrelin in healthy human subjects consuming a high-salt diet: a novel mechanism of obesity? *Nutrients.* 2016; 8(6):323.
1042. Azegami T, Yuki Y, Sawada S, et al. Nanogel-based nasal ghrelin vaccine prevents obesity. *Mucosal Immunol.* 2017; 10(5):1351–60.
1043. Cocores JA, Gold MS. The Salted Food Addiction Hypothesis may explain overeating and the obesity epidemic. *Med Hypotheses.* 2009; 73(6):892–9.
1044. Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet.* 2019; 393(10184):1958–72.
1045. Appel LJ, Anderson CA. Compelling evidence for public health action to reduce salt intake. *N Engl J Med.* 2010; 362(7):650–2.
1046. Drewnowski A, Rehm CD. Sodium intakes of US children and adults from foods and beverages by location of origin and by specific food source. *Nutrients.* 2013; 5(6):1840–55.
1047. Verma AK, Banerjee R. Low-sodium meat products: retaining salty taste for sweet health. *Crit Rev Food Sci Nutr.* 2012; 52(1):72–84.
1048. Appel LJ, Anderson CA. Compelling evidence for public health action to reduce salt intake. *N Engl J Med.* 2010; 362(7):650–2.
1049. Roberts WC. High salt intake, its origins, its economic impact, and its effect on blood pressure. *Am J Cardiol.* 2001; 88(11):1338–46.
1050. Williams KJ, Wu X. Imbalanced insulin action in chronic over nutrition: clinical harm, molecular mechanisms, and a way forward. *Atherosclerosis.* 2016; 247:225–82.
1051. Brown A, Guess N, Dornhorst A, Taheri S, Frost G. Insulin-associated weight gain in obese type 2 diabetes mellitus patients: what can be done? *Diabetes Obes Metab.* 2017; 19(12):1655–68.
1052. Roden M. How free fatty acids inhibit glucose utilization in human skeletal muscle. *News Physiol Sci.* 2004; 19:92–6.
1053. Bachmann OP, Dahl DB, Brechtel K, et al. Effects of intravenous and dietary lipid challenge on intramyocellular lipid content and the relation with insulin sensitivity in humans. *Diabetes.* 2001; 50(11):2579–84.
1054. Nowotny B, Zahiragic L, Krog D, et al. Mechanisms underlying the onset of oral lipid-induced skeletal muscle insulin resistance in humans. *Diabetes.* 2013; 62(7):2240–8.
1055. Koska J, Ozias MK, Deer J, et al. A human model of dietary saturated fatty acid induced insulin resistance. *Metab Clin Exp.* 2016; 65(11):1621–8.

1056. Le Stunff C, Fallin D, Schork NJ, Bougnères P. The insulin gene VNTR is associated with fasting insulin levels and development of juvenile obesity. *Nat Genet.* 2000; 26(4):444–6.
1057. Page MM, Skovsø S, Cen H, et al. Reducing insulin via conditional partial gene ablation in adults reverses diet-induced weight gain. *FASEB J.* 2018; 32(3):1196–206.
1058. Mehran AE, Templeman NM, Brigidi GS, et al. Hyperinsulinemia drives diet-induced obesity independently of brain insulin production. *Cell Metab.* 2012; 16(6):723–37.
1059. Lustig RH, Greenway F, Velasquez-Mieyer P, et al. A multicenter, randomized, double-blind, placebo-controlled, dose-finding trial of a long-acting formulation of octreotide in promoting weight loss in obese adults with insulin hypersecretion. *Int J Obes (Lond).* 2006; 30(2):331–41.
1060. Alemzadeh R, Langley G, Upchurch L, Smith P, Slonim AE. Beneficial effect of diazoxide in obese hyperinsulinemic adults. *J Clin Endocrinol Metab.* 1998; 83(6):1911–5.
1061. Page MM, Johnson JD. Mild suppression of hyperinsulinemia to treat obesity and insulin resistance. *Trends Endocrinol Metab.* 2018; 29(6):389–99.
1062. Templeman NM, Skovsø S, Page MM, Lim GE, Johnson JD. A causal role for hyperinsulinemia in obesity. *J Endocrinol.* 2017; 232(3):R173–83.
1063. Lin X, Zhang X, Guo J, et al. Effects of exercise training on cardiorespiratory fitness and biomarkers of cardiometabolic health: a systematic review and meta-analysis of randomized controlled trials. *J Am Heart Assoc.* 2015; 4(7):e002014.
1064. Nolan CJ, Larter CZ. Lipotoxicity: why do saturated fatty acids cause and monounsaturates protect against it? *J Gastroenterol Hepatol.* 2009; 24(5):703–6.
1065. Vessby B, Uusitupa M, Hermansen K, et al. Substituting dietary saturated for monounsaturated fat impairs insulin sensitivity in healthy men and women: the KANWU Study. *Diabetologia.* 2001; 44(3):312–9.
1066. Goff LM, Bell JD, So PW, Dornhorst A, Frost GS. Veganism and its relationship with insulin resistance and intramyocellular lipid. *Eur J Clin Nutr.* 2005; 59(2):291–8.
1067. Gojda J, Patková J, Jaček M, et al. Higher insulin sensitivity in vegans is not associated with higher mitochondrial density. *Eur J Clin Nutr.* 2013; 67(12):1310–5.
1068. Piers LS, Walker KZ, Stoney RM, Soares MJ, O’Dea K. Substitution of saturated with monounsaturated fat in a 4-week diet affects body weight and composition of overweight and obese men. *Br J Nutr.* 2003; 90(3):717–27.
1069. Vessby B, Uusitupa M, Hermansen K, et al. Substituting dietary saturated for monounsaturated fat impairs insulin sensitivity in healthy men and women: the KANWU Study. *Diabetologia.* 2001; 44(3):312–9.

1070. Nowotny B, Zahiragic L, Krog D, et al. Mechanisms underlying the onset of oral lipid-induced skeletal muscle insulin resistance in humans. *Diabetes*. 2013; 62(7):2240–8.
1071. Astley CM, Todd JN, Salem RM, et al. Genetic evidence that carbohydrate-stimulated insulin secretion leads to obesity. *Clin Chem*. 2018; 64(1):192–200.
1072. Chaput JP, Tremblay A, Rimm EB, Bouchard C, Ludwig DS. A novel interaction between dietary composition and insulin secretion: effects on weight gain in the Quebec Family Study. *Am J Clin Nutr*. 2008; 87(2):303–9.
1073. Sigal RJ, El-Hashimy M, Martin BC, Soeldner JS, Krolewski AS, Warram JH. Acute postchallenge hyperinsulinemia predicts weight gain: a prospective study. *Diabetes*. 1997; 46(6):1025–9.
1074. Marventano S, Vetrani C, Vitale M, Godos J, Riccardi G, Grosso G. Whole grain intake and glycaemic control in healthy subjects: a systematic review and meta-analysis of randomized controlled trials. *Nutrients*. 2017; 9(7):769.
1075. Weickert MO, Möhlig M, Schöfl C, et al. Cereal fiber improves whole-body insulin sensitivity in overweight and obese women. *Diabetes Care*. 2006; 29(4):775–80.
1076. Rabinowitz D, Merimee TJ, Maffezzoli R, Burgess JA. Patterns of hormonal release after glucose, protein, and glucose plus protein. *Lancet*. 1966; 2(7461):454–6.
1077. Pal S, Ellis V. The acute effects of four protein meals on insulin, glucose, appetite and energy intake in lean men. *Br J Nutr*. 2010; 104(8):1241–8.
1078. Collier GR, Greenberg GR, Wolever TM, Jenkins DJ. The acute effect of fat on insulin secretion. *J Clin Endocrinol Metab*. 1988; 66(2):323–6.
1079. Holt SH, Miller JC, Petocz P. An insulin index of foods: the insulin demand generated by 1000-kJ portions of common foods. *Am J Clin Nutr*. 1997; 66(5):1264–76.
1080. Bao J, Atkinson F, Petocz P, Willett WC, Brand-Miller JC. Prediction of postprandial glycemia and insulinemia in lean, young, healthy adults: glycemic load compared with carbohydrate content alone. *Am J Clin Nutr*. 2011; 93(5):984–96.
1081. Charlton KE, Tapsell LC, Batterham MJ, et al. Pork, beef and chicken have similar effects on acute satiety and hormonal markers of appetite. *Appetite*. 2011; 56(1):1–8.
1082. Nuttall FQ, Mooradian AD, Gannon MC, Billington C, Krezowski P. Effect of protein ingestion on the glucose and insulin response to a standardized oral glucose load. *Diabetes Care*. 1984; 7(5):465–70.
1083. Valachovicová M, Krajcovicová-Kudlácková M, Blazíček P, Babinská K. No evidence of insulin resistance in normal weight vegetarians. A case control study. *Eur J Nutr*. 2006; 45(1):52–4.
1084. Kuo CS, Lai NS, Ho LT, Lin CL. Insulin sensitivity in Chinese ovo-lactovegetarians compared with omnivores. *Eur J Clin Nutr*. 2004; 58(2):312–6.

1085. Toth MJ, Poehlman ET. Sympathetic nervous system activity and resting metabolic rate in vegetarians. *Metab Clin Exp*. 1994; 43(5):621–5.
1086. Hung CJ, Huang PC, Li YH, Lu SC, Ho LT, Chou HF. Taiwanese vegetarians have higher insulin sensitivity than omnivores. *Br J Nutr*. 2006; 95(1):129–35.
1087. Bloomer RJ, Kabir MM, Canale RE, et al. Effect of a 21 day Daniel Fast on metabolic and cardiovascular disease risk factors in men and women. *Lipids Health Dis*. 2010; 9:94.
1088. McCarty MF. The origins of western obesity: a role for animal protein? *Med Hypotheses*. 2000; 54(3):488–94.
1089. Remer T, Pietrzik K, Manz F. A moderate increase in daily protein intake causing an enhanced endogenous insulin secretion does not alter circulating levels or urinary excretion of dehydroepiandrosterone sulfate. *Metab Clin Exp*. 1996; 45(12):1483–6.
1090. Pal S, Ellis V. The acute effects of four protein meals on insulin, glucose, appetite and energy intake in lean men. *Br J Nutr*. 2010; 104(8):1241–8.
1091. Gulliford MC, Bicknell EJ, Scarpello JH. Differential effect of protein and fat ingestion on blood glucose responses to high-and low-glycemic-index carbohydrates in noninsulin-dependent diabetic subjects. *Am J Clin Nutr*. 1989; 50(4):773–7.
1092. Sun L, Ranawana DV, Leow MK, Henry CJ. Effect of chicken, fat and vegetable on glycaemia and insulinaemia to a white rice-based meal in healthy adults. *Eur J Nutr*. 2014; 53(8):1719–26.
1093. Bottin JH, Swann JR, Cropp E, et al. Mycoprotein reduces energy intake and postprandial insulin release without altering glucagon-like peptide-1 and peptide tyrosine-tyrosine concentrations in healthy overweight and obese adults: a randomised-controlled trial. *Br J Nutr*. 2016; 116(2):360–74.
1094. Fukagawa NK, Anderson JW, Hageman G, Young VR, Minaker KL. High-carbohydrate, high-fiber diets increase peripheral insulin sensitivity in healthy young and old adults. *Am J Clin Nutr*. 1990; 52(3):524–8.
1095. Westman EC, Feinman RD, Mavropoulos JC, et al. Low-carbohydrate nutrition and metabolism. *Am J Clin Nutr*. 2007; 86(2):276–84.
1096. Bueno NB, de Melo IS, de Oliveira SL, da Rocha Ataide T. Very-low-carbohydrate ketogenic diet v. low-fat diet for long-term weight loss: a meta-analysis of randomised controlled trials. *Br J Nutr*. 2013; 110(7):1178–87.
1097. Schwingshackl L, Hoffmann G. Low-carbohydrate diets impair flow-mediated dilatation: evidence from a systematic review and meta-analysis. *Br J Nutr*. 2013; 110(5):969–70.
1098. Zhou J, Xu H. Low carbohydrate and high protein diets and all-cause, cancer, and cardiovascular diseases mortalities: a systematic review and meta-analysis from 7 cohort studies. *Acta Endocrinologica (BUC)*. 2014; (2):259–66.
1099. Smith MM, Trexler ET, Sommer AJ, et al. Unrestricted paleolithic diet is associated with unfavorable changes to blood lipids in healthy subjects. *Int J Exerc Sci*. 2014; 7(2):128–39. *Note: This study has been retracted, but evidently for a technicality,*

- not data integrity reasons. Han A. Researcher who tangled with CrossFit loses two more papers. Retraction Watch. Publicado en junio, 30, 2017. Disponible en: <https://retractionwatch.com/2017/06/30/researcher-tangled-crossfit-loses-two-papers>. Acceso: abril, 1, 2019.
1100. Barnard RJ, Ugianskis EJ, Martin DA, Inkeles SB. Role of diet and exercise in the management of hyperinsulinemia and associated atherosclerotic risk factors. *Am J Cardiol*. 1992; 69(5):440–4.
1101. Smith MM, Trexler ET, Sommer AJ, et al. Unrestricted paleolithic diet is associated with unfavorable changes to blood lipids in healthy subjects. *Int J Exerc Sci*. 2014; 7(2):128–39. *Note*: This study has been retracted, but evidently for a technicality, not data integrity reasons. Han A. Researcher who tangled with CrossFit loses two more papers. Retraction Watch. Publicado en junio, 30, 2017. Disponible en: <https://retractionwatch.com/2017/06/30/researcher-tangled-crossfit-loses-two-papers>. Acceso: abril, 1, 2019.
1102. Gannon MC, Nuttall FQ, Neil BJ, Westphal SA. The insulin and glucose responses to meals of glucose plus various proteins in type II diabetic subjects. *Metab Clin Exp*. 1988; 37(11):1081–8.
1103. Quek R, Bi X, Henry CJ. Impact of protein-rich meals on glycaemic response of rice. *Br J Nutr*. 2016; 115(7):1194–201.
1104. Azadbakht L, Kimiagar M, Mehrabi Y, et al. Soy inclusion in the diet improves features of the metabolic syndrome: a randomized crossover study in postmenopausal women. *Am J Clin Nutr*. 2007; 85(3):735–41.
1105. Gulliford MC, Bicknell EJ, Scarpello JH. Differential effect of protein and fat ingestion on blood glucose responses to high-and low-glycemic-index carbohydrates in noninsulin-dependent diabetic subjects. *Am J Clin Nutr*. 1989; 50(4):773–7.
1106. Ballance S, Knutsen SH, Fosvold ØW, Wickham M, Trenado CD, Monro J. Glycaemic and insulinaemic response to mashed potato alone, or with broccoli, broccoli fibre or cellulose in healthy adults. *Eur J Nutr*. 2018; 57(1):199–207.
1107. Gannon MC, Nuttall FQ, Neil BJ, Westphal SA. The insulin and glucose responses to meals of glucose plus various proteins in type II diabetic subjects. *Metab Clin Exp*. 1988; 37(11):1081–8.
1108. Tian S, Xu Q, Jiang R, Han T, Sun C, Na L. Dietary protein consumption and the risk of type 2 diabetes: a systematic review and meta-analysis of cohort studies. *Nutrients*. 2017; 9(9):982.
1109. Cavuoto P, Fenech MF. A review of methionine dependency and the role of methionine restriction in cancer growth control and life-span extension. *Cancer Treat Rev*. 2012; 38(6):726–36.
1110. Yin J, Ren W, Chen S, et al. Metabolic regulation of methionine restriction in diabetes. *Mol Nutr Food Res*. 2018; 62(10):e1700951.
1111. Schmidt JA, Rinaldi S, Scalbert A, et al. Plasma concentrations and intakes of amino acids in male meat-eaters, fish-eaters, vegetarians and vegans: a cross-sectional analysis in the EPIC-Oxford cohort. *Eur J Clin Nutr*. 2016; 70(3):306–12.

1112. McCarty MF, Barroso-Aranda J, Contreras F. The low-methionine content of vegan diets may make methionine restriction feasible as a life extension strategy. *Med Hypotheses*. 2009; 72(2):125–8.
1113. Fukagawa NK, Anderson JW, Hageman G, Young VR, Minaker KL. High-carbohydrate, high-fiber diets increase peripheral insulin sensitivity in healthy young and old adults. *Am J Clin Nutr*. 1990; 52(3):524–8.
1114. Orgeron ML, Stone KP, Wanders D, Cortez CC, Van NT, Gettys TW. The impact of dietary methionine restriction on biomarkers of metabolic health. *Prog Mol Biol Transl Sci*. 2014; 121:351–76.
1115. Cole JT. Metabolism of BCAAs. In: Rajendram R, et al, eds. *Branched Chain Amino Acids in Clinical Nutrition: Volume 1*. New York: Springer Science+Business Media; 2015:13–24.
1116. Newgard CB. Interplay between lipids and branched-chain amino acids in development of insulin resistance. *Cell Metab*. 2012; 15(5):606–14.
1117. Newgard CB, An J, Bain JR, et al. A branched-chain amino acid-related metabolic signature that differentiates obese and lean humans and contributes to insulin resistance. *Cell Metab*. 2009; 9(4):311–26.
1118. Haufe S, Engeli S, Kaminski J, et al. Branched-chain amino acid catabolism rather than amino acids plasma concentrations is associated with diet-induced changes in insulin resistance in overweight to obese individuals. *Nutr Metab Cardiovasc Dis*. 2017; 27(10):858–64.
1119. Langenberg C, Savage DB. An amino acid profile to predict diabetes? *Nat Med*. 2011; 17(4):418–20.
1120. Nie C, He T, Zhang W, Zhang G, Ma X. Branched chain amino acids: beyond nutrition metabolism. *Int J Mol Sci*. 2018; 19(4):954.
1121. Rhee EP, Ho JE, Chen MH, et al. A genome-wide association study of the human metabolome in a community-based cohort. *Cell Metab*. 2013; 18(1):130–43.
1122. Cavallaro NL, Garry J, Shi X, Gerszten RE, Anderson EJ, Walford GA. A pilot, short-term dietary manipulation of branched chain amino acids has modest influence on fasting levels of branched chain amino acids. *Food Nutr Res*. 2016; 60:28592.
1123. Schmidt JA, Rinaldi S, Scalbert A, et al. Plasma concentrations and intakes of amino acids in male meat-eaters, fish-eaters, vegetarians and vegans: a cross-sectional analysis in the EPIC-Oxford cohort. *Eur J Clin Nutr*. 2016; 70(3):306–12.
1124. Fretts AM, Follis JL, Nettleton JA, et al. Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. *Am J Clin Nutr*. 2015; 102(5):1266–78.
1125. Rouhani MH, Salehi-Abargouei A, Surkan PJ, Azadbakht L. Is there a relationship between red or processed meat intake and obesity? A systematic review and meta-analysis of observational studies. *Obes Rev*. 2014; 15(9):740–8.

1126. Aune D, Ursin G, Veierød MB. Meat consumption and the risk of type 2 diabetes: a systematic review and meta-analysis of cohort studies. *Diabetologia*. 2009; 52(11):2277–87.
1127. Malik VS, Li Y, Tobias DK, Pan A, Hu FB. Dietary protein intake and risk of type 2 diabetes in US men and women. *Am J Epidemiol*. 2016; 183(8):715–28.
1128. Tucker LA, Tucker JM, Bailey B, LeCheminant JD. Meat intake increases risk of weight gain in women: a prospective cohort investigation. *Am J Health Promot*. 2014; 29(1):e43–52.
1129. Krebs M, Krssak M, Bernroider E, et al. Mechanism of amino acid-induced skeletal muscle insulin resistance in humans. *Diabetes*. 2002; 51(3):599–605.
1130. Smith GI, Yoshino J, Stromsdorfer KL, et al. Protein ingestion induces muscle insulin resistance independent of leucine-mediated mTOR activation. *Diabetes*. 2015; 64(5):1555–63.
1131. Gojda J, Rossmeislová L, Straková R, et al. Chronic dietary exposure to branched chain amino acids impairs glucose disposal in vegans but not in omnivores. *Eur J Clin Nutr*. 2017; 71(5):594–601.
1132. Draper CF, Vassallo I, Di Cara A, et al. A 48-hour vegan diet challenge in healthy women and men induces a BRANCH-chain amino acid related, health associated, metabolic signature. *Mol Nutr Food Res*. 2018; 62(3).
1133. Trumbo P, Schlicker S, Yates AA, Poos M. Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein and amino acids. *J Am Diet Assoc*. 2002; 102(11):1621–30.
1134. Agricultural Research Service. Nutrient intakes from food: mean amounts and percentages of calories from protein, carbohydrate, fat, and alcohol, one day, 2005–2006. 2008. United States Department of Agriculture. Disponible en: [www.ars.usda.gov/ba/bhnrc/fsrg](http://www.ars.usda.gov/ba/bhnrc/fsrg). Acceso: abril, 1, 2019.
1135. Fontana L, Cummings NE, Arriola Apelo SI, et al. Decreased consumption of branched-chain amino acids improves metabolic health. *Cell Rep*. 2016; 16(2):520–30.
1136. Kahleova H, Klementova M, Herynek V, et al. The effect of a vegetarian vs conventional hypocaloric diabetic diet on thigh adipose tissue distribution in subjects with type 2 diabetes: a randomized study. *J Am Coll Nutr*. 2017; 36(5):364–9.
1137. Cummings NE, Williams EM, Kasza I, et al. Restoration of metabolic health by decreased consumption of branched-chain amino acids. *J Physiol (Lond)*. 2018; 596(4):623–45.
1138. Isanejad M, Lacroix AZ, Thomson CA, et al. Branched-chain amino acid, meat intake and risk of type 2 diabetes in the Women’s Health Initiative. *Br J Nutr*. 2017; 117(11):1523–30.

1139. Isanejad M, Lacroix AZ, Thomson CA, et al. Branched-chain amino acid, meat intake and risk of type 2 diabetes in the Women's Health Initiative. *Br J Nutr*. 2017; 117(11):1523–30.
1140. Melnik BC. Leucine signaling in the pathogenesis of type 2 diabetes and obesity. *World J Diabetes*. 2012; 3(3):38–53.
1141. Prodhon UK, Milan AM, Thorstensen EB, et al. Altered dairy protein intake does not alter circulatory branched chain amino acids in healthy adults: a randomized controlled trial. *Nutrients*. 2018; 10(10):1510.
1142. Draper CF, Vassallo I, Di Cara A, et al. A 48-hour vegan diet challenge in healthy women and men induces a BRANCH-chain amino acid related, health associated, metabolic signature. *Mol Nutr Food Res*. 2018; 62(3).
1143. McCarty MF. The origins of western obesity: a role for animal protein? *Med Hypotheses*. 2000; 54(3):488–94.
1144. McCarty MF. The origins of western obesity: a role for animal protein? *Med Hypotheses*. 2000; 54(3):488–94.
1145. Slabber M, Barnard HC, Kuyl JM, Dannhauser A, Schall R. Effects of a low-insulin-response, energy-restricted diet on weight loss and plasma insulin concentrations in hyperinsulinemic obese females. *Am J Clin Nutr*. 1994; 60(1):48–53.
1146. McCarty MF. The origins of western obesity: a role for animal protein? *Med Hypotheses*. 2000; 54(3):488–94.
1147. Lifshitz F, Lifshitz JZ. Globesity: the root causes of the obesity epidemic in the USA and now worldwide. *Pediatr Endocrinol Rev*. 2014; 12(1):17–34.
1148. Speliotes EK, Willer CJ, Berndt SI, et al. Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nat Genet*. 2010; 42(11):937–48.
1149. Sanmiguel C, Gupta A, Mayer EA. Gut microbiome and obesity: a plausible explanation for obesity. *Curr Obes Rep*. 2015; 4(2):250–61.
1150. Triggler DJ. Nous sommes tous des bacteries: implications for medicine, pharmacology and public health. *Biochem Pharmacol*. 2012; 84(12):1543–50.
1151. Tuohy KM, Gougoulis C, Shen Q, Walton G, Fava F, Ramnani P. Studying the human gut microbiota in the trans-omics era—focus on metagenomics and metabonomics. *Curr Pharm Des*. 2009; 15(13):1415–27.
1152. Shabana, Shahid SU, Irfan U. The gut microbiota and its potential role in obesity. *Future Microbiol*. 2018; 13:589–603.
1153. Sleator RD. The human superorganism—of microbes and men. *Med Hypotheses*. 2010; 74(2):214–5.
1154. Fleischmann RD, Adams MD, White O, et al. Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd. *Science*. 1995; 269(5223):496–512.

1155. Land M, Hauser L, Jun SR, et al. Insights from 20 years of bacterial genome sequencing. *Funct Integr Genomics*. 2015; 15(2):141–61.
1156. Goodacre R. Metabolomics of a superorganism. *J Nutr*. 2007; 137(1 Suppl):259S–66S.
1157. Tsai F, Coyle WJ. The microbiome and obesity: is obesity linked to our gut flora? *Curr Gastroenterol Rep*. 2009; 11(4):307–13.
1158. Stephen AM, Cummings JH. The microbial contribution to human faecal mass. *J Med Microbiol*. 1980; 13(1):45–56.
1159. Singh RK, Chang HW, Yan D, et al. Influence of diet on the gut microbiome and implications for human health. *J Transl Med*. 2017; 15(1):73.
1160. Kim A. Dysbiosis: a review highlighting obesity and inflammatory bowel disease. *J Clin Gastroenterol*. 2015; 49 Suppl 1:S20–4.
1161. Patterson E, Ryan PM, Cryan JF, et al. Gut microbiota, obesity and diabetes. *Postgrad Med J*. 2016; 92(1087):286–300.
1162. Tsai F, Coyle WJ. The microbiome and obesity: is obesity linked to our gut flora? *Curr Gastroenterol Rep*. 2009; 11(4):307–13.
1163. Wikoff W, Anfora A, Liu J, et al. Metabolomics analysis reveals large effects of gut microflora on mammalian blood metabolites. *Proc Natl Acad Sci U S A*. 2009; 106(10):3698–703.
1164. Sanmiguel C, Gupta A, Mayer EA. Gut microbiome and obesity: a plausible explanation for obesity. *Curr Obes Rep*. 2015; 4(2):250–61.
1165. Aydin S. Can peptides and gut microbiota be involved in the etiopathology of obesity? *Obes Surg*. 2017; 27(1):202–4.
1166. Moore PR, Evenson A, Luckey TD, McCoy E, Elvehjem CA, Hart EB. Use of sulfasuxidine, streptothricin, and streptomycin in nutritional studies with the chick. *J Biol Chem*. 1946; (165):437–41.
1167. Coates ME, Fuller R, Harrison GF, Lev M, Suffolk SF. A comparison of the growth of chicks in the Gustafsson germ-free apparatus and in a conventional environment, with and without dietary supplements of penicillin. *Br J Nutr*. 1963; 17:141–50.
1168. United States Food and Drug Administration Center for Veterinary Medicine. 2016 summary report on antimicrobials sold or distributed for use in food-producing animals. FDA.gov. Publicado en diciembre, 2017. Disponible en: <https://www.fda.gov/downloads/forindustry/userfees/animaldruguserfeeactadufa/ucm588085.pdf>. Acceso: abril, 1, 2019.
1169. Pew Charitable Trusts. Record-high antibiotic sales for meat and poultry production. Publicado en febrero, 6, 2013. Available at: <http://www.pewtrusts.org/en/research-and-analysis/analysis/2013/02/06/record-high-antibiotic-sales-for-meat-and-poultry-production>. Acceso: abril, 1, 2019.

1170. Tang KL, Caffrey NP, Nóbrega DB, et al. Restricting the use of antibiotics in food-producing animals and its associations with antibiotic resistance in food-producing animals and human beings: a systematic review and meta-analysis. *Lancet Planet Health*. 2017; 1(8):e316–27.
1171. Riley LW, Raphael E, Faerstein E. Obesity in the United States—dysbiosis from exposure to low-dose antibiotics? *Front Public Health*. 2013; 1:69.
1172. Done HY, Venkatesan AK, Halden RU. Does the recent growth of aquaculture create antibiotic resistance threats different from those associated with land animal production in agriculture? *AAPS J*. 2015; 17(3):513–24.
1173. Buschmann A, Cabello F, Young K, Carvajal J, Varela DA, Henríquez L. Salmon aquaculture and coastal ecosystem health in Chile: analysis of regulations, environmental impacts and bioremediation systems. *Ocean Coast Manag*. 2009; 52(5):243–9.
1174. Done HY, Halden RU. Reconnaissance of 47 antibiotics and associated microbial risks in seafood sold in the United States. *J Hazard Mater*. 2015; 282:10–7.
1175. Cox LM, Blaser MJ. Antibiotics in early life and obesity. *Nat Rev Endocrinol*. 2015; 11(3):182–90.
1176. Hersh AL, Jackson MA, Hicks LA. Principles of judicious antibiotic prescribing for upper respiratory tract infections in pediatrics. *Pediatrics*. 2013; 132(6):1146–54.
1177. Jakobsson HE, Jernberg C, Andersson AF, Sjölund-Karlsson M, Jansson JK, Engstrand L. Short-term antibiotic treatment has differing long-term impacts on the human throat and gut microbiome. *PLoS ONE*. 2010; 5(3):e9836.
1178. Rasmussen SH, Shrestha S, Bjerregaard LG, et al. Antibiotic exposure in early life and childhood overweight and obesity: a systematic review and meta-analysis. *Diabetes Obes Metab*. 2018; 20(6):1508–14.
1179. Shao X, Ding X, Wang B, et al. Antibiotic exposure in early life increases risk of childhood obesity: a systematic review and meta-analysis. *Front Endocrinol (Lausanne)*. 2017; 8:170.
1180. Shao X, Ding X, Wang B, et al. Antibiotic exposure in early life increases risk of childhood obesity: a systematic review and meta-analysis. *Front Endocrinol (Lausanne)*. 2017; 8:170.
1181. Do antibiotics cause obesity? *Arch Dis Child*. 2015; 100(7):622.
1182. Thuny F, Richet H, Casalta JP, Angelakis E, Habib G, Raoult D. Vancomycin treatment of infective endocarditis is linked with recently acquired obesity. *PLoS ONE*. 2010; 5(2):e9074.
1183. Li D, Chen H, Ferber J, Odouli R. Infection and antibiotic use in infancy and risk of childhood obesity: a longitudinal birth cohort study. *Lancet Diabetes Endocrinol*. 2017; 5(1):18–25.
1184. Lane JA, Murray LJ, Harvey IM, Donovan JL, Nair P, Harvey RF. Randomised clinical trial: *Helicobacter pylori* eradication is associated with a significantly increased body mass index in a placebo-controlled study. *Aliment Pharmacol Ther*. 2011; 33(8):922–9.

1185. Haight TH, Pierce WE. Effect of prolonged antibiotic administration of the weight of healthy young males. *J Nutr.* 1955; 56(1):151–61.
1186. Blaser MJ. Antibiotic use and its consequences for the normal microbiome. *Science.* 2016; 352(6285):544–5.
1187. ACOG Committee on Obstetric Practice. Vaginal seeding. American College of Obstetricians and Gynecologists. Publicado en noviembre, 2017. Disponible en: <https://www.acog.org/clinical-guidance-and-publications/committee-opinions/committee-on-obstetric-practice/vaginal-seeding>. Acceso: abril, 1, 2019.
1188. Pihl AF, Fonvig CE, Stjernholm T, Hansen T, Pedersen O, Holm JC. The role of the gut microbiota in childhood obesity. *Child Obes.* 2016; 12(4):292–9.
1189. ACOG Committee on Obstetric Practice. Vaginal seeding. American College of Obstetricians and Gynecologists. Publicado en noviembre, 2017. Disponible en: <https://www.acog.org/clinical-guidance-and-publications/committee-opinions/committee-on-obstetric-practice/vaginal-seeding>. Acceso: abril, 1, 2019.
1190. Dominguez-Bello MG, De Jesus-Laboy KM, Shen N, et al. Partial restoration of the microbiota of cesarean-born infants via vaginal microbial transfer. *Nat Med.* 2016; 22(3):250–3.
1191. Yan J, Liu L, Zhu Y, Huang G, Wang PP. The association between breastfeeding and childhood obesity: a meta-analysis. *BMC Public Health.* 2014; 14:1267.
1192. Korpela K, Salonen A, Virta LJ, Kekkonen RA, de Vos WM. Association of early-life antibiotic use and protective effects of breastfeeding: role of the intestinal microbiota. *JAMA Pediatr.* 2016; 170(8):750–7.
1193. Freeland KR, Wilson C, Wolever TM. Adaptation of colonic fermentation and glucagon-like peptide-1 secretion with increased wheat fibre intake for 1 year in hyperinsulinaemic human subjects. *Br J Nutr.* 2010; 103(1):82–90.
1194. Davis HC. Can the gastrointestinal microbiota be modulated by dietary fibre to treat obesity? *Ir J Med Sci.* 2018; 187(2):393–402.
1195. Le Chatelier E, Nielsen T, Qin J, et al. Richness of human gut microbiome correlates with metabolic markers. *Nature.* 2013; 500(7464):541–6.
1196. Grootaert C, Van de Wiele T, Van Roosbroeck I, et al. Bacterial monocultures, propionate, butyrate and H<sub>2</sub>O<sub>2</sub> modulate the expression, secretion and structure of the fasting-induced adipose factor in gut epithelial cell lines. *Environ Microbiol.* 2011; 13(7):1778–89.
1197. Hippe B, Zwieler J, Liszt K, Lassl C, Unger F, Haslberger AG. Quantification of butyryl CoA:acetate CoA-transferase genes reveals different butyrate production capacity in individuals according to diet and age. *FEMS Microbiol Lett.* 2011; 316(2):130–5.
1198. Duncan SH, Belonguer A, Holtrop G, Johnstone AM, Flint HJ, Lopley GE. Reduced dietary intake of carbohydrates by obese subjects results in decreased concentrations of butyrate and butyrate-producing bacteria in feces. *Appl Environ Microbiol.* 2007; 73(4):1073–8.

1199. Jumpertz R, Le DS, Turnbaugh PJ, et al. Energy-balance studies reveal associations between gut microbes, caloric load, and nutrient absorption in humans. *Am J Clin Nutr.* 2011; 94(1):58–65.
1200. Jumpertz R, Le DS, Turnbaugh PJ, et al. Energy-balance studies reveal associations between gut microbes, caloric load, and nutrient absorption in humans. *Am J Clin Nutr.* 2011; 94(1):58–65.
1201. Liszt K, Zwielehner J, Handschur M, Hippe B, Thaler R, Haslberger AG. Characterization of bacteria, clostridia and *Bacteroides* in faeces of vegetarians using qPCR and PCR-DGGE fingerprinting. *Ann Nutr Metab.* 2009; 54(4):253–7.
1202. Thursby E, Juge N. Introduction to the human gut microbiota. *Biochem J.* 2017; 474(11):1823–36.
1203. Wu GD, Chen J, Hoffmann C, et al. Linking long-term dietary patterns with gut microbial enterotypes. *Science.* 2011; 334(6052):105–8.
1204. Knights D, Ward TL, McKinlay CE, et al. Rethinking «enterotypes.» *Cell Host Microbe.* 2014; 16(4):433–7.
1205. Arumugam M, Raes J, Pelletier E, et al. Enterotypes of the human gut microbiome. *Nature.* 2011; 473(7346):174–80.
1206. Wu GD, Chen J, Hoffmann C, et al. Linking long-term dietary patterns with gut microbial enterotypes. *Science.* 2011; 334(6052):105–8.
1207. Chen T, Long W, Zhang C, Liu S, Zhao L, Hamaker BR. Fiber-utilizing capacity varies in *Prevotella*-versus *Bacteroides*-dominated gut microbiota. *Sci Rep.* 2017; 7(1):2594.
1208. O’Keefe SJ, Chung D, Mahmoud N, et al. Why do African Americans get more colon cancer than Native Africans? *J Nutr.* 2007; 137(1 Suppl):175S–82S.
1209. O’Keefe SJ, Li JV, Lahti L, et al. Fat, fibre and cancer risk in African Americans and rural Africans. *Nat Commun.* 2015; 6:6342.
1210. O’Keefe SJ, Li JV, Lahti L, et al. Fat, fibre and cancer risk in African Americans and rural Africans. *Nat Commun.* 2015; 6:6342.
1211. David LA, Maurice CF, Carmody RN, et al. Diet rapidly and reproducibly alters the human gut microbiome. *Nature.* 2014; 505(7484):559–63.
1212. Attene-Ramos MS, Wagner ED, Gaskins HR, Plewa MJ. Hydrogen sulfide induces direct radical-associated DNA damage. *Mol Cancer Res.* 2007; 5(5):455–9.
1213. David LA, Maurice CF, Carmody RN, et al. Diet rapidly and reproducibly alters the human gut microbiome. *Nature.* 2014; 505(7484):559–63.
1214. De Filippis F, Pellegrini N, Vannini L, et al. High-level adherence to a Mediterranean diet beneficially impacts the gut microbiota and associated metabolome. *Gut.* 2016; 65(11):1812–21.
1215. Le Chatelier E, Nielsen T, Qin J, et al. Richness of human gut microbiome correlates with metabolic markers. *Nature.* 2013; 500(7464):541–6.

1216. Menni C, Jackson MA, Pallister T, Steves CJ, Spector TD, Valdes AM. Gut microbiome diversity and high-fibre intake are related to lower long-term weight gain. *Int J Obes (Lond)*. 2017; 41(7):1099–105.
1217. Requena T, Martínez-Cuesta MC, Peláez C. Diet and microbiota linked in health and disease. *Food Funct*. 2018; 9(2):688–704.
1218. Daïen CI, Pinget GV, Tan JK, Macia L. Detrimental impact of microbiota-accessible carbohydrate-deprived diet on gut and immune homeostasis: an overview. *Front Immunol*. 2017; 8:548.
1219. Hoy MK, Goldman JD. Fiber intake of the U.S. population: what we eat in America, NHANES 2009–2010. Food Surveys Research Group. Dietary Data Brief No. 12. Publicado en septiembre, 2014. Disponible en: [https://www.ars.usda.gov/ARSUserFiles/80400530/pdf/dbrief/12\\_fiber\\_intake\\_0910.pdf](https://www.ars.usda.gov/ARSUserFiles/80400530/pdf/dbrief/12_fiber_intake_0910.pdf). Acceso: abril, 1, 2019.
1220. Han M, Wang C, Liu P, Li D, Li Y, Ma X. Dietary fiber gap and host gut microbiota. *Protein Pept Lett*. 2017; 24(5):388–96.
1221. Röytiö H, Mokkala K, Vahlberg T, Laitinen K. Dietary intake of fat and fibre according to reference values relates to higher gut microbiota richness in overweight pregnant women. *Br J Nutr*. 2017; 118(5):343–52.
1222. Han M, Wang C, Liu P, Li D, Li Y, Ma X. Dietary fiber gap and host gut microbiota. *Protein Pept Lett*. 2017; 24(5):388–96.
1223. Martens E. Microbiome: fibre for the future. *Nature*. 2016; 529(7585):158–9.
1224. Tap J, Furet JP, Bensaada M, et al. Gut microbiota richness promotes its stability upon increased dietary fibre intake in healthy adults. *Environ Microbiol*. 2015; 17(12):4954–64.
1225. Martínez I, Lattimer JM, Hubach KL, et al. Gut microbiome composition is linked to whole grain-induced immunological improvements. *ISME J*. 2013; 7(2):269–80.
1226. Walter J, Martínez I, Rose DJ. Holobiont nutrition: considering the role of the gastrointestinal microbiota in the health benefits of whole grains. *Gut Microbes*. 2013; 4(4):340–6.
1227. Bodinham CL, Hitchen KL, Youngman PJ, Frost GS, Robertson MD. Short-term effects of whole-grain wheat on appetite and food intake in healthy adults: a pilot study. *Br J Nutr*. 2011; 106(3):327–30.
1228. De Souza HS, Fiocchi C. Immunopathogenesis of IBD: current state of the art. *Nat Rev Gastroenterol Hepatol*. 2016; 13(1):13–27.
1229. Cani PD, Amar J, Iglesias MA, et al. Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes*. 2007; 56(7):1761–72.
1230. Ananthkrishnan AN, Khalili H, Konijeti GG, et al. A prospective study of long-term intake of dietary fiber and risk of Crohn’s disease and ulcerative colitis. *Gastroenterology*. 2013; 145(5):970–7.

1231. Greathouse KL, Faucher MA, Hastings-Tolsma M. The gut microbiome, obesity, and weight control in women's reproductive health. *West J Nurs Res*. 2017; 39(8):1094–119.
1232. Roberts CL, Keita AV, Duncan SH, et al. Translocation of Crohn's disease *Escherichia coli* across M-cells: contrasting effects of soluble plant fibres and emulsifiers. *Gut*. 2010; 59(10):1331–9.
1233. CFR—Code of Federal Regulations Title 21. United States Food and Drug Administration. Actualizado en septiembre, 4, 2018. Disponible en: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm>. Acceso: abril, 1, 2019.
1234. Chassaing B, Koren O, Goodrich JK, et al. Dietary emulsifiers impact the mouse gut microbiota promoting colitis and metabolic syndrome. *Nature*. 2015; 519(7541):92–6.
1235. Richman E, Rhodes JM. Review article: evidence-based dietary advice for patients with inflammatory bowel disease. *Aliment Pharmacol Ther*. 2013; 38(10):1156–71.
1236. Fechner A, Fenske K, Jahreis G. Effects of legume kernel fibres and citrus fibre on putative risk factors for colorectal cancer: a randomised, double-blind, crossover human intervention trial. *Nutr J*. 2013; 12:101.
1237. Sonnenburg ED, Sonnenburg JL. Starving our microbial self: the deleterious consequences of a diet deficient in microbiota-accessible carbohydrates. *Cell Metab*. 2014; 20(5):779–86.
1238. Ilyin VK. Microbiological status of cosmonauts during orbital spaceflights on Salyut and Mir orbital stations. *Acta Astronaut*. 2005; 56(9–12):839–50.
1239. Finegold S, Sutter V, Mathisen G. Normal indigenous intestinal flora. In: Hentges D, ed. *Human Intestinal Microflora in Health and Disease*. 1st ed. New York: Academic Press; 1983:3–31.
1240. David LA, Materna AC, Friedman J, et al. Host lifestyle affects human microbiota on daily timescales. *Genome Biol*. 2014; 15(7):R89.
1241. Kellow NJ, Coughlan MT, Reid CM. Metabolic benefits of dietary prebiotics in human subjects: a systematic review of randomised controlled trials. *Br J Nutr*. 2014; 111(7):1147–61.
1242. Seganfredo FB, Blume CA, Moehlecke M, et al. Weight-loss interventions and gut microbiota changes in overweight and obese patients: a systematic review. *Obes Rev*. 2017; 18(8):832–51.
1243. Nicolucci AC, Hume MP, Martínez I, Mayengbam S, Walter J, Reimer RA. Prebiotics reduce body fat and alter intestinal microbiota in children who are overweight or with obesity. *Gastroenterology*. 2017; 153(3):711–22.
1244. Abrams SA, Griffin IJ, Hawthorne KM, Ellis KJ. Effect of prebiotic supplementation and calcium intake on body mass index. *J Pediatr*. 2007; 151(3):293–8.

1245. Foerster J, Maskarinec G, Reichardt N, et al. The influence of whole grain products and red meat on intestinal microbiota composition in normal weight adults: a randomized crossover intervention trial. *PLoS ONE*. 2014; 9(10):e109606.
1246. Marchesi JR, Adams DH, Fava F, et al. The gut microbiota and host health: a new clinical frontier. *Gut*. 2016; 65(2):330–9.
1247. Marchesi JR, Adams DH, Fava F, et al. The gut microbiota and host health: a new clinical frontier. *Gut*. 2016; 65(2):330–9.
1248. Eid HM, Wright ML, Anil Kumar NV, et al. Significance of microbiota in obesity and metabolic diseases and the modulatory potential by medicinal plant and food ingredients. *Front Pharmacol*. 2017; 8:387.
1249. Hooper PL, Hooper PL, Tytell M, Vigh L. Xenohormesis: health benefits from an eon of plant stress response evolution. *Cell Stress Chaperones*. 2010; 15(6):761–70.
1250. Schultz JC. Shared signals and the potential for phylogenetic espionage between plants and animals. *Integr Comp Biol*. 2002; 42(3):454–62.
1251. Schultz JC. Shared signals and the potential for phylogenetic espionage between plants and animals. *Integr Comp Biol*. 2002; 42(3):454–62.
1252. Kahle K, Kraus M, Scheppach W, Ackermann M, Ridder F, Richling E. Studies on apple and blueberry fruit constituents: do the polyphenols reach the colon after ingestion? *Mol Nutr Food Res*. 2006; 50(4–5):418–23.
1253. Routray W, Orsat V. Blueberries and their anthocyanins: factors affecting biosynthesis and properties. *Comp Rev Food Sci and Food Saf*. 2011; 10(6):303–20.
1254. Hidalgo M, Oruna-Concha MJ, Kolida S, et al. Metabolism of anthocyanins by human gut microflora and their influence on gut bacterial growth. *J Agric Food Chem*. 2012; 60:3882–90.
1255. Scalbert A, Williamson G. Dietary intake and bioavailability of polyphenols. *J Nutr*. 2000; 130(8S Suppl):2073S–85S.
1256. Delzenne NM, Neyrinck AM, Cani PD. Gut microbiota and metabolic disorders: how prebiotic can work? *Br J Nutr*. 2013; 109 Suppl 2:S81–5.
1257. Delzenne NM, Neyrinck AM, Cani PD. Gut microbiota and metabolic disorders: how prebiotic can work? *Br J Nutr*. 2013; 109 Suppl 2:S81–5.
1258. Nicolucci AC, Hume MP, Martínez I, Mayengbam S, Walter J, Reimer RA. Prebiotics reduce body fat and alter intestinal microbiota in children who are overweight or with obesity. *Gastroenterology*. 2017; 153(3):711–22.
1259. Dewulf EM, Cani PD, Claus SP, et al. Insight into the prebiotic concept: lessons from an exploratory, double blind intervention study with inulin-type fructans in obese women. *Gut*. 2013; 62(8):1112–21.
1260. Hill P, Muir JG, Gibson PR. Controversies and recent developments of the low-FODMAP diet. *Gastroenterol Hepatol (N Y)*. 2017; 13(1):36–45.

1261. Hidalgo M, Oruna-Concha MJ, Kolida S, et al. Metabolism of anthocyanins by human gut microflora and their influence on gut bacterial growth. *J Agric Food Chem.* 2012; 60(15):3882–90.
1262. Stevenson D, Scalzo J. Anthocyanin composition and content of blueberries. *J Berry Res.* 2012; 2(4):179–89.
1263. Vendrame S, Guglielmetti S, Riso P, Arioli S, Klimis-Zacas D, Porrini M. Six-week consumption of a wild blueberry powder drink increases bifidobacteria in the human gut. *J Agric Food Chem.* 2011; 59(24):12815–20.
1264. Shinohara K, Ohashi Y, Kawasumi K, Terada A, Fujisawa T. Effect of apple intake on fecal microbiota and metabolites in humans. *Anaerobe.* 2010; 16(5):510–5.
1265. Drasar B, Jenkins D. Bacteria, diet, and large bowel cancer. *Am J Clin Nutr.* 1976; 29:1410–6.
1266. Mitsou EK, Kougia E, Nomikos T, Yannakoulia M, Mountzouris KC, Kyriacou A. Effect of banana consumption on faecal microbiota: a randomised, controlled trial. *Anaerobe.* 2011; 17(6):384–7.
1267. Jin JS, Touyama M, Hisada T, Benno Y. Effects of green tea consumption on human fecal microbiota with special reference to *Bifidobacterium* species. *Microbiol Immunol.* 2012; 56(11):729–39.
1268. Jaquet M, Rochat I, Moulin J, Cavin C, Bibiloni R. Impact of coffee consumption on the gut microbiota: a human volunteer study. *Int J Food Microbiol.* 2009; 130(2):117–21.
1269. Jaquet M, Rochat I, Moulin J, Cavin C, Bibiloni R. Impact of coffee consumption on the gut microbiota: a human volunteer study. *Int J Food Microbiol.* 2009; 130(2):117–21.
1270. Budryn G, Pałecz B, Rachwał-Rosiak D, et al. Effect of inclusion of hydroxycinnamic and chlorogenic acids from green coffee bean in  $\beta$ -cyclodextrin on their interactions with whey, egg white and soy protein isolates. *Food Chem.* 2015; 168:276–87.
1271. Felberg I, Farah A, Monteiro M, et al. Effect of simultaneous consumption of soymilk and coffee on the urinary excretion of isoflavones, chlorogenic acids and metabolites in healthy adults. *J Funct Foods.* 2015; 19:688–99.
1272. Bertoia ML, Rimm EB, Mukamal KJ, Hu FB, Willett WC, Cassidy A. Dietary flavonoid intake and weight maintenance: three prospective cohorts of 124,086 US men and women followed for up to 24 years. *BMJ.* 2016; 352:i17.
1273. De Oliveira MC, Sichieri R, Venturim Mozzler R. A low-energy-dense diet adding fruit reduces weight and energy intake in women. *Appetite.* 2008; 51(2):291–5.
1274. Ritchie ML, Romanuk TN. A meta-analysis of probiotic efficacy for gastrointestinal diseases. *PLoS ONE.* 2012; 7(4):e34938.

1275. Besselink MG, van Santvoort HC, Buskens E, et al. Probiotic prophylaxis in predicted severe acute pancreatitis: a randomised, double-blind, placebo-controlled trial. *Lancet*. 2008; 371(9613):651–9.
1276. Besselink MG, van Santvoort HC, Buskens E, et al. Probiotic prophylaxis in predicted severe acute pancreatitis: a randomised, double-blind, placebo-controlled trial. *Lancet*. 2008; 371(9613):651–9.
1277. Hooijmans CR, de Vries RB, Rovers MM, Gooszen HG, Ritskes-Hoitinga M. The effects of probiotic supplementation on experimental acute pancreatitis: a systematic review and meta-analysis. *PLoS ONE*. 2012; 7(11):e48811.
1278. Besselink MG, van Santvoort HC, Buskens E, et al. Probiotic prophylaxis in predicted severe acute pancreatitis: a randomised, double-blind, placebo-controlled trial. *Lancet*. 2008; 371(9613):651–9.
1279. Besselink MG, Timmerman HM, Buskens E, et al. Probiotic prophylaxis in patients with predicted severe acute pancreatitis (PROPATRIA): design and rationale of a double-blind, placebo-controlled randomised multicenter trial [ISRCTN38327949]. *BMC Surg*. 2004; 4:12.
1280. Gooszen HG. The PROPATRIA trial: best practices at the time were followed. *Lancet*. 2010; 375(9722):1249–50.
1281. Hempel S, Newberry S, Ruelaz A, et al. (Prepared by the Southern California Evidence-based Practice Center). Safety of probiotics to reduce risk and prevent or treat disease. Agency for Healthcare Research and Quality. *AHRQ Publication No. 11-E007*. Actualizado en julio, 2018. Available at: <http://www.ahrq.gov/clinic/tp/probiotictp.htm>. Acceso: abril, 1, 2019.
1282. Raoult D. Human microbiome: take-home lesson on growth promoters? *Nature*. 2008; 454(7205):690–1.
1283. Million M, Angelakis E, Paul M, Armougom F, Leibovici L, Raoult D. Comparative meta-analysis of the effect of *Lactobacillus* species on weight gain in humans and animals. *Microb Pathog*. 2012; 53(2):100–8.
1284. Abe F, Ishibashi N, Shimamura S. Effect of administration of bifidobacteria and lactic acid bacteria to newborn calves and piglets. *J Dairy Sci*. 1995; 78(12):2838–46.
1285. Robinson E, Thompson W. Effect on weight gain of the addition of *Lactobacillus acidophilus* to the formula of newborn infants. *J Pediatr*. 1952; 41(4):395–8.
1286. Million M, Raoult D. Species and strain specificity of *Lactobacillus* probiotics effect on weight regulation. *Microb Pathog*. 2013; 55:52–4.
1287. Lexchin J. Those who have the gold make the evidence: how the pharmaceutical industry biases the outcomes of clinical trials of medications. *Sci Eng Ethics*. 2012; 18(2):247–61.
1288. Million M, Raoult D. Publication biases in probiotics. *Eur J Epidemiol*. 2012; 27(11):885–6.
1289. Borgeraas H, Johnson LK, Skattebu J, Hertel JK, Hjelmestaeth J. Effects of probiotics on body weight, body mass index, fat mass and fat percentage in subjects

- with overweight or obesity: a systematic review and meta-analysis of randomized controlled trials. *Obes Rev*. 2018; 19(2):219–32.
1290. Kadooka Y, Sato M, Imaizumi K, et al. Regulation of abdominal adiposity by probiotics (*Lactobacillus gasseri* SBT2055) in adults with obese tendencies in a randomized controlled trial. *Eur J Clin Nutr*. 2010; 64(6):636–43.
1291. Vitali B, Minervini G, Rizzello CG, et al. Novel probiotic candidates for humans isolated from raw fruits and vegetables. *Food Microbiol*. 2012; 31(1):116–25.
1292. Wassermann B, Rybakova D, Müller C, Berg G. Harnessing the microbiomes of *Brassica* vegetables for health issues. *Sci Rep*. 2017; 7(1):17649.
1293. Leff JW, Fierer N. Bacterial communities associated with the surfaces of fresh fruits and vegetables. *PLoS ONE*. 2013; 8(3):e59310.
1294. Jackson C, Stone B, Tyler H. Emerging perspectives on the natural microbiome of fresh produce vegetables. *Agriculture*. 2015; 5(2):170–87.
1295. Gardner A, Mattiuzzi G, Faderl S, et al. Randomized comparison of cooked and noncooked diets in patients undergoing remission induction therapy for acute myeloid leukemia. *J Clin Oncol*. 2008; 26(35):5684–8.
1296. Trifilio S, Helenowski I, Giel M, et al. Questioning the role of a neutropenic diet following hematopoietic stem cell transplantation. *Biol Blood Marrow Transplant*. 2012; 18(9):1385–90.
1297. Martinez KB, Leone V, Chang EB. Western diets, gut dysbiosis, and metabolic diseases: are they linked? *Gut Microbes*. 2017; 8(2):130–42.
1298. Bakker GJ, Nieuwdorp M. Fecal microbiota transplantation: therapeutic potential for a multitude of diseases beyond *Clostridium difficile*. *Microbiol Spectr*. 2017; 5(4).
1299. Bakker GJ, Nieuwdorp M. Fecal microbiota transplantation: therapeutic potential for a multitude of diseases beyond *Clostridium difficile*. *Microbiol Spectr*. 2017; 5(4).
1300. Zhang F, Luo W, Shi Y, Fan Z, Ji G. Should we standardize the 1,700-year-old fecal microbiota transplantation? *Am J Gastroenterol*. 2012; 107(11):1755.
1301. Kong LY, Tan RX. Artemisinin, a miracle of traditional Chinese medicine. *Nat Prod Rep*. 2015; 32(12):1617–21.
1302. Dao MC, Clément K. Gut microbiota and obesity: concepts relevant to clinical care. *Eur J Intern Med*. 2018; 48:18–24.
1303. Panchal P, Budree S, Scheeler A, et al. Scaling safe access to fecal microbiota transplantation: past, present, and future. *Curr Gastroenterol Rep*. 2018; 20(4):14.
1304. Panchal P, Budree S, Scheeler A, et al. Scaling safe access to fecal microbiota transplantation: past, present, and future. *Curr Gastroenterol Rep*. 2018; 20(4):14.

1305. Bakker GJ, Nieuwdorp M. Fecal microbiota transplantation: therapeutic potential for a multitude of diseases beyond *Clostridium difficile*. *Microbiol Spectr*. 2017; 5(4).
1306. Borody TJ, Paramsothy S, Agrawal G. Fecal microbiota transplantation: indications, methods, evidence, and future directions. *Curr Gastroenterol Rep*. 2013; 15(8):337.
1307. Drekonja D, Reich J, Gezahegn S, et al. Fecal microbiota transplantation for *Clostridium difficile* infection: a systematic review. *Ann Intern Med*. 2015; 162(9):630–8.
1308. Fecal microbiota transplantation. Infectious Diseases Society of America. 2019. Disponible en: <https://www.idsociety.org/public-health/emerging-clinical-issues/emerging-clinical-issues/fecal-microbiota-transplantation>. Acceso: abril, 1, 2019.
1309. Panchal P, Budree S, Scheeler A, et al. Scaling safe access to fecal microbiota transplantation: past, present, and future. *Curr Gastroenterol Rep*. 2018; 20(4):14.
1310. Alang N, Kelly CR. Weight gain after fecal microbiota transplantation. *Open Forum Infect Dis*. 2015; 2(1):ofv004.
1311. Hamzelou J. Not just obesity—faecal transplants’ weird effects. *New Scientist*. Publicado en febrero, 11, 2015. Disponible en: <https://www.newscientist.com/article/mg22530083-600-not-just-obesity-faecal-transplants-weird-effects>. Acceso: abril, 1, 2019.
1312. Alang N, Kelly CR. Weight gain after fecal microbiota transplantation. *Open Forum Infect Dis*. 2015; 2(1):ofv004.
1313. Turnbaugh PJ, Ley RE, Mahowald MA, Magrini V, Mardis ER, Gordon JI. An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature*. 2006; 444(7122):1027–31.
1314. Ridaura VK, Faith JJ, Rey FE, et al. Gut microbiota from twins discordant for obesity modulate metabolism in mice. *Science*. 2013; 341(6150):1241214.
1315. Walker AW, Parkhill J. Microbiology. Fighting obesity with bacteria. *Science*. 2013; 341(6150):1069–70.
1316. Hamzelou J. Not just obesity—faecal transplants’ weird effects. *New Scientist*. Publicado en febrero, 11, 2015. Disponible en: <https://www.newscientist.com/article/mg22530083-600-not-just-obesity-faecal-transplants-weird-effects>. Acceso: abril, 1, 2019.
1317. Yu EW. Fecal microbiota transplant for obesity and metabolism. *Clinicaltrials.gov*. Publicado en agosto, 21, 2015. Disponible en: <https://clinicaltrials.gov/ct2/show/NCT02530385>. Acceso: abril, 1, 2019.
1318. Vrieze A, Van Nood E, Holleman F, et al. Transfer of intestinal microbiota from lean donors increases insulin sensitivity in individuals with metabolic syndrome. *Gastroenterology*. 2012; 143(4):913–6.e7.

1319. Vrieze A, Van Nood E, Holleman F, et al. Transfer of intestinal microbiota from lean donors increases insulin sensitivity in individuals with metabolic syndrome. *Gastroenterology*. 2012; 143(4):913–6.e7.
1320. Udayappan SD, Hartstra AV, Dallinga-Thie GM, Nieuwdorp M. Intestinal microbiota and faecal transplantation as treatment modality for insulin resistance and type 2 diabetes mellitus. *Clin Exp Immunol*. 2014; 177(1):24–9.
1321. Konstantinov SR, Peppelenbosch MP. Fecal microbiota transfer may increase irritable bowel syndrome and inflammatory bowel diseases-associated bacteria. *Gastroenterology*. 2013; 144(4):e19–20.
1322. Tuohy KM, Conterno L, Gasperotti M, Viola R. Up-regulating the human intestinal microbiome using whole plant foods, polyphenols, and/or fiber. *J Agric Food Chem*. 2012; 60(36):8776–82.
1323. Yatsunenkov T, Rey FE, Manary MJ, et al. Human gut microbiome viewed across age and geography. *Nature*. 2012; 486(7402):222–7.
1324. Song SJ, Lauber C, Costello EK, et al. Cohabiting family members share microbiota with one another and with their dogs. *Elife*. 2013; 2:e00458.
1325. Lax S, Smith DP, Hampton-Marcell J, et al. Longitudinal analysis of microbial interaction between humans and the indoor environment. *Science*. 2014; 345(6200):1048–52.
1326. Udayappan SD, Hartstra AV, Dallinga-Thie GM, Nieuwdorp M. Intestinal microbiota and faecal transplantation as treatment modality for insulin resistance and type 2 diabetes mellitus. *Clin Exp Immunol*. 2014; 177(1):24–9.
1327. Christakis NA, Fowler JH. The spread of obesity in a large social network over 32 years. *N Engl J Med*. 2007; 357(4):370–9.
1328. Alcock J, Maley CC, Aktipis CA. Is eating behavior manipulated by the gastrointestinal microbiota? Evolutionary pressures and potential mechanisms. *Bioessays*. 2014; 36(10):940–9.
1329. Kaplan LM, Brancale J. Eat well, or get roommates who do. *Cell Host Microbe*. 2017; 21(2):123–5.
1330. Boeing H, Bechthold A, Bub A, et al. Critical review: vegetables and fruit in the prevention of chronic diseases. *Eur J Nutr*. 2012; 51(6):637–63.
1331. Fisher JO, Birch LL. Restricting access to palatable foods affects children's behavioral response, food selection, and intake. *Am J Clin Nutr*. 1999; 69(6):1264–72.
1332. Schwingshackl L, Hoffmann G, Kalle-Uhlmann T, Arregui M, Buijsse B, Boeing H. Fruit and vegetable consumption and changes in anthropometric variables in adult populations: a systematic review and meta-analysis of prospective cohort studies. *PLoS ONE*. 2015; 10(10):e0140846.
1333. Kahn H, Tatham L, Rodriguez C, Calle E, Thun M, Heath C. Stable behaviors associated with adults' 10-year change in body mass index and likelihood of gain at the waist. *Am J Public Health*. 1997; 87(5):747–54.

1334. Grosso G, Micek A, Godos J, et al. Health risk factors associated with meat, fruit and vegetable consumption in cohort studies: a comprehensive meta-analysis. *PLoS ONE*. 2017; 12(8):e0183787.
1335. Kahn H, Tatham L, Rodriguez C, Calle E, Thun M, Heath C. Stable behaviors associated with adults' 10-year change in body mass index and likelihood of gain at the waist. *Am J Public Health*. 1997; 87(5):747–54.
1336. Bertoia ML, Mukamal KJ, Cahill LE, et al. Changes in intake of fruits and vegetables and weight change in United States men and women followed for up to 24 years: analysis from three prospective cohort studies. *PLoS Med*. 2015; 12(9):e1001878.
1337. De Oliveira MC, Sichieri R, Venturim Mozzer R. A low-energy-dense diet adding fruit reduces weight and energy intake in women. *Appetite*. 2008; 51(2):291–5.
1338. Dow CA, Going SB, Chow HH, Patil BS, Thomson CA. The effects of daily consumption of grapefruit on body weight, lipids, and blood pressure in healthy, overweight adults. *Metab Clin Exp*. 2012; 61(7):1026–35.
1339. Rush E, Ferguson L, Cumin M, Thakur V, Karunasinghe N, Plank L. Kiwifruit consumption reduces DNA fragility: a randomized controlled pilot study in volunteers. *Nutr Res*. 2006; 26(5):197–201.
1340. Evans SF, Meister M, Mahmood M, et al. Mango supplementation improves blood glucose in obese individuals. *Nutr Metab Insights*. 2014; 7:77–84.
1341. Ledoux TA, Hingle MD, Baranowski T. Relationship of fruit and vegetable intake with adiposity: a systematic review. *Obes Rev*. 2011; 12(5):e143–50.
1342. Mytton OT, Nnoaham K, Eyles H, Scarborough P, Ni Mhurchu C. Systematic review and meta-analysis of the effect of increased vegetable and fruit consumption on body weight and energy intake. *BMC Public Health*. 2014; 14:886.
1343. Kaiser K, Brown A, Bohan Brown M, Shikany J, Mattes R, Allison D. Increased fruit and vegetable intake has no discernible effect on weight loss: a systematic review and meta-analysis. *Am J Clin Nutr*. 2014; 100(2):567–76.
1344. Mytton OT, Nnoaham K, Eyles H, Scarborough P, Ni Mhurchu C. Systematic review and meta-analysis of the effect of increased vegetable and fruit consumption on body weight and energy intake. *BMC Public Health*. 2014; 14:886.
1345. Rolls BJ, Ello-Martin JA, Tohill BC. What can intervention studies tell us about the relationship between fruit and vegetable consumption and weight management? *Nutr Rev*. 2004; 62(1):1–17.
1346. Djuric Z, Poore KM, Depper JB, et al. Methods to increase fruit and vegetable intake with and without a decrease in fat intake: compliance and effects on body weight in the nutrition and breast health study. *Nutr Cancer*. 2002; 43(2):141–51.
1347. Bertoia ML, Mukamal KJ, Cahill LE, et al. Changes in intake of fruits and vegetables and weight change in United States men and women followed for up to 24 years: analysis from three prospective cohort studies. *PLoS Med*. 2015; 12(9):e1001878.

1348. Walker RW, Dumke KA, Goran MI. Fructose content in popular beverages made with and without high-fructose corn syrup. *Nutrition*. 2014; 30(7–8):928–35.
1349. Muraki I, Imamura F, Manson JE, et al. Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. *BMJ*. 2013; 347:f5001.
1350. Hebden L, O’Leary F, Rangan A, Singgih Lie E, Hirani V, Allman-Farinelli M. Fruit consumption and adiposity status in adults: a systematic review of current evidence. *Crit Rev Food Sci Nutr*. 2017; 57(12):2526–40.
1351. Shefferly A, Scharf RJ, DeBoer MD. Longitudinal evaluation of 100% fruit juice consumption on BMI status in 2–5-year-old children. *Pediatr Obes*. 2016; 11(3):221–7.
1352. Sonnevile KR, Long MW, Rifas-Shiman SL, Kleinman K, Gillman MW, Taveras EM. Juice and water intake in infancy and later beverage intake and adiposity: could juice be a gateway drink? *Obesity (Silver Spring)*. 2015; 23(1):170–6.
1353. Wojcicki JM, Heyman MB. Reducing childhood obesity by eliminating 100% fruit juice. *Am J Public Health*. 2012; 102(9):1630–3.
1354. Houchins JA, Tan SY, Campbell WW, Mattes RD. Effects of fruit and vegetable, consumed in solid vs beverage forms, on acute and chronic appetitive responses in lean and obese adults. *Int J Obes (Lond)*. 2013; 37(8):1109–15.
1355. Haber GB, Heaton KW, Murphy D, Burroughs LF. Depletion and disruption of dietary fibre. Effects on satiety, plasma-glucose, and serum-insulin. *Lancet*. 1977; 2(8040):679–82.
1356. Mytton OT, Nnoaham K, Eyles H, Scarborough P, Ni Mhurchu C. Systematic review and meta-analysis of the effect of increased vegetable and fruit consumption on body weight and energy intake. *BMC Public Health*. 2014; 14:886.
1357. Elia M, Cummings JH. Physiological aspects of energy metabolism and gastrointestinal effects of carbohydrates. *Eur J Clin Nutr*. 2007; 61 Suppl 1:S40–74.
1358. Wisker E, Feldheim W. Metabolizable energy of diets low or high in dietary fiber from fruits and vegetables when consumed by humans. *J Nutr*. 1990; 120(11):1331–7.
1359. Pasma WJ, van Erk MJ, Klöpping WA, et al. Nutrigenomics approach elucidates health-promoting effects of high vegetable intake in lean and obese men. *Genes Nutr*. 2013; 8(5):507–21.
1360. Shenoy SF, Poston WS, Reeves RS, et al. Weight loss in individuals with metabolic syndrome given DASH diet counseling when provided a low sodium vegetable juice: a randomized controlled trial. *Nutr J*. 2010; 9:8.
1361. Sharma SP, Chung HJ, Kim HJ, Hong ST. Paradoxical effects of fruit on obesity. *Nutrients*. 2016; 8(10):633.
1362. Madero M, Arriaga JC, Jalal D, et al. The effect of two energy-restricted diets, a low-fructose diet versus a moderate natural fructose diet, on weight loss

- and metabolic syndrome parameters: a randomized controlled trial. *Metab Clin Exp*. 2011; 60(11):1551–9.
1363. Bowman S, Clemens J, Martin C, Anand J, Steinfeldt L, Moshfegh A. Added sugars intake of Americans: what we eat in America, NHANES 2013–2014. United States Department of Agriculture. Publicado en mayo, 2017. Disponible en: [https://www.ars.usda.gov/arsuserfiles/80400530/pdf/dbrief/18\\_added\\_sugars\\_intake\\_of\\_america\\_ns\\_2013-2014.pdf](https://www.ars.usda.gov/arsuserfiles/80400530/pdf/dbrief/18_added_sugars_intake_of_america_ns_2013-2014.pdf). Acceso: abril, 1, 2019.
1364. Agricultural Research Service, United States Department of Agriculture. Basic report: 09003, apples, raw, with skin (includes foods for USDA’s Food Distribution Program). National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/09003>. Acceso: abril, 1, 2019.
1365. Agricultural Research Service, United States Department of Agriculture. Basic report: 09326, watermelon, raw. National Nutrient Database for Standard Reference. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/09326>. Acceso: abril, 1, 2019.
1366. Harvard Health Letter. Rethinking fructose in your diet. *Harvard Health Publications*. Publicado en junio, 2013. Disponible en: <https://www.health.harvard.edu/staying-healthy/rethinking-fructose-in-your-diet>. Acceso: mayo, 12, 2018.
1367. Meyer BJ, van der Merwe M, Du Plessis DG, de Bruin EJ, Meyer AC. Some physiological effects of a mainly fruit diet in man. *S Afr Med J*. 1971; 45(8):191–5.
1368. Meyer BJ, de Bruin EJ, Du Plessis DG, van der Merwe M, Meyer AC. Some biochemical effects of a mainly fruit diet in man. *S Afr Med J*. 1971; 45(10):253–61.
1369. Törrönen R, Kolehmainen M, Sarkkinen E, Mykkänen H, Niskanen L. Postprandial glucose, insulin, and free fatty acid responses to sucrose consumed with blackcurrants and lingonberries in healthy women. *Am J Clin Nutr*. 2012; 96(3):527–33.
1370. Törrönen R, Kolehmainen M, Sarkkinen E, Mykkänen H, Niskanen L. Postprandial glucose, insulin, and free fatty acid responses to sucrose consumed with blackcurrants and lingonberries in healthy women. *Am J Clin Nutr*. 2012; 96(3):527–33.
1371. Törrönen R, Kolehmainen M, Sarkkinen E, Mykkänen H, Niskanen L. Postprandial glucose, insulin, and free fatty acid responses to sucrose consumed with blackcurrants and lingonberries in healthy women. *Am J Clin Nutr*. 2012; 96(3):527–33.
1372. Sugars and sweeteners: U.S. sugar production. Economic Research Service, United States Department of Agriculture. Publicado en mayo, 31, 2018. Disponible en: <https://www.ers.usda.gov/topics/crops/sugar-sweeteners/background/>. Acceso: abril, 1, 2019.
1373. Manzano S, Williamson G. Polyphenols and phenolic acids from strawberry and apple decrease glucose uptake and transport by human intestinal Caco-2 cells. *Mol Nutr Food Res*. 2010; 54(12):1773–80.

1374. Törrönen R, Kolehmainen M, Sarkkinen E, Poutanen K, Mykkänen H, Niskanen L. Berries reduce postprandial insulin responses to wheat and rye breads in healthy women. *J Nutr*. 2013; 143(4):430–6.
1375. Ravn-Haren G, Dragsted LO, Buch-Andersen T, et al. Intake of whole apples or clear apple juice has contrasting effects on plasma lipids in healthy volunteers. *Eur J Nutr*. 2013; 52(8):1875–89.
1376. Barth SW, Koch TC, Watzl B, Dietrich H, Will F, Bub A. Moderate effects of apple juice consumption on obesity-related markers in obese men: impact of diet-gene interaction on body fat content. *Eur J Nutr*. 2012; 51(7):841–50.
1377. Hollis JH, Houchins JA, Blumberg JB, Mattes RD. Effects of Concord grape juice on appetite, diet, body weight, lipid profile, and antioxidant status of adults. *J Am Coll Nutr*. 2009; 28(5):574–82.
1378. Cohen DA, Sturm R, Scott M, Farley TA, Bluthenthal R. Not enough fruit and vegetables or too many cookies, candies, salty snacks, and soft drinks? *Public Health Rep*. 2010; 125(1):88–95.
1379. Fielding J, Simon P. Food deserts or food swamps? *Arch Intern Med*. 2011; 171(13):1171.
1380. Cohen DA, Sturm R, Scott M, Farley TA, Bluthenthal R. Not enough fruit and vegetables or too many cookies, candies, salty snacks, and soft drinks? *Public Health Rep*. 2010; 125(1):88–95.
1381. Lapointe A, Weisnagel SJ, Provencher V, et al. Using restrictive messages to limit high-fat foods or nonrestrictive messages to increase fruit and vegetable intake: what works better for postmenopausal women? *Eur J Clin Nutr*. 2010; 64(2):194–202.
1382. Lachat CK, Verstraeten R, De Meulenaer B, et al. Availability of free fruits and vegetables at canteen lunch improves lunch and daily nutritional profiles: a randomised controlled trial. *Br J Nutr*. 2009; 102(7):1030–7.
1383. Bere E, Klepp KI, Overby NC. Free school fruit: can an extra piece of fruit every school day contribute to the prevention of future weight gain? A cluster randomized trial. *Food Nutr Res*. 2014; 58.
1384. Mytton OT, Nnoaham K, Eyles H, Scarborough P, Ni Mhurchu C. Systematic review and meta-analysis of the effect of increased vegetable and fruit consumption on body weight and energy intake. *BMC Public Health*. 2014; 14:886.
1385. Weerts SE, Amoran A. Pass the fruits and vegetables! A community-university-industry partnership promotes weight loss in African American women. *Health Promot Pract*. 2011; 12(2):252–60.
1386. Jenkins DJA, Boucher BA, Ashbury FD, et al. Effect of current dietary recommendations on weight loss and cardiovascular risk factors. *J Am Coll Cardiol*. 2017; 69(9):1103–12.
1387. Erinoshio TO, Moser RP, Oh AY, Nebeling LC, Yaroch AL. Awareness of the Fruits and Veggies—More Matters campaign, knowledge of the fruit and vegetable recommendation, and fruit and vegetable intake of adults in the 2007 Food Attitudes and Behaviors (FAB) survey. *Appetite*. 2012; 59(1):155–60.

1388. Pivonka E, Seymour J, McKenna J, Baxter SD, Williams S. Development of the behaviorally focused Fruits & Veggies—More Matters public health initiative. *J Am Diet Assoc.* 2011; 111(10):1570–7.
1389. Fisher JO, Dwyer JT. Next steps for science and policy on promoting vegetable consumption among US infants and young children. *Adv Nutr.* 2016; 7(1):261S–71S.
1390. Fisher JO, Dwyer JT. Next steps for science and policy on promoting vegetable consumption among US infants and young children. *Adv Nutr.* 2016; 7(1):261S–71S.
1391. A review of food marketing to children and adolescents. Federal Trade Commission. Publicado en diciembre, 2012. Disponible en: <https://www.ftc.gov/sites/default/files/documents/reports/review-food-marketing-children-and-adolescents-follow-report/121221foodmarketingreport.pdf>. Acceso: abril, 1, 2019.
1392. Bertoia ML, Mukamal KJ, Cahill LE, et al. Changes in intake of fruits and vegetables and weight change in United States men and women followed for up to 24 years: analysis from three prospective cohort studies. *PLoS Med.* 2015; 12(9):e1001878.
1393. De Oliveira MC, Sichieri R, Venturim Mozzer R. A low-energy-dense diet adding fruit reduces weight and energy intake in women. *Appetite.* 2008; 51(2):291–5.
1394. Joo H, Kim CT, Kim IH, Kim Y. Anti-obesity effects of hot water extract and high hydrostatic pressure extract of garlic in rats fed a high-fat diet. *Food Chem Toxicol.* 2013; 55:100–5.
1395. Lee MS, Kim IH, Kim CT, Kim Y. Reduction of body weight by dietary garlic is associated with an increase in uncoupling protein mRNA expression and activation of AMP-activated protein kinase in diet-induced obese mice. *J Nutr.* 2011; 141(11):1947–53.
1396. Fenni S, Hammou H, Astier J, et al. Lycopene and tomato powder supplementation similarly inhibit high-fat diet induced obesity, inflammatory response, and associated metabolic disorders. *Mol Nutr Food Res.* 2017; 61(9):1601083.
1397. Thies F, Masson LF, Rudd A, et al. Effect of a tomato-rich diet on markers of cardiovascular disease risk in moderately overweight, disease-free, middle-aged adults: a randomized controlled trial. *Am J Clin Nutr.* 2012; 95(5):1013–22.
1398. Choudhary PR, Jani RD, Sharma MS. Effect of raw crushed garlic (*Allium sativum* L.) on components of metabolic syndrome. *J Diet Suppl.* 2018; 15(4):499–506.
1399. Sharifi F, Sheikhi AK, Behdad M, Mousavinasab N. Effect of garlic on serum adiponectin and interleukin levels in women with metabolic syndrome. *Int J Endocrinol Metab.* 2010; 8(2):68–73.

1400. Xu C, Mathews AE, Rodrigues C, et al. Aged garlic extract supplementation modifies inflammation and immunity of adults with obesity: a randomized, double-blind, placebo-controlled clinical trial. *Clin Nutr ESPEN*. 2018; 24:148–55.
1401. Seo DY, Lee SR, Kim HK, et al. Independent beneficial effects of aged garlic extract intake with regular exercise on cardiovascular risk in postmenopausal women. *Nutr Res Pract*. 2012; 6(3):226–31.
1402. Soleimani D, Paknahad Z, Askari G, Iraj B, Feizi A. Effect of garlic powder consumption on body composition in patients with nonalcoholic fatty liver disease: a randomized, double-blind, placebo-controlled trial. *Adv Biomed Res*. 2016; 5:2.
1403. Wong A, Townley S. Herbal medicines and anaesthesia. *CEACCP*. 2011; 11(1):14–7.
1404. Piscitelli SC, Burstein AH, Welden N, Gallicano KD, Falloon J. The effect of garlic supplements on the pharmacokinetics of saquinavir. *Clin Infect Dis*. 2002; 34(2):234–8.
1405. Tani Y, Fujiwara T, Ochi M, Isumi A, Kato T. Does eating vegetables at start of meal prevent childhood overweight in Japan? A-CHILD Study. *Front Pediatr*. 2018; 6:134.
1406. Shukla AP, Aronne LJ. Response to comment on Shukla et al. Food order has a significant impact on postprandial glucose and insulin levels. 2015; 38:e98–9. *Diabetes Care*. 2015; 38(11):e197.
1407. Shukla AP, Dickison M, Coughlin N, et al. The impact of food order on postprandial glycaemic excursions in prediabetes. *Diabetes Obes Metab*. 2019; 21(2):377–81.
1408. Imai S, Fukui M, Kajiyama S. Effect of eating vegetables before carbohydrates on glucose excursions in patients with type 2 diabetes. *J Clin Biochem Nutr*. 2014; 54(1):7–11.
1409. Imai S, Matsuda M, Hasegawa G, et al. A simple meal plan of «eating vegetables before carbohydrate» was more effective for achieving glycemic control than an exchange-based meal plan in Japanese patients with type 2 diabetes. *Asia Pac J Clin Nutr*. 2011; 20(2):161–8.
1410. Tani Y, Fujiwara T, Ochi M, Isumi A, Kato T. Does eating vegetables at start of meal prevent childhood overweight in Japan? A-CHILD Study. *Front Pediatr*. 2018; 6:134.
1411. Wansink B, Painter JE, Lee YK. The office candy dish: proximity's influence on estimated and actual consumption. *Int J Obes (Lond)*. 2006; 30(5):871–5. *Note:* The legitimacy of Brian Wansink's research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
1412. Rolls BJ. The supersizing of America: portion size and the obesity epidemic. *Nutr Today*. 2003; 38(2):42–53.

1413. Spill MK, Birch LL, Roe LS, Rolls BJ. Eating vegetables first: the use of portion size to increase vegetable intake in preschool children. *Am J Clin Nutr.* 2010; 91(5):1237–43.
1414. Rolls BJ, Roe LS, Meengs JS. Portion size can be used strategically to increase vegetable consumption in adults. *Am J Clin Nutr.* 2010; 91(4):913–22.
1415. Lally P, Chipperfield A, Wardle J. Healthy habits: efficacy of simple advice on weight control based on a habit-formation model. *Int J Obes (Lond).* 2008; 32(4):700–7.
1416. Zylke JW, Bauchner H. The unrelenting challenge of obesity. *JAMA.* 2016; 315(21):2277–8.
1417. Keeping apples crunchy and flavorful after storage. *AgResearch Magazine.* Publicado en octubre, 2007. Disponible en: <https://agresearchmag.ars.usda.gov/2007/oct/apples>. Acceso: marzo, 1, 2019.
1418. Papanikolaou Y, Fulgoni VL. Bean consumption is associated with greater nutrient intake, reduced systolic blood pressure, lower body weight, and a smaller waist circumference in adults: results from the National Health and Nutrition Examination Survey 1999–2002. *J Am Coll Nutr.* 2008; 27(5):569–76.
1419. Schneiderman N, Chirinos DA, Avilés-Santa ML, Heiss G. Challenges in preventing heart disease in Hispanics: early lessons learned from the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). *Prog Cardiovasc Dis.* 2014; 57(3):253–61.
1420. Kochanek K, Murphy S, Xu J, Arias E. Mortality in the United States, 2013. Centers for Disease Control and Prevention. NCHS Data Brief. No. 178. Publicado en diciembre, 2014. Disponible en: <https://www.cdc.gov/nchs/data/databriefs/db178.pdf>. Acceso: abril, 1, 2019.
1421. The Hispanic paradox. *Lancet.* 2015; 385(9981):1918.
1422. Lopez-Jimenez F, Lavie CJ. Hispanics and cardiovascular health and the «Hispanic Paradox»: what is known and what needs to be discovered? *Prog Cardiovasc Dis.* 2014; 57(3):227–9.
1423. Young RP, Hopkins RJ. A review of the Hispanic paradox: time to spill the beans? *Eur Respir Rev.* 2014; 23(134):439–49.
1424. Anderson JW, Smith BM, Washnock CS. Cardiovascular and renal benefits of dry bean and soybean intake. *Am J Clin Nutr.* 1999; 70(3 Suppl):464S–74S.
1425. Papanikolaou Y, Fulgoni VL. Bean consumption is associated with greater nutrient intake, reduced systolic blood pressure, lower body weight, and a smaller waist circumference in adults: results from the National Health and Nutrition Examination Survey 1999–2002. *J Am Coll Nutr.* 2008; 27(5):569–76.
1426. Hosseinpour-Niazi S, Mirmiran P, Hedayati M, Azizi F. Substitution of red meat with legumes in the therapeutic lifestyle change diet based on dietary advice improves cardiometabolic risk factors in overweight type 2 diabetes patients: a cross-over randomized clinical trial. *Eur J Clin Nutr.* 2015; 69(5):592–7.

1427. Bertoia ML, Mukamal KJ, Cahill LE, et al. Changes in intake of fruits and vegetables and weight change in United States men and women followed for up to 24 years: analysis from three prospective cohort studies. *PLoS Med.* 2015; 12(9):e1001878.
1428. Mitchell DC, Lawrence FR, Hartman TJ, Curran JM. Consumption of dry beans, peas, and lentils could improve diet quality in the US population. *J Am Diet Assoc.* 2009; 109(5):909–13.
1429. Tokede OA, Onabanjo TA, Yansane A, Gaziano JM, Djoussé L. Soya products and serum lipids: a meta-analysis of randomised controlled trials. *Br J Nutr.* 2015; 114(6):831–43.
1430. Kou T, Wang Q, Cai J, et al. Effect of soybean protein on blood pressure in postmenopausal women: a meta-analysis of randomized controlled trials. *Food Funct.* 2017; 8(8):2663–71.
1431. Bazzano LA, Thompson AM, Tees MT, Nguyen CH, Winham DM. Non-soy legume consumption lowers cholesterol levels: a meta-analysis of randomized controlled trials. *Nutr Metab Cardiovasc Dis.* 2011; 21(2):94–103.
1432. Sievenpiper JL, Kendall CW, Esfahani A, et al. Effect of non-oil-seed pulses on glycaemic control: a systematic review and meta-analysis of randomised controlled experimental trials in people with and without diabetes. *Diabetologia.* 2009; 52(8):1479–95.
1433. Palmer SM, Winham DM, Hradek C. Knowledge gaps of the health benefits of beans among low-income women. *Am J Health Behav.* 2018; 42(1):27–38.
1434. Holt SH, Miller JC, Petocz P, Farmakalidis E. A satiety index of common foods. *Eur J Clin Nutr.* 1995; 49(9):675–90.
1435. Havemeier S, Erickson J, Slavin J. Dietary guidance for pulses: the challenge and opportunity to be part of both the vegetable and protein food groups. *Ann NY Acad Sci.* 2017; 1392(1):58–66.
1436. Leathwood P, Pollet P. Effects of slow release carbohydrates in the form of bean flakes on the evolution of hunger and satiety in man. *Appetite.* 1988; 10(1):1–11.
1437. Zafar TA, Kabir Y. Chickpeas suppress postprandial blood glucose concentration, and appetite and reduce energy intake at the next meal. *J Food Sci Technol.* 2017; 54(4):987–94.
1438. Mollard RC, Zykus A, Luhovyy BL, Nunez MF, Wong CL, Anderson GH. The acute effects of a pulse-containing meal on glycaemic responses and measures of satiety and satiation within and at a later meal. *Br J Nutr.* 2012; 108(3):509–17.
1439. Kristensen MD, Bendtsen NT, Christensen SM, Astrup A, Raben A. Meals based on vegetable protein sources (beans and peas) are more satiating than meals based on animal protein sources (veal and pork)—a randomized cross-over meal test study. *Food Nutr Res.* 2016; 60:32634.
1440. Halkjær J, Olsen A, Overvad K, et al. Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in

- European men and women: the Diogenes project. *Int J Obes (Lond)*. 2011; 35(8):1104–13.
1441. Nielsen LV, Kristensen MD, Klingenberg L, et al. Protein from meat or vegetable sources in meals matched for fiber content has similar effects on subjective appetite sensations and energy intake—a randomized acute cross-over meal test study. *Nutrients*. 2018; 10(1):96.
1442. Li SS, Kendall CW, de Souza RJ, et al. Dietary pulses, satiety and food intake: a systematic review and meta-analysis of acute feeding trials. *Obesity (Silver Spring)*. 2014; 22(8):1773–80.
1443. Jenkins D, Wolever T, Taylor R, Barker H, Fielden H. Exceptionally low blood glucose response to dried beans: comparison with other carbohydrate foods. *BMJ*. 1980; 281(6240):578–80.
1444. Jenkins DJ, Wolever TM, Taylor RH, et al. Slow release dietary carbohydrate improves second meal tolerance. *Am J Clin Nutr*. 1982; 35(6):1339–46.
1445. Wolever TM, Jenkins DJ, Ocana AM, Rao VA, Collier GR. Second-meal effect: low-glycemic-index foods eaten at dinner improve subsequent breakfast glycemic response. *Am J Clin Nutr*. 1988; 48(4):1041–7.
1446. Mollard RC, Wong CL, Luhovyy BL, Anderson GH. First and second meal effects of pulses on blood glucose, appetite, and food intake at a later meal. *Appl Physiol Nutr Metab*. 2011; 36(5):634–42.
1447. Nilsson A, Johansson E, Ekström L, Björck I. Effects of a brown beans evening meal on metabolic risk markers and appetite regulating hormones at a subsequent standardized breakfast: a randomized cross-over study. *PLoS ONE*. 2013; 8(4):e59985.
1448. Ropert A, Cherbut C, Rozé C, et al. Colonic fermentation and proximal gastric tone in humans. *Gastroenterology*. 1996; 111(2):289–96.
1449. Luhovyy BL, Mollard RC, Panahi S, Nunez MF, Cho F, Anderson GH. Canned navy bean consumption reduces metabolic risk factors associated with obesity. *Can J Diet Pract Res*. 2015; 76(1):33–7.
1450. Murty CM, Pittaway JK, Ball MJ. Chickpea supplementation in an Australian diet affects food choice, satiety and bowel health. *Appetite*. 2010; 54(2):282–8.
1451. Vigiouliou E, Blanco Mejia S, Kendall CW, Sievenpiper JL. Can pulses play a role in improving cardiometabolic health? Evidence from systematic reviews and meta-analyses. *Ann NY Acad Sci*. 2017; 1392(1):43–57.
1452. Kim SJ, de Souza RJ, Choo VL, et al. Effects of dietary pulse consumption on body weight: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2016; 103(5):1213–23.
1453. Jenkins DJ, Kendall CW, Augustin LS, et al. Effect of legumes as part of a low glycemic index diet on glycemic control and cardiovascular risk factors in type 2 diabetes mellitus: a randomized controlled trial. *Arch Intern Med*. 2012; 172(21):1653–60.

1454. Mollard RC, Luhovyy BL, Panahi S, Nunez M, Hanley A, Anderson GH. Regular consumption of pulses for 8 weeks reduces metabolic syndrome risk factors in overweight and obese adults. *Br J Nutr.* 2012; 108 Suppl 1:S111–22.
1455. Mollard RC, Luhovyy BL, Panahi S, Nunez M, Hanley A, Anderson GH. Regular consumption of pulses for 8 weeks reduces metabolic syndrome risk factors in overweight and obese adults. *Br J Nutr.* 2012; 108 Suppl 1:S111–22.
1456. Kim SJ, de Souza RJ, Choo VL, et al. Effects of dietary pulse consumption on body weight: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2016; 103(5):1213–23.
1457. Noah L, Guillon F, Bouchet B, et al. Digestion of carbohydrate from white beans (*Phaseolus vulgaris* L.) in healthy humans. *J Nutr.* 1998; 128(6):977–85.
1458. Rebello CJ, Greenway FL, Finley JW. Whole grains and pulses: a comparison of the nutritional and health benefits. *J Agric Food Chem.* 2014; 62(29):7029–49.
1459. Bo-Linn G, Santa Ana C, Morawski S, Fordtran J. Starch blockers—their effect on calorie absorption from a high-starch meal. *N Engl J Med.* 1982; 307(23):1413–6.
1460. Drew R. Whatever happened to starch blockers? *N C Med J.* 1983; 44(8):498.
1461. Garrow JS, Scott PF, Heels S, Nair KS, Halliday D. «Starch blockers» are ineffective in man. *Lancet.* 1983; 1(8314–5):60–1.
1462. Starch blockers do not block starch digestion. *Nutr Rev.* 1985; 43(2):46–8.
1463. Barrett ML, Udani JK. A proprietary alpha-amylase inhibitor from white bean (*Phaseolus vulgaris*): a review of clinical studies on weight loss and glycemic control. *Nutr J.* 2011; 10:24.
1464. Drew R. Whatever happened to starch blockers? *N C Med J.* 1983; 44(8):498.
1465. Layer P, Carlson GL, DiMugno EP. Partially purified white bean amylase inhibitor reduces starch digestion in vitro and inactivates intraduodenal amylase in humans. *Gastroenterology.* 1985; 88(6):1895–902.
1466. Onakpoya I, Aldaas S, Terry R, Ernst E. The efficacy of *Phaseolus vulgaris* as a weight-loss supplement: a systematic review and meta-analysis of randomised clinical trials. *Br J Nutr.* 2011; 106(2):196–202.
1467. Newmaster SG, Grguric M, Shanmughanandhan D, Ramalingam S, Ragupathy S. DNA barcoding detects contamination and substitution in North American herbal products. *BMC Med.* 2013; 11:222.
1468. Ombra MN, d’Acierno A, Nazzaro F, et al. Alpha-amylase,  $\alpha$ -glucosidase and lipase inhibiting activities of polyphenol-rich extracts from six common bean cultivars of Southern Italy, before and after cooking. *Int J Food Sci Nutr.* 2018; 69(7):824–34.
1469. Larhammar D. Fakes and fraud in commercial diets. *Scand J Food Nutr.* 2005; 49(2):78– 80.

1470. Darmadi-Blackberry I, Wahlqvist ML, Kouris-Blazos A, et al. Legumes: the most important dietary predictor of survival in older people of different ethnicities. *Asia Pac J Clin Nutr.* 2004; 13(2):217–20.
1471. Buettner D. *The Blue Zones: 9 Lessons for Living Longer from the People Who've Lived the Longest.* Washington, D.C.: National Geographic; 2012.
1472. Nachbar MS, Oppenheim JD. Lectins in the United States diet: a survey of lectins in commonly consumed foods and a review of the literature. *Am J Clin Nutr.* 1980; 33(11):2338–45.
1473. Knight B. Ricin—a potent homicidal poison. *Br Med J.* 1979; 1(6159):350–1.
1474. De Mejía EG, Prisecaru VI. Lectins as bioactive plant proteins: a potential in cancer treatment. *Crit Rev Food Sci Nutr.* 2005; 45(6):425–45.
1475. Deshpande S, Singh R. Research note: hemagglutinating activity of lectins in selected varieties of raw and processed dry beans. *J Food Process Preserv.* 1991; 15(2):81–7.
1476. Noah ND, Bender AE, Reaidi GB, Gilbert RJ. Food poisoning from raw red kidney beans. *Br Med J.* 1980; 281(6234):236–7.
1477. Noah ND, Bender AE, Reaidi GB, Gilbert RJ. Food poisoning from raw red kidney beans. *Br Med J.* 1980; 281(6234):236–7.
1478. Kumar S, Verma AK, Das M, Jain SK, Dwivedi PD. Clinical complications of kidney bean (*Phaseolus vulgaris* L.) consumption. *Nutrition.* 2013; 29(6):821–7.
1479. Thompson L, Rea R, Jenkins D. Effect of heat processing on hemagglutinin activity in red kidney beans. *J Food Sci.* 1983; 48(1):235–6.
1480. Thompson L, Rea R, Jenkins D. Effect of heat processing on hemagglutinin activity in red kidney beans. *J Food Sci.* 1983; 48(1):235–6.
1481. Rodhouse JC, Haugh CA, Roberts D, Gilbert RJ. Red kidney bean poisoning in the UK: an analysis of 50 suspected incidents between 1976 and 1989. *Epidemiol Infect.* 1990; 105(3):485–91.
1482. Hermsdorff HH, Zulet MÁ, Abete I, Martínez JA. A legume-based hypocaloric diet reduces proinflammatory status and improves metabolic features in overweight/obese subjects. *Eur J Nutr.* 2011; 50(1):61–9.
1483. Schwingshackl L, Schwedhelm C, Hoffmann G, et al. Food groups and risk of all-cause mortality: a systematic review and meta-analysis of prospective studies. *Am J Clin Nutr.* 2017; 105(6):1462–73.
1484. Mitchell DC, Lawrence FR, Hartman TJ, Curran JM. Consumption of dry beans, peas, and lentils could improve diet quality in the US population. *J Am Diet Assoc.* 2009; 109(5):909–13.
1485. Havemeier S, Erickson J, Slavin J. Dietary guidance for pulses: the challenge and opportunity to be part of both the vegetable and protein food groups. *Ann NY Acad Sci.* 2017; 1392(1):58–66.

1486. Havemeier S, Erickson J, Slavin J. Dietary guidance for pulses: the challenge and opportunity to be part of both the vegetable and protein food groups. *Ann NY Acad Sci.* 2017; 1392(1):58–66.
1487. Winham DM, Hutchins AM. Perceptions of flatulence from bean consumption among adults in 3 feeding studies. *Nutr J.* 2011; 10:128.
1488. Smoyak SA. Is satiety (lack thereof) the culprit with obesity? *J Psychosoc Nurs Ment Health Serv.* 2015; 53(3):3–4.
1489. Gerstein DE, Woodward-Lopez G, Evans AE, Kelsey K, Drewnowski A. Clarifying concepts about macronutrients' effects on satiation and satiety. *J Am Diet Assoc.* 2004; 104(7):1151–3.
1490. Booth DA, Nouwen A. Satiety. No way to slim. *Appetite.* 2010; 55(3):718–21.
1491. Leidy HJ, Clifton PM, Astrup A, et al. The role of protein in weight loss and maintenance. *Am J Clin Nutr.* 2015; 101(6):1320S–9S.
1492. Nilsson A, Johansson E, Ekström L, Björck I. Effects of a brown beans evening meal on metabolic risk markers and appetite regulating hormones at a subsequent standardized breakfast: a randomized cross-over study. *PLoS ONE.* 2013; 8(4):e59985.
1493. Mollard RC, Wong CL, Luhovyy BL, Anderson GH. First and second meal effects of pulses on blood glucose, appetite, and food intake at a later meal. *Appl Physiol Nutr Metab.* 2011; 36(5):634–42.
1494. Poppitt SD, Shin HS, McGill AT, et al. Duodenal and ileal glucose infusions differentially alter gastrointestinal peptides, appetite response, and food intake: a tube feeding study. *Am J Clin Nutr.* 2017; 106(3):725–35.
1495. Santoro S. Stomachs: does the size matter? Aspects of intestinal satiety, gastric satiety, hunger and gluttony. *Clinics (Sao Paulo).* 2012; 67(4):301–3.
1496. Hashim SA, Van Itallie TB. Studies in normal and obese subjects with a monitored food dispensing device. *Ann NY Acad Sci.* 1965; 131(1):654–61.
1497. Hashim SA, Van Itallie TB. Studies in normal and obese subjects with a monitored food dispensing device. *Ann NY Acad Sci.* 1965; 131(1):654–61.
1498. Hashim SA, Van Itallie TB. Studies in normal and obese subjects with a monitored food dispensing device. *Ann NY Acad Sci.* 1965; 131(1):654–61.
1499. Campbell RG, Hashim SA, Van Itallie TB. Studies of food-intake regulation in man. Responses to variations in nutritive density in lean and obese subjects. *N Engl J Med.* 1971; 285(25):1402–7.
1500. Hashim SA, Van Itallie TB. Studies in normal and obese subjects with a monitored food dispensing device. *Ann NY Acad Sci.* 1965; 131(1):654–61.
1501. Campbell RG, Hashim SA, Van Itallie TB. Studies of food-intake regulation in man. Responses to variations in nutritive density in lean and obese subjects. *N Engl J Med.* 1971; 285(25):1402–7.
1502. Lutter M, Nestler EJ. Homeostatic and hedonic signals interact in the regulation of food intake. *J Nutr.* 2009; 139(3):629–32.

1503. Ahlstrom B, Dinh T, Haselton MG, Tomiyama AJ. Understanding eating interventions through an evolutionary lens. *Health Psychol Rev.* 2017; 11(1):72–88.
1504. Rolls B, Rowe E, Rolls E, Kingston B, Megson A, Gunary R. Variety in a meal enhances food intake in man. *Physiol Behav.* 1981; 26(2):215–21.
1505. Davis CM. Self selection of diet by newly weaned infants. *Am J Dis Child.* 1928; 36(4):651–79.
1506. Rolls B. Sensory-specific satiety. *Nutr Rev.* 1986; 44(3):93–101.
1507. Rolls B. Sensory-specific satiety. *Nutr Rev.* 1986; 44(3):93–101.
1508. Remick AK, Polivy J, Pliner P. Internal and external moderators of the effect of variety on food intake. *Psychol Bull.* 2009; 135(3):434–51.
1509. Raynor HA, Epstein LH. Dietary variety, energy regulation, and obesity. *Psychol Bull.* 2001; 127(3):325–41.
1510. Epstein LH, Rodefer JS, Wisniewski L, Caggiula AR. Habituation and dishabituation of human salivary response. *Physiol Behav.* 1992; 51(5):945–50.
1511. Levitsky DA, Iyer S, Pacanowski CR. Number of foods available at a meal determines the amount consumed. *Eat Behav.* 2012; 13(3):183–7.
1512. McCrory MA, Burke A, Roberts SB. Dietary (sensory) variety and energy balance. *Physiol Behav.* 2012; 107(4):576–83.
1513. Epstein LH, Carr KA, Cavanaugh MD, Paluch RA, Bouton ME. Long-term habituation to food in obese and nonobese women. *Am J Clin Nutr.* 2011; 94(2):371–6.
1514. Epstein LH, Fletcher KD, O’Neill J, Roemmich JN, Raynor H, Bouton ME. Food characteristics, long-term habituation and energy intake. Laboratory and field studies. *Appetite.* 2013; 60(1):40–50.
1515. Epstein LH, Robinson JL, Roemmich JN, Marusewski AL, Roba LG. What constitutes food variety? Stimulus specificity of food. *Appetite.* 2010; 54(1):23–9.
1516. Kahn B, Wansink B. The influence of assortment structure on perceived variety and consumption quantities. *J Consum Res.* 2004; 30(4):519–33. *Note:* The legitimacy of Brian Wansink’s research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
1517. Remick AK, Polivy J, Pliner P. Internal and external moderators of the effect of variety on food intake. *Psychol Bull.* 2009; 135(3):434–51.
1518. Levitsky DA, Iyer S, Pacanowski CR. Number of foods available at a meal determines the amount consumed. *Eat Behav.* 2012; 13(3):183–7.
1519. Argilles JM. The rise and fall of the cafeteria diet: some observations. *J Nutr.* 1988; 118(12):1593–4.

1520. Larson DE, Tataranni PA, Ferraro RT, Ravussin E. Ad libitum food intake on a «cafeteria diet» in Native American women: relations with body composition and 24-h energy expenditure. *Am J Clin Nutr.* 1995; 62(5):911–7.
1521. Raynor HA, Niemeier HM, Wing RR. Effect of limiting snack food variety on long-term sensory-specific satiety and monotony during obesity treatment. *Eat Behav.* 2006; 7(1):1–14.
1522. Raynor HA, Steeves EA, Hecht J, Fava JL, Wing RR. Limiting variety in non-nutrient-dense, energy-dense foods during a lifestyle intervention: a randomized controlled trial. *Am J Clin Nutr.* 2012; 95(6):1305–14.
1523. Johnson F, Wardle J. Variety, palatability, and obesity. *Adv Nutr.* 2014; 5(6):851–9.
1524. Holt SH, Miller JC, Petocz P, Farmakalidis E. A satiety index of common foods. *Eur J Clin Nutr.* 1995; 49(9):675–90.
1525. Holt SH, Miller JC, Petocz P, Farmakalidis E. A satiety index of common foods. *Eur J Clin Nutr.* 1995; 49(9):675–90.
1526. Tanoue K, Matsui K, Takamasu T. Fried-potato diet causes vitamin A deficiency in an autistic child. *JPEN J Parenter Enteral Nutr.* 2012; 36(6):753–5.
1527. Erdmann J, Hebeisen Y, Lippl F, Wagenpfeil S, Schusdziarra V. Food intake and plasma ghrelin response during potato-, rice-and pasta-rich test meals. *Eur J Nutr.* 2007; 46(4):196–203.
1528. Akilen R, Deljoomanesh N, Hunschede S, et al. The effects of potatoes and other carbohydrate side dishes consumed with meat on food intake, glycemia and satiety response in children. *Nutr Diabetes.* 2016; 6:e195.
1529. Vadiveloo MK, Parekh N. Dietary variety: an overlooked strategy for obesity and chronic disease control. *Am J Prev Med.* 2015; 49(6):974–9.
1530. McCrory MA, Burke A, Roberts SB. Dietary (sensory) variety and energy balance. *Physiol Behav.* 2012; 107(4):576–83.
1531. Burns RJ, Rothman AJ. Offering variety: a subtle manipulation to promote healthy food choice throughout the day. *Health Psychol.* 2015; 34(5):566–70.
1532. Meengs JS, Roe LS, Rolls BJ. Vegetable variety: an effective strategy to increase vegetable intake in adults. *J Acad Nutr Diet.* 2012; 112(8):1211–5.
1533. Vadiveloo MK, Campos H, Mattei J. Seasoning ingredient variety, but not quality, is associated with greater intake of beans and rice among urban Costa Rican adults. *Nutr Res.* 2016; 36(8):780–8.
1534. Vadiveloo MK, Parekh N. Dietary variety: an overlooked strategy for obesity and chronic disease control. *Am J Prev Med.* 2015; 49(6):974–9.

### 3. La dieta óptima para adelgazar

1. Katz DL. Why dieting should die. *Child Obes.* 2014; 10(6):443–4.

2. Isner JM, Sours HE, Paris AL, Ferrans VJ, Roberts WC. Sudden, unexpected death in avid dieters using the liquid-protein-modified-fast diet. Observations in 17 patients and the role of the prolonged QT interval. *Circulation*. 1979; 60(6):1401–12.
3. Milea D, Cassoux N, Lehoang P. Blindness in a strict vegan. *N Engl J Med*. 2000; 342(12):897–8.
4. Kuo SC, Yeh CB, Yeh YW, Tzeng NS. Schizophrenia-like psychotic episode precipitated by cobalamin deficiency. *Gen Hosp Psychiatry*. 2009; 31(6):586–8.
5. Brocadello F, Levedianos G, Piccione F, Manara R, Pesenti FF. Irreversible subacute sclerotic combined degeneration of the spinal cord in a vegan subject. *Nutrition*. 2007; 23(7–8):622–4.
6. Haler D. Death after vegan diet. *Lancet*. 1968; 2(7560):170.
7. Langan RC, Goodbred AJ. Vitamin B12 deficiency: recognition and management. *Am Fam Physician*. 2017; 96(6):384–9.
8. Johnston BC, Kanters S, Bandayrel K, et al. Comparison of weight loss among named diet programs in overweight and obese adults: a meta-analysis. *JAMA*. 2014; 312(9):923–33.
9. Kelly JH. Comparison of diets for weight loss and heart disease risk reduction. *JAMA*. 2005; 293(13):1590.
10. Rehkamp S. A look at calorie sources in the American Diet. Economic Research Service, United States Department of Agriculture. Publicado en diciembre, 5, 2016. Disponible en: <https://www.ers.usda.gov/amber-waves/2016/december/a-look-at-calorie-sources-in-the-american-diet>. Acceso: abril, 1, 2019.
11. Yang MU, Van Itallie TB. Composition of weight lost during short-term weight reduction. Metabolic responses of obese subjects to starvation and low-calorie ketogenic and nonketogenic diets. *J Clin Invest*. 1976; 58(3):722–30.
12. Rouillier MA, David-Riel S, Brazeau AS, St-Pierre DH, Karelis AD. Effect of an acute high carbohydrate diet on body composition using DXA in young men. *Ann Nutr Metab*. 2015; 66(4):233–6.
13. Denke MA. Metabolic effects of high-protein, low-carbohydrate diets. *Am J Cardiol*. 2001; 88(1):59–61.
14. Polivy J, Herman CP. If at first you don't succeed. False hopes of self-change. *Am Psychol*. 2002; 57(9):677–89.
15. Johnston BC, Kanters S, Bandayrel K, et al. Comparison of weight loss among named diet programs in overweight and obese adults: a meta-analysis. *JAMA*. 2014; 312(9):923–33.
16. Obert J, Pearlman M, Obert L, Chapin S. Popular weight loss strategies: a review of four weight loss techniques. *Curr Gastroenterol Rep*. 2017; 19(12):61.
17. Isner JM, Sours HE, Paris AL, Ferrans VJ, Roberts WC. Sudden, unexpected death in avid dieters using the liquid-protein-modified-fast diet. Observations in 17 patients and the role of the prolonged QT interval. *Circulation*. 1979; 60(6):1401–12.

18. Appleton H. The First Amendment: is the freedom of speech more important than the protection of human life? *LA Ent L Rev.* 1992; 12(2):585–614.
19. Anderson JW, Konz EC, Jenkins DJ. Health advantages and disadvantages of weight-reducing diets: a computer analysis and critical review. *J Am Coll Nutr.* 2000; 19(5):578–90.
20. Miller M, Beach V, Sorkin JD, et al. Comparative effects of three popular diets on lipids, endothelial function, and C-reactive protein during weight maintenance. *J Am Diet Assoc.* 2009; 109(4):713–7.
21. Fleming RM. The effect of high-protein diets on coronary blood flow. *Angiology.* 2000; 51(10):817–26.
22. Jenkins DJ, Wong JM, Kendall CW, et al. The effect of a plant-based low-carbohydrate («Eco-Atkins») diet on body weight and blood lipid concentrations in hyperlipidemic subjects. *Arch Intern Med.* 2009; 169(11):1046–54.
23. Ornish D. Comparison of diets for weight loss and heart disease risk reduction. *JAMA.* 2005; 293(13):1589.
24. Fleming RM. The effect of high-protein diets on coronary blood flow. *Angiology.* 2000; 51(10):817–26.
25. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA.* 1998; 280(23):2001–7.
26. Calton JB. Prevalence of micronutrient deficiency in popular diet plans. *J Int Soc Sports Nutr.* 2010; 7:24.
27. Ma Y, Pagoto SL, Griffith JA, et al. A dietary quality comparison of popular weight-loss plans. *J Am Diet Assoc.* 2007; 107(10):1786–91.
28. Clarys P, Deliens T, Huybrechts I, et al. Comparison of nutritional quality of the vegan, vegetarian, semi-vegetarian, pesco-vegetarian and omnivorous diet. *Nutrients.* 2014; 6(3):1318–32.
29. Farmer B, Larson BT, Fulgoni VL, Rainville AJ, Liepa GU. A vegetarian dietary pattern as a nutrient-dense approach to weight management: an analysis of the national health and nutrition examination survey 1999–2004. *J Am Diet Assoc.* 2011; 111(6):819–27.
30. Van Horn L. Achieving nutrient density: a vegetarian approach. *J Am Diet Assoc.* 2011; 111(6):799.
31. Keenan S, Mitts KG, Kurtz CA. Scurvy presenting as a medial head tear of the gastrocnemius. *Orthopedics.* 2002; 25(6):689–91.
32. Eitenmiller R, Ye L, Landen W. *Vitamin Analysis for the Health and Food Sciences.* Boca Raton, FL: CRC; 2007:469.
33. Del Bo' C, Riso P, Gardana C, Brusamolino A, Battezzati A, Ciappellano S. Effect of two different sublingual dosages of vitamin B on cobalamin nutritional status in vegans and vegetarians with a marginal deficiency: a randomized controlled trial. *Clin Nutr.* 2019; 38(2):575–83.

34. Siebert AK, Obeid R, Weder S, et al. Vitamin B-12-fortified toothpaste improves vitamin status in vegans: a 12-wk randomized placebo-controlled study. *Am J Clin Nutr*. 2017; 105(3):618–25.
35. Tuso PJ, Ismail MH, Ha BP, Bartolotto C. Nutritional update for physicians: plant-based diets. *Perm J*. 2013; 17(2):61–6.
36. Fardet A, Boirie Y. Associations between food and beverage groups and major diet-related chronic diseases: an exhaustive review of pooled/meta-analyses and systematic reviews. *Nutr Rev*. 2014; 72(12):741–62.
37. Ornish D. Comparison of diets for weight loss and heart disease risk reduction. *JAMA*. 2005; 293(13):1589.
38. Estruch R, Ros E. Mediterranean diet for primary prevention of cardiovascular disease. *N Engl J Med*. 2013; 369(7):676–7.
39. Barnard N, Scherwitz L, Ornish D. Adherence and acceptability of a low-fat, vegetarian diet among patients with cardiac disease. *J Cardiopulm Rehabil*. 1992; 12(6):423–31.
40. Franklin TL, Kolasa KM, Griffin K, Mayo C, Badenhop DT. Adherence to very-low-fat diet by a group of cardiac rehabilitation patients in the rural southeastern United States. *Arch Fam Med*. 1995; 4(6):551–4.
41. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA*. 1998; 280(23):2001–7.
42. Barnard N, Scialli A, Bertron P, Hurlock D, Edmonds K. Acceptability of a therapeutic low-fat, vegan diet in premenopausal women. *J Nutr Educ Behav*. 2000; 32(6):314–9.
43. Wright N, Wilson L, Smith M, Duncan B, McHugh P. The BROAD study: a randomised controlled trial using a whole food plant-based diet in the community for obesity, ischaemic heart disease or diabetes. *Nutr Diabetes*. 2017; 7(3):e256.
44. Carter JP, Furman T, Hutcheson HR. Preeclampsia and reproductive performance in a community of vegans. *South Med J*. 1987; 80(6):692–7.
45. Sacks FM, Castelli WP, Donner A, Kass EH. Plasma lipids and lipoproteins in vegetarians and controls. *N Engl J Med*. 1975; 292(22):1148–51.
46. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr*. 2010; 91(5):1525S–9S.
47. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr*. 2010; 91(5):1525S–9S.
48. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr*. 2010; 91(5):1525S–9S.
49. Vincent HK, Bourguignon CM, Taylor AG. Relationship of the dietary phytochemical index to weight gain, oxidative stress and inflammation in overweight young adults. *J Hum Nutr Diet*. 2010; 23(1):20–9.
50. Mirmiran P, Bahadoran Z, Golzarand M, Shiva N, Azizi F. Association between dietary phytochemical index and 3-year changes in weight, waist circumference and

- body adiposity index in adults: Tehran Lipid and Glucose study. *Nutr Metab (Lond)*. 2012; 9(1):108.
51. Rosell M, Appleby P, Spencer E, Key T. Weight gain over 5 years in 21 966 meat-eating, fish-eating, vegetarian, and vegan men and women in EPIC-Oxford. *Int J Obes (Lond)*. 2006; 30(9):1389–96.
  52. Chiu YF, Hsu CC, Chiu TH, et al. Cross-sectional and longitudinal comparisons of metabolic profiles between vegetarian and non-vegetarian subjects: a matched cohort study. *Br J Nutr*. 2015; 114(8):1313–20.
  53. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr*. 2010; 91(5):1525S–9S.
  54. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr*. 2010; 91(5):1525S–9S.
  55. Spock B, Parker SJ. *Dr. Spock's Baby and Child Care: A Handbook for Parents of Developing Children from Birth through Adolescence*. 7th edition. New York: Pocket Books; 1998.
  56. Cali AM, Caprio S. Prediabetes and type 2 diabetes in youth: an emerging epidemic disease? *Curr Opin Endocrinol Diabetes Obes*. 2008; 15(2):123–7.
  57. Key T, Davey G. Prevalence of obesity is low in people who do not eat meat. *BMJ*. 1996; 313(7060):816–7.
  58. Fontana L, Meyer TE, Klein S, Holloszy JO. Long-term low-calorie low-protein vegan diet and endurance exercise are associated with low cardiometabolic risk. *Rejuvenation Res*. 2007; 10(2):225–34.
  59. Kennedy ET, Bowman SA, Spence JT, Freedman M, King J. Popular diets: correlation to health, nutrition, and obesity. *J Am Diet Assoc*. 2001; 101(4):411–20.
  60. Carels RA, Young KM, Coit C, Clayton AM, Spencer A, Hobbs M. Can following the caloric restriction recommendations from the Dietary Guidelines for Americans help individuals lose weight? *Eat Behav*. 2008; 9(3):328–35.
  61. Rizzo NS, Jaceldo-Siegl K, Sabate J, Fraser GE. Nutrient profiles of vegetarian and nonvegetarian dietary patterns. *J Acad Nutr Diet*. 2013; 113(12):1610–9.
  62. Rizzo NS, Jaceldo-Siegl K, Sabate J, Fraser GE. Nutrient profiles of vegetarian and nonvegetarian dietary patterns. *J Acad Nutr Diet*. 2013; 113(12):1610–9.
  63. Carter JP, Furman T, Hutcheson HR. Preeclampsia and reproductive performance in a community of vegans. *South Med J*. 1987; 80(6):692–7.
  64. Levin N, Rattan J, Gilat T. Energy intake and body weight in ovo-lacto vegetarians. *J Clin Gastroenterol*. 1986; 8(4):451–3.
  65. Campbell TC, Chen J. Energy balance: interpretation of data from rural China. *Toxicol Sci*. 1999; 52(2 Suppl):87–94.
  66. Levin N, Rattan J, Gilat T. Energy intake and body weight in ovo-lacto vegetarians. *J Clin Gastroenterol*. 1986; 8(4):451–3.

67. Mirmiran P, Bahadoran Z, Golzarand M, Shiva N, Azizi F. Association between dietary phytochemical index and 3-year changes in weight, waist circumference and body adiposity index in adults: Tehran Lipid and Glucose study. *Nutr Metab (Lond)*. 2012; 9(1):108.
68. Campbell TC, Chen J. Energy balance: interpretation of data from rural China. *Toxicol Sci*. 1999; 52(2 Suppl):87–94.
69. Campbell TC, Chen J. Energy balance: interpretation of data from rural China. *Toxicol Sci*. 1999; 52(2 Suppl):87–94.
70. Toth MJ, Poehlman ET. Sympathetic nervous system activity and resting metabolic rate in vegetarians. *Metab Clin Exp*. 1994; 43(5):621–5.
71. Nadimi H, Yousefinejad A, Djazayeri A, Hosseini M, Hosseini S. Association of vegan diet with RMR, body composition and oxidative stress. *Acta Sci Pol Technol Aliment*. 2013; 12(3):311–8.
72. Oberlin P, Melby C, Poehlman E. Resting energy expenditure in young vegetarian and nonvegetarian women. *Nutr Res*. 1990; 10(1):39–49.
73. Poehlman ET, Arciero PJ, Melby CL, Badylak SF. Resting metabolic rate and postprandial thermogenesis in vegetarians and nonvegetarians. *Am J Clin Nutr*. 1988; 48(2):209–13.
74. Montalcini T, De Bonis D, Ferro Y, et al. High vegetable fats intake is associated with high resting energy expenditure in vegetarians. *Nutrients*. 2015; 7(7):5933–47.
75. Orlich MJ, Jaceldo-Siegl K, Sabaté J, Fan J, Singh PN, Fraser GE. Patterns of food consumption among vegetarians and non-vegetarians. *Br J Nutr*. 2014; 112(10):1644–53.
76. Huang RY, Huang CC, Hu FB, Chavarro JE. Vegetarian diets and weight reduction: a meta-analysis of randomized controlled trials. *J Gen Intern Med*. 2016; 31(1):109–16.
77. Barnard ND, Levin SM, Yokoyama Y. A systematic review and meta-analysis of changes in body weight in clinical trials of vegetarian diets. *J Acad Nutr Diet*. 2015; 115(6):954–69.
78. Turner-McGrievy GM, Davidson CR, Wingard EE, Wilcox S, Frongillo EA. Comparative effectiveness of plant-based diets for weight loss: a randomized controlled trial of five different diets. *Nutrition*. 2015; 31(2):350–8.
79. Turner-McGrievy GM, Davidson CR, Wingard EE, Wilcox S, Frongillo EA. Comparative effectiveness of plant-based diets for weight loss: a randomized controlled trial of five different diets. *Nutrition*. 2015; 31(2):350–8.
80. Sarter B, Campbell TC, Fuhrman J. Effect of a high nutrient density diet on long-term weight loss: a retrospective chart review. *Altern Ther Health Med*. 2008; 14(3):48–53.
81. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA*. 1998; 280(23):2001–7.

82. McDougall J, Thomas LE, McDougall C, et al. Effects of 7 days on an ad libitum low-fat vegan diet: the McDougall Program cohort. *Nutr J*. 2014; 13:99.
83. Hänninen O, Nenonen M, Ling WH, Li DS, Sihvonen L. Effects of eating an uncooked vegetable diet for 1 week. *Appetite*. 1992; 19(3):243–54.
84. Hunnicutt D, Diehl H, Vedro P. The CHIP prescription for health. *Absolute Advantage*. 2004; 3(8)3–5.
85. Morton D, Rankin P, Kent L, et al. The Complete Health Improvement Program (CHIP) and reduction of chronic disease risk factors in Canada. *Can J Diet Pract Res*. 2014; 75(2):72–7.
86. Diehl HA. Coronary risk reduction through intensive community-based lifestyle intervention: the Coronary Health Improvement Project (CHIP) experience. *Am J Cardiol*. 1998; 82(10B):83T–7T.
87. Merrill RM, Aldana SG, Greenlaw RL, Diehl HA, Salberg A, Englert H. Can newly acquired healthy behaviors persist? An analysis of health behavior decay. *Prev Chronic Dis*. 2008; 5(1):1–13.
88. Merrill RM, Aldana SG, Greenlaw RL, Diehl HA, Salberg A, Englert H. Can newly acquired healthy behaviors persist? An analysis of health behavior decay. *Prev Chronic Dis*. 2008; 5(1):1–13.
89. Morton D, Rankin P, Kent L, Dysinger W. The Complete Health Improvement Program (CHIP): history, evaluation, and outcomes. *Am J Lifestyle Med*. 2016; 10(1):64–73.
90. Morton D, Rankin P, Kent L, Dysinger W. The Complete Health Improvement Program (CHIP): history, evaluation, and outcomes. *Am J Lifestyle Med*. 2016; 10(1):64–73.
91. Rankin P, Morton DP, Diehl H, Gobble J, Morey P, Chang E. Effectiveness of a volunteer-delivered lifestyle modification program for reducing cardiovascular disease risk factors. *Am J Cardiol*. 2012; 109(1):82–6.
92. Merrill RM, Aldana SG, Greenlaw RL, Diehl HA, Salberg A. The effects of an intensive lifestyle modification program on sleep and stress disorders. *J Nutr Health Aging*. 2007; 11(3):242–8.
93. Aldana SG, Greenlaw RL, Diehl HA, et al. Effects of an intensive diet and physical activity modification program on the health risks of adults. *J Am Diet Assoc*. 2005; 105(3):371–81.
94. Merrill RM, Aldana SG. Improving overall health status through the CHIP intervention. *Am J Health Behav*. 2009; 33(2):135–46.
95. Hunnicutt D, Diehl H, Vedro P. The CHIP prescription for health. *Absolute Advantage*. 2004; 3(8):3–5.
96. Bloomer RJ, Toline AH. Participant compliance to a six-month traditional and modified Daniel Fast. *J Fasting and Health*. 2014; 2(3):90–5.
97. Trapp C, Barnard N, Katcher H. A plant-based diet for type 2 diabetes: scientific support and practical strategies. *Diabetes Educ*. 2010; 36(1):33–48.

98. Can a problem drinker simply cut down? National Institute on Alcohol Abuse and Alcoholism. Disponible en: <https://web.archive.org/web/20051112172730/http://www.niaaa.nih.gov/FAQs/General-English/FAQs11.htm>. Publicado en 1996. Acceso: abril, 1, 2019.
99. Barnard ND, Akhtar A, Nicholson A. Factors that facilitate compliance to lower fat intake. *Arch Fam Med*. 1995; 4(2):153–8.
100. Moore WJ, McGrievy ME, Turner-McGrievy GM. Dietary adherence and acceptability of five different diets, including vegan and vegetarian diets, for weight loss: the New DIETs study. *Eat Behav*. 2015; 19:33–8.
101. Moore WJ, McGrievy ME, Turner-McGrievy GM. Dietary adherence and acceptability of five different diets, including vegan and vegetarian diets, for weight loss: the New DIETs study. *Eat Behav*. 2015; 19:33–8.
102. Trapp C, Barnard N, Katcher H. A plant-based diet for type 2 diabetes: scientific support and practical strategies. *Diabetes Educ*. 2010; 36(1):33–48.
103. Cramer H, Kessler CS, Sundberg T, et al. Characteristics of Americans choosing vegetarian and vegan diets for health reasons. *J Nutr Educ Behav*. 2017; 49(7):561–7.e1.
104. Wright N, Wilson L, Smith M, Duncan B, McHugh P. The BROAD study: a randomised controlled trial using a whole food plant-based diet in the community for obesity, ischaemic heart disease or diabetes. *Nutr Diabetes*. 2017; 7(3):e256.
105. Wright N, Wilson L, Smith M, Duncan B, McHugh P. The BROAD study: a randomised controlled trial using a whole food plant-based diet in the community for obesity, ischaemic heart disease or diabetes. *Nutr Diabetes*. 2017; 7(3):e256.
106. Wright N, Wilson L, Smith M, Duncan B, McHugh P. The BROAD study: a randomised controlled trial using a whole food plant-based diet in the community for obesity, ischaemic heart disease or diabetes. *Nutr Diabetes*. 2017; 7(3):e256.
107. Wright N, Wilson L, Smith M, Duncan B, McHugh P. The BROAD study: a randomised controlled trial using a whole food plant-based diet in the community for obesity, ischaemic heart disease or diabetes. *Nutr Diabetes*. 2017; 7(3):e256.
108. Tsai AG, Wadden TA. Systematic review: an evaluation of major commercial weight loss programs in the United States. *Ann Intern Med*. 2005; 142(1):56–66.
109. Saslow LR, Daubenmier JJ, Moskowitz JT, et al. Twelve-month outcomes of a randomized trial of a moderate-carbohydrate versus very low-carbohydrate diet in overweight adults with type 2 diabetes mellitus or prediabetes. *Nutr Diabetes*. 2017; 7(12):304.
110. Yancy WS, Olsen MK, Guyton JR, Bakst RP, Westman EC. A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. *Ann Intern Med*. 2004; 140(10):769–77.
111. Noto H, Goto A, Tsujimoto T, Noda M. Low-carbohydrate diets and all-cause mortality: a systematic review and meta-analysis of observational studies. *PLoS ONE*. 2013; 8(1):e55030.

112. Fraser GE, Shavlik DJ. Ten years of life: is it a matter of choice? *Arch Intern Med.* 2001; 161(13):1645–52.
113. Kim H, Caulfield LE, Rebholz CM. Healthy plant-based diets are associated with lower risk of all-cause mortality in us adults. *J Nutr.* 2018; 148(4):624–31.
114. Singh PN, Arthur KN, Orlich MJ, et al. Global epidemiology of obesity, vegetarian dietary patterns, and noncommunicable disease in Asian Indians. *Am J Clin Nutr.* 2014; 100 Suppl 1:359S–64S.
115. Schwingshackl L, Hoffmann G. Low-carbohydrate diets impair flow-mediated dilatation: evidence from a systematic review and meta-analysis. *Br J Nutr.* 2013; 110(5):969–70.
116. Fleming RM. The effect of high-protein diets on coronary blood flow. *Angiology.* 2000; 51(10):817–26.
117. Esselstyn CB. A plant-based diet and coronary artery disease: a mandate for effective therapy. *J Geriatr Cardiol.* 2017; 14(5):317–20.
118. Jenkins DJ, Kendall CW. The garden of Eden: plant-based diets, the genetic drive to store fat and conserve cholesterol, and implications for epidemiology in the 21st century. *Epidemiology.* 2006; 17(2):128–30.
119. Eaton SB, Konner M. Paleolithic nutrition. A consideration of its nature and current implications. *N Engl J Med.* 1985; 312(5):283–9.
120. Anderson JW, Konz EC, Jenkins DJ. Health advantages and disadvantages of weight-reducing diets: a computer analysis and critical review. *J Am Coll Nutr.* 2000; 19(5):578–90.
121. Buja LM, Nikolai N. Anitschkow and the lipid hypothesis of atherosclerosis. *Cardiovasc Pathol.* 2014; 23(3):183–4.
122. Roberts WC. We think we are one, we act as if we are one, but we are not one. *Am J Cardiol.* 1990; 66(10):896.

#### **4. Acelerar la pérdida de peso**

1. Kahleova H, Tura A, Hill M, Holubkov R, Barnard ND. A plant-based dietary intervention improves beta-cell function and insulin resistance in overweight adults: a 16-week randomized clinical trial. *Nutrients.* 2018; 10(2):189.
2. Sabaté J, Wien M. Vegetarian diets and childhood obesity prevention. *Am J Clin Nutr.* 2010; 91(5):1525S–9S.
3. Latner JD, Wilson GT, Stunkard AJ, Jackson ML. Self-help and long-term behavior therapy for obesity. *Behav Res Ther.* 2002; 40(7):805–12.
4. Wohl J. Weight Watchers keeps gaining (because, well, Oprah). *Ad Age.* Publicado en agosto, 3, 2017. Available at: <http://adage.com/article/cmo-strategy/weight-watchers-gaining-oprah-winfrey/310024>. Acceso: abril, 9, 2019.

5. Heshka S, Anderson JW, Atkinson RL, et al. Weight loss with self-help compared with a structured commercial program: a randomized trial. *JAMA*. 2003; 289(14):1792–8.
6. Latner JD, Stunkard AJ, Wilson GT, Jackson ML, Zelitch DS, Labouvie E. Effective long-term treatment of obesity: a continuing care model. *Int J Obes Relat Metab Disord*. 2000; 24(7):893–8.
7. Gudzone KA, Doshi RS, Mehta AK, et al. Efficacy of commercial weight-loss programs: an updated systematic review. *Ann Intern Med*. 2015; 162(7):501–12.
8. Latner JD, Stunkard AJ, Wilson GT, Jackson ML, Zelitch DS, Labouvie E. Effective long-term treatment of obesity: a continuing care model. *Int J Obes Relat Metab Disord*. 2000; 24(7):893–8.
9. Latner JD, Stunkard AJ, Wilson GT, Jackson ML, Zelitch DS, Labouvie E. Effective long-term treatment of obesity: a continuing care model. *Int J Obes Relat Metab Disord*. 2000; 24(7):893–8.
10. Volkmar FR, Stunkard AJ, Woolston J, Bailey RA. High attrition rates in commercial weight reduction programs. *Arch Intern Med*. 1981; 141(4):426–8.
11. WebMD Health News. Scared skinny: weight-loss boot camp is tough but effective. WebMD. Publicado en julio, 31, 2000. Disponible en: <https://www.webmd.com/diet/news/20000731/weight-loss-boot-camp>. Acceso: abril, 9, 2019.
12. Latner JD, Stunkard AJ, Wilson GT, Jackson ML, Zelitch DS, Labouvie E. Effective long-term treatment of obesity: a continuing care model. *Int J Obes Relat Metab Disord*. 2000; 24(7):893–8.
13. Renjilian DA, Perri MG, Nezu AM, McKelvey WF, Shermer RL, Anton SD. Individual versus group therapy for obesity: effects of matching participants to their treatment preferences. *J Consult Clin Psychol*. 2001; 69(4):717–21.
14. Painter SL, Ahmed R, Kushner RF, et al. Expert coaching in weight loss: retrospective analysis. *J Med Internet Res*. 2018; 20(3):e92.
15. Zheng Y, Klem ML, Sereika SM, Danford CA, Ewing LJ, Burke LE. Self-weighing in weight management: a systematic literature review. *Obesity (Silver Spring)*. 2015; 23(2):256–65.
16. Cheatham SW, Stull KR, Fantigrassi M, Motel I. The efficacy of wearable activity tracking technology as part of a weight loss program: a systematic review. *J Sports Med Phys Fitness*. 2018; 58(4):534–48.
17. Pacanowski CR, Bertz FC, Levitsky DA. Daily self-weighing to control body weight in adults: a critical review of the literature. *Sage Open*. 2014; 4(4):1–16.
18. Zheng Y, Klem ML, Sereika SM, Danford CA, Ewing LJ, Burke LE. Self-weighing in weight management: a systematic literature review. *Obesity (Silver Spring)*. 2015; 23(2):256–65.
19. Pacanowski CR, Bertz FC, Levitsky DA. Daily self-weighing to control body weight in adults: a critical review of the literature. *Sage Open*. 2014; 4(4):1–16.

20. Klem ML, Wing RR, McGuire MT, Seagle HM, Hill JO. A descriptive study of individuals successful at long-term maintenance of substantial weight loss. *Am J Clin Nutr.* 1997; 66(2):239–46.
21. Butryn ML, Phelan S, Hill JO, Wing RR. Consistent self-monitoring of weight: a key component of successful weight loss maintenance. *Obesity (Silver Spring).* 2007; 15(12):3091–6.
22. Zheng Y, Klem ML, Sereika SM, Danford CA, Ewing LJ, Burke LE. Self-weighing in weight management: a systematic literature review. *Obesity (Silver Spring).* 2015; 23(2):256–65.
23. Wilkinson L. Questions regarding weighing every day. *J Acad Nutr Diet.* 2016; 116(3):405.
24. Steinberg DM, Tate DF, Bennett GG, Ennett S, Samuel-Hodge C, Ward DS. The efficacy of a daily self-weighing weight loss intervention using smart scales and e-mail. *Obesity (Silver Spring).* 2013; 21(9):1789–97.
25. Levitsky DA, Garay J, Nausbaum M, Neighbors L, Dellavalle DM. Monitoring weight daily blocks the freshman weight gain: a model for combating the epidemic of obesity. *Int J Obes (Lond).* 2006; 30(6):1003–10.
26. Pacanowski CR, Levitsky DA. Frequent self-weighing and visual feedback for weight loss in overweight adults. *J Obes.* 2015; 2015:763680.
27. Madigan CD, Jolly K, Lewis AL, Aveyard P, Daley AJ. A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. *Int J Behav Nutr Phys Act.* 2014; 11:125.
28. Michie S, Abraham C, Whittington C, McAteer J, Gupta S. Effective techniques in healthy eating and physical activity interventions: a meta-regression. *Health Psychol.* 2009; 28(6):690–701.
29. Michie S, Whittington C, Hamoudi Z, Zarnani F, Tober G, West R. Identification of behaviour change techniques to reduce excessive alcohol consumption. *Addiction.* 2012; 107(8):1431–40.
30. Madigan CD, Daley AJ, Lewis AL, Aveyard P, Jolly K. Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. *Int J Behav Nutr Phys Act.* 2015; 12:104.
31. Pacanowski CR, Bertz FC, Levitsky DA. Daily self-weighing to control body weight in adults: a critical review of the literature. *Sage Open.* 2014; 4(4):1–16.
32. Shieh C, Knisely MR, Clark D, Carpenter JS. Self-weighing in weight management interventions: a systematic review of literature. *Obes Res Clin Pract.* 2016; 10(5):493–519.
33. Jensen MD, Ryan DH, Apovian CM, et al. 2013 AHA/ACC/TOS guideline for the management of overweight and obesity in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the Obesity Society. *Circulation.* 2014; 129(25 Suppl 2):S102–38.

34. National Heart, Lung, and Blood Institute's Obesity Education Initiative Working Group. The practical guide: identification, evaluation, and treatment of overweight and obesity in adults. NIH Publication No. 00-4084. Publicado en octubre, 2000. Disponible en: [http://www.nhlbi.nih.gov/guidelines/obesity/prctgd\\_c.pdf](http://www.nhlbi.nih.gov/guidelines/obesity/prctgd_c.pdf). Acceso: abril, 9, 2019.
35. Zheng Y, Klem ML, Sereika SM, Danford CA, Ewing LJ, Burke LE. Self-weighing in weight management: a systematic literature review. *Obesity (Silver Spring)*. 2015; 23(2):256-65.
36. Oshima Y, Matsuoka Y, Sakane N. Effect of weight-loss program using self-weighing twice a day and feedback in overweight and obese subject: a randomized controlled trial. *Obes Res Clin Pract*. 2013; 7(5):e361-6.
37. Zheng Y, Klem ML, Sereika SM, Danford CA, Ewing LJ, Burke LE. Self-weighing in weight management: a systematic literature review. *Obesity (Silver Spring)*. 2015; 23(2):256-65.
38. Benn Y, Webb TL, Chang BP, Harkin B. What is the psychological impact of self-weighing? A meta-analysis. *Health Psychol Rev*. 2016; 10(2):187-203.
39. Benn Y, Webb TL, Chang BP, Harkin B. What is the psychological impact of self-weighing? A meta-analysis. *Health Psychol Rev*. 2016; 10(2):187-203.
40. Shieh C, Knisely MR, Clark D, Carpenter JS. Self-weighing in weight management interventions: a systematic review of literature. *Obes Res Clin Pract*. 2016; 10(5):493-519.
41. Pacanowski CR, Linde JA, Neumark-Sztainer D. Self-weighing: helpful or harmful for psychological well-being? A review of the literature. *Curr Obes Rep*. 2015; 4(1):65-72.
42. López M. Hypothalamic AMPK: a golden target against obesity? *Eur J Endocrinol*. 2017; 176(5):R235-46.
43. Steinberg GR, Macaulay SL, Febbraio MA, Kemp BE. AMP-activated protein kinase—the fat controller of the energy railroad. *Can J Physiol Pharmacol*. 2006; 84(7):655-65.
44. López M. Hypothalamic AMPK: a golden target against obesity? *Eur J Endocrinol*. 2017; 176(5):R235-46.
45. Musi N, Fujii N, Hirshman MF, et al. AMP-activated protein kinase (AMPK) is activated in muscle of subjects with type 2 diabetes during exercise. *Diabetes*. 2001; 50(5):921-7.
46. Kola B, Grossman AB, Korbonits M. The role of AMP-activated protein kinase in obesity. *Front Horm Res*. 2008; 36:198-211.
47. Narkar VA, Downes M, Yu RT, et al. AMPK and PPARdelta agonists are exercise mimetics. *Cell*. 2008; 134(3):405-15.
48. Benkimoun P. Police find range of drugs after trawling bins used by Tour de France cyclists. *BMJ*. 2009; 339:b4201.
49. Niederberger E, King TS, Russe OQ, Geisslinger G. Activation of AMPK and its impact on exercise capacity. *Sports Med*. 2015; 45(11):1497-509.

50. Niederberger E, King TS, Russe OQ, Geisslinger G. Activation of AMPK and its impact on exercise capacity. *Sports Med.* 2015; 45(11):1497–509.
51. McCarty MF. AMPK activation—protean potential for boosting healthspan. *Age (Dordr).* 2014; 36(2):641–63.
52. López M. Hypothalamic AMPK: a golden target against obesity? *Eur J Endocrinol.* 2017; 176(5):R235–46.
53. Martínez de Morentin PB, Urisarri A, Couce ML, López M. Molecular mechanisms of appetite and obesity: a role for brain AMPK. *Clin Sci.* 2016; 130(19):1697–709.
54. Novak CM, Gavini CK. Smokeless weight loss. *Diabetes.* 2012; 61(4):776–7.
55. Novak CM, Gavini CK. Smokeless weight loss. *Diabetes.* 2012; 61(4):776–7.
56. Pilhatsch M, Scheuing H, Kroemer N, et al. Nicotine administration in healthy non-smokers reduces appetite but does not alter plasma ghrelin. *Hum Psychopharmacol.* 2014; 29(4):384–7.
57. Perkins KA, Epstein LH, Stiller RL, et al. Acute effects of nicotine on hunger and caloric intake in smokers and nonsmokers. *Psychopharmacology (Berl).* 1991; 103(1):103–9.
58. Wu Y, Song P, Zhang W, et al. Activation of AMPK $\alpha$ 2 in adipocytes is essential for nicotine-induced insulin resistance in vivo. *Nat Med.* 2015; 21(4):373–82.
59. Martínez de Morentin PB, Whittle AJ, Fernø J, et al. Nicotine induces negative energy balance through hypothalamic AMP-activated protein kinase. *Diabetes.* 2012; 61(4):807–17.
60. Ferguson SG, Shiffman S, Rohay JM, Gitchell JG, Garvey AJ. Effect of compliance with nicotine gum dosing on weight gained during a quit attempt. *Addiction.* 2011; 106(3):651–6.
61. Nielsen SS, Franklin GM, Longstreth WT, Swanson PD, Checkoway H. Nicotine from edible *Solanaceae* and risk of Parkinson disease. *Ann Neurol.* 2013; 74(3):472–7.
62. Schütte-Borkovec K, Heppel CW, Heling AK, Richter E. Analysis of myosmine, cotinine and nicotine in human toenail, plasma and saliva. *Biomarkers.* 2009; 14(5):278–84.
63. Siegmund B, Leitner E, Pfannhauser W. Determination of the nicotine content of various edible nightshades (*Solanaceae*) and their products and estimation of the associated dietary nicotine intake. *J Agric Food Chem.* 1999; 47(8):3113–20.
64. Brody AL, Mandelkern MA, London ED, et al. Cigarette smoking saturates brain  $\alpha$ 4 $\beta$ 2nicotinic acetylcholine receptors. *Arch Gen Psychiatry.* 2006; 63(8):907–15.
65. Searles Nielsen S, Gallagher LG, Lundin JI, et al. Environmental tobacco smoke and Parkinson's disease. *Mov Disord.* 2012; 27(2):293–6.

66. Siegmund B, Leitner E, Pfannhauser W. Determination of the nicotine content of various edible nightshades (*Solanaceae*) and their products and estimation of the associated dietary nicotine intake. *J Agric Food Chem.* 1999; 47(8):3113–20.
67. Hellenbrand W, Seidler A, Boeing H, et al. Diet and Parkinson's disease. I: a possible role for the past intake of specific foods and food groups: results from a self-administered food-frequency questionnaire in a case-control study. *Neurology.* 1996; 47(3):636–43.
68. Nielsen SS, Franklin GM, Longstreth WT, Swanson PD, Checkoway H. Nicotine from edible *Solanaceae* and risk of Parkinson disease. *Ann Neurol.* 2013; 74(3):472–7.
69. Kim NH, Park SH. Evaluation of green pepper (*Capsicum annum* L.) juice on the weight gain and changes in lipid profile in C57BL/6 mice fed a high-fat diet. *J Sci Food Agric.* 2015; 95(1):79–87.
70. Reinbach HC, Smeets A, Martinussen T, Møller P, Westerterp-Plantenga MS. Effects of capsaicin, green tea and CH-19 sweet pepper on appetite and energy intake in humans in negative and positive energy balance. *Clin Nutr.* 2009; 28(3):260–5.
71. Kawabata F, Inoue N, Yazawa S, Kawada T, Inoue K, Fushiki T. Effects of CH-19 sweet, a non-pungent cultivar of red pepper, in decreasing the body weight and suppressing body fat accumulation by sympathetic nerve activation in humans. *Biosci Biotechnol Biochem.* 2006; 70(12):2824–35.
72. Etter JF. Addiction to the nicotine gum in never smokers. *BMC Public Health.* 2007; 7:159.
73. Grahame Hardie D. Regulation of AMP-activated protein kinase by natural and synthetic activators. *Acta Pharm Sin B.* 2016; 6(1):1–19.
74. Carlsen MH, Halvorsen BL, Holte K, et al. The total antioxidant content of more than 3100 foods, beverages, spices, herbs and supplements used worldwide. *Nutr J.* 2010; 9:3.
75. Arayne MS, Sultana N, Bahadur SS. The berberis story: *Berberis vulgaris* in therapeutics. *Pak J Pharm Sci.* 2007; 20(1):83–92.
76. Arayne MS, Sultana N, Bahadur SS. The berberis story: *Berberis vulgaris* in therapeutics. *Pak J Pharm Sci.* 2007; 20(1):83–92.
77. Imanshahidi M, Hosseinzadeh H. Pharmacological and therapeutic effects of *Berberis vulgaris* and its active constituent, berberine. *Phytother Res.* 2008; 22(8):999–1012.
78. Imanshahidi M, Hosseinzadeh H. Pharmacological and therapeutic effects of *Berberis vulgaris* and its active constituent, berberine. *Phytother Res.* 2008; 22(8):999–1012.
79. Chiou WF, Chen J, Chen CF. Relaxation of corpus cavernosum and raised intracavernous pressure by berberine in rabbit. *Br J Pharmacol.* 1998; 125(8):1677–84.
80. Fouladi RF. Aqueous extract of dried fruit of *Berberis vulgaris* L. in acne vulgaris, acclinical trial. *J Diet Suppl.* 2012; 9(4):253–61.

81. Yan HM, Xia MF, Wang Y, et al. Efficacy of berberine in patients with non-alcoholic fatty liver disease. *PLoS ONE*. 2015; 10(8):e0134172.
82. Pérez-Rubio KG, González-Ortiz M, Martínez-Abundis E, Robles-Cervantes JA, Espinel-Bermúdez MC. Effect of berberine administration on metabolic syndrome, insulin sensitivity, and insulin secretion. *Metab Syndr Relat Disord*. 2013; 11(5):366–9.
83. Zhang Y, Li X, Zou D, et al. Treatment of type 2 diabetes and dyslipidemia with the natural plant alkaloid berberine. *J Clin Endocrinol Metab*. 2008; 93(7):2559–65.
84. Jin Y, Khadka DB, Cho WJ. Pharmacological effects of berberine and its derivatives: a patent update. *Expert Opin Ther Pat*. 2016; 26(2):229–43.
85. Funk RS, Singh RK, Winefield RD, et al. Variability in potency among commercial preparations of berberine. *J Diet Suppl*. 2018; 15(3):343–51.
86. Lazavi F, Mirmiran P, Sohrab G, Nikpayam O, Angoorani P, Hedayati M. The barberry juice effects on metabolic factors and oxidative stress in patients with type 2 diabetes: a randomized clinical trial. *Complement Ther Clin Pract*. 2018; 31:170–4.
87. Arayne MS, Sultana N, Bahadur SS. The berberis story: *Berberis vulgaris* in therapeutics. *Pak J Pharm Sci*. 2007; 20(1):83–92.
88. Grahame Hardie D. Regulation of AMP-activated protein kinase by natural and synthetic activators. *Acta Pharm Sin B*. 2016; 6(1):1–19.
89. Chen H, Chen T, Giudici P, Chen F. Vinegar functions on health: constituents, sources, and formation mechanisms. *Compr Rev Food Sci Food Saf*. 2016; 15(6):1124–38.
90. Ali Z, Wang Z, Amir RM, et al. Potential uses of vinegar as a medicine and related in vivo mechanisms. *Int J Vitam Nutr Res*. 2018; 86(3-4):1–12.
91. Bagnardi V, Rota M, Botteri E, et al. Alcohol consumption and site-specific cancer risk: a comprehensive dose-response meta-analysis. *Br J Cancer*. 2015; 112(3):580–93.
92. Shield KD, Soerjomataram I, Rehm J. Alcohol use and breast cancer: a critical review. *Alcohol Clin Exp Res*. 2016; 40(6):1166–81.
93. Ceddia RB. The role of AMP-activated protein kinase in regulating white adipose tissue metabolism. *Mol Cell Endocrinol*. 2013; 366(2):194–203.
94. CPG sec. 525.825 vinegar, definitions—adulteration with vinegar eels. United States Food and Drug Administration. Publicado en marzo, 1995. Disponible en: <https://www.fda.gov/ucm/groups/fdagov-public/@fdagov-afda-ice/documents/webcontent/ucm074471.pdf>. Acceso: abril, 9, 2019.
95. Ali Z, Wang Z, Amir RM, et al. Potential uses of vinegar as a medicine and related in vivo mechanisms. *Int J Vitam Nutr Res*. 2018; 86(3-4):1–12.
96. Kondo T, Kishi M, Fushimi T, Ugajin S, Kaga T. Vinegar intake reduces body weight, body fat mass, and serum triglyceride levels in obese Japanese subjects. *Biosci Biotechnol Biochem*. 2009; 73(8):1837–43.

97. Kondo T, Kishi M, Fushimi T, Ugajin S, Kaga T. Vinegar intake reduces body weight, body fat mass, and serum triglyceride levels in obese Japanese subjects. *Biosci Biotechnol Biochem.* 2009; 73(8):1837–43.
98. Kondo T, Kishi M, Fushimi T, Ugajin S, Kaga T. Vinegar intake reduces body weight, body fat mass, and serum triglyceride levels in obese Japanese subjects. *Biosci Biotechnol Biochem.* 2009; 73(8):1837–43.
99. Kondo T, Kishi M, Fushimi T, Ugajin S, Kaga T. Vinegar intake reduces body weight, body fat mass, and serum triglyceride levels in obese Japanese subjects. *Biosci Biotechnol Biochem.* 2009; 73(8):1837–43.
100. Darzi J, Frost GS, Montaser R, Yap J, Robertson MD. Influence of the tolerability of vinegar as an oral source of short-chain fatty acids on appetite control and food intake. *Int J Obes (Lond).* 2014; 38(5):675–81.
101. Sakakibara S, Murakami R, Takahashi M, et al. Vinegar intake enhances flow-mediated vasodilatation via upregulation of endothelial nitric oxide synthase activity. *Biosci Biotechnol Biochem.* 2010; 74(5):1055–61.
102. Park J, Kim J, Kim J, et al. Pomegranate vinegar beverage reduces visceral fat accumulation in association with AMPK activation in overweight women: a double-blind, randomized, and placebo-controlled trial. *J Funct Foods.* 2014; 8:274–81.
103. O’Keefe JH, Gheewala NM, O’Keefe JO. Dietary strategies for improving post-prandial glucose, lipids, inflammation, and cardiovascular health. *J Am Coll Cardiol.* 2008; 51(3):249–55.
104. Ebihara K, Nakajima A. Effect of acetic acid and vinegar on blood glucose and insulin responses to orally administered sucrose and starch. *Agric Biol Chem.* 1988; 52(5):1311–2.
105. Region of the U.S. Vinegar Users. Market trends. Vinegar Institute. Publicado en 2018. Disponible en: <https://versatilevinegar.org/market-trends>. Acceso: abril, 9, 2019.
106. Gale EA. Lessons from the glitazones: a story of drug development. *Lancet.* 2001; 357(9271):1870–5.
107. Feeley J. Pfizer ends Rezulin cases with \$205 million to spare (update1). *Bloomberg.* Publicado en marzo, 31, 2009. Disponible en: [http://web.archive.org/web/20140407071232/https://www.bloomberg.com/apps/news?pid=news\\_archive&sid=act0akCefQwo](http://web.archive.org/web/20140407071232/https://www.bloomberg.com/apps/news?pid=news_archive&sid=act0akCefQwo). Acceso: abril, 10, 2019.
108. Johnston C, Quagliano S, White S. Vinegar ingestion at mealtime reduced fasting blood glucose concentrations in healthy adults at risk for type 2 diabetes. *J Funct Foods.* 2013; 5(4):2007–11.
109. Johnston CS, Steplewska I, Long CA, Harris LN, Ryals RH. Examination of the antiglycemic properties of vinegar in healthy adults. *Ann Nutr Metab.* 2010; 56(1):74–9.

110. Shishehbor F, Mansoori A, Shirani F. Vinegar consumption can attenuate postprandial glucose and insulin responses; a systematic review and meta-analysis of clinical trials. *Diabetes Res Clin Pract.* 2017; 127:1–9.
111. Liljeberg H, Björck I. Delayed gastric emptying rate may explain improved glycaemia in healthy subjects to a starchy meal with added vinegar. *Eur J Clin Nutr.* 1998; 52(5):368–71.
112. White AM, Johnston CS. Vinegar ingestion at bedtime moderates waking glucose concentrations in adults with well-controlled type 2 diabetes. *Diabetes Care.* 2007; 30(11):2814–5.
113. Mitrou P, Petsiou E, Papakonstantinou E, et al. Vinegar consumption increases insulin-stimulated glucose uptake by the forearm muscle in humans with type 2 diabetes. *J Diabetes Res.* 2015; 2015:175204.
114. Hu GX, Chen GR, Xu H, Ge RS, Lin J. Activation of the AMP activated protein kinase by short-chain fatty acids is the main mechanism underlying the beneficial effect of a high fiber diet on the metabolic syndrome. *Med Hypotheses.* 2010; 74(1):123–6.
115. Ostman E, Granfeldt Y, Persson L, Björck I. Vinegar supplementation lowers glucose and insulin responses and increases satiety after a bread meal in healthy subjects. *Eur J Clin Nutr.* 2005; 59(9):983–8.
116. Ostman E, Granfeldt Y, Persson L, Björck I. Vinegar supplementation lowers glucose and insulin responses and increases satiety after a bread meal in healthy subjects. *Eur J Clin Nutr.* 2005; 59(9):983–8.
117. Maioli M, Pes GM, Sanna M, et al. Sourdough-leavened bread improves postprandial glucose and insulin plasma levels in subjects with impaired glucose tolerance. *Acta Diabetol.* 2008; 45(2):91–6.
118. Novotni D, Curić D, Bituh M, Colić Barić I, Skevin D, Cukelj N. Glycemic index and phenolics of partially-baked frozen bread with sourdough. *Int J Food Sci Nutr.* 2011; 62(1):26–33.
119. Leeman M, Ostman E, Björck I. Vinegar dressing and cold storage of potatoes lowers postprandial glycaemic and insulinaemic responses in healthy subjects. *Eur J Clin Nutr.* 2005; 59(11):1266–71.
120. Varvarelis N, Khallafi H, Pappachen B, Krishnamurthy M. Natural therapies—when ignorance is not bliss!! *J Am Geriatr Soc.* 2007; 55(11):1892–3.
121. Chung CH. Corrosive oesophageal injury following vinegar ingestion. *Hong Kong Med J.* 2002; 8(5):365–6.
122. Hill LL, Woodruff LH, Foote JC, Barreto-Alcoba M. Esophageal injury by apple cider vinegar tablets and subsequent evaluation of products. *J Am Diet Assoc.* 2005; 105(7):1141–4.
123. Hill LL, Woodruff LH, Foote JC, Barreto-Alcoba M. Esophageal injury by apple cider vinegar tablets and subsequent evaluation of products. *J Am Diet Assoc.* 2005; 105(7):1141–4.
124. Kuniyuki S, Oonishi H. Chemical burn from acetic acid with deep ulceration. *Contact Derm.* 1997; 36(3):169–70.

125. Petsiou EI, Mitrou PI, Raptis SA, Dimitriadis GD. Effect and mechanisms of action of vinegar on glucose metabolism, lipid profile, and body weight. *Nutr Rev.* 2014; 72(10):651–61.
126. McCarty MF. AMPK activation—protean potential for boosting healthspan. *Age (Dordr).* 2014; 36(2):641–63.
127. Hu GX, Chen GR, Xu H, Ge RS, Lin J. Activation of the AMP activated protein kinase by short-chain fatty acids is the main mechanism underlying the beneficial effect of a high fiber diet on the metabolic syndrome. *Med Hypotheses.* 2010; 74(1):123–6.
128. Wanders AJ, van den Borne JJ, de Graaf C, et al. Effects of dietary fibre on subjective appetite, energy intake and body weight: a systematic review of randomized controlled trials. *Obes Rev.* 2011; 12(9):724–39.
129. Gardner E. Alternative sugars: yacon syrup (nectar). *BDJ.* 2017; 223(9):625.
130. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45241184, organic yacon syrup, UPC: 845772170502. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45241184>. Acceso: abril, 9, 2019.
131. Genta S, Cabrera W, Habib N, et al. Yacon syrup: beneficial effects on obesity and insulin resistance in humans. *Clin Nutr.* 2009; 28(2):182–7.
132. Genta S, Cabrera W, Habib N, et al. Yacon syrup: beneficial effects on obesity and insulin resistance in humans. *Clin Nutr.* 2009; 28(2):182–7.
133. Genta S, Cabrera W, Habib N, et al. Yacon syrup: beneficial effects on obesity and insulin resistance in humans. *Clin Nutr.* 2009; 28(2):182–7.
134. Krogsgaard LR, Lyngesen M, Bytzer P. Systematic review: quality of trials on the symptomatic effects of the low FODMAP diet for irritable bowel syndrome. *Aliment Pharmacol Ther.* 2017; 45(12):1506–13.
135. Ford AC, Moayyedi P. Meta-analysis: factors affecting placebo response rate in the irritable bowel syndrome. *Aliment Pharmacol Ther.* 2010; 32(2):144–58.
136. Staudacher HM, Lomer MC, Anderson JL, et al. Fermentable carbohydrate restriction reduces luminal bifidobacteria and gastrointestinal symptoms in patients with irritable bowel syndrome. *J Nutr.* 2012; 142(8):1510–8.
137. Barrett J, Gibson P. Response to comment on low FODMAP diet. *Nutr Clin Pract.* 2013; 28(6):775–6.
138. Raatz SK, Johnson LK, Picklo MJ. Consumption of honey, sucrose, and high-fructose corn syrup produces similar metabolic effects in glucose-tolerant and—intolerant individuals. *J Nutr.* 2015; 145(10):2265–72.
139. Marcinek K, Krejpcio Z. Chia seeds (*Salvia hispanica*): health promoting properties and therapeutic applications—a review. *Rocz Panstw Zakl Hig.* 2017; 68(2):123–9.
140. Valdivia-López MÁ, Tecante A. Chia (*Salvia hispanica*): a review of native Mexican seed and its nutritional and functional properties. *Adv Food Nutr Res.* 2015; 75:53–75.

141. Valdivia-López MÁ, Tecante A. Chia (*Salvia hispanica*): a review of native Mexican seed and its nutritional and functional properties. *Adv Food Nutr Res.* 2015; 75:53–75.
142. Valdivia-López MÁ, Tecante A. Chia (*Salvia hispanica*): a review of native Mexican seed and its nutritional and functional properties. *Adv Food Nutr Res.* 2015; 75:53–75.
143. Chicco AG, D'Alessandro ME, Hein GJ, Oliva ME, Lombardo YB. Dietary chia seed (*Salvia hispanica* L.) rich in alpha-linolenic acid improves adiposity and normalises hypertriacylglycerolaemia and insulin resistance in dyslipaemic rats. *Br J Nutr.* 2009; 101(1):41–50.
144. Ayerza R, Coates W, Lauria M. Chia seed (*Salvia hispanica* L.) as an omega-3 fatty acid source for broilers: influence on fatty acid composition, cholesterol and fat content of white and dark meats, growth performance, and sensory characteristics. *Poult Sci.* 2002; 81(6):826–37.
145. Ayaz A, Akyol A, Inan-Eroglu E, Kabasakal Cetin A, Samur G, Akbiyik F. Chia seed (*Salvia Hispanica* L.) added yogurt reduces short-term food intake and increases satiety: randomised controlled trial. *Nutr Res Pract.* 2017; 11(5):412–8.
146. Nieman DC, Cayea EJ, Austin MD, Henson DA, McAnulty SR, Jin F. Chia seed does not promote weight loss or alter disease risk factors in overweight adults. *Nutr Res.* 2009; 29(6):414–8.
147. Austria JA, Richard MN, Chahine MN, et al. Bioavailability of alpha-linolenic acid in subjects after ingestion of three different forms of flaxseed. *J Am Coll Nutr.* 2008; 27(2):214–21.
148. Ratnayake W, Behrens W, Fischer P, L'Abbé M, Mongeau R, Beare-Rogers J. Chemical and nutritional studies of flaxseed (variety Linott) in rats. *J Nutr Biochem.* 1992; 3(5):232–40.
149. Nieman DC, Gillitt N, Jin F, et al. Chia seed supplementation and disease risk factors in overweight women: a metabolomics investigation. *J Altern Complement Med.* 2012; 18(7):700–8.
150. Vuksan V, Jenkins AL, Brissette C, et al. Salba-chia (*Salvia hispanica* L.) in the treatment of overweight and obese patients with type 2 diabetes: a double-blind randomized controlled trial. *Nutr Metab Cardiovasc Dis.* 2017; 27(2):138–46.
151. Teoh SL, Lai NM, Vanichkulpitak P, Vuksan V, Ho H, Chaiyakunapruk N. Clinical evidence on dietary supplementation with chia seed (*Salvia hispanica* L.): a systematic review and meta-analysis. *Nutr Rev.* 2018; 76(4):219–42.
152. Mohammadi-Sartang M, Mazloom Z, Raeisi-Dehkordi H, Barati-Boldaji R, Bellissimo N, Totosy de Zepetnek JO. The effect of flaxseed supplementation on body weight and body composition: a systematic review and meta-analysis of 45 randomized placebo-controlled trials. *Obes Rev.* 2017; 18(9):1096–107.
153. Vuksan V, Choleva L, Jovanovski E, et al. Comparison of flax (*Linum usitatissimum*) and Salba-chia (*Salvia hispanica* L.) seeds on postprandial glycemia and satiety in healthy individuals: a randomized, controlled, crossover study. *Eur J Clin Nutr.* 2017; 71(2):234–8.

154. Miller R, Schneiderman LJ. A clinical study of the use of human chorionic gonadotrophin in weight reduction. *J Fam Pract.* 1977; 4(3):445–8.
155. Yari Z, Rahimlou M, Poustchi H, Hekmatdoost A. Flaxseed supplementation in metabolic syndrome management: a pilot randomized, open-labeled, controlled study. *Phytother Res.* 2016; 30(8):1339–44.
156. Yari Z, Rahimlou M, Poustchi H, Hekmatdoost A. Flaxseed supplementation in metabolic syndrome management: a pilot randomized, open-labeled, controlled study. *Phytother Res.* 2016; 30(8):1339–44.
157. Xu J, Gao H, Song L, et al. Flaxseed oil and alpha-lipoic acid combination ameliorates hepatic oxidative stress and lipid accumulation in comparison to lard. *Lipids Health Dis.* 2013; 12:58.
158. Xu J, Gao H, Song L, et al. Flaxseed oil and alpha-lipoic acid combination ameliorates hepatic oxidative stress and lipid accumulation in comparison to lard. *Lipids Health Dis.* 2013; 12:58.
159. Yari Z, Rahimlou M, Eslamparast T, Ebrahimi-Daryani N, Poustchi H, Hekmatdoost A. Flaxseed supplementation in non-alcoholic fatty liver disease: a pilot randomized, open labeled, controlled study. *Int J Food Sci Nutr.* 2016; 67(4):461–9.
160. Mohammadi-Sartang M, Mazloom Z, Raeisi-Dehkordi H, Barati-Boldaji R, Bellissimo N, Totossy de Zepetnek JO. The effect of flaxseed supplementation on body weight and body composition: a systematic review and meta-analysis of 45 randomized placebo-controlled trials. *Obes Rev.* 2017; 18(9):1096–107.
161. Cyanogena glykosider och vätecyanid. Livsmedelsverket. Publicado en abril, 18, 2017. Disponible en: <https://www.livsmedelsverket.se/livsmedel-och-innehall/oonskade-ammnen/vaxtgifter/cyanogena-glykosider-och-vatecyanid>. Acceso: abril, 9, 2019.
162. Prasad K. Flaxseed and cardiovascular health. *J Cardiovasc Pharmacol.* 2009; 54(5):369–77.
163. Jones DA. Why are so many food plants cyanogenic? *Phytochemistry.* 1998; 47(2):155–62.
164. Chaudhary M, Gupta R. Cyanide detoxifying enzyme: rhodanese. *Current Biotechnology.* 2012; 1:327–35.
165. Jones DA. Why are so many food plants cyanogenic? *Phytochemistry.* 1998; 47(2):155–62.
166. Jones DA. Why are so many food plants cyanogenic? *Phytochemistry.* 1998; 47(2):155–62.
167. Shragg TA, Albertson TE, Fisher CJ. Cyanide poisoning after bitter almond ingestion. *West J Med.* 1982; 136(1):65–9.
168. Chaouali N, Gana I, Dorra A, et al. Potential toxic levels of cyanide in almonds (*Prunus amygdalus*), apricot kernels (*Prunus armeniaca*), and almond syrup. *ISRN Toxicol.* 2013; 2013:610648.

169. Parikh M, Netticadan T, Pierce GN. Flaxseed: its bioactive components and their cardiovascular benefits. *Am J Physiol Heart Circ Physiol.* 2018; 314(2):H146–59.
170. Abraham K, Buhrke T, Lampen A. Bioavailability of cyanide after consumption of a single meal of foods containing high levels of cyanogenic glycosides: a crossover study in humans. *Arch Toxicol.* 2016; 90(3):559–74.
171. Cunnane SC, Ganguli S, Menard C, et al. High  $\alpha$ -linolenic acid flaxseed (*Linum usitatissimum*): some nutritional properties in humans. *Br J Nutr.* 1993; 69(2):443–53.
172. Abraham K, Buhrke T, Lampen A. Bioavailability of cyanide after consumption of a single meal of foods containing high levels of cyanogenic glycosides: a crossover study in humans. *Arch Toxicol.* 2016; 90(3):559–74.
173. Fukuda T, Ito H, Mukainaka T, Tokuda H, Nishino H, Yoshida T. Anti-tumor promoting effect of glycosides from *Prunus persica* seeds. *Biol Pharm Bull.* 2003; 26(2):271–3.
174. Abraham K, Buhrke T, Lampen A. Bioavailability of cyanide after consumption of a single meal of foods containing high levels of cyanogenic glycosides: a crossover study in humans. *Arch Toxicol.* 2016; 90(3):559–74.
175. Parikh M, Netticadan T, Pierce GN. Flaxseed: its bioactive components and their cardiovascular benefits. *Am J Physiol Heart Circ Physiol.* 2018; 314(2):H146–59.
176. Abraham K, Buhrke T, Lampen A. Bioavailability of cyanide after consumption of a single meal of foods containing high levels of cyanogenic glycosides: a crossover study in humans. *Arch Toxicol.* 2016; 90(3):559–74.
177. Rosling H. Cyanide exposure from linseed. *Lancet.* 1993; 341(8838):177.
178. Mnif S, Aifa S. Cumin (*Cuminum cyminum* L.) from traditional uses to potential biomedical applications. *Chem Biodivers.* 2015; 12(5):733–42.
179. Shavakhi A, Torki M, Khodadoostan M, Shavakhi S. Effects of cumin on nonalcoholic steatohepatitis: a double blind, randomised, controlled trial. *Adv Biomed Res.* 2015; 4:212.
180. Taghizadeh M, Memarzadeh MR, Asemi Z, Esmailzadeh A. Effect of the *Cuminum cyminum* L. intake on weight loss, metabolic profiles and biomarkers of oxidative stress in overweight subjects: a randomized double-blind placebo-controlled clinical trial. *Ann Nutr Metab.* 2015; 66(2-3):117–24.
181. Zheljazkov VD, Shiwakoti S. Yield, composition, and antioxidant capacity of ground cumin seed oil fractions obtained at different time points during the hydrodistillation. *Hort Science.* 2015; 50(8):1213–7.
182. Taghizadeh M, Memarzadeh MR, Abedi F, et al. The effect of *Cuminum cyminum* L. plus lime administration on weight loss and metabolic status in overweight subjects: a randomized double-blind placebo-controlled clinical trial. *Iran Red Crescent Med J.* 2016; 18(8):e34212.

183. Jafari S, Sattari R, Ghavamzadeh S. Evaluation the effect of 50 and 100 mg doses of *Cuminum cyminum* essential oil on glycemic indices, insulin resistance and serum inflammatory factors on patients with diabetes type II: a double-blind randomized placebo-controlled clinical trial. *J Tradit Complement Med.* 2017; 7(3):332–8.
184. Coutinho Moraes DF, Still DW, Lum MR, Hirsch AM. DNA-based authentication of botanicals and plant-derived dietary supplements: where have we been and where are we going? *Planta Med.* 2015; 81(9):687–95.
185. Zare R, Heshmati F, Fallahzadeh H, Nadjarzadeh A. Effect of cumin powder on body composition and lipid profile in overweight and obese women. *Complement Ther Clin Pract.* 2014; 20(4):297–301.
186. Ahmad A, Husain A, Mujeeb M, et al. A review on therapeutic potential of *Nigella sativa*: a miracle herb. *Asian Pac J Trop Biomed.* 2013; 3(5):337–52.
187. Sharma NK, Ahirwar D, Jhade D, Gupta S. Medicinal and pharmacological potential of *Nigella sativa*: a review. *Ethnobotanical Review.* 2009; 13:946–55.
188. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45205519, Sweet Sunnah, whole black seeds *Nigella sativa*, UPC: 680274444443. USDA Branded Food Products Database. Publicado en julio, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45205519>. Acceso: abril, 9, 2019.
189. Sahebkar A, Beccuti G, Simental-Mendía LE, Nobili V, Bo S. *Nigella sativa* (black seed) effects on plasma lipid concentrations in humans: a systematic review and meta-analysis of randomized placebo-controlled trials. *Pharmacol Res.* 2016; 106:37–50.
190. Sahebkar A, Soranna D, Liu X, et al. A systematic review and meta-analysis of randomized controlled trials investigating the effects of supplementation with *Nigella sativa* (black seed) on blood pressure. *J Hypertens.* 2016; 34(11):2127–35.
191. Daryabeygi-Khotbehsara R, Golzarand M, Ghaffari MP, Djafarian K. *Nigella sativa* improves glucose homeostasis and serum lipids in type 2 diabetes: a systematic review and meta-analysis. *Complement Ther Med.* 2017; 35:6–13.
192. Ibrahim RM, Hamdan NS, Mahmud R, et al. A randomised controlled trial on hypolipidemic effects of *Nigella sativa* seeds powder in menopausal women. *J Transl Med.* 2014; 12:82.
193. Latiff LA, Parhizkar S, Dollah MA, Hassan ST. Alternative supplement for enhancement of reproductive health and metabolic profile among perimenopausal women: a novel role of *Nigella sativa*. *Iran J Basic Med Sci.* 2014; 17(12):980–5.
194. Ibrahim RM, Hamdan NS, Mahmud R, et al. A randomised controlled trial on hypolipidemic effects of *Nigella sativa* seeds powder in menopausal women. *J Transl Med.* 2014; 12:82.
195. Sahebkar A, Beccuti G, Simental-Mendía LE, Nobili V, Bo S. *Nigella sativa* (black seed) effects on plasma lipid concentrations in humans: a systematic review and meta-analysis of randomized placebo-controlled trials. *Pharmacol Res.* 2016; 106:37–50.

196. Mousavi SM, Sheikhi A, Varkaneh HK, Zarezadeh M, Rahmani J, Milajerdi A. Effect of *Nigella sativa* supplementation on obesity indices: a systematic review and meta-analysis of randomized controlled trials. *Complement Ther Med*. 2018; 38:48–57.
197. Hausenblas HA, Saha D, Dubyak PJ, Anton SD. Saffron (*Crocus sativus* L.) and major depressive disorder: a meta-analysis of randomized clinical trials. *J Integr Med*. 2013; 11(6):377– 83.
198. Abedimanesh N, Bathaie SZ, Abedimanesh S, Motlagh B, Separham A, Ostadrahimi A. Saffron and crocin improved appetite, dietary intakes and body composition in patients with coronary artery disease. *J Cardiovasc Thorac Res*. 2017; 9(4):200–8.
199. Samarghandian S, Azimi-Nezhad M, Samini F. Ameliorative effect of saffron aqueous extract on hyperglycemia, hyperlipidemia, and oxidative stress on diabetic encephalopathy in streptozotocin induced experimental diabetes mellitus. *Biomed Res Int*. 2014; 2014:920857.
200. Abedimanesh N, Bathaie SZ, Abedimanesh S, Motlagh B, Separham A, Ostadrahimi A. Saffron and crocin improved appetite, dietary intakes and body composition in patients with coronary artery disease. *J Cardiovasc Thorac Res*. 2017; 9(4):200–8.
201. Gout B, Bourges C, Paineau-Dubreuil S. Satiereal, a *Crocus sativus* L extract, reduces snacking and increases satiety in a randomized placebo-controlled study of mildly overweight, healthy women. *Nutr Res*. 2010; 30(5):305–13.
202. Hosseinzadeh H, Younesi HM. Antinociceptive and anti-inflammatory effects of *Crocus sativus* L. stigma and petal extracts in mice. *BMC Pharmacol*. 2002; 2:7.
203. Casazza K, Brown A, Astrup A, et al. Weighing the evidence of common beliefs in obesity research. *Crit Rev Food Sci Nutr*. 2015; 55(14):2014–53.
204. Johns Hopkins Bloomberg School of Public Health. Breakfast. Johns Hopkins University. Publicado en 2012. Disponible en: <https://web.archive.org/web/20120723060928/https://www.jhsph.edu/offices-and-services/student-affairs/Breakfast>. Acceso: abril, 9, 2019.
205. Che C. Myths and realities: is breakfast the most important meal of the day? *Clinical Correlations*. Publicado en junio, 18, 2009. Disponible en: <https://www.clinicalcorrelations.org/?p=1525>. Acceso: abril, 9, 2019.
206. Salge Blake J. Want to trim your waist? Try eating breakfast. American Dietetic Association. Publicado en noviembre, 15, 2010. Disponible en: <https://web.archive.org/web/20101223233855/http://www.eatright.org/Media/Blog.aspx?id=4294969065&blogid=269>. Acceso: abril, 9, 2019.
207. Che C. Myths and realities: is breakfast the most important meal of the day? *Clinical Correlations*. Publicado en junio, 18, 2009. Disponible en: <https://www.clinicalcorrelations.org/?p=1525>. Acceso: abril, 9, 2019.
208. Muhlfeld D. Breakfast: pro and con. *Duke Med Health News*. 2014; 20(11).
209. Brown AW, Bohan Brown MM, Allison DB. Belief beyond the evidence: using the proposed effect of breakfast on obesity to show 2 practices that distort scientific evidence. *Am J Clin Nutr*. 2013; 98(5):1298–308.

210. Brown AW, Bohan Brown MM, Allison DB. Belief beyond the evidence: using the proposed effect of breakfast on obesity to show 2 practices that distort scientific evidence. *Am J Clin Nutr.* 2013; 98(5):1298–308.
211. Adams AM, Smith AF. Risk perception and communication: recent developments and implications for anaesthesia. *Anaesthesia.* 2001; 56(8):745–55.
212. Hornick B, Duyff RL, Murphy MM, Shumow L. Proposing a definition of candy in moderation. *Nutr Today.* 2014; 49(2):87–94.
213. O’Neil CE, Fulgoni VL, Nicklas TA. Association of candy consumption with body weight measures, other health risk factors for cardiovascular disease, and diet quality in US children and adolescents: NHANES 1999–2004. *Food Nutr Res.* 2011; 55:5794.
214. Brown AW, Bohan Brown MM, Allison DB. Reply to RA Mekary and E Giovannucci. *Am J Clin Nutr.* 2014; 99(1):213.
215. Betts JA, Richardson JD, Chowdhury EA, Holman GD, Tsintzas K, Thompson D. The causal role of breakfast in energy balance and health: a randomized controlled trial in lean adults. *Am J Clin Nutr.* 2014; 100(2):539–47.
216. Leidy HJ, Gwin JA, Roenfeldt CA, Zino AZ, Shafer RS. Evaluating the intervention-based evidence surrounding the causal role of breakfast on markers of weight management, with specific focus on breakfast composition and size. *Adv Nutr.* 2016; 7(3):563S–75S.
217. Brown AW, Bohan Brown MM, Allison DB. Belief beyond the evidence: using the proposed effect of breakfast on obesity to show 2 practices that distort scientific evidence. *Am J Clin Nutr.* 2013; 98(5):1298–308.
218. Chowdhury EA, Richardson JD, Tsintzas K, Thompson D, Betts JA. Carbohydrate-rich breakfast attenuates glycaemic, insulinaemic and ghrelin response to ad libitum lunch relative to morning fasting in lean adults. *Br J Nutr.* 2015; 114(1):98–107.
219. LeCheminant GM, LeCheminant JD, Tucker LA, Bailey BW. A randomized controlled trial to study the effects of breakfast on energy intake, physical activity, and body fat in women who are nonhabitual breakfast eaters. *Appetite.* 2017; 112:44–51.
220. Levitsky DA, Pacanowski CR. Effect of skipping breakfast on subsequent energy intake. *Physiol Behav.* 2013; 119:9–16.
221. Chowdhury EA, Richardson JD, Tsintzas K, Thompson D, Betts JA. Effect of extended morning fasting upon ad libitum lunch intake and associated metabolic and hormonal responses in obese adults. *Int J Obes (Lond).* 2016; 40(2):305–11.
222. Bayham BE, Greenway FL, Johnson WD, Dhurandhar NV. A randomized trial to manipulate the quality instead of quantity of dietary proteins to influence the markers of satiety. *J Diabetes Complicat.* 2014; 28(4):547–52.
223. Geliebter A, Grillot CL, Aviram-Friedman R, Haq S, Yahav E, Hashim SA. Effects of oatmeal and corn flakes cereal breakfasts on satiety, gastric emptying, glucose, and appetite-related hormones. *Ann Nutr Metab.* 2015; 66(2–3):93–103.

224. Geliebter A, Grillo CL, Aviram-Friedman R, Haq S, Yahav E, Hashim SA. Effects of oatmeal and corn flakes cereal breakfasts on satiety, gastric emptying, glucose, and appetite-related hormones. *Ann Nutr Metab.* 2015; 66(2–3):93–103.
225. Musa-Veloso K, Fallah S, O’Shea M, Chu Y. Assessment of intakes and patterns of cooked oatmeal consumption in the U.S. using data from the National Health and Nutrition Examination Surveys. *Nutrients.* 2016; 8(8):503.
226. Kant AK, Graubard BI. Within-person comparison of eating behaviors, time of eating, and dietary intake on days with and without breakfast: NHANES 2005–2010. *Am J Clin Nutr.* 2015; 102(3):661–70.
227. Aune D, Keum N, Giovannucci E, et al. Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. *BMJ.* 2016; 353:i2716.
228. Xu M, Huang T, Lee AW, Qi L, Cho S. Ready-to-eat cereal consumption with total and cause-specific mortality: prospective analysis of 367,442 individuals. *J Am Coll Nutr.* 2016; 35(3):217–23.
229. Djoussé L, Gaziano JM. Breakfast cereals and risk of heart failure in the Physicians’ Health Study I. *Arch Intern Med.* 2007; 167(19):2080–5.
230. Harris JL, Schwartz MB, Brownell KD, et al. Cereal FACTS 2012: limited progress in the nutrition quality and marketing of children’s cereals. Rudd Center for Food Policy & Obesity. Publicado en junio, 2012. Disponible en: [http://www.cerealfacts.org/media/cereal\\_facts\\_report\\_2012\\_7.12.pdf](http://www.cerealfacts.org/media/cereal_facts_report_2012_7.12.pdf). Acceso: abril, 9, 2019.
231. LoDolce ME, Harris JL, Schwartz MB. Sugar as part of a balanced breakfast? What cereal advertisements teach children about healthy eating. *J Health Commun.* 2013; 18(11):1293–309.
232. Breaking the fast. *Harvard Health Letter.* Publicado en junio, 2011. Disponible en: <https://www.health.harvard.edu/staying-healthy/breaking-the-fast>. Acceso: abril, 9, 2019.
233. Wootan M, Ludwig D. Sugary cereal: breakfast candy or obesity cure? *Atlantic.* Publicado en abril, 24, 2012. Disponible en: <https://www.theatlantic.com/health/archive/2012/04/sugary-cereal-breakfast-candy-or-obesity-cure/256293>. Acceso: abril, 9, 2019.
234. Scrinis G. Reformulation, fortification and functionalization: Big Food corporations’ nutritional engineering and marketing strategies. *J Peasant Stud.* 2015; 43(1):17–37.
235. Stanton RA. Changing eating patterns versus adding nutrients to processed foods. *Med J Aust.* 2016; 204(11):398.
236. Undurraga D, Naidenko O, Sharp R. Children’s cereals: sugar by the pound. Environmental Working Group. Publicado en mayo, 2014. Disponible en: <https://static.ewg.org/reports/2014/cereals/pdf/2014-EWG-Cereals-Report.pdf>. Acceso: abril, 9, 2019.

237. Goldfein K, Slavin J. Why sugar is added to food: food science 101. *Compr Rev Food Sci Food Saf*. 2015; 14(5):644–56.
238. Goldfein K, Slavin J. Why sugar is added to food: food science 101. *Compr Rev Food Sci Food Saf*. 2015; 14(5):644–56.
239. General Mills, Inc. Re: Interagency Working Group on food marketed to children: FTC project no. P094513. Comments on proposed nutrition principles and general comments and proposed marketing definitions. [Letter to Donald Clark, Secretary, Federal Trade Commission.] Publicado en julio, 14, 2011.
240. Scrinis G, Monteiro CA. Ultra-processed foods and the limits of product reformulation. *Public Health Nutr*. 2018; 21(1):247–52.
241. Hayden EB, Shannon IL, Brenner C, et al. Letters from our readers. *J Dent Child*. 1975:88–90.
242. Hanks AS, Just DR, Wansink B. Chocolate milk consequences: a pilot study evaluating the consequences of banning chocolate milk in school cafeterias. *PLoS ONE*. 2014; 9(4):e91022. Note: The legitimacy of Brian Wansink’s research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
243. Hayden EB, Shannon IL, Brenner C, et al. Letters from our readers. *J Dent Child*. 1975:88–90.
244. Hearings before the Select Committee on Nutrition and Human Needs of the United States Senate, Ninety-third Congress, first session. Nutrition Education—1973. Part 3—TV Advertising of Food to Children. Washington, D.C.: U.S. Government Printing Office; 1973. Disponible en: [https://archive.org/details/ERIC\\_ED079441](https://archive.org/details/ERIC_ED079441). Acceso: abril, 1, 2019.
245. Gregory EM. Edward Bernays, Uncle Freud, and Betty Crocker. *Psychology Today*. Publicado en abril, 6, 2016. Disponible en: <https://www.psychologytoday.com/gb/blog/the-secular-shepherd/201604/edward-bernays-uncle-freud-and-betty-crocker>. Acceso: abril, 9, 2019.
246. Givel M. Consent and counter-mobilization: the case of the national smokers alliance. *J Health Commun*. 2007; 12(4):339–57.
247. Levitsky DA. Next will be apple pie. *Am J Clin Nutr*. 2014; 100(2):503–4.
248. 2790. Levitsky DA. Next will be apple pie. *Am J Clin Nutr*. 2014; 100(2):503–4.
249. Levitsky DA. Breaking the feast. *Am J Clin Nutr*. 2015; 102(3):531–2.
250. McCrory MA, Shaw AC, Lee JA. Energy and nutrient timing for weight control: does timing of ingestion matter? *Endocrinol Metab Clin North Am*. 2016; 45(3):689–718.
251. Betts JA, Richardson JD, Chowdhury EA, Holman GD, Tsintzas K, Thompson D. The causal role of breakfast in energy balance and health: a randomized controlled trial in lean adults. *Am J Clin Nutr*. 2014; 100(2):539–47.

252. Betts JA, Richardson JD, Chowdhury EA, Holman GD, Tsintzas K, Thompson D. The causal role of breakfast in energy balance and health: a randomized controlled trial in lean adults. *Am J Clin Nutr.* 2014; 100(2):539–47.
253. Betts JA, Chowdhury EA, Gonzalez JT, Richardson JD, Tsintzas K, Thompson D. Is breakfast the most important meal of the day? *Proc Nutr Soc.* 2016; 75(4):464–74.
254. Betts JA, Richardson JD, Chowdhury EA, Holman GD, Tsintzas K, Thompson D. The causal role of breakfast in energy balance and health: a randomized controlled trial in lean adults. *Am J Clin Nutr.* 2014; 100(2):539–47.
255. Chowdhury EA, Richardson JD, Holman GD, Tsintzas K, Thompson D, Betts JA. The causal role of breakfast in energy balance and health: a randomized controlled trial in obese adults. *Am J Clin Nutr.* 2016; 103(3):747–56.
256. Hirsh E, Halberg E, Halberg F, et al. Body weight change during 1 week on a single daily 2000-calorie meal consumed as breakfast (B) or dinner (D). *Chronobiologia.* 1975; 2(Suppl 1):31–2.
257. Sehgal A. Physiology flies with time. *Cell.* 2017; 171(6):1232–5.
258. Froy O, Miskin R. Effect of feeding regimens on circadian rhythms: implications for aging and longevity. *Aging (Albany NY).* 2010; 2(1):7–27.
259. Ruddick-Collins LC, Johnston JD, Morgan PJ, Johnstone AM. The big breakfast study: chrono-nutrition influence on energy expenditure and bodyweight. *Nutr Bull.* 2018; 43(2):174–83.
260. Challet E. Circadian clocks, food intake, and metabolism. *Prog Mol Biol Transl Sci.* 2013; 119:105–35.
261. Green CB, Takahashi JS, Bass J. The meter of metabolism. *Cell.* 2008; 134(5):728–42.
262. Van Someren EJ, Riemersma-Van Der Lek RF. Live to the rhythm, slave to the rhythm. *Sleep Med Rev.* 2007; 11(6):465–84.
263. Panda S. Circadian physiology of metabolism. *Science.* 2016; 354(6315):1008–15.
264. Oda H. Chrononutrition. *J Nutr Sci Vitaminol.* 2015; 61 Suppl:S92–4.
265. Carroll R, Metcalfe C, Gunnell D, Mohamed F, Eddleston M. Diurnal variation in probability of death following self-poisoning in Sri Lanka—evidence for chronotoxicity in humans. *Int J Epidemiol.* 2012; 41(6):1821–8.
266. Dallmann R, Okyar A, Lévi F. Dosing-time makes the poison: circadian regulation and pharmacotherapy. *Trends Mol Med.* 2016; 22(5):430–45.
267. Kirley K, Sharma U, Rowland K. PURLs: BP meds: this simple change improves outcomes. *J Fam Pract.* 2012; 61(3):153–5.
268. Hermida RC, Ayala DE, Mojón A, Fernández JR. Influence of circadian time of hypertension treatment on cardiovascular risk: results of the MAPEC study. *Chronobiol Int.* 2010; 27(8):1629–51.

269. Beccuti G, Monagheddu C, Evangelista A, et al. Timing of food intake: sounding the alarm about metabolic impairments? A systematic review. *Pharmacol Res.* 2017; 125(Pt B):132–41.
270. Raynor HA, Champagne CM. Position of the Academy of Nutrition and Dietetics: interventions for the treatment of overweight and obesity in adults. *J Acad Nutr Diet.* 2016; 116(1):129–47.
271. Garaulet M, Ordovás JM, Madrid JA. The chronobiology, etiology and pathophysiology of obesity. *Int J Obes (Lond).* 2010; 34(12):1667–83.
272. Almoosawi S, Winter J, Prynne CJ, Hardy R, Stephen AM. Daily profiles of energy and nutrient intakes: are eating profiles changing over time? *Eur J Clin Nutr.* 2012; 66(6):678–86.
273. Purslow LR, Sandhu MS, Forouhi N, et al. Energy intake at breakfast and weight change: prospective study of 6,764 middle-aged men and women. *Am J Epidemiol.* 2008; 167(2):188–92.
274. De Castro JM. The time of day of food intake influences overall intake in humans. *J Nutr.* 2004; 134(1):104–11.
275. Thomson M, Spence JC, Raine K, Laing L. The association of television viewing with snacking behavior and body weight of young adults. *Am J Health Promot.* 2008; 22(5):329–35.
276. Baron KG, Reid KJ, Kern AS, Zee PC. Role of sleep timing in caloric intake and BMI. *Obesity (Silver Spring).* 2011; 19(7):1374–81.
277. Haynes A, Kemps E, Moffitt R. Is cake more appealing in the afternoon? Time of day is associated with control over automatic positive responses to unhealthy food. *Food Qual Prefer.* 2016; 54:67–74.
278. Garaulet M, Gómez-Abellán P, Alburquerque-Béjar JJ, Lee YC, Ordovás JM, Scheer FA. Timing of food intake predicts weight loss effectiveness. *Int J Obes (Lond).* 2013; 37(4):604–11.
279. Arble DM, Bass J, Laposky AD, Vitaterna MH, Turek FW. Circadian timing of food intake contributes to weight gain. *Obesity (Silver Spring).* 2009; 17(11):2100–2.
280. Lecheminant JD, Christenson E, Bailey BW, Tucker LA. Restricting night-time eating reduces daily energy intake in healthy young men: a short-term cross-over study. *Br J Nutr.* 2013; 110(11):2108–13.
281. Halberg F, Haus E, Cornélissen G. From biologic rhythms to chromosomes relevant for nutrition. In: Marriott B, ed. *Not Eating Enough: Overcoming Underconsumption of Military Operational Rations.* Washington, D.C.: National Academies Press; 1995.
282. Scheer FA, Morris CJ, Shea SA. The internal circadian clock increases hunger and appetite in the evening independent of food intake and other behaviors. *Obesity (Silver Spring).* 2013; 21(3):421–3.

283. Stack N, Barker D, Carskadon M, Diniz Behn C. A model-based approach to optimizing ultradian forced desynchrony protocols for human circadian research. *J Biol Rhythms*. 2017; 32(5):485–98.
284. Van Someren EJ, Riemersma-Van Der Lek RF. Live to the rhythm, slave to the rhythm. *Sleep Med Rev*. 2007; 11(6):465–84.
285. Reilly T, Waterhouse J, Edwards B. Some chronobiological and physiological problems associated with long-distance journeys. *Travel Med Infect Dis*. 2009; 7(2):88–101.
286. Bo S, Broglio F, Settanni F, et al. Effects of meal timing on changes in circulating epinephrine, norepinephrine, and acylated ghrelin concentrations: a pilot study. *Nutr Diabetes*. 2017; 7(12):303.
287. Halberg F, Haus E, Cornélissen G. From biologic rhythms to chronomes relevant for nutrition. In: Marriott B, ed. *Not Eating Enough: Overcoming Underconsumption of Military Operational Rations*. Washington, D.C.: National Academies Press; 1995.
288. Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring)*. 2013; 21(12):2504–12.
289. Raynor HA, Li F, Cardoso C. Daily pattern of energy distribution and weight loss. *Physiol Behav*. 2018; 192:167–72.
290. Lombardo M, Bellia A, Padua E, et al. Morning meal more efficient for fat loss in a 3-month lifestyle intervention. *J Am Coll Nutr*. 2014; 33(3):198–205.
291. Madjd A, Taylor MA, Delavari A, Malekzadeh R, Macdonald IA, Farshchi HR. Beneficial effect of high energy intake at lunch rather than dinner on weight loss in healthy obese women in a weight-loss program: a randomized clinical trial. *Am J Clin Nutr*. 2016; 104(4):982–9.
292. Fong M, Caterson ID, Madigan CD. Are large dinners associated with excess weight, and does eating a smaller dinner achieve greater weight loss? A systematic review and meta-analysis. *Br J Nutr*. 2017; 118(8):616–28.
293. Jakubowicz D, Froy O, Wainstein J, Boaz M. Meal timing and composition influence ghrelin levels, appetite scores and weight loss maintenance in overweight and obese adults. *Steroids*. 2012; 77(4):323–31.
294. Romon M, Edme JL, Boulenguez C, Lescroart JL, Frimat P. Circadian variation of diet-induced thermogenesis. *Am J Clin Nutr*. 1993; 57(4):476–80.
295. Bo S, Fadda M, Castiglione A, et al. Is the timing of caloric intake associated with variation in diet-induced thermogenesis and in the metabolic pattern? A randomized cross-over study. *Int J Obes (Lond)*. 2015; 39(12):1689–95.
296. Morris CJ, Garcia JI, Myers S, Yang JN, Trienekens N, Scheer FA. The human circadian system has a dominating role in causing the morning/evening difference in diet-induced thermogenesis. *Obesity (Silver Spring)*. 2015; 23(10):2053–8.
297. Yoshino J, Almeda-Valdes P, Patterson BW, et al. Diurnal variation in insulin sensitivity of glucose metabolism is associated with diurnal variations in whole-body

- and cellular fatty acid metabolism in metabolically normal women. *J Clin Endocrinol Metab.* 2014; 99(9):E1666–70.
298. Morris CJ, Garcia JI, Myers S, Yang JN, Trienekens N, Scheer FA. The human circadian system has a dominating role in causing the morning/evening difference in diet-induced thermogenesis. *Obesity (Silver Spring).* 2015; 23(10):2053–8.
299. Ravussin E, Acheson KJ, Vernet O, Danforth E, Jéquier E. Evidence that insulin resistance is responsible for the decreased thermic effect of glucose in human obesity. *J Clin Invest.* 1985; 76(3):1268–73.
300. Bo S, Fadda M, Castiglione A, et al. Is the timing of caloric intake associated with variation in diet-induced thermogenesis and in the metabolic pattern? A randomized cross-over study. *Int J Obes (Lond).* 2015; 39(12):1689–95.
301. Bowen AJ, Reeves RL. Diurnal variation in glucose tolerance. *Arch Intern Med.* 1967; 119(3):261–4.
302. Van Cauter E. Diurnal and ultradian rhythms in human endocrine function: a minireview. *Horm Res.* 1990; 34(2):45–53.
303. Van Cauter E, Polonsky KS, Scheen AJ. Roles of circadian rhythmicity and sleep in human glucose regulation. *Endocr Rev.* 1997; 18(5):716–38.
304. Gangwisch JE. Invited commentary: nighttime light exposure as a risk factor for obesity through disruption of circadian and circannual rhythms. *Am J Epidemiol.* 2014; 180(3):251–3.
305. Mayo Clinic. Glucose tolerance test. MayoClinic.org. Publicado en marzo, 20, 2018. Disponible en: <https://www.mayoclinic.org/tests-procedures/glucose-tolerance-test/about/pac-20394296>. Acceso: marzo, 2, 2019.
306. Poggiogalle E, Jamshed H, Peterson CM. Circadian regulation of glucose, lipid, and energy metabolism in humans. *Metab Clin Exp.* 2018; 84:11–27.
307. Sonnier T, Rood J, Gimble JM, Peterson CM. Glycemic control is impaired in the evening in prediabetes through multiple diurnal rhythms. *J Diabetes Complicat.* 2014; 28(6):836–43.
308. Morris CJ, Yang JN, Garcia JI, et al. Endogenous circadian system and circadian misalignment impact glucose tolerance via separate mechanisms in humans. *Proc Natl Acad Sci USA.* 2015; 112(17):E2225–34.
309. Gibbs M, Harrington D, Starkey S, Williams P, Hampton S. Diurnal postprandial responses to low and high glycaemic index mixed meals. *Clin Nutr.* 2014; 33(5):889–94.
310. Morgan LM, Shi JW, Hampton SM, Frost G. Effect of meal timing and glycaemic index on glucose control and insulin secretion in healthy volunteers. *Br J Nutr.* 2012; 108(7):1286–91.
311. Gibbs M, Harrington D, Starkey S, Williams P, Hampton S. Diurnal postprandial responses to low and high glycaemic index mixed meals. *Clin Nutr.* 2014; 33(5):889–94.

312. Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring)*. 2013; 21(12):2504–12.
313. Bandín C, Scheer FA, Luque AJ, et al. Meal timing affects glucose tolerance, substrate oxidation and circadian-related variables: a randomized, crossover trial. *Int J Obes (Lond)*. 2015; 39(5):828–33.
314. Saad A, Dalla Man C, Nandy DK, et al. Diurnal pattern to insulin secretion and insulin action in healthy individuals. *Diabetes*. 2012; 61(11):2691–700.
315. Leung GKW, Huggins CE, Bonham MP. Effect of meal timing on postprandial glucose responses to a low glycemic index meal: a crossover trial in healthy volunteers. *Clin Nutr*. 2019; 38(1):465–71.
316. Tsuchida Y, Hata S, Sone Y. Effects of a late supper on digestion and the absorption of dietary carbohydrates in the following morning. *J Physiol Anthropol*. 2013; 32(1):9.
317. Jakubowicz D, Wainstein J, Ahren B, Landau Z, Bar-Dayana Y, Froy O. Fasting until noon triggers increased postprandial hyperglycemia and impaired insulin response after lunch and dinner in individuals with type 2 diabetes: a randomized clinical trial. *Diabetes Care*. 2015; 38(10):1820–6.
318. Kobayashi F, Ogata H, Omi N, et al. Effect of breakfast skipping on diurnal variation of energy metabolism and blood glucose. *Obes Res Clin Pract*. 2014; 8(3):e201–98.
319. Bi H, Gan Y, Yang C, Chen Y, Tong X, Lu Z. Breakfast skipping and the risk of type 2 diabetes: a meta-analysis of observational studies. *Public Health Nutr*. 2015; 18(16):3013–9.
320. Cahill LE, Chiuvè SE, Mekary RA, et al. Prospective study of breakfast eating and incident coronary heart disease in a cohort of male US health professionals. *Circulation*. 2013; 128(4):337–43.
321. Uzhova I, Fuster V, Fernández-Ortiz A, et al. The importance of breakfast in atherosclerosis disease: insights from the PESA study. *J Am Coll Cardiol*. 2017; 70(15):1833–42.
322. Uzhova I, Peñalvo JL. Reply: skipping breakfast is a marker of unhealthy lifestyle. *J Am Coll Cardiol*. 2018; 71(6):708–9.
323. Yokoyama Y, Onishi K, Hosoda T, et al. Skipping breakfast and risk of mortality from cancer, circulatory diseases and all causes: findings from the Japan collaborative cohort study. *Yonago Acta Med*. 2016; 59(1):55–60.
324. Farshchi HR, Taylor MA, MacDonald IA. Deleterious effects of omitting breakfast on insulin sensitivity and fasting lipid profiles in healthy lean women. *Am J Clin Nutr*. 2005; 81(2):388–96.
325. Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring)*. 2013; 21(12):2504–12.

326. Garaulet M, Gómez-Abellán P. Timing of food intake and obesity: a novel association. *Physiol Behav.* 2014; 134:44–50.
327. Weaver DR. The suprachiasmatic nucleus: a 25-year retrospective. *J Biol Rhythms.* 1998; 13(2):100–12.
328. Challet E. Circadian clocks, food intake, and metabolism. *Prog Mol Biol Transl Sci.* 2013; 119:105–35.
329. Dashti HS, Mogensen KM. Recommending small, frequent meals in the clinical care of adults: a review of the evidence and important considerations. *Nutr Clin Pract.* 2017; 32(3):365–77.
330. Coomans CP, Lucassen EA, Kooijman S, et al. Plasticity of circadian clocks and consequences for metabolism. *Diabetes Obes Metab.* 2015; 17 Suppl 1:65–75.
331. Carrasco-Benso MP, Rivero-Gutierrez B, Lopez-Minguez J, et al. Human adipose tissue expresses intrinsic circadian rhythm in insulin sensitivity. *FASEB J.* 2016; 30(9):3117–23.
332. Van Someren EJ, Riemersma-Van Der Lek RF. Live to the rhythm, slave to the rhythm. *Sleep Med Rev.* 2007; 11(6):465–84.
333. Thaiss CA, Zeevi D, Levy M, et al. Transkingdom control of microbiota diurnal oscillations promotes metabolic homeostasis. *Cell.* 2014; 159(3):514–29.
334. Liang X, Bushman FD, Fitzgerald GA. Time in motion: the molecular clock meets the microbiome. *Cell.* 2014; 159(3):469–70.
335. Garaulet M, Ordovás JM, Madrid JA. The chronobiology, etiology and pathophysiology of obesity. *Int J Obes (Lond).* 2010; 34(12):1667–83.
336. Garaulet M, Gómez-Abellán P. Timing of food intake and obesity: a novel association. *Physiol Behav.* 2014; 134:44–50.
337. Kuehn BM. Resetting the circadian clock might boost metabolic health. *JAMA.* 2017; 317(13):1303–5.
338. Wehrens SMT, Christou S, Isherwood C, et al. Meal timing regulates the human circadian system. *Curr Biol.* 2017; 27(12):1768–75.e3.
339. Jakubowicz D, Wainstein J, Landau Z, et al. Influences of breakfast on clock gene expression and postprandial glycemia in healthy individuals and individuals with diabetes: a randomized clinical trial. *Diabetes Care.* 2017; 40(11):1573–9.
340. Yoshizaki T, Tada Y, Hida A, et al. Effects of feeding schedule changes on the circadian phase of the cardiac autonomic nervous system and serum lipid levels. *Eur J Appl Physiol.* 2013; 113(10):2603–11.
341. Cella LK, Van Cauter E, Schoeller DA. Effect of meal timing on diurnal rhythm of human cholesterol synthesis. *Am J Physiol.* 1995; 269(5 Pt 1):E878–83.
342. Matheson A, O'Brien L, Reid JA. The impact of shiftwork on health: a literature review. *J Clin Nurs.* 2014; 23(23–24):3309–20.

343. Jiang P, Turek FW. The endogenous circadian clock programs animals to eat at certain times of the 24-hour day: what if we ignore the clock? *Physiol Behav.* 2018; 193(Pt B):211–7.
344. Morris CJ, Purvis TE, Hu K, Scheer FA. Circadian misalignment increases cardiovascular disease risk factors in humans. *Proc Natl Acad Sci USA.* 2016; 113(10):E1402–11.
345. Lennernäs M, Akerstedt T, Hambræus L. Nocturnal eating and serum cholesterol of three-shift workers. *Scand J Work Environ Health.* 1994; 20(6):401–6.
346. Morris CJ, Purvis TE, Mistretta J, Hu K, Scheer FAJL. Circadian misalignment increases C-reactive protein and blood pressure in chronic shift workers. *J Biol Rhythms.* 2017; 32(2):154–64.
347. Scheer FA, Hilton MF, Mantzoros CS, Shea SA. Adverse metabolic and cardiovascular consequences of circadian misalignment. *Proc Natl Acad Sci USA.* 2009; 106(11):4453–8.
348. Mattson MP, Allison DB, Fontana L, et al. Meal frequency and timing in health and disease. *Proc Natl Acad Sci USA.* 2014; 111(47):16647–53.
349. Grant CL, Coates AM, Dorrian J, et al. Timing of food intake during simulated night shift impacts glucose metabolism: a controlled study. *Chronobiol Int.* 2017; 34(8):1003–13.
350. Cain SW, Filtness AJ, Phillips CL, Anderson C. Enhanced preference for high-fat foods following a simulated night shift. *Scand J Work Environ Health.* 2015; 41(3):288–93.
351. McHill AW, Melanson EL, Higgins J, et al. Impact of circadian misalignment on energy metabolism during simulated nightshift work. *Proc Natl Acad Sci USA.* 2014; 111(48):17302–7.
352. Hibi M, Masumoto A, Naito Y, et al. Nighttime snacking reduces whole body fat oxidation and increases LDL cholesterol in healthy young women. *Am J Physiol Regul Integr Comp Physiol.* 2013; 304(2):R94–101.
353. Agricultural Research Service, United States Department of Agriculture. Basic report: 01001, butter, salted. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/01001>. Acceso: abril, 9, 2019.
354. Parsons MJ, Moffitt TE, Gregory AM, et al. Social jetlag, obesity and metabolic disorder: investigation in a cohort study. *Int J Obes (Lond).* 2015; 39(5):842–8.
355. Roenneberg T, Allebrandt KV, Meroo M, Vetter C. Social jetlag and obesity. *Curr Biol.* 2012; 22(10):939–43.
356. Roenneberg T, Allebrandt KV, Meroo M, Vetter C. Social jetlag and obesity. *Curr Biol.* 2012; 22(10):939–43.
357. Mota MC, Silva CM, Balieiro LCT, Fahmy WM, Crispim CA. Social jetlag and metabolic control in non-communicable chronic diseases: a study addressing different obesity statuses. *Sci Rep.* 2017; 7(1):6358.

358. Pot GK, Almoosawi S, Stephen AM. Meal irregularity and cardiometabolic consequences: results from observational and intervention studies. *Proc Nutr Soc.* 2016; 75(4):475–86.
359. Pot GK, Almoosawi S, Stephen AM. Meal irregularity and cardiometabolic consequences: results from observational and intervention studies. *Proc Nutr Soc.* 2016; 75(4):475–86.
360. Farshchi HR, Taylor MA, MacDonald IA. Beneficial metabolic effects of regular meal frequency on dietary thermogenesis, insulin sensitivity, and fasting lipid profiles in healthy obese women. *Am J Clin Nutr.* 2005; 81(1):16–24.
361. Farshchi HR, Taylor MA, MacDonald IA. Decreased thermic effect of food after an irregular compared with a regular meal pattern in healthy lean women. *Int J Obes Relat Metab Disord.* 2004; 28(5):653–60.
362. Farshchi HR, Taylor MA, MacDonald IA. Regular meal frequency creates more appropriate insulin sensitivity and lipid profiles compared with irregular meal frequency in healthy lean women. *Eur J Clin Nutr.* 2004; 58(7):1071–7.
363. Alhussain MH, MacDonald IA, Taylor MA. Irregular meal-pattern effects on energy expenditure, metabolism, and appetite regulation: a randomized controlled trial in healthy normal-weight women. *Am J Clin Nutr.* 2016; 104(1):21–32.
364. Parks EJ, McCrory MA. When to eat and how often? *Am J Clin Nutr.* 2005; 81(1):3–4.
365. Alhussain MH, MacDonald IA, Taylor MA. Irregular meal-pattern effects on energy expenditure, metabolism, and appetite regulation: a randomized controlled trial in healthy normal-weight women. *Am J Clin Nutr.* 2016; 104(1):21–32.
366. Kräuchi K, Cajochen C, Werth E, Wirz-Justice A. Alteration of internal circadian phase relationships after morning versus evening carbohydrate-rich meals in humans. *J Biol Rhythms.* 2002; 17(4):364–76.
367. Stevens RG, Zhu Y. Electric light, particularly at night, disrupts human circadian rhythmicity: is that a problem? *Philos Trans R Soc Lond, B, Biol Sci.* 2015; 370(1667).
368. Gangwisch JE. Invited commentary: nighttime light exposure as a risk factor for obesity through disruption of circadian and circannual rhythms. *Am J Epidemiol.* 2014; 180(3):251–3.
369. Reid KJ, Santostasi G, Baron KG, Wilson J, Kang J, Zee PC. Timing and intensity of light correlate with body weight in adults. *PLoS ONE.* 2014; 9(4):e92251.
370. Obayashi K, Saeki K, Kurumatani N. Ambient light exposure and changes in obesity parameters: a longitudinal study of the HEIJO-KYO Cohort. *J Clin Endocrinol Metab.* 2016; 101(9):3539–47.
371. McFadden E, Jones ME, Schoemaker MJ, Ashworth A, Swerdlow AJ. The relationship between obesity and exposure to light at night: cross-sectional analyses of over 100,000 women in the Breakthrough Generations Study. *Am J Epidemiol.* 2014; 180(3):245–50.

372. McFadden E, Jones ME, Schoemaker MJ, Ashworth A, Swerdlow AJ. The relationship between obesity and exposure to light at night: cross-sectional analyses of over 100,000 women in the Breakthrough Generations Study. *Am J Epidemiol.* 2014; 180(3):245–50.
373. Koo YS, Song JY, Joo EY, et al. Outdoor artificial light at night, obesity, and sleep health: cross-sectional analysis in the KoGES study. *Chronobiol Int.* 2016; 33(3):301–14.
374. Poggiogalle E, Jamshed H, Peterson CM. Circadian regulation of glucose, lipid, and energy metabolism in humans. *Metab Clin Exp.* 2018; 84:11–27.
375. Reid KJ, Santostasi G, Baron KG, Wilson J, Kang J, Zee PC. Timing and intensity of light correlate with body weight in adults. *PLoS ONE.* 2014; 9(4):e92251.
376. Bylesjö EI, Boman K, Wetterberg L. Obesity treated with phototherapy: four case studies. *Int J Eat Disord.* 1996; 20(4):443–6.
377. Dunai A, Novak M, Chung SA, et al. Moderate exercise and bright light treatment in overweight and obese individuals. *Obesity (Silver Spring).* 2007; 15(7):1749–57.
378. Zhang P, Tokura H. Influence of two different light intensities during daytime on endurance performance of handgrip exercise. *Eur J Appl Physiol Occup Physiol.* 1996; 74(4):318–21.
379. Danilenko KV, Mustafina SV, Pechenkina EA. Bright light for weight loss: results of a controlled crossover trial. *Obes Facts.* 2013; 6(1):28–38.
380. Lambert GW, Reid C, Kaye DM, Jennings GL, Esler MD. Effect of sunlight and season on serotonin turnover in the brain. *Lancet.* 2002; 360(9348):1840–2.
381. Stoica E, Enulescu O. Catecholamine response to light in migraine. *Cephalalgia.* 1988; 8(1):31–6.
382. Ryan DH. Use of sibutramine and other noradrenergic and serotonergic drugs in the management of obesity. *Endocrine.* 2000; 13(2):193–9.
383. De Castro JM. Seasonal rhythms of human nutrient intake and meal pattern. *Physiol Behav.* 1991; 50(1):243–8.
384. Garaulet M, Ordovás JM, Madrid JA. The chronobiology, etiology and pathophysiology of obesity. *Int J Obes (Lond).* 2010; 34(12):1667–83.
385. Gangwisch JE. Invited commentary: nighttime light exposure as a risk factor for obesity through disruption of circadian and circannual rhythms. *Am J Epidemiol.* 2014; 180(3):251–3.
386. De Castro JM. Seasonal rhythms of human nutrient intake and meal pattern. *Physiol Behav.* 1991; 50(1):243–8.
387. Golden RN, Gaynes BN, Ekstrom RD, et al. The efficacy of light therapy in the treatment of mood disorders: a review and meta-analysis of the evidence. *Am J Psychiatry.* 2005; 162:656–62.
388. Laermans J, Depoortere I. Chronobesity: role of the circadian system in the obesity epidemic. *Obes Rev.* 2016; 17(2):108–25.

389. Herxheimer A, Petrie KJ. Melatonin for the prevention and treatment of jet lag. *Cochrane Database Syst Rev.* 2002; (2):CD001520.
390. Wolden-Hanson T, Mitton DR, McCants RL, et al. Daily melatonin administration to middle-aged male rats suppresses body weight, intraabdominal adiposity, and plasma leptin and insulin independent of food intake and total body fat. *Endocrinology.* 2000; 141(2):487–97.
391. Favero G, Stacchiotti A, Castrezzati S, et al. Melatonin reduces obesity and restores adipokine patterns and metabolism in obese (ob/ob) mice. *Nutr Res.* 2015; 35(10):891–900.
392. Romo-Nava F, Alvarez-Icaza González D, Fresán-Orellana A, et al. Melatonin attenuates antipsychotic metabolic effects: an eight-week randomized, double-blind, parallel-group, placebo-controlled clinical trial. *Bipolar Disord.* 2014; 16(4):410–21.
393. Modabbernia A, Heidari P, Soleimani R, et al. Melatonin for prevention of metabolic side-effects of olanzapine in patients with first-episode schizophrenia: randomized double-blind placebo-controlled study. *J Psychiatr Res.* 2014; 53:133–40.
394. Romo-Nava F, Alvarez-Icaza González D, Fresán-Orellana A, et al. Melatonin attenuates antipsychotic metabolic effects: an eight-week randomized, double-blind, parallel-group, placebo-controlled clinical trial. *Bipolar Disord.* 2014; 16(4):410–21.
395. Chojnacki C, Walecka-Kapica E, Klupinska G, Pawlowicz M, Blonska A, Chojnacki J. Effects of fluoxetine and melatonin on mood, sleep quality and body mass index in postmenopausal women. *J Physiol Pharmacol.* 2015; 66(5):665–71.
396. Gonçalves AL, Martini Ferreira A, Ribeiro RT, et al. Randomised clinical trial comparing melatonin 3 mg, amitriptyline 25 mg and placebo for migraine prevention. *J Neurol Neurosurg Psychiatry.* 2016; 87:1127–32.
397. Mesri Alamdari N, Mahdavi R, Roshanravan N, Lotfi Yaghin N, Ostadrahimi AR, Faramarzi E. A double-blind, placebo-controlled trial related to the effects of melatonin on oxidative stress and inflammatory parameters of obese women. *Horm Metab Res.* 2015; 47(7):504–8.
398. Lathrop NJ, Lentz M. Melatonin, light therapy, and jet lag. *Air Med J.* 2001; 20(5):30–4.
399. Reilly T, Waterhouse J, Edwards B. Some chronobiological and physiological problems associated with long-distance journeys. *Travel Med Infect Dis.* 2009; 7(2):88–101.
400. Grigg-Damberger MM, Lanakieva D. Poor quality control of over-the-counter melatonin: what they say is often not what you get. *J Clin Sleep Med.* 2017; 13(2):163–5.
401. Reiter RJ. Pineal melatonin: cell biology of its synthesis and of its physiological interactions. *Endocr Rev.* 1991; 12(2):151–80.
402. Reilly T, Waterhouse J, Edwards B. Some chronobiological and physiological problems associated with long-distance journeys. *Travel Med Infect Dis.* 2009; 7(2):88–101.

403. Grigg-Damberger MM, Lanakieva D. Poor quality control of over-the-counter melatonin: what they say is often not what you get. *J Clin Sleep Med*. 2017; 13(2):163–5.
404. Melatonin. *Med Lett Drugs Ther*. 1995; 37(962):111–2.
405. Herxheimer A, Petrie KJ. Melatonin for the prevention and treatment of jet lag. *Cochrane Database Syst Rev*. 2002; (2):CD001520.
406. Naylor S, Johnson KL, Williamson BL, Klarskov K, Gleich GJ. Structural characterization of contaminants in commercial preparations of melatonin by on-line HPLC-electrospray ionization-tandem mass spectrometry. *Adv Exp Med Biol*. 1999; 467:769–77.
407. Williamson B, Tomlinson A, Naylor S, Gleich G. Contaminants in commercial preparations of melatonin. *Mayo Clin Proc*. 1997; 72(11):1094–5.
408. Reilly T, Waterhouse J, Edwards B. Some chronobiological and physiological problems associated with long-distance journeys. *Travel Med Infect Dis*. 2009; 7(2):88–101.
409. Feng X, Wang M, Zhao Y, Han P, Dai Y. Melatonin from different fruit sources, functional roles, and analytical methods. *Trends Food Sci Technol*. 2014; 37(1):21–31.
410. Oba S, Nakamura K, Sahashi Y, Hattori A, Nagata C. Consumption of vegetables alters morning urinary 6-sulfatoxymelatonin concentration. *J Pineal Res*. 2008; 45(1):17–23.
411. Sae-Teaw M, Johns J, Johns NP, Subongkot S. Serum melatonin levels and antioxidant capacities after consumption of pineapple, orange, or banana by healthy male volunteers. *J Pineal Res*. 2013; 55(1):58–64.
412. Tan DX, Zanghi BM, Manchester LC, Reiter RJ. Melatonin identified in meats and other food stuffs: potentially nutritional impact. *J Pineal Res*. 2014; 57(2):213–8.
413. Brown PN, Turi CE, Shipley PR, et al. Comparisons of large (*Vaccinium macrocarpon* Ait.) and small (*Vaccinium oxycoccos* L., *Vaccinium vitisidaea* L.) cranberry in British Columbia by phytochemical determination, antioxidant potential, and metabolomic profiling with chemometric analysis. *Planta Med*. 2012; 78:630–40.
414. Kirakosyan A, Seymour E, Llanes D, Kaufman P, Bolling S. Chemical profile and antioxidant capacities of tart cherry products. *Food Chem*. 2008; 115(1):20–5.
415. Oladi E, Mohamadi M, Shamspur T, Mostafavi A. Spectrofluorimetric determination of melatonin in kernels of four different Pistacia varieties after ultrasound-assisted solid-liquid extraction. *Spectrochim Acta A Mol Biomol Spectrosc*. 2014; 132:326–9.
416. Oladi E, Mohamadi M, Shamspur T, Mostafavi A. Spectrofluorimetric determination of melatonin in kernels of four different Pistacia varieties after ultrasound-assisted solid-liquid extraction. *Spectrochim Acta A Mol Biomol Spectrosc*. 2014; 132:326–9.

417. Lathrop NJ, Lentz M. Melatonin, light therapy, and jet lag. *Air Med J.* 2001; 20(5):30–4.
418. Oladi E, Mohamadi M, Shamspur T, Mostafavi A. «Expression of Concern to Spectrofluorimetric Determination of Melatonin in Kernels of Four Different Pistacia Varieties after Ultrasound-Assisted Solid-Liquid Extraction» [Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy 132 (2014) 326–329]. *Spectrochim Acta A Mol Biomol Spectrosc.* 2019; 217:322.
419. Almoosawi S, Vingeliene S, Karagounis LG, Pot GK. Chrono-nutrition: a review of current evidence from observational studies on global trends in time-of-day of energy intake and its association with obesity. *Proc Nutr Soc.* 2016; 75(4):487–500.
420. Lopez-Minguez J, Gómez-Abellán P, Garaulet M. Circadian rhythms, food timing and obesity. *Proc Nutr Soc.* 2016; 75(4):501–11.
421. DiMeglio DP, Mattes RD. Liquid versus solid carbohydrate: effects on food intake and body weight. *Int J Obes Relat Metab Disord.* 2000; 24(6):794–800.
422. Martens MJ, Westerterp-Plantenga MS. Mode of consumption plays a role in alleviating hunger and thirst. *Obesity (Silver Spring).* 2012; 20(3):517–24.
423. Stafleu A, Zijlstra N, Hogenkamp P, Mars M. Texture and diet related behavior: a focus on satiety and satiation. In: Preedy V, Watson R, Martin C, eds. *Handbook of Behavior, Food and Nutrition.* New York: Springer; 2011:133–42.
424. Smit HJ, Kemsley EK, Tapp HS, Henry CJ. Does prolonged chewing reduce food intake? Fletcherism revisited. *Appetite.* 2011; 57(1):295–8.
425. Clegg ME, Ranawana V, Shafat A, Henry CJ. Soups increase satiety through delayed gastric emptying yet increased glycaemic response. *Eur J Clin Nutr.* 2013; 67(1):8–11.
426. Flood JE, Rolls BJ. Soup preloads in a variety of forms reduce meal energy intake. *Appetite.* 2007; 49(3):626–34.
427. Mattes R. Soup and satiety. *Physiol Behav.* 2005; 83(5):739–47.
428. Smit HJ, Kemsley EK, Tapp HS, Henry CJ. Does prolonged chewing reduce food intake? Fletcherism revisited. *Appetite.* 2011; 57(1):295–8.
429. Wooley O, Wooley S, Dunham R. Can calories be perceived and do they affect hunger in obese and nonobese humans? *J Comp Physiol Psychol.* 1972; 80(2):250–8.
430. Rozin P, Dow S, Moscovitch M, Rajaram S. What causes humans to begin and end a meal? A role for memory for what has been eaten, as evidenced by a study of multiple meal eating in amnesic patients. *Psychol Sci.* 1998; 9(5):392–6.
431. Crum AJ, Corbin WR, Brownell KD, Salovey P. Mind over milkshakes: mindsets, not just nutrients, determine ghrelin response. *Health Psychol.* 2011; 30(4):424–9.
432. De Graaf C. Why liquid energy results in overconsumption. *Proc Nutr Soc.* 2011; 70(2):162–70.
433. Martens MJ, Westerterp-Plantenga MS. Mode of consumption plays a role in alleviating hunger and thirst. *Obesity (Silver Spring).* 2012; 20(3):517–24.

434. Conklin MT, Lambert LG, Anderson JB. How long does it take students to eat lunch? A summary of three studies. *J Child Nutr Manag.* 2002; 26(2).
435. Andrade AM, Greene GW, Melanson KJ. Eating slowly led to decreases in energy intake within meals in healthy women. *J Am Diet Assoc.* 2008; 108(7):1186–91.
436. Kokkinos A, le Roux CW, Alexiadou K, et al. Eating slowly increases the postprandial response of the anorexigenic gut hormones, peptide YY and glucagon-like peptide-1. *J Clin Endocrinol Metab.* 2010; 95(1):333–7.
437. Harvard T.H. Chan School of Public Health. Healthy weight checklist. Disponible en: <https://www.hsph.harvard.edu/obesity-prevention-source/diet-lifestyle-to-prevent-obesity>. Acceso: abril, 9, 2019.
438. Joseph A. Joey Chestnut ate an absurd number of calories from his record-breaking 72 hot dogs. For the win. *USA Today.* Publicado en julio, 4, 2017. Disponible en: <https://ftw.usatoday.com/2017/07/joey-chestnut-72-hot-dogs-nathans-calories-nutrition-eating-contest-video-facts>. Acceso: abril, 9, 2019.
439. Walike BC, Jordan HA, Stellar E. Preloading and the regulation of food intake in man. *J Comp Physiol Psychol.* 1969; 68(3):327–33.
440. Andrade AM, Greene GW, Melanson KJ. Eating slowly led to decreases in energy intake within meals in healthy women. *J Am Diet Assoc.* 2008; 108(7):1186–91.
441. Viskaal-van Dongen M, Kok FJ, de Graaf C. Eating rate of commonly consumed foods promotes food and energy intake. *Appetite.* 2011; 56(1):25–31.
442. Ohkuma T, Hirakawa Y, Nakamura U, Kiyohara Y, Kitazono T, Ninomiya T. Association between eating rate and obesity: a systematic review and meta-analysis. *Int J Obes (Lond).* 2015; 39(11):1589–96.
443. Spiegel T, Wadden T, Foster G. Objective measurement of eating rate during behavioral treatment of obesity. *Behav Ther.* 1991; 22(1):61–7.
444. Yeomans MR, Gray RW, Mitchell CJ, True S. Independent effects of palatability and within-meal pauses on intake and appetite ratings in human volunteers. *Appetite.* 1997; 29(1):61–76.
445. Andrade AM, Greene GW, Melanson KJ. Eating slowly led to decreases in energy intake within meals in healthy women. *J Am Diet Assoc.* 2008; 108(7):1186–91.
446. Whorton JC. «Physiologic optimism»: Horace Fletcher and hygienic ideology in progressive America. *Bull Hist Med.* 1981; 55(1):59–87.
447. Smit HJ, Kemsley EK, Tapp HS, Henry CJ. Does prolonged chewing reduce food intake? Fletcherism revisited. *Appetite.* 2011; 57(1):295–8.
448. Smit HJ, Kemsley EK, Tapp HS, Henry CJ. Does prolonged chewing reduce food intake? Fletcherism revisited. *Appetite.* 2011; 57(1):295–8.
449. Li J, Zhang N, Hu L, et al. Improvement in chewing activity reduces energy intake in one meal and modulates plasma gut hormone concentrations in obese and lean young Chinese men. *Am J Clin Nutr.* 2011; 94(3):709–16.
450. Smit HJ, Kemsley EK, Tapp HS, Henry CJ. Does prolonged chewing reduce food intake? Fletcherism revisited. *Appetite.* 2011; 57(1):295–8.

451. Fukuda H, Saito T, Mizuta M, et al. Chewing number is related to incremental increases in body weight from 20 years of age in Japanese middle-aged adults. *Gerodontology*. 2013; 30(3):214–9.
452. Forde CG, Leong C, Chia-Ming E, McCrickerd K. Fast or slow-foods? Describing natural variations in oral processing characteristics across a wide range of Asian foods. *Food Funct*. 2017; 8(2):595–606.
453. Zhu Y, Hollis JH. Relationship between chewing behavior and body weight status in fully dentate healthy adults. *Int J Food Sci Nutr*. 2015; 66(2):135–9.
454. Zhu Y, Hollis JH. Increasing the number of chews before swallowing reduces meal size in normal-weight, overweight, and obese adults. *J Acad Nutr Diet*. 2014; 114(6):926–31.
455. Zhu Y, Hollis JH. Increasing the number of chews before swallowing reduces meal size in normal-weight, overweight, and obese adults. *J Acad Nutr Diet*. 2014; 114(6):926–31.
456. Hollis JH. The effect of mastication on food intake, satiety and body weight. *Physiol Behav*. 2018; 193(Pt B):242–5.
457. Zhu Y, Hsu WH, Hollis JH. Increased number of chews during a fixed-amount meal suppresses postprandial appetite and modulates glycemic response in older males. *Physiol Behav*. 2014; 133:136–40.
458. Higgs S, Jones A. Prolonged chewing at lunch decreases later snack intake. *Appetite*. 2013; 62:91–5.
459. Higgs S, Jones A. Prolonged chewing at lunch decreases later snack intake. *Appetite*. 2013; 62:91–5.
460. Smeets PA, Erkner A, de Graaf C. Cephalic phase responses and appetite. *Nutr Rev*. 2010; 68(11):643–55.
461. Spetter MS, Mars M, Viergever MA, de Graaf C, Smeets PA. Taste matters—effects of bypassing oral stimulation on hormone and appetite responses. *Physiol Behav*. 2014; 137:9–17.
462. Cecil JE, Francis J, Read NW. Relative contributions of intestinal, gastric, orosensory influences and information to changes in appetite induced by the same liquid meal. *Appetite*. 1998; 31(3):377–90.
463. Robertson MD, Jackson KG, Williams CM, Fielding BA, Frayn KN. Prolonged effects of modified sham feeding on energy substrate mobilization. *Am J Clin Nutr*. 2001; 73(1):111–7.
464. Swithers SE, Martin AA, Davidson TL. High-intensity sweeteners and energy balance. *Physiol Behav*. 2010; 100(1):55–62.
465. Wijlens AG, Erkner A, Alexander E, Mars M, Smeets PA, de Graaf C. Effects of oral and gastric stimulation on appetite and energy intake. *Obesity (Silver Spring)*. 2012; 20(11):2226–32.
466. Viskaal-van Dongen M, Kok FJ, de Graaf C. Eating rate of commonly consumed foods promotes food and energy intake. *Appetite*. 2011; 56(1):25–31.

467. Agricultural Research Service, United States Department of Agriculture. Basic report: 09003, apples, raw, with skin (includes foods for USDA's Food Distribution Program). National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/09003>. Acceso: abril, 9, 2019.
468. Agricultural Research Service, United States Department of Agriculture. Basic report: 09016, apple juice, canned or bottled, unsweetened, without added ascorbic acid. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/09016>. Acceso: abril, 9, 2019.
469. De Jonge L, Agoues I, Garrel D. Decreased thermogenic response to food with intragastric vs. oral feeding. *Am J Physiol Endocrinol Metab.* 1991; 260(2):E238–42.
470. Brondel L, Fricker J, Fantino M. Postprandial thermogenesis and alimentary sensory stimulation in human subjects. *Int J Obes Relat Metab Disord.* 1999; 23(1):34–40.
471. LeBlanc J, Cabanac M, Samson P. Reduced postprandial heat production with gavage as compared with meal feeding in human subjects. *Am J Physiol.* 1984; 246(1 Pt 1):E95–101.
472. De Jonge L, Agoues I, Garrel D. Decreased thermogenic response to food with intragastric vs. oral feeding. *Am J Physiol Endocrinol Metab.* 1991; 260(2):E238–42.
473. Toyama K, Zhao X, Kuranuki S, et al. The effect of fast eating on the thermic effect of food in young Japanese women. *Int J Food Sci Nutr.* 2015; 66(2):140–7.
474. Hamada Y, Kashima H, Hayashi N. The number of chews and meal duration affect diet-induced thermogenesis and splanchnic circulation. *Obesity (Silver Spring).* 2014; 22(5):E62–9.
475. Komai N, Motokubota N, Suzuki M, Hayashi I, Moritani T, Nagai N. Thorough mastication prior to swallowing increases postprandial satiety and the thermic effect of a meal in young women. *J Nutr Sci Vitaminol.* 2016; 62(5):288–94.
476. Bolhuis DP, Lakemond CM, de Wijk RA, Luning PA, de Graaf C. Both longer oral sensory exposure to and higher intensity of saltiness decrease ad libitum food intake in healthy normal-weight men. *J Nutr.* 2011; 141(12):2242–8.
477. Bolhuis DP, Lakemond CM, de Wijk RA, Luning PA, de Graaf C. Both longer oral sensory exposure to and higher intensity of saltiness decrease ad libitum food intake in healthy normal-weight men. *J Nutr.* 2011; 141(12):2242–8.
478. Weijzen PL, Smeets PA, de Graaf C. Sip size of orangeade: effects on intake and sensory-specific satiation. *Br J Nutr.* 2009; 102(7):1091–7.
479. Zijlstra N, de Wijk RA, Mars M, Stafleu A, de Graaf C. Effect of bite size and oral processing time of a semisolid food on satiation. *Am J Clin Nutr.* 2009; 90(2):269–75.
480. Leveille G, McMahon K, Alcantara E, Zibell S. Benefits of chewing gum: oral health and beyond. *Nutr Today.* 2008; 43(2):75–81.

481. Levine J, Baukol P, Pavlidis I. The energy expended in chewing gum. *N Engl J Med.* 1999; 341(27):2100.
482. Kresge DL, Melanson K. Chewing gum increases energy expenditure before and after controlled breakfasts. *Appl Physiol Nutr Metab.* 2015; 40(4):401–6.
483. Levine J, Baukol P, Pavlidis I. The energy expended in chewing gum. *N Engl J Med.* 1999; 341(27):2100.
484. Florman DA. More on chewing gum. *N Engl J Med.* 2000; 342(20):1531–2.
485. Levine J, Baukol P, Pavlidis I. The energy expended in chewing gum. *N Engl J Med.* 1999; 341(27):2100.
486. Hasegawa Y, Sakagami J, Ono T, Hori K, Zhang M, Maeda Y. Circulatory response and autonomic nervous activity during gum chewing. *Eur J Oral Sci.* 2009; 117(4):470–3.
487. Hamada Y, Yanaoka T, Kashiwabara K, et al. The effects of gum chewing while walking on physical and physiological functions. *J Phys Ther Sci.* 2018; 30(4):625–9.
488. Komai N, Motokubota N, Suzuki M, Hayashi I, Moritani T, Nagai N. Thorough mastication prior to swallowing increases postprandial satiety and the thermic effect of a meal in young women. *J Nutr Sci Vitaminol.* 2016; 62(5):288–94.
489. Kresge DL, Melanson K. Chewing gum increases energy expenditure before and after controlled breakfasts. *Appl Physiol Nutr Metab.* 2015; 40(4):401–6.
490. Hamada Y, Miyaji A, Hayashi N. Effect of postprandial gum chewing on diet-induced thermogenesis. *Obesity (Silver Spring).* 2016; 24(4):878–85.
491. Melanson KJ, Kresge DL. Chewing gum decreases energy intake at lunch following a controlled breakfast. *Appetite.* 2017; 118:1–7.
492. Swoboda C, Temple JL. Acute and chronic effects of gum chewing on food reinforcement and energy intake. *Eat Behav.* 2013; 14(2):149–56.
493. Julis RA, Mattes RD. Influence of sweetened chewing gum on appetite, meal patterning and energy intake. *Appetite.* 2007; 48(2):167–75.
494. Mattes RD, Considine RV. Oral processing effort, appetite and acute energy intake in lean and obese adults. *Physiol Behav.* 2013; 120:173–81.
495. Tordoff MG, Alleva AM. Oral stimulation with aspartame increases hunger. *Physiol Behav.* 1990; 47(3):555–9.
496. Julis RA, Mattes RD. Influence of sweetened chewing gum on appetite, meal patterning and energy intake. *Appetite.* 2007; 48(2):167–75.
497. Melanson KJ, Kresge DL. Chewing gum decreases energy intake at lunch following a controlled breakfast. *Appetite.* 2017; 118:1–7.
498. Swoboda C, Temple JL. Acute and chronic effects of gum chewing on food reinforcement and energy intake. *Eat Behav.* 2013; 14(2):149–56.
499. Allison A, Chambers D. Effects of residual toothpaste flavor on flavor profiles of common foods and beverages. *J Sens Stud.* 2005; 20(2):167–86.

500. Hutchings SC, Horner KM, Dible VA, Grigor JMV, O’Riordan D. Modification of aftertaste with a menthol mouthwash reduces food wanting, liking, and ad libitum intake of potato crisps. *Appetite*. 2017; 108:57–67.
501. Swoboda C, Temple JL. Acute and chronic effects of gum chewing on food reinforcement and energy intake. *Eat Behav*. 2013; 14(2):149–56.
502. Shikany JM, Thomas AS, McCubrey RO, Beasley TM, Allison DB. Randomized controlled trial of chewing gum for weight loss. *Obesity (Silver Spring)*. 2012; 20(3):547–52.
503. Melanson KJ, Kresge DL. Chewing gum decreases energy intake at lunch following a controlled breakfast. *Appetite*. 2017; 118:1–7.
504. Weijzen PL, Smeets PA, de Graaf C. Sip size of orangeade: effects on intake and sensory-specific satiation. *Br J Nutr*. 2009; 102(7):1091–7.
505. Melanson KJ, Kresge DL. Chewing gum decreases energy intake at lunch following a controlled breakfast. *Appetite*. 2017; 118:1–7.
506. Hyams JS. Sorbitol intolerance: an unappreciated cause of functional gastrointestinal complaints. *Gastroenterology*. 1983; 84(1):30–3.
507. Greaves RR, Bown RL, Farthing MJ, Brown RL. An air stewardess with puzzling diarrhoea. *Lancet*. 1996; 348(9040):1488.
508. Bauditz J, Norman K, Biering H, Lochs H, Pirlich M. Severe weight loss caused by chewing gum. *BMJ*. 2008; 336(7635):96–7.
509. Hyams JS. Sorbitol intolerance: an unappreciated cause of functional gastrointestinal complaints. *Gastroenterology*. 1983; 84(1):30–3.
510. Shikany JM, Thomas AS, McCubrey RO, Beasley TM, Allison DB. Randomized controlled trial of chewing gum for weight loss. *Obesity (Silver Spring)*. 2012; 20(3):547–52.
511. Bolhuis DP, Forde CG, Cheng Y, Xu H, Martin N, de Graaf C. Slow food: sustained impact of harder foods on the reduction in energy intake over the course of the day. *PLoS ONE*. 2014; 9(4):e93370.
512. De Graaf C, Kok FJ. Slow food, fast food and the control of food intake. *Nat Rev Endocrinol*. 2010; 6(5):290–3.
513. Hogenkamp PS, Mars M, Stafleu A, de Graaf C. Intake during repeated exposure to low-and high-energy-dense yogurts by different means of consumption. *Am J Clin Nutr*. 2010; 91(4):841–7.
514. De Wijk RA, Zijlstra N, Mars M, de Graaf C, Prinz JF. The effects of food viscosity on bite size, bite effort and food intake. *Physiol Behav*. 2008; 95(3):527–32.
515. Zijlstra N, Mars M, de Wijk RA, Westerterp-Plantenga MS, de Graaf C. The effect of viscosity on ad libitum food intake. *Int J Obes (Lond)*. 2008; 32(4):676–83.

516. Camps G, Mars M, de Graaf C, Smeets PA. Empty calories and phantom fullness: a randomized trial studying the relative effects of energy density and viscosity on gastric emptying determined by MRI and satiety. *Am J Clin Nutr.* 2016; 104(1):73–80.
517. McCrickerd K, Lim CM, Leong C, Chia EM, Forde CG. Texture-based differences in eating rate reduce the impact of increased energy density and large portions on meal size in adults. *J Nutr.* 2017; 147(6):1208–17.
518. Tang J, Larsen DS, Ferguson LR, James BJ. The effect of textural complexity of solid foods on satiation. *Physiol Behav.* 2016; 163:17–24.
519. Hogenkamp P, Schiöth H. Effect of oral processing behaviour on food intake and satiety. *Trends Food Sci Technol.* 2013; 34(1):67–75.
520. Higgs S, Jones A. Prolonged chewing at lunch decreases later snack intake. *Appetite.* 2013; 62:91–5.
521. Hollis JH. The effect of mastication on food intake, satiety and body weight. *Physiol Behav.* 2018; 193(Pt B):242–5.
522. De Graaf C, Kok FJ. Slow food, fast food and the control of food intake. *Nat Rev Endocrinol.* 2010; 6(5):290–3.
523. Viskaal-van Dongen M, Kok FJ, de Graaf C. Eating rate of commonly consumed foods promotes food and energy intake. *Appetite.* 2011; 56(1):25–31.
524. Agricultural Research Service, United States Department of Agriculture. Basic report: 01102, milk, chocolate, fluid, commercial, whole, with added vitamin A and vitamin D. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/01102>. Acceso: abril, 9, 2019.
525. Agricultural Research Service, United States Department of Agriculture. Basic report: 11124, carrots, raw. National Nutrient Database for Standard Reference Legacy Release. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/11124>. Acceso: abril, 9, 2019.
526. Viskaal-van Dongen M, Kok FJ, de Graaf C. Eating rate of commonly consumed foods promotes food and energy intake. *Appetite.* 2011; 56(1):25–31.
527. Duncan KH, Bacon JA, Weinsier RL. The effects of high and low energy density diets on satiety, energy intake, and eating time of obese and nonobese subjects. *Am J Clin Nutr.* 1983; 37(5):763–7.
528. Norris DJ, Weinsier RL. The time-calorie displacement approach for long-term weight control. One aspect of the nutrition clinic. *Ala J Med Sci.* 1982; 19(4):399–401.
529. Norris DJ, Weinsier RL. The time-calorie displacement approach for long-term weight control. One aspect of the nutrition clinic. *Ala J Med Sci.* 1982; 19(4):399–401.
530. Heimburger DC, Allison DB, Goran MI, et al. A *festschrift* for Roland L. Weinsier: nutrition scientist, educator, and clinician. *Obes Res.* 2003; 11(10):1246–62.

531. Weinsier RL, Johnston MH, Doleys DM, Bacon JA. Dietary management of obesity: evaluation of the time-energy displacement diet in terms of its efficacy and nutritional adequacy for long-term weight control. *Br J Nutr.* 1982; 47(3):367–79.
532. Weinsier RL, Johnston MH, Doleys DM, Bacon JA. Dietary management of obesity: evaluation of the time-energy displacement diet in terms of its efficacy and nutritional adequacy for long-term weight control. *Br J Nutr.* 1982; 47(3):367–79.
533. Chen Y, Henson S, Jackson AB, Richards JS. Obesity intervention in persons with spinal cord injury. *Spinal Cord.* 2006; 44(2):82–91.
534. Morgan S. Rational weight loss programs: a clinician’s guide. *J Am Coll Nutr.* 1989; 8(3):186–94.
535. Robinson E, Almiron-Roig E, Rutters F, et al. A systematic review and meta-analysis examining the effect of eating rate on energy intake and hunger. *Am J Clin Nutr.* 2014; 100(1):123–51.
536. Sun L, Ranawana DV, Tan WJ, Quek YC, Henry CJ. The impact of eating methods on eating rate and glycemic response in healthy adults. *Physiol Behav.* 2015; 139:505–10.
537. Kokkinos A, le Roux CW, Alexiadou K, et al. Eating slowly increases the postprandial response of the anorexigenic gut hormones, peptide YY and glucagon-like peptide-1. *J Clin Endocrinol Metab.* 2010; 95(1):333–7.
538. 2011 Food & Health Survey: consumer attitudes toward food safety, nutrition & health. International Food Information Council Foundation. Publicado en mayo, 5, 2011. Disponible en: [https://www.foodinsight.org/2011\\_food\\_health\\_survey\\_consumer\\_attitudes\\_toward\\_food\\_safety\\_nutrition\\_health](https://www.foodinsight.org/2011_food_health_survey_consumer_attitudes_toward_food_safety_nutrition_health). Acceso: abril, 9, 2019.
539. Speakman JR, Selman C. Physical activity and resting metabolic rate. *Proc Nutr Soc.* 2003; 62(3):621–34.
540. Ravussin E, Lillioja S, Anderson TE, Christin L, Bogardus C. Determinants of 24-hour energy expenditure in man. Methods and results using a respiratory chamber. *J Clin Invest.* 1986; 78(6):1568–78.
541. Levine JA. Nonexercise activity thermogenesis—liberating the life-force. *J Intern Med.* 2007; 262(3):273–87.
542. Thomas DM, Kyle TK, Stanford FC. The gap between expectations and reality of exercise-induced weight loss is associated with discouragement. *Prev Med.* 2015; 81:357–60.
543. Thomas DM, Kyle TK, Stanford FC. The gap between expectations and reality of exercise-induced weight loss is associated with discouragement. *Prev Med.* 2015; 81:357–60.
544. Kelly AS. Debunking the myth: exercise is an effective weight loss treatment. *Exerc Sport Sci Rev.* 2015; 43(1):2.
545. Flatt JP. Issues and misconceptions about obesity. *Obesity (Silver Spring).* 2011; 19(4):676–86.

546. Donnelly JE, Blair SN, Jakicic JM, et al. American College of Sports Medicine position stand. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Med Sci Sports Exerc.* 2009; 41(2):459–71.
547. Myers A, Gibbons C, Finlayson G, Blundell J. Associations among sedentary and active behaviours, body fat and appetite dysregulation: investigating the myth of physical inactivity and obesity. *Br J Sports Med.* 2017; 51(21):1540–4.
548. Shaw K, Gennat H, O'Rourke P, Del Mar C. Exercise for overweight or obesity. *Cochrane Database Syst Rev.* 2006; (4):CD003817.
549. Fock KM, Khoo J. Diet and exercise in management of obesity and overweight. *J Gastroenterol Hepatol.* 2013; 28 Suppl 4:59–63.
550. Bishay RH, Kormas N. Halving your cake and eating it, too: a case-based discussion and review of metabolic rehabilitation for obese adults with diabetes. *Curr Diabetes Rev.* 2018; 14(3):246–56.
551. Bishay RH, Kormas N. Halving your cake and eating it, too: a case-based discussion and review of metabolic rehabilitation for obese adults with diabetes. *Curr Diabetes Rev.* 2018; 14(3):246–56.
552. Williamson PJ, Atkinson G, Batterham AM. Inter-individual differences in weight change following exercise interventions: a systematic review and meta-analysis of randomized controlled trials. *Obes Rev.* 2018; 19(7):960–75.
553. Shaw K, Gennat H, O'Rourke P, Del Mar C. Exercise for overweight or obesity. *Cochrane Database Syst Rev.* 2006; (4):CD003817.
554. Williamson PJ, Atkinson G, Batterham AM. Inter-individual differences in weight change following exercise interventions: a systematic review and meta-analysis of randomized controlled trials. *Obes Rev.* 2018; 19(7):960–75.
555. Von Loeffelholz C. The role of non-exercise activity thermogenesis in human obesity. In: De Groot LJ, Chrousos G, Dungan K, et al., eds. *Endotext [Internet]*. South Dartmouth, MA: MDText.com, Inc.; 2000–2018.
556. Foright RM, Presby DM, Sherk VD, et al. Is regular exercise an effective strategy for weight loss maintenance? *Physiol Behav.* 2018; 188:86–93.
557. Foright RM, Presby DM, Sherk VD, et al. Is regular exercise an effective strategy for weight loss maintenance? *Physiol Behav.* 2018; 188:86–93.
558. Speakman JR, Selman C. Physical activity and resting metabolic rate. *Proc Nutr Soc.* 2003; 62(3):621–34.
559. Kelly AS. Debunking the myth: exercise is an effective weight loss treatment. *Exerc Sport Sci Rev.* 2015; 43(1):2.
560. Shah S, O'Byrne M, Wilson M, Wilson T. Research of a holiday kind: elevators or stairs? *CMAJ.* 2011; 183(18):E1353–5.
561. Dowray S, Swartz JJ, Braxton D, Viera AJ. Potential effect of physical activity based menu labels on the calorie content of selected fast food meals. *Appetite.* 2013; 62:173–81.

562. Casazza K, Fontaine KR, Astrup A, et al. Myths, presumptions, and facts about obesity. *N Engl J Med*. 2013; 368(5):446–54.
563. Bohlen JG, Held JP, Sanderson MO, Patterson RP. Heart rate, rate-pressure product, and oxygen uptake during four sexual activities. *Arch Intern Med*. 1984; 144(9):1745–8.
564. Fock KM, Khoo J. Diet and exercise in management of obesity and overweight. *J Gastroenterol Hepatol*. 2013; 28 Suppl 4:59–63.
565. Kelly AS. Debunking the myth: exercise is an effective weight loss treatment. *Exerc Sport Sci Rev*. 2015; 43(1):2.
566. McCaig DC, Hawkins LA, Rogers PJ. Licence to eat: information on energy expended during exercise affects subsequent energy intake. *Appetite*. 2016; 107:323–9.
567. Werle C, Wansink B, Payne C. Is it fun or exercise? The framing of physical activity biases subsequent snacking. *Mark Lett*. 2015; 26(4):691–702. *Note:* The legitimacy of Brian Wansink’s research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
568. Werle CO, Wansink B, Payne CR. Just thinking about exercise makes me serve more food. Physical activity and calorie compensation. *Appetite*. 2011; 56(2):332–5. *Note:* The legitimacy of Brian Wansink’s research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
569. Luke A, Cooper RS. Physical activity does not influence obesity risk: time to clarify the public health message. *Int J Epidemiol*. 2013; 42(6):1831–6.
570. Fedewa MV, Hathaway ED, Williams TD, Schmidt MD. Effect of exercise training on non-exercise physical activity: a systematic review and meta-analysis of randomized controlled trials. *Sports Med*. 2017; 47(6):1171–82.
571. Luke A, Cooper RS. Physical activity does not influence obesity risk: time to clarify the public health message. *Int J Epidemiol*. 2013; 42(6):1831–6.
572. Stensel D, King J, Thackray A. Role of physical activity in regulating appetite and body fat. *Nutr Bull*. 2016; 41(4):314–22.
573. Blundell J. Physical activity and appetite control: can we close the energy gap? *Nutr Bull*. 2011; 36(3):356–66.
574. Luke A, Cooper RS. Physical activity does not influence obesity risk: time to clarify the public health message. *Int J Epidemiol*. 2013; 42(6):1831–6.
575. Shook R. Obesity and energy balance: what is the role of physical activity? *Expert Rev Endocrinol Metab*. 2016; 11(6):511–20.
576. Flack KD, Ufholz KE, Johnson LK, Fitzgerald JS, Roemmich JN. Energy compensation in response to aerobic exercise training in overweight adults. *Am J Physiol Regul Integr Comp Physiol*. 2018; 315(4):R619–26.
577. Flack KD, Ufholz KE, Johnson LK, Fitzgerald JS, Roemmich JN. Energy compensation in response to aerobic exercise training in overweight adults. *Am J Physiol Regul Integr Comp Physiol*. 2018; 315(4):R619–26.

578. Shook R. Obesity and energy balance: what is the role of physical activity? *Expert Rev Endocrinol Metab.* 2016; 11(6):511–20.
579. Shook R. Obesity and energy balance: what is the role of physical activity? *Expert Rev Endocrinol Metab.* 2016; 11(6):511–20.
580. White LJ, Dressendorfer RH, Holland E, McCoy SC, Ferguson MA. Increased caloric intake soon after exercise in cold water. *Int J Sport Nutr Exerc Metab.* 2005; 15(1):38–47.
581. Gwinup G. Weight loss without dietary restriction: efficacy of different forms of aerobic exercise. *Am J Sports Med.* 1987; 15(3):275–9.
582. Deighton K, Stensel DJ. Creating an acute energy deficit without stimulating compensatory increases in appetite: is there an optimal exercise protocol? *Proc Nutr Soc.* 2014; 73(2):352–8.
583. King NA, Blundell JE. High-fat foods overcome the energy expenditure induced by high-intensity cycling or running. *Eur J Clin Nutr.* 1995; 49(2):114–23.
584. King JA, Wasse LK, Stensel DJ. The acute effects of swimming on appetite, food intake, and plasma acylated ghrelin. *J Obes.* 2011; 2011:1–8.
585. Flynn MG, Costill DL, Kirwan JP, et al. Fat storage in athletes: metabolic and hormonal responses to swimming and running. *Int J Sports Med.* 1990; 11(6):433–40.
586. Gwinup G. Weight loss without dietary restriction: efficacy of different forms of aerobic exercise. *Am J Sports Med.* 1987; 15(3):275–9.
587. Dressendorfer RH. Effect of internal body temperature on energy intake soon after aerobic exercise. *Med Sci Sports Exerc.* 1993; S42:228.
588. White LJ, Dressendorfer RH, Holland E, McCoy SC, Ferguson MA. Increased caloric intake soon after exercise in cold water. *Int J Sport Nutr Exerc Metab.* 2005; 15(1):38–47.
589. Crabtree DR, Blannin AK. Effects of exercise in the cold on ghrelin, PYY, and food intake in overweight adults. *Med Sci Sports Exerc.* 2015; 47(1):49–57.
590. Fisher G, Hunter GR, Allison DB. Commentary: physical activity does influence obesity risk when it actually occurs in sufficient amount. *Int J Epidemiol.* 2013; 42(6):1845–8.
591. Charlot K, Faure C, Antoine-Jonville S. Influence of hot and cold environments on the regulation of energy balance following a single exercise session: a mini-review. *Nutrients.* 2017; 9(6):pii:E592.
592. Shook R. Obesity and energy balance: what is the role of physical activity? *Expert Rev Endocrinol Metab.* 2016; 11(6):511–20.
593. Lewis SF, Hennekens CH. Regular physical activity: a «magic bullet» for the pandemics of obesity and cardiovascular disease. *Cardiology.* 2016; 134(3):360–3.
594. Paravidino VB, Mediano MF, Hoffman DJ, Sichieri R. Effect of exercise intensity on spontaneous physical activity energy expenditure in overweight boys: a crossover study. *PLoS ONE.* 2016; 11(1):e0147141.

595. Pontzer H, Durazo-Arvizu R, Dugas LR, et al. Constrained total energy expenditure and metabolic adaptation to physical activity in adult humans. *Curr Biol*. 2016; 26(3):410–7.
596. Johansson K, Neovius M, Hemmingsson E. Effects of anti-obesity drugs, diet, and exercise on weight-loss maintenance after a very-low-calorie diet or low-calorie diet: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2014; 99(1):14–23.
597. Ravussin E, Danforth E. Beyond sloth—physical activity and weight gain. *Science*. 1999; 283(5399):184–5.
598. Shook R. Obesity and energy balance: what is the role of physical activity? *Expert Rev Endocrinol Metab*. 2016; 11(6):511–20.
599. Thomas DM, Bouchard C, Church T, et al. Why do individuals not lose more weight from an exercise intervention at a defined dose? An energy balance analysis. *Obes Rev*. 2012; 13(10):835–47.
600. 2018 Physical Activity Guidelines Advisory Committee. 2018 Physical Activity Guidelines Advisory Committee Scientific Report. United States Department of Health and Human Services. Publicado en febrero, 2018. Disponible en: <https://health.gov/paguidelines/second-edition/report>. Acceso: abril, 10, 2019.
601. Obesity and overweight. World Health Organization. Publicado en febrero, 16, 2018. Available at: <http://www.who.int/news-room/factsheets/detail/obesity-and-overweight>. Acceso: abril, 10, 2019.
602. Puterbaugh JS. The emperor’s tailors: the failure of the medical weight loss paradigm and its causal role in the obesity of America. *Diabetes Obes Metab*. 2009; 11(6):557–70.
603. Bergouignan A, Rudwill F, Simon C, Blanc S. Physical inactivity as the culprit of metabolic inflexibility: evidence from bed-rest studies. *J Appl Physiol*. 2011; 111(4):1201–10.
604. Nindl BC, Barnes BR, Alemany JA, Frykman PN, Shippee RL, Friedl KE. Physiological consequences of U.S. Army Ranger training. *Med Sci Sports Exerc*. 2007; 39(8):1380–7.
605. Pulfrey SM, Jones PJ. Energy expenditure and requirement while climbing above 6,000 m. *J Appl Physiol*. 1996; 81(3):1306–11.
606. Bouchard C, Tremblay A, Després JP, et al. The response to exercise with constant energy intake in identical twins. *Obes Res*. 1994; 2(5):400–10.
607. Donnelly JE, Blair SN, Jakicic JM, et al. American College of Sports Medicine Position Stand. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Med Sci Sports Exerc*. 2009; 41(2):459–71.
608. Manore MM, Larson-Meyer DE, Lindsay AR, Hongu N, Houtkooper L. Dynamic energy balance: an integrated framework for discussing diet and physical activity in obesity prevention—is it more than eating less and exercising more? *Nutrients*. 2017; 9(8):905.

609. Manore M. Personal communication. julio, 2018.
610. Jakicic JM, Rogers RJ, Davis KK, Collins KA. Role of physical activity and exercise in treating patients with overweight and obesity. *Clin Chem*. 2018; 64(1):99–107.
611. Physical Activity Guidelines Advisory Committee. Physical Activity Guidelines Advisory Committee Report, 2008. United States Department of Health and Human Services. Publicado en junio, 2008. Disponible en: <https://health.gov/paguidelines/2008/report>. Acceso: abril, 10, 2019.
612. Panel on Macronutrients, Panel on the Definition of Dietary Fiber, Subcommittee on Upper Reference Levels of Nutrients, Subcommittee on Interpretation and Uses of Dietary Reference Intakes, Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Food and Nutrition Board, Institute of Medicine. *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids*. Washington, D.C.: National Academies Press; 2004.
613. Schoeller DA, Shay K, Kushner RF. How much physical activity is needed to minimize weight gain in previously obese women? *Am J Clin Nutr*. 1997; 66(3):551–6.
614. Johansson K, Neovius M, Hemmingsson E. Effects of anti-obesity drugs, diet, and exercise on weight-loss maintenance after a very-low-calorie diet or low-calorie diet: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2014; 99(1):14–23.
615. United States Department of Health and Human Services, United States Department of Agriculture. Dietary Guidelines for Americans, 2005. 6th ed. Washington, D.C.: U.S. Government Printing Office. Publicado en enero, 2005. Disponible en: <https://health.gov/dietaryguidelines/dga2005/document/default.htm>. Acceso: abril, 10, 2019.
616. United States Department of Health and Human Services, United States Department of Agriculture. Appendix 1. 2015–2020 Dietary Guidelines for Americans. 8th ed. Publicado en diciembre, 2015. Available at: <http://health.gov/dietaryguidelines/2015/guidelines>. Acceso: abril, 10, 2019.
617. Luke A, Cooper RS. Authors' response to commentaries on «physical activity does not influence obesity risk.» *Int J Epidemiol*. 2013; 42(6):1848–51.
618. Troiano RP, Berrigan D, Dodd KW, Mâsse LC, Tilert T, McDowell M. Physical activity in the United States measured by accelerometer. *Med Sci Sports Exerc*. 2008; 40(1):181–8.
619. Catenacci VA, Ogden LG, Stult J, et al. Physical activity patterns in the National Weight Control Registry. *Obesity (Silver Spring)*. 2008; 16(1):153–61.
620. Malhotra A, Noakes T, Phinney S. It is time to bust the myth of physical inactivity and obesity: you cannot outrun a bad diet. *Br J Sports Med*. 2015; 49(15):967–8.
621. Lewis SF, Hennekens CH. Regular physical activity: a «magic bullet» for the pandemics of obesity and cardiovascular disease. *Cardiology*. 2016; 134(3):360–3.
622. Kelly AS. Debunking the myth: exercise is an effective weight loss treatment. *Exerc Sport Sci Rev*. 2015; 43(1):2.

623. Wang YC, McPherson K, Marsh T, Gortmaker SL, Brown M. Health and economic burden of the projected obesity trends in the USA and the UK. *Lancet*. 2011; 378(9793):815–25.
624. Thomas DM, Kyle TK, Stanford FC. The gap between expectations and reality of exercise-induced weight loss is associated with discouragement. *Prev Med*. 2015; 81:357–60.
625. Levine JA, Eberhardt NL, Jensen MD. Role of nonexercise activity thermogenesis in resistance to fat gain in humans. *Science*. 1999; 283(5399):212–4.
626. Helmholtz H. On the conservation of force; a physical memoir. In: Tyndall J, Francis W. *Scientific Memoirs, Selected from the Transactions of Foreign Academies of Science, and from Foreign Journals. Natural Philosophy, Volume I*. London: Taylor and Francis; 1853:114–62.
627. Levine JA, Eberhardt NL, Jensen MD. Role of nonexercise activity thermogenesis in resistance to fat gain in humans. *Science*. 1999; 283(5399):212–4.
628. Kotz CM, Perez-Leighton CE, Teske JA, Billington CJ. Spontaneous physical activity defends against obesity. *Curr Obes Rep*. 2017; 6(4):362–70.
629. Levine JA, Eberhardt NL, Jensen MD. Role of nonexercise activity thermogenesis in resistance to fat gain in humans. *Science*. 1999; 283(5399):212–4.
630. Levine JA. Non-exercise activity thermogenesis (NEAT). *Best Pract Res Clin Endocrinol Metab*. 2002; 16(4):679–702.
631. Levine JA, Eberhardt NL, Jensen MD. Role of nonexercise activity thermogenesis in resistance to fat gain in humans. *Science*. 1999; 283(5399):212–4.
632. Levine JA, Vander Weg MW, Hill JO, Klesges RC. Non-exercise activity thermogenesis: the crouching tiger hidden dragon of societal weight gain. *Arterioscler Thromb Vasc Biol*. 2006; 26(4):729–36.
633. Levine JA, McCrady SK, Lanningham-Foster LM, Kane PH, Foster RC, Manohar CU. The role of free-living daily walking in human weight gain and obesity. *Diabetes*. 2008; 57(3):548–54.
634. Levine JA. Nonexercise activity thermogenesis—liberating the life-force. *J Intern Med*. 2007; 262(3):273–87.
635. Von Loeffelholz C. The role of non-exercise activity thermogenesis in human obesity. In: De Groot LJ, Chrousos G, Dungan K, et al., eds. *Endotext [Internet]*. South Dartmouth, MA: MDText.com, Inc.; 2000–2018.
636. Villablanca PA, Alegria JR, Mookadam F, Holmes DR, Wright RS, Levine JA. Nonexercise activity thermogenesis in obesity management. *Mayo Clin Proc*. 2015; 90(4):509–19.

637. Villablanca PA, Alegria JR, Mookadam F, Holmes DR, Wright RS, Levine JA. Nonexercise activity thermogenesis in obesity management. *Mayo Clin Proc.* 2015; 90(4):509–19.
638. McCrady-Spitzer SK, Levine JA. Nonexercise activity thermogenesis: a way forward to treat the worldwide obesity epidemic. *Surg Obes Relat Dis.* 2012; 8(5):501–6.
639. Levine JA. Nonexercise activity thermogenesis—liberating the life-force. *J Intern Med.* 2007; 262(3):273–87.
640. Sun JW, Zhao LG, Yang Y, Ma X, Wang YY, Xiang YB. Association between television viewing time and all-cause mortality: a meta-analysis of cohort studies. *Am J Epidemiol.* 2015; 182(11):908–16.
641. Rezende LFM, Sá TH, Mielke GI, Viscondi JYK, Rey-López JP, Garcia LMT. All-cause mortality attributable to sitting time: analysis of 54 countries worldwide. *Am J Prev Med.* 2016; 51(2):253–63.
642. Rezende LFM, Sá TH, Mielke GI, Viscondi JYK, Rey-López JP, Garcia LMT. All-cause mortality attributable to sitting time: analysis of 54 countries worldwide. *Am J Prev Med.* 2016; 51(2):253–63.
643. Von Loeffelholz C. The role of non-exercise activity thermogenesis in human obesity. In: De Groot LJ, Chrousos G, Dungan K, et al., eds. *Endotext [Internet]*. South Dartmouth, MA: MDText.com, Inc.; 2000–2018.
644. Saeidifard F, Medina-Inojosa JR, Supervia M, et al. Differences of energy expenditure while sitting versus standing: a systematic review and meta-analysis. *Eur J Prev Cardiol.* 2018; 25(5):522–38.
645. King PM. A comparison of the effects of floor mats and shoe in-soles on standing fatigue. *Appl Ergon.* 2002; 33(5):477–84.
646. Tüchsen F, Hannerz H, Burr H, Krause N. Prolonged standing at work and hospitalisation due to varicose veins: a 12 year prospective study of the Danish population. *Occup Environ Med.* 2005; 62(12):847–50.
647. Shuval K, Barlow CE, Finley CE, Gabriel KP, Schmidt MD, Defina LF. Standing, obesity, and metabolic syndrome: findings from the cooper center longitudinal study. *Mayo Clin Proc.* 2015; 90(11):1524–32.
648. Van der Ploeg HP, Chey T, Ding D, Chau JY, Stamatakis E, Bauman AE. Standing time and all-cause mortality in a large cohort of Australian adults. *Prev Med.* 2014; 69:187–91.
649. Shrestha N, Kukkonen-Harjula KT, Verbeek JH, Ijaz S, Hermans V, Pedisic Z. Workplace interventions for reducing sitting at work. *Cochrane Database Syst Rev.* 2018; 6:CD010912.
650. Mansoubi M, Pearson N, Biddle SJ, Clemes SA. Using sit-to-stand workstations in offices: is there a compensation effect? *Med Sci Sports Exerc.* 2016; 48(4):720–5.
651. Saeidifard F, Medina-Inojosa JR, Supervia M, et al. Differences of energy expenditure while sitting versus standing: a systematic review and meta-analysis. *Eur J Prev Cardiol.* 2018; 25(5):522–38.

652. Levine JA, Miller JM. The energy expenditure of using a «walk-and-work» desk for office workers with obesity. *Br J Sports Med.* 2007; 41(9):558–61.
653. Koepp GA, Moore G, Levine JA. An under-the-table leg-movement apparatus and changes in energy expenditure. *Front Physiol.* 2017; 8:318.
654. Levine JA. Nonexercise activity thermogenesis—liberating the life-force. *J Intern Med.* 2007; 262(3):273–87.
655. Levine JA, Vander Weg MW, Hill JO, Klesges RC. Non-exercise activity thermogenesis: the crouching tiger hidden dragon of societal weight gain. *Arterioscler Thromb Vasc Biol.* 2006; 26(4):729–36.
656. Commissaris DA, Könemann R, Hiemstra-Van Mastrigt S, et al. Effects of a standing and three dynamic workstations on computer task performance and cognitive function tests. *Appl Ergon.* 2014; 45(6):1570–8.
657. Thompson WG, Levine JA. Productivity of transcriptionists using a treadmill desk. *Work.* 2011; 40(4):473–7.
658. McAlpine DA, Manohar CU, McCrady SK, Hensrud D, Levine JA. An office-place stepping device to promote workplace physical activity. *Br J Sports Med.* 2007; 41(12):903–7.
659. Thosar SS, Bielko SL, Mather KJ, Johnston JD, Wallace JP. Effect of prolonged sitting and breaks in sitting time on endothelial function. *Med Sci Sports Exerc.* 2015; 47(4):843–9.
660. Pynt J. Rethinking design parameters in the search for optimal dynamic seating. *J Bodyw Mov Ther.* 2015; 19(2):291–303.
661. Morishima T, Restaino RM, Walsh LK, Kanaley JA, Padilla J. Prior exercise and standing as strategies to circumvent sitting-induced leg endothelial dysfunction. *Clin Sci.* 2017; 131(11):1045–53.
662. Thosar SS, Bielko SL, Mather KJ, Johnston JD, Wallace JP. Effect of prolonged sitting and breaks in sitting time on endothelial function. *Med Sci Sports Exerc.* 2015; 47(4):843–9.
663. Morishima T, Restaino RM, Walsh LK, Kanaley JA, Padilla J. Prior exercise and standing as strategies to circumvent sitting-induced leg endothelial dysfunction. *Clin Sci.* 2017; 131(11):1045–53.
664. Morishima T, Restaino RM, Walsh LK, Kanaley JA, Padilla J. Prior exercise and standing as strategies to circumvent sitting-induced leg endothelial dysfunction. *Clin Sci.* 2017; 131(11):1045–53.
665. Kruse NT, Hughes WE, Benzo RM, Carr LJ, Casey DP. Workplace strategies to prevent sitting-induced endothelial dysfunction. *Med Sci Sports Exerc.* 2018; 50(4):801–8.
666. O’Sullivan K, O’Sullivan P, O’Keeffe M, O’Sullivan L, Dankaerts W. The effect of dynamic sitting on trunk muscle activation: a systematic review. *Appl Ergon.* 2013; 44(4):628–35.

667. O'Sullivan K, O'Sullivan P, O'Keeffe M, O'Sullivan L, Dankaerts W. The effect of dynamic sitting on trunk muscle activation: a systematic review. *Appl Ergon.* 2013; 44(4):628–35.
668. Koepp GA, Moore GK, Levine JA. Chair-based fidgeting and energy expenditure. *BMJ Open Sport Exerc Med.* 2016; 2(1):e000152.
669. Koepp GA, Moore G, Levine JA. An under-the-table leg-movement apparatus and changes in energy expenditure. *Front Physiol.* 2017; 8:318.
670. Koepp GA, Moore GK, Levine JA. Chair-based fidgeting and energy expenditure. *BMJ Open Sport Exerc Med.* 2016; 2(1):e000152.
671. Morishima T, Restaino RM, Walsh LK, Kanaley JA, Fadel PJ, Padilla J. Prolonged sitting-induced leg endothelial dysfunction is prevented by fidgeting. *Am J Physiol Heart Circ Physiol.* 2016; 311(1):H177–82.
672. Hagger-Johnson G, Gow AJ, Burley V, Greenwood D, Cade JE. Sitting time, fidgeting, and all-cause mortality in the UK women's cohort study. *Am J Prev Med.* 2016; 50(2):154–60.
673. Thomas DM, Kyle TK, Stanford FC. The gap between expectations and reality of exercise-induced weight loss is associated with discouragement. *Prev Med.* 2015; 81:357–60.
674. Moore SC, Patel AV, Matthews CE, et al. Leisure time physical activity of moderate to vigorous intensity and mortality: a large pooled cohort analysis. *PLoS MED.* 2012; 9(11):e1001335.
675. Warburton DER, Bredin SSD. Health benefits of physical activity: a systematic review of current systematic reviews. *Curr Opin Cardiol.* 2017; 32(5):541–56.
676. Gerbild H, Larsen CM, Graugaard C, Areskoug Josefsson K. Physical activity to improve erectile function: a systematic review of intervention studies. *Sex Med.* 2018; 6(2):75–89.
677. Hardefeldt PJ, Penninkilampi R, Edirimanne S, Eslick GD. Physical activity and weight loss reduce the risk of breast cancer: a meta-analysis of 139 prospective and retrospective studies. *Clin Breast Cancer.* 2018; 18(4):e601–12.
678. Rezende LFM, Sá TH, Markozannes G, et al. Physical activity and cancer: an umbrella review of the literature including 22 major anatomical sites and 770 000 cancer cases. *Br J Sports Med.* 2018; 52(13):826–33.
679. Warburton DER, Bredin SSD. Health benefits of physical activity: a systematic review of current systematic reviews. *Curr Opin Cardiol.* 2017; 32(5):541–56.
680. Soltani S, Hunter GR, Kazemi A, Shab-Bidar S. The effects of weight loss approaches on bone mineral density in adults: a systematic review and meta-analysis of randomized controlled trials. *Osteoporos Int.* 2016; 27(9):2655–71.
681. Short KR, Pratt LV, Teague AM. A single exercise session increases insulin sensitivity in normal weight and overweight/obese adolescents. *Pediatr Diabetes.* 2018; 19(6):1050–7.

682. Naci H, Ioannidis JP. Comparative effectiveness of exercise and drug interventions on mortality outcomes: metaepidemiological study. *BMJ*. 2013; 347:f5577.
683. Naci H, Ioannidis JP. Comparative effectiveness of exercise and drug interventions on mortality outcomes: metaepidemiological study. *BMJ*. 2013; 347:f5577.
684. Cauza E, Hanusch-Enserer U, Strasser B, et al. The relative benefits of endurance and strength training on the metabolic factors and muscle function of people with type 2 diabetes mellitus. *Arch Phys Med Rehabil*. 2005; 86(8):1527–33.
685. Rosenkilde M, Auerbach P, Reichkendler MH, Ploug T, Stallknecht BM, Sjødin A. Body fat loss and compensatory mechanisms in response to different doses of aerobic exercise—a randomized controlled trial in overweight sedentary males. *Am J Physiol Regul Integr Comp Physiol*. 2012; 303(6):R571–9.
686. Ohkawara K, Tanaka S, Miyachi M, Ishikawa-Takata K, Tabata I. A dose-response relation between aerobic exercise and visceral fat reduction: systematic review of clinical trials. *Int J Obes (Lond)*. 2007; 31(12):1786–97.
687. Jakicic JM, Rogers RJ, Davis KK, Collins KA. Role of physical activity and exercise in treating patients with overweight and obesity. *Clin Chem*. 2018; 64(1):99–107.
688. Verheggen RJ, Maessen MF, Green DJ, Hermus AR, Hopman MT, Thijssen DH. A systematic review and meta-analysis on the effects of exercise training versus hypocaloric diet: distinct effects on body weight and visceral adipose tissue. *Obes Rev*. 2016; 17(8):664–90.
689. Verheggen RJ, Maessen MF, Green DJ, Hermus AR, Hopman MT, Thijssen DH. A systematic review and meta-analysis on the effects of exercise training versus hypocaloric diet: distinct effects on body weight and visceral adipose tissue. *Obes Rev*. 2016; 17(8):664–90.
690. Vispute SS, Smith JD, LeCheminant JD, Hurley KS. The effect of abdominal exercise on abdominal fat. *J Strength Cond Res*. 2011; 25(9):2559–64.
691. Wewege MA, Thom JM, Rye KA, Parmenter BJ. Aerobic, resistance or combined training: a systematic review and meta-analysis of exercise to reduce cardiovascular risk in adults with metabolic syndrome. *Atherosclerosis*. 2018; 274:162–71.
692. Vissers D, Hens W, Taeymans J, Baeyens JP, Poortmans J, Van Gaal L. The effect of exercise on visceral adipose tissue in overweight adults: a systematic review and meta-analysis. *PLoS ONE*. 2013; 8(2):e56415.
693. Ismail I, Keating SE, Baker MK, Johnson NA. A systematic review and meta-analysis of the effect of aerobic vs. resistance exercise training on visceral fat. *Obes Rev*. 2012; 13(1):68–91.
694. Roy M, Williams SM, Brown RC, et al. HIIT in the real world: outcomes from a 12-month intervention in overweight adults. *Med Sci Sports Exerc*. 2018; 50(9):1818–26.

695. Maillard F, Pereira B, Boisseau N. Effect of high-intensity interval training on total, abdominal and visceral fat mass: a meta-analysis. *Sports Med.* 2018; 48(2):269–88.
696. Wewege M, van den Berg R, Ward RE, Keech A. The effects of high-intensity interval training vs. moderate-intensity continuous training on body composition in overweight and obese adults: a systematic review and meta-analysis. *Obes Rev.* 2017; 18(6):635–46.
697. Wewege M, van den Berg R, Ward RE, Keech A. The effects of high-intensity interval training vs. moderate-intensity continuous training on body composition in overweight and obese adults: a systematic review and meta-analysis. *Obes Rev.* 2017; 18(6):635–46.
698. Ross R, Hudson R, Stotz PJ, Lam M. Effect of higher-intensity exercise on weight loss and waist circumference: a randomized trial. *Ann Intern Med.* 2015; 162(5):325–34.
699. Willis WT, Ganley KJ, Herman RM. Fuel oxidation during human walking. *Metab Clin Exp.* 2005; 54(6):793–9.
700. Wilkin LD, Cheryl A, Haddock BL. Energy expenditure comparison between walking and running in average fitness individuals. *J Strength Cond Res.* 2012; 26(4):1039–44.
701. Weston KS, Wisløff U, Coombes JS. High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: a systematic review and meta-analysis. *Br J Sports Med.* 2014; 48(16):1227–34.
702. Morris JN, Hardman AE. Walking to health. *Sports Med.* 1997; 23(5):306–32.
703. Stamatakis E, Hamer M, Murphy MH. What Hippocrates called «man’s best medicine»: walking is humanity’s path to a better world. *Br J Sports Med.* 2018; 52(12):753–4.
704. Mabire L, Mani R, Liu L, Mulligan H, Baxter D. The influence of age, sex and body mass index on the effectiveness of brisk walking for obesity management in adults: a systematic review and meta-analysis. *J Phys Act Health.* 2017; 14(5):389–407.
705. Schutz Y, Nguyen DM, Byrne NM, Hills AP. Effectiveness of three different walking prescription durations on total physical activity in normal-and overweight women. *Obes Facts.* 2014; 7(4):264–73.
706. Schutz Y, Nguyen DM, Byrne NM, Hills AP. Effectiveness of three different walking prescription durations on total physical activity in normal-and overweight women. *Obes Facts.* 2014; 7(4):264–73.
707. Betts JA, Chowdhury EA, Gonzalez JT, Richardson JD, Tsintzas K, Thompson D. Is breakfast the most important meal of the day? *Proc Nutr Soc.* 2016; 75(4):464–74.
708. Vieira AF, Costa RR, Macedo RC, Coconcelli L, Kruegel LF. Effects of aerobic exercise performed in fasted v. fed state on fat and carbohydrate metabolism in adults: a systematic review and meta-analysis. *Br J Nutr.* 2016; 116(7):1153–64.
709. Iwayama K, Kawabuchi R, Park I, et al. Transient energy deficit induced by exercise increases 24-h fat oxidation in young trained men. *J Appl Physiol.* 2015; 118(1):80–5.

710. Iwayama K, Kurihara R, Nabekura Y, et al. Exercise increases 24-h fat oxidation only when it is performed before breakfast. *EBioMedicine*. 2015; 2(12):2003–9.
711. Iwayama K, Kawabuchi R, Nabekura Y, et al. Exercise before breakfast increases 24-h fat oxidation in female subjects. *PLoS ONE*. 2017; 12(7):e0180472.
712. Iwayama K, Kawabuchi R, Nabekura Y, et al. Exercise before breakfast increases 24-h fat oxidation in female subjects. *PLoS ONE*. 2017; 12(7):e0180472.
713. Iwayama K, Kawabuchi R, Nabekura Y, et al. Exercise before breakfast increases 24-h fat oxidation in female subjects. *PLoS ONE*. 2017; 12(7):e0180472.
714. Kim HK, Ando K, Tabata H, et al. Effects of different intensities of endurance exercise in morning and evening on the lipid metabolism response. *J Sports Sci Med*. 2016; 15(3):467–76.
715. Farah NM, Gill JM. Effects of exercise before or after meal ingestion on fat balance and postprandial metabolism in overweight men. *Br J Nutr*. 2013; 109(12):2297–307.
716. Farah NM, Gill JM. Effects of exercise before or after meal ingestion on fat balance and postprandial metabolism in overweight men. *Br J Nutr*. 2013; 109(12):2297–307.
717. Philp A, Hargreaves M, Baar K. More than a store: regulatory roles for glycogen in skeletal muscle adaptation to exercise. *Am J Physiol Endocrinol Metab*. 2012; 302(11):E1343–51.
718. Iwayama K, Kurihara R, Nabekura Y, et al. Exercise increases 24-h fat oxidation only when it is performed before breakfast. *EBioMedicine*. 2015; 2(12):2003–9.
719. Montain SJ, Hopper MK, Coggan AR, Coyle EF. Exercise metabolism at different time intervals after a meal. *J Appl Physiol*. 1991; 70(2):882–8.
720. Horowitz JF, Mora-Rodriguez R, Byerley LO, Coyle EF. Lipolytic suppression following carbohydrate ingestion limits fat oxidation during exercise. *Am J Physiol*. 1997; 273(4 Pt 1):E768–75.
721. Stevenson EJ, Astbury NM, Simpson EJ, Taylor MA, MacDonald IA. Fat oxidation during exercise and satiety during recovery are increased following a low-glycemic index breakfast in sedentary women. *J Nutr*. 2009; 139(5):890–7.
722. Thomas DE, Brotherhood JR, Brand JC. Carbohydrate feeding before exercise: effect of glycemic index. *Int J Sports Med*. 1991; 12(2):180–6.
723. Aird TP, Davies RW, Carson BP. Effects of fasted vs fed-state exercise on performance and post-exercise metabolism: a systematic review and meta-analysis. *Scand J Med Sci Sports*. 2018; 28(5):1476–93.
724. Gonzalez JT, Stevenson EJ. New perspectives on nutritional interventions to augment lipid utilisation during exercise. *Br J Nutr*. 2012; 107(3):339–49.
725. Vieira AF, Costa RR, Macedo RC, Coconcelli L, Kruegel LF. Effects of aerobic exercise performed in fasted v. fed state on fat and carbohydrate metabolism in adults: a systematic review and meta-analysis. *Br J Nutr*. 2016; 116(7):1153–64.

726. Iwayama K, Kurihara R, Nabekura Y, et al. Exercise increases 24-h fat oxidation only when it is performed before breakfast. *EBioMedicine*. 2015; 2(12):2003–9.
727. Iwayama K, Kawabuchi R, Nabekura Y, et al. Exercise before breakfast increases 24-h fat oxidation in female subjects. *PLoS ONE*. 2017; 12(7):e0180472.
728. Van Proeyen K, Szlufcik K, Nielens H, et al. Training in the fasted state improves glucose tolerance during fat-rich diet. *J Physiol (Lond)*. 2010; 588(Pt 21):4289–302.
729. Schoenfeld BJ, Aragon AA, Wilborn CD, Krieger JW, Sonmez GT. Body composition changes associated with fasted versus non-fasted aerobic exercise. *J Int Soc Sports Nutr*. 2014; 11(1):54.
730. Gillen JB, Percival ME, Ludzki A, Tarnopolsky MA, Gibala MJ. Interval training in the fed or fasted state improves body composition and muscle oxidative capacity in overweight women. *Obesity (Silver Spring)*. 2013; 21(11):2249–55.
731. Schoenfeld BJ, Aragon AA, Wilborn CD, Krieger JW, Sonmez GT. Body composition changes associated with fasted versus non-fasted aerobic exercise. *J Int Soc Sports Nutr*. 2014; 11(1):54.
732. Segal KR, Gutin B. Thermic effects of food and exercise in lean and obese women. *Metab Clin Exp*. 1983; 32(6):581–9.
733. Goben KW, Sforzo GA, Frye PA. Exercise intensity and the thermic effect of food. *Int J Sport Nutr*. 1992; 2(1):87–95.
734. Davis JM, Sadri S, Sargent RG, Ward D. Weight control and calorie expenditure: thermogenic effects of pre-prandial and post-prandial exercise. *Addict Behav*. 1989; 14(3):347–51.
735. Goben KW, Sforzo GA, Frye PA. Exercise intensity and the thermic effect of food. *Int J Sport Nutr*. 1992; 2(1):87–95.
736. Haxhi J, Scotto di Palumbo A, Sacchetti M. Exercising for metabolic control: is timing important? *Ann Nutr Metab*. 2013; 62(1):14–25.
737. Colberg SR, Zarrabi L, Bennington L, et al. Postprandial walking is better for lowering the glycemic effect of dinner than pre-dinner exercise in type 2 diabetic individuals. *J Am Med Dir Assoc*. 2009; 10(6):394–7.
738. Reynolds AN, Mann JI, Williams S, Venn BJ. Advice to walk after meals is more effective for lowering postprandial glycaemia in type 2 diabetes mellitus than advice that does not specify timing: a randomised crossover study. *Diabetologia*. 2016; 59(12):2572–8.
739. Chacko E. Why exercise before breakfast may not be for diabetes patients. *Conn Med*. 2014; 78(9):517–20.
740. Chacko E. Why exercise before breakfast may not be for diabetes patients. *Conn Med*. 2014; 78(9):517–20.
741. Reynolds AN, Mann JI, Williams S, Venn BJ. Advice to walk after meals is more effective for lowering postprandial glycaemia in type 2 diabetes mellitus than advice that does not specify timing: a randomised crossover study. *Diabetologia*. 2016; 59(12):2572–8.

742. Chacko E. A time for exercise: the exercise window. *J Appl Physiol.* 2017; 122(1):206–9.
743. Ekkekakis P, Vazou S, Bixby WR, Georgiadis E. The mysterious case of the public health guideline that is (almost) entirely ignored: call for a research agenda on the causes of the extreme avoidance of physical activity in obesity. *Obes Rev.* 2016; 17(4):313–29.
744. Krueger A. Are we having more fun yet? Categorizing and evaluating changes in time allocation. *Brookings Pap Econ Act.* 2007; 2007(2):193–215.
745. Tudor-Locke C, Brashear MM, Johnson WD, Katzmarzyk PT. Accelerometer profiles of physical activity and inactivity in normal weight, overweight, and obese U.S. men and women. *Int J Behav Nutr Phys Act.* 2010; 7:60.
746. Ekkekakis P, Vazou S, Bixby WR, Georgiadis E. The mysterious case of the public health guideline that is (almost) entirely ignored: call for a research agenda on the causes of the extreme avoidance of physical activity in obesity. *Obes Rev.* 2016; 17(4):313–29.
747. Ekkekakis P, Vazou S, Bixby WR, Georgiadis E. The mysterious case of the public health guideline that is (almost) entirely ignored: call for a research agenda on the causes of the extreme avoidance of physical activity in obesity. *Obes Rev.* 2016; 17(4):313–29.
748. Lieberman DE. Is exercise really medicine? An evolutionary perspective. *Curr Sports Med Rep.* 2015; 14(4):313–9.
749. Lieberman DE. Is exercise really medicine? An evolutionary perspective. *Curr Sports Med Rep.* 2015; 14(4):313–9.
750. Ekkekakis P, Vazou S, Bixby WR, Georgiadis E. The mysterious case of the public health guideline that is (almost) entirely ignored: call for a research agenda on the causes of the extreme avoidance of physical activity in obesity. *Obes Rev.* 2016; 17(4):313–29.
751. Lieberman DE. Is exercise really medicine? An evolutionary perspective. *Curr Sports Med Rep.* 2015; 14(4):313–9.
752. Puterbaugh JS. The emperor's tailors: the failure of the medical weight loss paradigm and its causal role in the obesity of America. *Diabetes Obes Metab.* 2009; 11(6):557–70.
753. Jarraya M, Chtourou H, Aloui A, et al. The effects of music on high-intensity short-term exercise in well trained athletes. *Asian J Sports Med.* 2012; 3(4):233–8.
754. Stork MJ, Kwan MY, Gibala MJ, Martin Ginis KA. Music enhances performance and perceived enjoyment of sprint interval exercise. *Med Sci Sports Exerc.* 2015; 47(5):1052–60.
755. Tanaka D, Tsukamoto H, Suga T, et al. Self-selected music-induced reduction of perceived exertion during moderate-intensity exercise does not interfere with post-exercise improvements in inhibitory control. *Physiol Behav.* 2018; 194:170–6.
756. De Bourdeaudhuij I, Crombez G, Deforche B, Vinaimont F, Debode P, Bouckaert J. Effects of distraction on treadmill running time in severely obese children and adolescents. *Int J Obes Relat Metab Disord.* 2002; 26(8):1023–9.
757. Davis JN, Hodges VA, Gillham MB. Physical activity compliance: differences between overweight/obese and normal-weight adults. *Obesity (Silver Spring).* 2006; 14(12):2259–65.

758. Hill JO, Wyatt HR. Role of physical activity in preventing and treating obesity. *J Appl Physiol.* 2005; 99(2):765–70.
759. Ekkekakis P, Vazou S, Bixby WR, Georgiadis E. The mysterious case of the public health guideline that is (almost) entirely ignored: call for a research agenda on the causes of the extreme avoidance of physical activity in obesity. *Obes Rev.* 2016; 17(4):313–29.
760. Simon M. Best public relations that money can buy: a guide to food industry front groups. Center for Food Safety. Publicado en mayo, 2013. Disponible en: [https://web.archive.org/web/20170822052412/https://www.centerforfoodsafety.org/files/front\\_gr\\_oups\\_final\\_84531.pdf](https://web.archive.org/web/20170822052412/https://www.centerforfoodsafety.org/files/front_gr_oups_final_84531.pdf). Acceso: abril, 10, 2019.
761. Kirscht JP, Becker MH, Haefner DP, Maiman LA. Effects of threatening communications and mothers health beliefs on weight change in obese children. *J Behav Med.* 1978; 1(2):147–57.
762. Ridberg R, Alper L, Earp J, et al. Big bucks, Big Pharma: marketing disease & pushing drugs: transcript. Media Education Foundation. Publicado en 2006. Disponible en: <https://www.mediaed.org/transcripts/Big-Bucks-Big-Pharma-Transcript.pdf>. Acceso: abril, 10, 2019.
763. Segar ML, Richardson CR. Prescribing pleasure and meaning: cultivating walking motivation and maintenance. *Am J Prev Med.* 2014; 47(6):838–41.
764. Segar ML, Guérin E, Phillips E, Fortier M. From a vital sign to vitality: selling exercise so patients want to buy it. *Curr Sports Med Rep.* 2016; 15(4):276–81.
765. Loehr V, Baldwin A. Affective forecasting error in exercise: differences between physically active and inactive individuals. *Sport Exerc Perform Psychol.* 2014; 3(3):177–83.
766. Warburton DER, Bredin SSD. Health benefits of physical activity: a systematic review of current systematic reviews. *Curr Opin Cardiol.* 2017; 32(5):541–56.
767. Luke A, Cooper RS. Physical activity does not influence obesity risk: time to clarify the public health message. *Int J Epidemiol.* 2013; 42(6):1831–6.
768. Fock KM, Khoo J. Diet and exercise in management of obesity and overweight. *J Gastroenterol Hepatol.* 2013; 28 Suppl 4:59–63.
769. Paley CA, Johnson MI. Physical activity to reduce systemic inflammation associated with chronic pain and obesity: a narrative review. *Clin J Pain.* 2016; 32(4):365–70.
770. Erlanson-Albertsson C, Albertsson PÅ. The use of green leaf membranes to promote appetite control, suppress hedonic hunger and loose *[sic]* body weight. *Plant Foods Hum Nutr.* 2015; 70(3):281–90.
771. Albertsson PA, Köhnke R, Emek SC, et al. Chloroplast membranes retard fat digestion and induce satiety: effect of biological membranes on pancreatic lipase/co-lipase. *Biochem J.* 2007; 401(3):727–33.
772. Östbring K, Rayner M, Sjöholm I, et al. The effect of heat treatment of thylakoids on their ability to inhibit in vitro lipase/co-lipase activity. *Food Funct.* 2014; 5(9):2157–65.

773. Stenblom EL, Weström B, Linninge C, et al. Dietary green-plant thylakoids decrease gastric emptying and gut transit, promote changes in the gut microbial flora, but does not cause steatorrhea. *Nutr Metab (Lond)*. 2016; 13:67.
774. Östbring K, Sjöholm I, Sörenson H, Ekholm A, Erlanson-Albertsson C, Rayner M. Characteristics and functionality of appetite-reducing thylakoid powders produced by three different drying processes. *J Sci Food Agric*. 2018; 98(4):1554–65.
775. Köhnke R, Lindbo A, Larsson T, et al. Thylakoids promote release of the satiety hormone cholecystokinin while reducing insulin in healthy humans. *Scand J Gastroenterol*. 2009; 44(6):712–9.
776. Stenblom EL, Montelius C, Östbring K, et al. Supplementation by thylakoids to a high carbohydrate meal decreases feelings of hunger, elevates CCK levels and prevents postprandial hypoglycaemia in overweight women. *Appetite*. 2013; 68:118–23.
777. Rebello CJ, Chu J, Beyl R, Edwall D, Erlanson-Albertsson C, Greenway FL. Acute effects of a spinach extract rich in thylakoids on satiety: a randomized controlled crossover trial. *J Am Coll Nutr*. 2015; 34(6):470–7.
778. Stenblom EL, Egecioglu E, Landin-Olsson M, Erlanson-Albertsson C. Consumption of thylakoid-rich spinach extract reduces hunger, increases satiety and reduces cravings for palatable food in overweight women. *Appetite*. 2015; 91:209–19.
779. Gustafsson K, Asp NG, Hagander B, Nyman M. Satiety effects of spinach in mixed meals: comparison with other vegetables. *Int J Food Sci Nutr*. 1995; 46(4):327–34.
780. Rebello CJ, O’Neil CE, Greenway FL. Gut fat signaling and appetite control with special emphasis on the effect of thylakoids from spinach on eating behavior. *Int J Obes (Lond)*. 2015; 39(12):1679–88.
781. Montelius C, Erlandsson D, Vitija E, Stenblom EL, Egecioglu E, Erlanson-Albertsson C. Body weight loss, reduced urge for palatable food and increased release of GLP-1 through daily supplementation with green-plant membranes for three months in overweight women. *Appetite*. 2014; 81:295–304.
782. Stenblom E, Montelius C, Erlandsson D, et al. Decreased urge for palatable food after a two-month dietary intervention with green-plant membranes in overweight women. *J Obes Weight Loss Ther*. 2014; 4(4).
783. Östbring K, Sjöholm I, Sörenson H, Ekholm A, Erlanson-Albertsson C, Rayner M. Characteristics and functionality of appetite-reducing thylakoid powders produced by three different drying processes. *J Sci Food Agric*. 2018; 98(4):1554–65.
784. Erlanson-Albertsson C, Albertsson PÅ. The use of green leaf membranes to promote appetite control, suppress hedonic hunger and loose [sic] body weight. *Plant Foods Hum Nutr*. 2015; 70(3):281–90.
785. Östbring K, Rayner M, Sjöholm I, et al. The effect of heat treatment of thylakoids on their ability to inhibit in vitro lipase/co-lipase activity. *Food Funct*. 2014; 5(9):2157–65.

786. Estebaranz F, Galbany J, Martínez L, Turbón D, Pérez-Pérez A. Buccal dental microwear analyses support greater specialization in consumption of hard foodstuffs for *Australopithecus anamensis*. *J Anthropol Sci.* 2012; 90:163–85.
787. Roberts JL, Moreau R. Functional properties of spinach (*Spinacia oleracea* L.) phytochemicals and bioactives. *Food Funct.* 2016; 7(8):3337–53.
788. Gertsch J. The metabolic plant feedback hypothesis: how plant secondary metabolites nonspecifically impact human health. *Planta Med.* 2016; 82(11–12):920–9.
789. Östbring K, Sjöholm I, Sörenson H, Ekholm A, Erlanson-Albertsson C, Rayner M. Characteristics and functionality of appetite-reducing thylakoid powders produced by three different drying processes. *J Sci Food Agric.* 2018; 98(4):1554–65.
790. Sofia NH, Manickavasakam K, Walter TM. Prevalence and risk factors of kidney stone. *GJRA.* 2016; 5(3):183–7.
791. Knoll T, Schubert AB, Fahlenkamp D, Leusmann DB, Wendt-Nordahl G, Schubert G. Urolithiasis through the ages: data on more than 200,000 urinary stone analyses. *J Urol.* 2011; 185(4):1304–11.
792. Taylor EN, Curhan GC. Oxalate intake and the risk for nephrolithiasis. *J Am Soc Nephrol.* 2007; 18(7):2198–204.
793. Voss S, Hesse A, Zimmermann DJ, Sauerbruch T, von Unruh GE. Intestinal oxalate absorption is higher in idiopathic calcium oxalate stone formers than in healthy controls: measurements with the [(13)C2]oxalate absorption test. *J Urol.* 2006; 175(5):1711–5.
794. Marcason W. Where can I find information on the oxalate content of foods? *J Am Diet Assoc.* 2006; 106(4):627–8.
795. Taylor EN, Curhan GC. Determinants of 24-hour urinary oxalate excretion. *Clin J Am Soc Nephrol.* 2008; 3(5):1453–60.
796. Nouvenne A, Ticinesi A, Morelli I, Guida L, Borghi L, Meschi T. Fad diets and their effect on urinary stone formation. *Transl Androl Urol.* 2014; 3(3):303–12.
797. Holmes RP, Goodman HO, Assimos DG. Contribution of dietary oxalate to urinary oxalate excretion. *Kidney Int.* 2001; 59(1):270–6.
798. Sorensen MD, Hsi RS, Chi T, et al. Dietary intake of fiber, fruit and vegetables decreases the risk of incident kidney stones in women: a Women’s Health Initiative report. *J Urol.* 2014; 192(6):1694–9.
799. Meschi T, Maggiore U, Fiaccadori E, et al. The effect of fruits and vegetables on urinary stone risk factors. *Kidney Int.* 2004; 66(6):2402–10.
800. Meschi T, Maggiore U, Fiaccadori E, et al. The effect of fruits and vegetables on urinary stone risk factors. *Kidney Int.* 2004; 66(6):2402–10.

801. Turney BW, Appleby PN, Reynard JM, Noble JG, Key TJ, Allen NE. Diet and risk of kidney stones in the Oxford cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). *Eur J Epidemiol.* 2014; 29(5):363–9.
802. Robertson WG, Heyburn PJ, Peacock M, Hanes FA, Swaminathan R. The effect of high animal protein intake on the risk of calcium stone-formation in the urinary tract. *Clin Sci.* 1979; 57(3):285–8.
803. Borghi L, Schianchi T, Meschi T, et al. Comparison of two diets for the prevention of recurrent stones in idiopathic hypercalciuria. *N Engl J Med.* 2002; 346(2):77–84.
804. Nouvenne A, Ticinesi A, Morelli I, Guida L, Borghi L, Meschi T. Fad diets and their effect on urinary stone formation. *Transl Androl Urol.* 2014; 3(3):303–12.
805. Harvard T. H. Chan School of Public Health Nutrition Department. Directory listing of /health/Oxalate/files. Harvard T. H. Chan School of Public Health Nutrition Department's Oxalate Documentation File Download Site. Publicado en 2007. Disponible en: <https://regepi.bwh.harvard.edu/health/Oxalate/files>. Acceso: abril, 10, 2019.
806. Taylor EN, Curhan GC. Oxalate intake and the risk for nephrolithiasis. *J Am Soc Nephrol.* 2007; 18(7):2198–204.
807. Taylor EN, Curhan GC. Oxalate intake and the risk for nephrolithiasis. *J Am Soc Nephrol.* 2007; 18(7):2198–204.
808. Mosha TC, Gaga HE, Pace RD, Laswai HS, Mtebe K. Effect of blanching on the content of antinutritional factors in selected vegetables. *Plant Foods Hum Nutr.* 1995; 47(4):361–7.
809. Chai W, Liebman M. Effect of different cooking methods on vegetable oxalate content. *J Agric Food Chem.* 2005; 53(8):3027–30.
810. Lien YH. Juicing is not all juicy. *Am J Med.* 2013; 126(9):755–6.
811. Kelly JP, Curhan GC, Cave DR, Anderson TE, Kaufman DW. Factors related to colonization with *Oxalobacter formigenes* in U.S. adults. *J Endourol.* 2011; 25(4):673–9.
812. Makkapati S, D'Agati VD, Balsam L. «Green smoothie cleanse» causing acute oxalate nephropathy. *Am J Kidney Dis.* 2018; 71(2):281–6.
813. Makkapati S, D'Agati VD, Balsam L. «Green smoothie cleanse» causing acute oxalate nephropathy. *Am J Kidney Dis.* 2018; 71(2):281–6.
814. Kikuchi Y, Seta K, Ogawa Y, et al. Chaga mushroom-induced oxalate nephropathy. *Clin Nephrol.* 2014; 81(6):440–4.
815. Albersmeyer M, Hilge R, Schröttle A, Weiss M, Sitter T, Vielhauer V. Acute kidney injury after ingestion of rhubarb: secondary oxalate nephropathy in a patient with type 1 diabetes. *BMC Nephrol.* 2012; 13:141.
816. Haaskjold YL, Drotningvik A, Leh S, Marti HP, Svarstad E. Renal failure due to excessive intake of almonds in the absence of *Oxalobacter formigenes*. *Am J Med.* 2015; 128(12):e29–30.

817. Bernardino M, Parmar MS. Oxalate nephropathy from cashew nut intake. *CMAJ*. 2017; 189(10):E405–8.
818. Neto MM, Silva GE, Costa RS, et al. Star fruit: simultaneous neurotoxic and nephrotoxic effects in people with previously normal renal function. *NDT Plus*. 2009; 2(6):485–8.
819. Barman AK, Goel R, Sharma M, Mahanta PJ. Acute kidney injury associated with ingestion of star fruit: acute oxalate nephropathy. *Indian J Nephrol*. 2016; 26(6):446–8.
820. Brinkley LJ, Gregory J, Pak CY. A further study of oxalate bioavailability in foods. *J Urol*. 1990; 144(1):94–6.
821. Gandhi A, Nasser S, Kassis Akl N, Kotadia S. Quiz page June 2016: rapidly progressive kidney failure. *Am J Kidney Dis*. 2016; 67(6):A15–7.
822. Syed F, Mena-Gutierrez A, Ghaffar U. A case of iced-tea nephropathy. *N Engl J Med*. 2015; 372(14):1377–8.
823. Weaver CM, Plawecki KL. Dietary calcium: adequacy of a vegetarian diet. *Am J Clin Nutr*. 1994; 59(5 Suppl):1238S–41S.
824. Zhao Y, Martin BR, Weaver CM. Calcium bioavailability of calcium carbonate fortified soymilk is equivalent to cow's milk in young women. *J Nutr*. 2005; 135(10):2379–82.
825. Weaver CM, Plawecki KL. Dietary calcium: adequacy of a vegetarian diet. *Am J Clin Nutr*. 1994; 59(5 Suppl):1238S–41S.
826. Weaver CM, Plawecki KL. Dietary calcium: adequacy of a vegetarian diet. *Am J Clin Nutr*. 1994; 59(5 Suppl):1238S–41S.
827. Kumar R, Lieske JC, Collazo-Clavell ML, et al. Fat malabsorption and increased intestinal oxalate absorption are common after Roux-en-Y gastric bypass surgery. *Surgery*. 2011; 149(5):654–61.
828. Kwan TK, Chadban SJ, McKenzie PR, Saunders JR. Acute oxalate nephropathy secondary to orlistat-induced enteric hyperoxaluria. *Nephrology (Carlton)*. 2013; 18(3):241–2.
829. Bendsen NT, Hother AL, Jensen SK, Lorenzen JK, Astrup A. Effect of dairy calcium on fecal fat excretion: a randomized crossover trial. *Int J Obes (Lond)*. 2008; 32(12):1816–24.
830. Soerensen KV, Thorning TK, Astrup A, Kristensen M, Lorenzen JK. Effect of dairy calcium from cheese and milk on fecal fat excretion, blood lipids, and appetite in young men. *Am J Clin Nutr*. 2014; 99(5):984–91.
831. Soerensen KV, Thorning TK, Astrup A, Kristensen M, Lorenzen JK. Effect of dairy calcium from cheese and milk on fecal fat excretion, blood lipids, and appetite in young men. *Am J Clin Nutr*. 2014; 99(5):984–91.
832. Christensen R, Lorenzen JK, Svith CR, et al. Effect of calcium from dairy and dietary supplements on faecal fat excretion: a meta-analysis of randomized controlled trials. *Obes Rev*. 2009; 10(4):475–86.

833. Christensen R, Lorenzen JK, Svith CR, et al. Effect of calcium from dairy and dietary supplements on faecal fat excretion: a meta-analysis of randomized controlled trials. *Obes Rev.* 2009; 10(4):475–86.
834. Christensen R, Lorenzen JK, Svith CR, et al. Effect of calcium from dairy and dietary supplements on faecal fat excretion: a meta-analysis of randomized controlled trials. *Obes Rev.* 2009; 10(4):475–86.
835. Buchowski MS, Aslam M, Dossett C, Dorminy C, Choi L, Acra S. Effect of dairy and non-dairy calcium on fecal fat excretion in lactose digester and maldigester obese adults. *Int J Obes (Lond).* 2010; 34(1):127–35.
836. Buchowski MS, Aslam M, Dossett C, Dorminy C, Choi L, Acra S. Effect of dairy and non-dairy calcium on fecal fat excretion in lactose digester and maldigester obese adults. *Int J Obes (Lond).* 2010; 34(1):127–35.
837. Onakpoya IJ, Perry R, Zhang J, Ernst E. Efficacy of calcium supplementation for management of overweight and obesity: systematic review of randomized clinical trials. *Nutr Rev.* 2011; 69(6):335–43.
838. Geng T, Qi L, Huang T. Effects of dairy products consumption on body weight and body composition among adults: an updated meta-analysis of 37 randomized control trials. *Mol Nutr Food Res.* 2018; 62(1).
839. Rajpathak SN, Rimm EB, Rosner B, Willett WC, Hu FB. Calcium and dairy intakes in relation to long-term weight gain in US men. *Am J Clin Nutr.* 2006; 83(3):559–66.
840. Chen M, Pan A, Malik VS, Hu FB. Effects of dairy intake on body weight and fat: a meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2012; 96(4):735–47.
841. Sanders TA. Role of dairy foods in weight management. *Am J Clin Nutr.* 2012; 96(4):687–8.
842. NIH Consensus Development Panel on Osteoporosis Prevention, Diagnosis, and Therapy. Osteoporosis prevention, diagnosis, and therapy. *JAMA.* 2001; 285(6):785–95.
843. NIH Consensus Development Panel on Osteoporosis Prevention, Diagnosis, and Therapy. Osteoporosis prevention, diagnosis, and therapy. *JAMA.* 2001; 285(6):785–95.
844. Grossman DC, Curry SJ, Owens DK, et al. Vitamin D, calcium, or combined supplementation for the primary prevention of fractures in community-dwelling adults: US Preventive Services Task Force recommendation statement. *JAMA.* 2018; 319(15):1592–9.
845. Bolland MJ, Barber PA, Doughty RN, et al. Vascular events in healthy older women receiving calcium supplementation: randomised controlled trial. *BMJ.* 2008; 336(7638):262–6.
846. Griffith LE, Guyatt GH, Cook RJ, Bucher HC, Cook DJ. The influence of dietary and nondietary calcium supplementation on blood pressure: an updated metaanalysis of randomized controlled trials. *Am J Hypertens.* 1999; 12(1 Pt 1):84–92.

847. Reid IR, Horne A, Mason B, Ames R, Bava U, Gamble GD. Effects of calcium supplementation on body weight and blood pressure in normal older women: a randomized controlled trial. *J Clin Endocrinol Metab.* 2005; 90(7):3824–9.
848. Denke MA, Fox MM, Schulte MC. Short-term dietary calcium fortification increases fecal saturated fat content and reduces serum lipids in men. *J Nutr.* 1993; 123(6):1047–53.
849. Bolland MJ, Barber PA, Doughty RN, et al. Vascular events in healthy older women receiving calcium supplementation: randomised controlled trial. *BMJ.* 2008; 336(7638):262–6.
850. Bolland MJ, Grey A, Avenell A, Gamble GD, Reid IR. Calcium supplements with or without vitamin D and risk of cardiovascular events: reanalysis of the Women’s Health Initiative limited access dataset and meta-analysis. *BMJ.* 2011; 342:d2040.
851. Bolland MJ, Grey A, Reid IR. Calcium supplements and cardiovascular risk: 5 years on. *Ther Adv Drug Saf.* 2013; 4(5):199–210.
852. Bolland MJ, Grey A, Reid IR. Calcium supplements and cardiovascular risk: 5 years on. *Ther Adv Drug Saf.* 2013; 4(5):199–210.
853. Reid IR, Bolland MJ. Does widespread calcium supplementation pose cardiovascular risk? Yes: the potential risk is a concern. *Am Fam Physician.* 2013; 87(3).
854. Lewis JR, Zhu K, Prince RL. Adverse events from calcium supplementation: relationship to errors in myocardial infarction self-reporting in randomized controlled trials of calcium supplementation. *J Bone Miner Res.* 2012; 27(3):719–22.
855. Heaney RP, Kopecky S, Maki KC, Hathcock J, Mackay D, Wallace TC. A review of calcium supplements and cardiovascular disease risk. *Adv Nutr.* 2012; 3(6):763–71.
856. Tankeu AT, Ndip Agbor V, Noubiap JJ. Calcium supplementation and cardiovascular risk: a rising concern. *J Clin Hypertens (Greenwich).* 2017; 19(6):640–6.
857. Rooney MR, Michos ED, Hootman KC, Harnack L, Lutsey PL. Trends in calcium supplementation, National Health and Nutrition Examination Survey (NHANES) 1999–2014. *Bone.* 2018; 111:23–7.
858. Grey A, Bolland M. Web of industry, advocacy, and academia in the management of osteoporosis. *BMJ.* 2015; 351:h3170.
859. Reid IR, Bristow SM, Bolland MJ. Calcium supplements: benefits and risks. *J Intern Med.* 2015; 278(4):354–68.
860. Sacks FM, Lichtenstein AH, Wu JHY, et al. Dietary fats and cardiovascular disease: a presidential advisory from the American Heart Association. *Circulation.* 2017; 136(3):e1–23.
861. Katan M. Fat under fire: new findings or shaky science? *Nutrition Action Healthletter.* 2014:3–7. Disponible en: <https://cspinet.org/sites/default/files/attachment/covermay2014.pdf>. Acceso: abril, 10, 2019.

862. Hughes S. AHA issues «presidential advisory» on harms of saturated fat. *Medscape*. Publicado en junio, 15, 2017. Disponible en: <https://www.medscape.com/viewarticle/881689>. Acceso: abril, 10, 2019.
863. Soleimani AR, Akbari H, Soleimani S, Beladi Mousavi SS, Tamadon MR. Effect of sour tea (*Lipicom*) pill versus captopril on the treatment of hypertension. *J Renal Inj Prev*. 2015; 4(3):73–9.
864. Nwachukwu DC, Aneke EI, Nwachukwu NZ, Azubike N, Obika LF. Does consumption of an aqueous extract of *Hibiscus sabdariffa* affect renal function in subjects with mild to moderate hypertension? *J Physiol Sci*. 2017; 67(1):227–34.
865. Beltrán-Debón R, Rodríguez-Gallego E, Fernández-Arroyo S, et al. The acute impact of polyphenols from *Hibiscus sabdariffa* in metabolic homeostasis: an approach combining metabolomics and gene-expression analyses. *Food Funct*. 2015; 6(9):2957–66.
866. Hopkins AL, Lamm MG, Funk JL, Ritenbaugh C. *Hibiscus sabdariffa* L. in the treatment of hypertension and hyperlipidemia: a comprehensive review of animal and human studies. *Fitoterapia*. 2013; 85:84–94.
867. Asgary S, Soltani R, Zolghadr M, Keshvari M, Sarrafzadegan N. Evaluation of the effects of roselle (*Hibiscus sabdariffa* L.) on oxidative stress and serum levels of lipids, insulin and hs-CRP in adult patients with metabolic syndrome: a double-blind placebo-controlled clinical trial. *J Complement Integr Med*. 2016; 13(2):175–80.
868. Alarcon-Aguilar FJ, Zamilpa A, Perez-Garcia MD, et al. Effect of *Hibiscus sabdariffa* on obesity in MSG mice. *J Ethnopharmacol*. 2007; 114(1):66–71.
869. Herranz-López M, Olivares-Vicente M, Encinar JA, et al. Multi-targeted molecular effects of *Hibiscus sabdariffa* polyphenols: an opportunity for a global approach to obesity. *Nutrients*. 2017; 9(8):907.
870. Da Costa Rocha I, Bonnlaender B, Sievers H, Pischel I, Heinrich M. *Hibiscus sabdariffa* L.—a phytochemical and pharmacological review. *Food Chem*. 2014; 165:424–43.
871. Buchholz T, Melzig MF. Medicinal plants traditionally used for treatment of obesity and diabetes mellitus—screening for pancreatic lipase and  $\alpha$ -amylase inhibition. *Phytother Res*. 2016; 30(2):260–6.
872. Kao ES, Yang MY, Hung CH, Huang CN, Wang CJ. Polyphenolic extract from *Hibiscus sabdariffa* reduces body fat by inhibiting hepatic lipogenesis and preadipocyte adipogenesis. *Food Funct*. 2016; 7(1):171–82.
873. Alarcon-Aguilar FJ, Zamilpa A, Perez-Garcia MD, et al. Effect of *Hibiscus sabdariffa* on obesity in MSG mice. *J Ethnopharmacol*. 2007; 114(1):66–71.
874. Carvajal-Zarrabal O, Hayward-Jones PM, Orta-Flores Z, et al. Effect of *Hibiscus sabdariffa* L. dried calyx ethanol extract on fat absorption-excretion, and body weight implication in rats. *J Biomed Biotechnol*. 2009; 2009:394592.
875. Chang HC, Peng CH, Yeh DM, Kao ES, Wang CJ. *Hibiscus sabdariffa* extract inhibits obesity and fat accumulation, and improves liver steatosis in humans. *Food Funct*. 2014; 5(4):734–9.

876. McKay DL, Chen CY, Saltzman E, Blumberg JB. *Hibiscus sabdariffa* L. tea (tisane) lowers blood pressure in prehypertensive and mildly hypertensive adults. *J Nutr.* 2010; 140(2):298–303.
877. Malik J, Frankova A, Drabek O, Szakova J, Ash C, Kokoska L. Aluminium and other elements in selected herbal tea plant species and their infusions. *Food Chem.* 2013; 139(1–4):728–34.
878. Buchwald-Werner S, Naka I, Wilhelm M, Schütz E, Schoen C, Reule C. Effects of lemon verbena extract (Recoverben®) supplementation on muscle strength and recovery after exhaustive exercise: a randomized, placebo-controlled trial. *J Int Soc Sports Nutr.* 2018; 15:5.
879. Herranz-López M, Barrajón-Catalán E, Segura-Carretero A, Menéndez JA, Joven J, Micol V. Lemon verbena (*Lippia citriodora*) polyphenols alleviate obesity-related disturbances in hypertrophic adipocytes through AMPK-dependent mechanisms. *Phytomedicine.* 2015; 22(6):605–14.
880. McKay DL, Chen CY, Saltzman E, Blumberg JB. *Hibiscus sabdariffa* L. tea (tisane) lowers blood pressure in prehypertensive and mildly hypertensive adults. *J Nutr.* 2010; 140(2):298–303.
881. Carnat A, Carnat AP, Fraisse D, Ricoux L, Lamaison JL. The aromatic and polyphenolic composition of Roman camomile tea. *Fitoterapia.* 2004; 75(1):32–8.
882. Boix-Castejón M, Herranz-López M, Pérez Gago A, et al. Hibiscus and lemon verbena polyphenols modulate appetite-related biomarkers in overweight subjects: a randomized controlled trial. *Food Funct.* 2018; 9(6):3173–84.
883. Boix-Castejón M, Herranz-López M, Pérez Gago A, et al. Hibiscus and lemon verbena polyphenols modulate appetite-related biomarkers in overweight subjects: a randomized controlled trial. *Food Funct.* 2018; 9(6):3173–84.
884. Morales-Luna E, Pérez-Ramírez IF, Salgado M, Castaño-Tostado E, Gómez-Aldapa CA, Reynoso-Camacho R. The main beneficial effect of roselle (*Hibiscus sabdariffa*) on obesity is not only related to its anthocyanins content. *J Sci Food Agric.* 2018; 99(2):596–605.
885. Herranz-López M, Fernández-Arroyo S, Pérez-Sanchez A, et al. Synergism of plant-derived polyphenols in adipogenesis: perspectives and implications. *Phytomedicine.* 2012; 19(3–4):253–61.
886. Chu CH, Pang KK, Lo EC. Dietary behavior and knowledge of dental erosion among Chinese adults. *BMC Oral Health.* 2010; 10:13.
887. Ali H, Tahmassebi JF. The effects of smoothies on enamel erosion: an in situ study. *Int J Paediatr Dent.* 2014; 24(3):184–91.
888. Perkins R. A study of the munitions intoxications in France. *Public Health Reports (1896–1970).* 1919; 34(43):2335.
889. Cutting W, Mehrtens H, Tainter M. Actions and uses of dinitrophenol. *J Am Med Assoc.* 1933; 101(3):193.
890. Cutting W, Mehrtens H, Tainter M. Actions and uses of dinitrophenol. *J Am Med Assoc.* 1933; 101(3):193.

891. Rodin FH. Cataracts following the use of dinitrophenol: a summary of thirty-two cases. *Cal West Med.* 1936; 44(4):276–9.
892. Colman E. Dinitrophenol and obesity: an early twentieth-century regulatory dilemma. *Regul Toxicol Pharmacol.* 2007; 48(2):115–7.
893. Grundlingh J, Dargan PI, El-Zanfaly M, Wood DM. 2,4-dinitrophenol (DNP): a weight loss agent with significant acute toxicity and risk of death. *J Med Toxicol.* 2011; 7(3):205–12.
894. Zack F, Blaas V, Goos C, Rentsch D, Büttner A. Death within 44 days of 2,4-dinitrophenol intake. *Int J Legal Med.* 2016; 130(5):1237–41.
895. Chen YC, Cypess AM, Chen YC, et al. Measurement of human brown adipose tissue volume and activity using anatomic MR imaging and functional MR imaging. *J Nucl Med.* 2013; 54(9):1584–7.
896. Cypess AM, Lehman S, Williams G, et al. Identification and importance of brown adipose tissue in adult humans. *N Engl J Med.* 2009; 360(15):1509–17.
897. Cohade C, Osman M, Pannu HK, Wahl RL. Uptake in supraclavicular area fat («USA-Fat»): description on 18F-FDG PET/CT. *J Nucl Med.* 2003; 44(2):170–6.
898. Virtanen KA. The rediscovery of BAT in adult humans using imaging. *Best Pract Res Clin Endocrinol Metab.* 2016; 30(4):471–7.
899. Cohade C, Mourtzikos KA, Wahl RL. «USA-Fat»: prevalence is related to ambient outdoor temperature-evaluation with 18F-FDG PET/CT. *J Nucl Med.* 2003; 44(8):1267–70.
900. Cypess AM, Lehman S, Williams G, et al. Identification and importance of brown adipose tissue in adult humans. *N Engl J Med.* 2009; 360(15):1509–17.
901. Thyagarajan B, Foster MT. Beiging of white adipose tissue as a therapeutic strategy for weight loss in humans. *Horm Mol Biol Clin Investig.* 2017; 31(2).
902. Chondronikola M, Sidossis LS. Brown and beige fat: from molecules to physiology. *Biochim Biophys Acta.* 2019; 864(1):91–103.
903. Cypess AM, Lehman S, Williams G, et al. Identification and importance of brown adipose tissue in adult humans. *N Engl J Med.* 2009; 360(15):1509–17.
904. Cypess AM, Lehman S, Williams G, et al. Identification and importance of brown adipose tissue in adult humans. *N Engl J Med.* 2009; 360(15):1509–17.
905. Brendle C, Werner MK, Schmadl M, et al. Correlation of brown adipose tissue with other body fat compartments and patient characteristics: a retrospective analysis in a large patient cohort using PET/CT. *Acad Radiol.* 2018; 25(1):102–10.
906. Lee P, Swarbrick MM, Ho KK. Brown adipose tissue in adult humans: a metabolic renaissance. *Endocr Rev.* 2013; 34(3):413–38.
907. Gadea E, Thivat E, Paulon R, et al. Hibernoma: a clinical model for exploring the role of brown adipose tissue in the regulation of body weight? *J Clin Endocrinol Metab.* 2014; 99(1):1–6.

908. Dong M, Lin J, Lim W, Jin W, Lee HJ. Role of brown adipose tissue in metabolic syndrome, aging, and cancer cachexia. *Front Med.* 2018; 12(2):130–8.
909. Elliott J. Blame it all on brown fat now. *JAMA.* 1980; 243(20):1983–5.
910. Lee P, Swarbrick MM, Ho KK. Brown adipose tissue in adult humans: a metabolic renaissance. *Endocr Rev.* 2013; 34(3):413–38.
911. Ruiz JR, Martinez-Tellez B, Sanchez-Delgado G, Osuna-Prieto FJ, Rensen PCN, Boon MR. Role of human brown fat in obesity, metabolism and cardiovascular disease: strategies to turn up the heat. *Prog Cardiovasc Dis.* 2018; 61(2):232–45.
912. Leitner BP, Huang S, Brychta RJ, et al. Mapping of human brown adipose tissue in lean and obese young men. *Proc Natl Acad Sci USA.* 2017; 114(32):8649–54.
913. Symonds ME. Brown adipose tissue growth and development. *Scientifica (Cairo).* 2013; 2013:305763.
914. Lee P, Swarbrick MM, Ho KK. Brown adipose tissue in adult humans: a metabolic renaissance. *Endocr Rev.* 2013; 34(3):413–38.
915. Rothwell NJ, Stock MJ. Luxuskonsumtion, diet-induced thermogenesis and brown fat: the case in favour. *Clin Sci.* 1983; 64(1):19–23.
916. Moonen MPB, Nascimento EBM, van Marken Lichtenbelt WD. Human brown adipose tissue: underestimated target in metabolic disease? *Biochim Biophys Acta.* 2019; 1864(1):104–12.
917. Ong FJ, Ahmed BA, Oreskovich SM, et al. Recent advances in the detection of brown adipose tissue in adult humans: a review. *Clin Sci.* 2018; 132(10):1039–54.
918. Brychta RJ, Chen KY. Cold-induced thermogenesis in humans. *Eur J Clin Nutr.* 2017; 71(3):345–52.
919. Marlatt KL, Chen KY, Ravussin E. Is activation of human brown adipose tissue a viable target for weight management? *Am J Physiol Regul Integr Comp Physiol.* 2018; 315(3):R479–83.
920. Langeveld M, Tan CY, Soeters MR, et al. Mild cold effects on hunger, food intake, satiety and skin temperature in humans. *Endocr Connect.* 2016; 5(2):65–73.
921. Yoneshiro T, Aita S, Matsushita M, et al. Recruited brown adipose tissue as an antiobesity agent in humans. *J Clin Invest.* 2013; 123(8):3404–8.
922. Lee P, Swarbrick MM, Ho KK. Brown adipose tissue in adult humans: a metabolic renaissance. *Endocr Rev.* 2013; 34(3):413–38.
923. El Hadi H, Vettor R, Rossato M. Functional imaging of brown adipose tissue in human. *Horm Mol Biol Clin Investig.* 2017; 31(1).
924. Maurizi G, Poloni A, Mattiucci D, et al. Human white adipocytes convert into «rainbow» adipocytes in vitro. *J Cell Physiol.* 2017; 232(10):2887–99.
925. Sandholt CH, Pedersen O. Obesity: beige adipocytes—will they beat obesity? *Nat Rev Endocrinol.* 2015; 11(12):694–6.

926. Tipton MJ, Collier N, Massey H, Corbett J, Harper M. Cold water immersion: kill or cure? *Exp Physiol*. 2017; 102(11):1335–55.
927. Yoneshiro T, Aita S, Matsushita M, et al. Recruited brown adipose tissue as an antiobesity agent in humans. *J Clin Invest*. 2013; 123(8):3404–8.
928. Leitner BP, Weiner LS, Desir M, et al. Kinetics of human brown adipose tissue activation and deactivation. *Int J Obes (Lond)*. 2019; 43(3):633–7.
929. Moonen MPB, Nascimento EBM, van Marken Lichtenbelt WD. Human brown adipose tissue: underestimated target in metabolic disease? *Biochim Biophys Acta*. 2019; 1864(1):104–12.
930. Keith SW, Redden DT, Katzmarzyk PT, et al. Putative contributors to the secular increase in obesity: exploring the roads less traveled. *Int J Obes (Lond)*. 2006; 30(11):1585–94.
931. Dauncey MJ. Influence of mild cold on 24 h energy expenditure, resting metabolism and diet-induced thermogenesis. *Br J Nutr*. 1981; 45(2):257–67.
932. Huttunen P, Hirvonen J, Kinnula V. The occurrence of brown adipose tissue in outdoor workers. *Eur J Appl Physiol Occup Physiol*. 1981; 46(4):339–45.
933. Harris AM, MacBride LR, Foster RC, McCrady SK, Levine JA. Does non-exercise activity thermogenesis contribute to non-shivering thermogenesis? *J Therm Biol*. 2006; 31(8):634–8.
934. Hansen JC, Gilman AP, Odland JØ. Is thermogenesis a significant causal factor in preventing the «globesity» epidemic? *Med Hypotheses*. 2010; 75(2):250–6.
935. Chen KY, Brychta RJ, Linderman JD, et al. Brown fat activation mediates cold-induced thermogenesis in adult humans in response to a mild decrease in ambient temperature. *J Clin Endocrinol Metab*. 2013; 98(7):E1218–23.
936. Dauncey MJ. Influence of mild cold on 24 h energy expenditure, resting metabolism and diet-induced thermogenesis. *Br J Nutr*. 1981; 45(2):257–67.
937. Jillette P. *Presto!: How I Made Over 100 Pounds Disappear and Other Magical Tales*. New York: Simon & Schuster; 2016.
938. Tipton MJ, Collier N, Massey H, Corbett J, Harper M. Cold water immersion: kill or cure? *Exp Physiol*. 2017; 102(11):1335–55.
939. Schneeberg NG. The medical history of Thomas Jefferson (1743–1826). *J Med Biogr*. 2008; 16(2):118–25.
940. Virtanen KA, Lidell ME, Orava J, et al. Functional brown adipose tissue in healthy adults. *N Engl J Med*. 2009; 360(15):1518–25.
941. Iwen KA, Backhaus J, Cassens M, et al. Cold-induced brown adipose tissue activity alters plasma fatty acids and improves glucose metabolism in men. *J Clin Endocrinol Metab*. 2017; 102(11):4226–34.
942. Buijze GA, Siervelt IN, van der Heijden BC, Dijkgraaf MG, Frings-Dresen MH. The effect of cold showering on health and work: a randomized controlled trial. *PLoS ONE*. 2016; 11(9):e0161749.

943. Wijers SL, Saris WH, van Marken Lichtenbelt WD. Individual thermogenic responses to mild cold and overfeeding are closely related. *J Clin Endocrinol Metab.* 2007; 92(11):4299–305.
944. Wijers SL, Saris WH, van Marken Lichtenbelt WD. Cold-induced adaptive thermogenesis in lean and obese. *Obesity (Silver Spring).* 2010; 18(6):1092–9.
945. Hanssen MJ, van der Lans AA, Brans B, et al. Short-term cold acclimation recruits brown adipose tissue in obese humans. *Diabetes.* 2016; 65(5):1179–89.
946. Hibi M, Oishi S, Matsushita M, et al. Brown adipose tissue is involved in diet-induced thermogenesis and whole-body fat utilization in healthy humans. *Int J Obes (Lond).* 2016; 40(11):1655–61.
947. Schrauwen P, van Marken Lichtenbelt W. Brown adipose tissue: the magic bullet? *Obesity (Silver Spring).* 2017; 25(3):499.
948. Ruiz JR, Martinez-Tellez B, Sanchez-Delgado G, Aguilera CM, Gil A. Regulation of energy balance by brown adipose tissue: at least three potential roles for physical activity. *Br J Sports Med.* 2015; 49(15):972–3.
949. Krentz AJ, Fujioka K, Hompesch M. Evolution of pharmacological obesity treatments: focus on adverse side-effect profiles. *Diabetes Obes Metab.* 2016; 18(6):558–70.
950. Boozer CN, Daly PA, Homel P, et al. Herbal ephedra/caffeine for weight loss: a 6-month randomized safety and efficacy trial. *Int J Obes Relat Metab Disord.* 2002; 26(5):593–604.
951. Zell-Kanter M, Quigley MA, Leikin JB. Reduction in ephedra poisonings after FDA ban. *N Engl J Med.* 2015; 372(22):2172–4.
952. Ruiz JR, Martinez-Tellez B, Sanchez-Delgado G, Osuna-Prieto FJ, Rensen PCN, Boon MR. Role of human brown fat in obesity, metabolism and cardiovascular disease: strategies to turn up the heat. *Prog Cardiovasc Dis.* 2018; 61(2):232–45.
953. Roberts LD, Ashmore T, Kotwica AO, et al. Inorganic nitrate promotes the browning of white adipose tissue through the nitrate-nitrite-nitric oxide pathway. *Diabetes.* 2015; 64(2):471–84.
954. Zhang HQ, Chen SY, Wang AS, et al. Sulforaphane induces adipocyte browning and promotes glucose and lipid utilization. *Mol Nutr Food Res.* 2016; 60(10):2185–97.
955. Fernández-Quintela A, Milton-Laskibar I, González M, Portillo MP. Antiobesity effects of resveratrol: which tissues are involved? *Ann NY Acad Sci.* 2017; 1403(1):118–31.
956. Roberts LD, Ashmore T, Kotwica AO, et al. Inorganic nitrate promotes the browning of white adipose tissue through the nitrate-nitrite-nitric oxide pathway. *Diabetes.* 2015; 64(2):471–84.
957. Oi-Kano Y, Kawada T, Watanabe T, et al. Oleuropein, a phenolic compound in extra virgin olive oil, increases uncoupling protein 1 content in brown adipose tissue and enhances noradrenaline and adrenaline secretions in rats. *J Nutr Sci Vitaminol.* 2008; 54(5):363–70.

958. Ghandour RA, Colson C, Giroud M, et al. Impact of dietary  $\omega$ 3 polyunsaturated fatty acid supplementation on brown and white adipocyte function. *J Lipid Res.* 2018; 59(3):452–61.
959. Lee SG, Parks JS, Kang HW. Quercetin, a functional compound of onion peel, remodels white adipocytes to brown-like adipocytes. *J Nutr Biochem.* 2017; 42:62–71.
960. Jeong MY, Kim HL, Park J, et al. Rubi Fructus (*Rubus coreanus*) activates the expression of thermogenic genes in vivo and in vitro. *Int J Obes (Lond).* 2015; 39(3):456–64.
961. Cavalera M, Axling U, Berger K, Holm C. Rose hip supplementation increases energy expenditure and induces browning of white adipose tissue. *Nutr Metab (Lond).* 2016; 13:91.
962. Aziz SA, Wakeling LA, Miwa S, Alberdi G, Hesketh JE, Ford D. Metabolic programming of a beige adipocyte phenotype by genistein. *Mol Nutr Food Res.* 2017; 61(2).
963. Lone J, Choi JH, Kim SW, Yun JW. Curcumin induces brown fat-like phenotype in 3T3-L1 and primary white adipocytes. *J Nutr Biochem.* 2016; 27:193–202.
964. Baskaran P, Krishnan V, Ren J, Thyagarajan B. Capsaicin induces browning of white adipose tissue and counters obesity by activating TRPV1 channel-dependent mechanisms. *Br J Pharmacol.* 2016; 173(15):2369–89.
965. Son HK, Shin HW, Jang ES, Moon BS, Lee CH, Lee JJ. Comparison of antiobesity effects between gochujangs produced using different koji products and tabasco hot sauce in rats fed a high-fat diet. *J Med Food.* 2018; 21(3):233–43.
966. Shi Z, Riley M, Taylor AW, Page A. Chilli consumption and the incidence of overweight and obesity in a Chinese adult population. *Int J Obes (Lond).* 2017; 41(7):1074–9.
967. Ang QY, Goh HJ, Cao Y, et al. A new method of infrared thermography for quantification of brown adipose tissue activation in healthy adults (TACTICAL): a randomized trial. *J Physiol Sci.* 2017; 67(3):395–406.
968. Alvarez-Parrilla E, de la Rosa LA, Amarowicz R, Shahidi F. Antioxidant activity of fresh and processed jalapeño and serrano peppers. *J Agric Food Chem.* 2011; 59(1):163–73.
969. European Commission Scientific Committee on Food. Opinion of the Scientific Committee on Food on capsaicin. European Commission Health & Consumer Protection Directorate-General. Publicado en febrero, 28, 2002. Disponible en: [https://ec.europa.eu/food/sites/food/files/safety/docs/fs\\_food-improvement-agents\\_flavourings-out120.pdf](https://ec.europa.eu/food/sites/food/files/safety/docs/fs_food-improvement-agents_flavourings-out120.pdf). Acceso: abril, 17, 2019.
970. Rigamonti AE, Casnici C, Marelli O, et al. Acute administration of capsaicin increases resting energy expenditure in young obese subjects without affecting energy intake, appetite, and circulating levels of orexigenic/anorexigenic peptides. *Nutr Res.* 2018; 52:71–9.

971. Yoneshiro T, Aita S, Kawai Y, Iwanaga T, Saito M. Nonpungent capsaicin analogs (capsinoids) increase energy expenditure through the activation of brown adipose tissue in humans. *Am J Clin Nutr.* 2012; 95(4):845–50.
972. Yoneshiro T, Saito M. Transient receptor potential activated brown fat thermogenesis as a target of food ingredients for obesity management. *Curr Opin Clin Nutr Metab Care.* 2013; 16(6):625–31.
973. Nirengi S, Homma T, Inoue N, et al. Assessment of human brown adipose tissue density during daily ingestion of thermogenic capsinoids using near-infrared time-resolved spectroscopy. *J Biomed Opt.* 2016; 21(9):091305.
974. Yoneshiro T, Aita S, Matsushita M, et al. Recruited brown adipose tissue as an antiobesity agent in humans. *J Clin Invest.* 2013; 123(8):3404–8.
975. Yoneshiro T, Aita S, Matsushita M, et al. Recruited brown adipose tissue as an antiobesity agent in humans. *J Clin Invest.* 2013; 123(8):3404–8.
976. Yoshioka M, Lim K, Kikuzato S, et al. Effects of red-pepper diet on the energy metabolism in men. *J Nutr Sci Vitaminol.* 1995; 41(6):647–56.
977. Yoshioka M, Lim K, Kikuzato S, et al. Effects of red-pepper diet on the energy metabolism in men. *J Nutr Sci Vitaminol.* 1995; 41(6):647–56.
978. Yoshioka M, St-Pierre S, Suzuki M, Tremblay A. Effects of red pepper added to high-fat and high-carbohydrate meals on energy metabolism and substrate utilization in Japanese women. *Br J Nutr.* 1998; 80(6):503–10.
979. Ludy MJ, Mattes RD. The effects of hedonically acceptable red pepper doses on thermogenesis and appetite. *Physiol Behav.* 2011; 102(3–4):251–8.
980. López-Carrillo L, López-Cervantes M, Robles-Díaz G, et al. Capsaicin consumption, *Helicobacter pylori* positivity and gastric cancer in Mexico. *Int J Cancer.* 2003; 106(2):277–82.
981. Smiciklas-Wright H, Mitchell D, Mickle S, Cook A, Goldman J. Foods commonly eaten in the United States quantities consumed per eating occasion and in a day, 1994–96. United States Department of Agriculture NFS Report No. 96–5. Publicado en enero, 2002. Disponible en: <https://www.ars.usda.gov/ARUserFiles/80400530/pdf/Portion.pdf>. Acceso: abril, 17, 2019.
982. Ludy MJ, Mattes RD. The effects of hedonically acceptable red pepper doses on thermogenesis and appetite. *Physiol Behav.* 2011; 102(3–4):251–8.
983. Smeets AJ, Janssens PL, Westerterp-Plantenga MS. Addition of capsaicin and exchange of carbohydrate with protein counteract energy intake restriction effects on fullness and energy expenditure. *J Nutr.* 2013; 143(4):442–7.
984. Smeets AJ, Janssens PL, Westerterp-Plantenga MS. Addition of capsaicin and exchange of carbohydrate with protein counteract energy intake restriction effects on fullness and energy expenditure. *J Nutr.* 2013; 143(4):442–7.

985. Janssens PL, Hursel R, Martens EA, Westerterp-Plantenga MS. Acute effects of capsaicin on energy expenditure and fat oxidation in negative energy balance. *PLoS ONE*. 2013; 8(7):e67786.
986. Zsiborás C, Mátics R, Hegyi P, et al. Capsaicin and capsiate could be appropriate agents for treatment of obesity: a meta-analysis of human studies. *Crit Rev Food Sci Nutr*. 2018; 58(9):1419–27.
987. Whiting S, Derbyshire EJ, Tiwari B. Could capsaicinoids help to support weight management? A systematic review and meta-analysis of energy intake data. *Appetite*. 2014; 73:183–8.
988. Leung FW. Capsaicin as an anti-obesity drug. *Prog Drug Res*. 2014; 68:171–9.
989. Tremblay A, Arguin H, Panahi S. Capsaicinoids: a spicy solution to the management of obesity? *Int J Obes (Lond)*. 2016; 40(8):1198–204.
990. Snitker S, Fujishima Y, Shen H, et al. Effects of novel capsinoid treatment on fatness and energy metabolism in humans: possible pharmacogenetic implications. *Am J Clin Nutr*. 2009; 89(1):45–50.
991. Lejeune MP, Kovacs EM, Westerterp-Plantenga MS. Effect of capsaicin on substrate oxidation and weight maintenance after modest body-weight loss in human subjects. *Br J Nutr*. 2003; 90(3):651–9.
992. Belza A, Jessen AB. Bioactive food stimulants of sympathetic activity: effect on 24-h energy expenditure and fat oxidation. *Eur J Clin Nutr*. 2005; 59(6):733–41.
993. Belza A, Jessen AB. Bioactive food stimulants of sympathetic activity: effect on 24-h energy expenditure and fat oxidation. *Eur J Clin Nutr*. 2005; 59(6):733–41.
994. Ahuja KD, Robertson IK, Geraghty DP, Ball MJ. The effect of 4-week chilli supplementation on metabolic and arterial function in humans. *Eur J Clin Nutr*. 2007; 61(3):326–33.
995. Cha YS, Kim SR, Yang JA, et al. Kochujang, fermented soybean-based red pepper paste, decreases visceral fat and improves blood lipid profiles in overweight adults. *Nutr Metab (Lond)*. 2013; 10(1):24.
996. De Freitas MC, Cholewa JM, Gobbo LA, de Oliveira JVNS, Lira FS, Rossi FE. Acute capsaicin supplementation improves 1,500-m running time-trial performance and rate of perceived exertion in physically active adults. *J Strength Cond Res*. 2018; 32(2):572–7.
997. De Freitas MC, Cholewa JM, Freire RV, et al. Acute capsaicin supplementation improves resistance training performance in trained men. *J Strength Cond Res*. 2018; 32(8):2227–32.
998. Chopan M, Littenberg B. The association of hot red chili pepper consumption and mortality: a large population-based cohort study. *PLoS ONE*. 2017; 12(1):e0169876.
999. Ruiz JM, Steffen P, Smith TB. Hispanic mortality paradox: a systematic review and meta-analysis of the longitudinal literature. *Am J Public Health*. 2013; 103(3):e52–60.

1000. Schneiderman N, Chirinos DA, Avilés-Santa ML, Heiss G. Challenges in preventing heart disease in Hispanics: early lessons learned from the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). *Prog Cardiovasc Dis.* 2014; 57(3):253–61.
1001. The Hispanic paradox. *Lancet.* 2015; 385(9981):1918.
1002. Miniño AM. Death in the United States, 2011. *NCHS Data Brief.* 2013; (115):1–8.
1003. Young RP, Hopkins RJ. A review of the Hispanic paradox: time to spill the beans? *Eur Respir Rev.* 2014; 23(134):439–49.
1004. Buettner D. *The Blue Zones, 9 Lessons for Living Longer from the People Who've Lived the Longest.* Washington, D.C.: National Geographic Society; 2012.
1005. Darmadi-Blackberry I, Wahlqvist ML, Kouris-Blazos A, et al. Legumes: the most important dietary predictor of survival in older people of different ethnicities. *Asia Pac J Clin Nutr.* 2004; 13(2):217–20.
1006. Chopan M, Littenberg B. The association of hot red chili pepper consumption and mortality: a large population-based cohort study. *PLoS ONE.* 2017; 12(1):e0169876.
1007. Lv J, Qi L, Yu C, et al. Consumption of spicy foods and total and cause specific mortality: population based cohort study. *BMJ.* 2015; 351:h3942.
1008. Mohd Yusof YA. Gingerol and its role in chronic diseases. *Adv Exp Med Biol.* 2016; 929:177–207.
1009. Liu J, Shi JZ, Yu LM, Goyer RA, Waalkes MP. Mercury in traditional medicines: is cinnabar toxicologically similar to common mercurials? *Exp Biol Med (Maywood).* 2008; 233(7):810–7.
1010. Viljoen E, Visser J, Koen N, Musekiwa A. A systematic review and meta-analysis of the effect and safety of ginger in the treatment of pregnancy-associated nausea and vomiting. *Nutr J.* 2014; 13:20.
1011. Martins LB, Rodrigues AMDS, Rodrigues DF, dos Santos LC, Teixeira AL, Ferreira AVM. Double-blind placebo-controlled randomized clinical trial of ginger (*Zingiber officinale* Rosc.) addition in migraine acute treatment. *Cephalalgia.* 2019; 39(1):68–76.
1012. Pourmasoumi M, Hadi A, Rafie N, Najafgholizadeh A, Mohammadi H, Rouhani MH. The effect of ginger supplementation on lipid profile: a systematic review and meta-analysis of clinical trials. *Phytomedicine.* 2018; 43:28–36.
1013. Makhdoomi Arzati M, Mohammadzadeh Honarvar N, Saedisomeolia A, et al. The effects of ginger on fasting blood sugar, hemoglobin A1c, and lipid profiles in patients with type 2 diabetes. *Int J Endocrinol Metab.* 2017; 15(4):e57927.
1014. Mazidi M, Gao HK, Rezaie P, Ferns GA. The effect of ginger supplementation on serum C-reactive protein, lipid profile and glycaemia: a systematic review and meta-analysis. *Food Nutr Res.* 2016; 60:32613.

1015. Wang J, Ke W, Bao R, Hu X, Chen F. Beneficial effects of ginger *Zingiber officinale Roscoe* on obesity and metabolic syndrome: a review. *Ann NY Acad Sci.* 2017; 1398(1):83–98.
1016. Wang Y, Yu H, Zhang X, et al. Evaluation of daily ginger consumption for the prevention of chronic diseases in adults: a cross-sectional study. *Nutrition.* 2017; 36:79–84.
1017. Mansour MS, Ni YM, Roberts AL, Kelleman M, Roychoudhury A, St-Onge MP. Ginger consumption enhances the thermic effect of food and promotes feelings of satiety without affecting metabolic and hormonal parameters in overweight men: a pilot study. *Metab Clin Exp.* 2012; 61(10):1347–52.
1018. Mansour MS, Ni YM, Roberts AL, Kelleman M, Roychoudhury A, St-Onge MP. Ginger consumption enhances the thermic effect of food and promotes feelings of satiety without affecting metabolic and hormonal parameters in overweight men: a pilot study. *Metab Clin Exp.* 2012; 61(10):1347–52.
1019. Miyamoto M, Matsuzaki K, Katakura M, Hara T, Tanabe Y, Shido O. Oral intake of encapsulated dried ginger root powder hardly affects human thermoregulatory function, but appears to facilitate fat utilization. *Int J Biometeorol.* 2015; 59(10):1461–74.
1020. Mansour MS, Ni YM, Roberts AL, Kelleman M, Roychoudhury A, St-Onge MP. Ginger consumption enhances the thermic effect of food and promotes feelings of satiety without affecting metabolic and hormonal parameters in overweight men: a pilot study. *Metab Clin Exp.* 2012; 61(10):1347–52.
1021. Iwasaki Y, Morita A, Iwasawa T, et al. A nonpungent component of steamed ginger— [10]-shogaol—increases adrenaline secretion via the activation of TRPV1. *Nutr Neurosci.* 2006; 9(3–4):169–78.
1022. Henry CJ, Piggott SM. Effect of ginger on metabolic rate. *Hum Nutr Clin Nutr.* 1987; 41(1):89–92.
1023. Sugita J, Yoneshiro T, Hatano T, et al. Grains of paradise (*Aframomum melegueta*) extract activates brown adipose tissue and increases whole-body energy expenditure in men. *Br J Nutr.* 2013; 110(4):733–8.
1024. Sugita J, Yoneshiro T, Sugishima Y, et al. Daily ingestion of grains of paradise (*Aframomum melegueta*) extract increases whole-body energy expenditure and decreases visceral fat in humans. *J Nutr Sci Vitaminol.* 2014; 60(1):22–7.
1025. Maharlouei N, Tabrizi R, Lankarani KB, et al. The effects of ginger intake on weight loss and metabolic profiles among overweight and obese subjects: a systematic review and meta-analysis of randomized controlled trials. *Crit Rev Food Sci Nutr.* 2018:1–14.
1026. Morgan JP, Penovich P. Jamaica ginger paralysis. Forty-seven-year follow-up. *Arch Neurol.* 1978; 35(8):530–2.
1027. Crandall FG. Paralysis—from spurious Jamaica ginger extract: report on Los Angeles county outbreak. *Cal West Med.* 1931; 35(3):180–2.

1028. Kwan HY, Wu J, Su T, et al. Cinnamon induces browning in subcutaneous adipocytes. *Sci Rep*. 2017; 7(1):2447.
1029. Borzoei A, Rafraf M, Asghari-Jafarabadi M. Cinnamon improves metabolic factors without detectable effects on adiponectin in women with polycystic ovary syndrome. *Asia Pac J Clin Nutr*. 2018; 27(3):556–63.
1030. Zare R, Nadjarzadeh A, Zarshenas MM, Shams M, Heydari M. Efficacy of cinnamon in patients with type II diabetes mellitus: a randomized controlled clinical trial. *Clin Nutr*. 2019; 38(2):549–56.
1031. Vafa M, Mohammadi F, Shidfar F, et al. Effects of cinnamon consumption on glycemic status, lipid profile and body composition in type 2 diabetic patients. *Int J Prev Med*. 2012; 3(8):531–6.
1032. Gupta Jain S, Puri S, Misra A, Gulati S, Mani K. Effect of oral cinnamon intervention on metabolic profile and body composition of Asian Indians with metabolic syndrome: a randomized double-blind control trial. *Lipids Health Dis*. 2017; 16(1):113.
1033. Wainstein J, Stern N, Heller S, Boaz M. Dietary cinnamon supplementation and changes in systolic blood pressure in subjects with type 2 diabetes. *J Med Food*. 2011; 14(12):1505–10.
1034. Kort DH, Lobo RA. Preliminary evidence that cinnamon improves menstrual cyclicity in women with polycystic ovary syndrome: a randomized controlled trial. *Am J Obstet Gynecol*. 2014; 211(5):487.e1–6.
1035. Mang B, Wolters M, Schmitt B, et al. Effects of a cinnamon extract on plasma glucose, HbA, and serum lipids in diabetes mellitus type 2. *Eur J Clin Invest*. 2006; 36(5):340–4.
1036. Shishchbor F, Rezaeyan Safar M, Rajaei E, Haghighizadeh MH. Cinnamon consumption improves clinical symptoms and inflammatory markers in women with rheumatoid arthritis. *J Am Coll Nutr*. 2018:1–6.
1037. Hajimonfarednejad M, Nimrouzi M, Heydari M, Zarshenas MM, Raei MJ, Jahromi BN. Insulin resistance improvement by cinnamon powder in polycystic ovary syndrome: a randomized double-blind placebo controlled clinical trial. *Phytother Res*. 2018; 32(2):276–83.
1038. Askari F, Rashidkhani B, Hekmatdoost A. Cinnamon may have therapeutic benefits on lipid profile, liver enzymes, insulin resistance, and high-sensitivity C-reactive protein in nonalcoholic fatty liver disease patients. *Nutr Res*. 2014; 34(2):143–8.
1039. Oketch-Rabah HA, Marles RJ, Brinckmann JA. Cinnamon and cassia nomenclature confusion: a challenge to the applicability of clinical data. *Clin Pharmacol Ther*. 2018; 104(3):435–45.
1040. Bautista DM, Siemens J, Glazer JM, et al. The menthol receptor TRPM8 is the principal detector of environmental cold. *Nature*. 2007; 448(7150):204–8.

1041. Rossato M, Granzotto M, Macchi V, et al. Human white adipocytes express the cold receptor TRPM8 which activation induces UCP1 expression, mitochondrial activation and heat production. *Mol Cell Endocrinol.* 2014; 383(1–2):137–46.
1042. Sakellariou P, Valente A, Carrillo AE, et al. Chronic L-menthol-induced browning of white adipose tissue hypothesis: a putative therapeutic regime for combating obesity and improving metabolic health. *Med Hypotheses.* 2016; 93:21–6.
1043. Ma S, Yu H, Zhao Z, et al. Activation of the cold-sensing TRPM8 channel triggers UCP1-dependent thermogenesis and prevents obesity. *J Mol Cell Biol.* 2012; 4(2):88–96.
1044. Valente A, Carrillo AE, Tzatzarakis MN, et al. The absorption and metabolism of a single L-menthol oral versus skin administration: effects on thermogenesis and metabolic rate. *Food Chem Toxicol.* 2015; 86:262–73.
1045. Gonseth S, Jacot-Sadowski I, Diethelm PA, Barras V, Cornuz J. The tobacco industry's past role in weight control related to smoking. *Eur J Public Health.* 2012; 22(2):234–7.
1046. Valente A, Carrillo AE, Tzatzarakis MN, et al. The absorption and metabolism of a single L-menthol oral versus skin administration: effects on thermogenesis and metabolic rate. *Food Chem Toxicol.* 2015; 86:262–73.
1047. Patel T, Ishiiji Y, Yosipovitch G. Menthol: a refreshing look at this ancient compound. *J Am Acad Dermatol.* 2007; 57(5):873–8.
1048. Topp R, Ledford ER, Jacks DE. Topical menthol, ice, peripheral blood flow, and perceived discomfort. *J Athl Train.* 2013; 48(2):220–5.
1049. Johar P, Grover V, Topp R, Behm DG. A comparison of topical menthol to ice on pain, evoked tetanic and voluntary force during delayed onset muscle soreness. *Int J Sports Phys Ther.* 2012; 7(3):314–22.
1050. Sundstrup E, Jakobsen MD, Brandt M, et al. Acute effect of topical menthol on chronic pain in slaughterhouse workers with carpal tunnel syndrome: triple-blind, randomized placebo-controlled trial. *Rehabil Res Pract.* 2014; 2014:310913.
1051. Borhani Haghighi A, Motazedian S, Rezaii R, et al. Cutaneous application of menthol 10% solution as an abortive treatment of migraine without aura: a randomised, double-blind, placebo-controlled, crossed-over study. *Int J Clin Pract.* 2010; 64(4):451–6.
1052. Vizin RCL, Motzko-Soares ACP, Armentano GM, et al. Short-term menthol treatment promotes persistent thermogenesis without induction of compensatory food consumption in Wistar rats: implications for obesity control. *J Appl Physiol.* 2018; 124(3):672–83.
1053. Patel T, Ishiiji Y, Yosipovitch G. Menthol: a refreshing look at this ancient compound. *J Am Acad Dermatol.* 2007; 57(5):873–8.
1054. Nair B. Final report on the safety assessment of *Mentha piperita* (peppermint) oil, *Mentha piperita* (peppermint) leaf extract, *Mentha piperita* (peppermint) leaf, and *Mentha piperita* (peppermint) leaf water. *Int J Toxicol.* 2001; 20 Suppl 3:61–73.

1055. Kanerva L, Rantanen T, Aalto-Korte K, et al. A multicenter study of patch test reactions with dental screening series. *Am J Contact Dermatitis*. 2001; 12(2):83–7.
1056. Patel T, Ishiujji Y, Yosipovitch G. Menthol: a refreshing look at this ancient compound. *J Am Acad Dermatol*. 2007; 57(5):873–8.
1057. Chan TY. Potential dangers from topical preparations containing methyl salicylate. *Hum Exp Toxicol*. 1996; 15(9):747–50.
1058. Beulaygue IC, French MT. Got munchies? Estimating the relationship between marijuana use and body mass index. *J Ment Health Policy Econ*. 2016; 19(3):123–40.
1059. Jin LZ, Rangan A, Mehlsen J, Andersen LB, Larsen SC, Heitmann BL. Association between use of cannabis in adolescence and weight change into midlife. *PLoS ONE*. 2017; 12(1):e0168897.
1060. Mohs ME, Watson RR, Leonard-Green T. Nutritional effects of marijuana, heroin, cocaine, and nicotine. *J Am Diet Assoc*. 1990; 90(9):1261–7.
1061. Simon V, Cota D. Endocannabinoids and metabolism: past, present and future. *Eur J Endocrinol*. 2017; 176(6):R309–24.
1062. Badowski ME, Perez SE. Clinical utility of dronabinol in the treatment of weight loss associated with HIV and AIDS. *HIV AIDS (Auckl)*. 2016; 8:37–45.
1063. Foltin RW, Fischman MW, Byrne MF. Effects of smoked marijuana on food intake and body weight of humans living in a residential laboratory. *Appetite*. 1988; 11(1):1–14.
1064. Pert CB, Snyder SH. Opiate receptor: demonstration in nervous tissue. *Science*. 1973; 179(4077):1011–4.
1065. Herkenham M, Lynn AB, Little MD, et al. Cannabinoid receptor localization in brain. *Proc Natl Acad Sci USA*. 1990; 87(5):1932–6.
1066. Christensen R, Kristensen PK, Bartels EM, Bliddal H, Astrup A. Efficacy and safety of the weight-loss drug rimonabant: a meta-analysis of randomised trials. *Lancet*. 2007; 370(9600):1706–13.
1067. Richey JM, Woolcott O. Re-visiting the endocannabinoid system and its therapeutic potential in obesity and associated diseases. *Curr Diab Rep*. 2017; 17(10):99.
1068. Le Foll B, Trigo JM, Sharkey KA, Le Strat Y. Cannabis and  $\Delta^9$ -tetrahydrocannabinol (THC) for weight loss? *Med Hypotheses*. 2013; 80(5):564–7.
1069. Jin LZ, Rangan A, Mehlsen J, Andersen LB, Larsen SC, Heitmann BL. Association between use of cannabis in adolescence and weight change into midlife. *PLoS ONE*. 2017; 12(1):e0168897.
1070. Zwillich CW, Doekel R, Hammill S, Weil JV. The effects of smoked marijuana on metabolism and respiratory control. *Am Rev Respir Dis*. 1978; 118(5):885–91.

1071. Lahesmaa M, Eriksson O, Gnad T, et al. Cannabinoid type 1 receptors are upregulated during acute activation of brown adipose tissue. *Diabetes*. 2018; 67(7):1226–36.
1072. National Academies of Sciences, Engineering, and Medicine. *The Health Effects of Cannabis and Cannabinoids: The Current State of Evidence and Recommendations for Research*. Washington, D.C.: National Academies Press; 2017. Disponible en: <https://www.nap.edu/catalog/24625/the-health-effects-of-cannabis-and-cannabinoids-the-current-state>. Acceso: abril, 17, 2019.
1073. National Academies of Sciences, Engineering, and Medicine. *The Health Effects of Cannabis and Cannabinoids: The Current State of Evidence and Recommendations for Research*. Washington, D.C.: National Academies Press; 2017. Disponible en: <https://www.nap.edu/catalog/24625/the-health-effects-of-cannabis-and-cannabinoids-the-current-state>. Acceso: abril, 17, 2019.
1074. Kim HS, Anderson JD, Saghafi O, Heard KJ, Monte AA. Cyclic vomiting presentations following marijuana liberalization in Colorado. *Acad Emerg Med*. 2015; 22(6):694–9.
1075. Richards JR, Lapoint JM, Burillo-Putze G. Cannabinoid hyperemesis syndrome: potential mechanisms for the benefit of capsaicin and hot water hydrotherapy in treatment. *Clin Toxicol (Phila)*. 2018; 56(1):15–24.
1076. Moon AM, Buckley SA, Mark NM. Successful treatment of cannabinoid hyperemesis syndrome with topical capsaicin. *ACG Case Rep J*. 2018; 5:e3.
1077. Komatsu T, Nakamori M, Komatsu K, et al. Oolong tea increases energy metabolism in Japanese females. *J Med Invest*. 2003; 50(3–4):170–5.
1078. Willems MET, Şahin MA, Cook MD. Matcha green tea drinks enhance fat oxidation during brisk walking in females. *Int J Sport Nutr Exerc Metab*. 2018; 28(5):536–41.
1079. Venables MC, Hulston CJ, Cox HR, Jeukendrup AE. Green tea extract ingestion, fat oxidation, and glucose tolerance in healthy humans. *Am J Clin Nutr*. 2008; 87(3):778–84.
1080. Dulloo AG, Duret C, Rohrer D, et al. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr*. 1999; 70(6):1040–5.
1081. Hursel R, Viechtbauer W, Dulloo AG, et al. The effects of catechin rich teas and caffeine on energy expenditure and fat oxidation: a meta-analysis. *Obes Rev*. 2011; 12(7):e573–81.
1082. Dulloo AG, Duret C, Rohrer D, et al. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr*. 1999; 70(6):1040–5.
1083. Palamar J. How ephedrine escaped regulation in the United States: a historical review of misuse and associated policy. *Health Policy*. 2011; 99(1):1–9.
1084. Shixian Q, Vancrey B, Shi J, Kakuda Y, Jiang Y. Green tea extract thermogenesis-induced weight loss by epigallocatechin gallate inhibition of catechol-O-methyltransferase. *J Med Food*. 2006; 9(4):451–8.

1085. Shixian Q, Vancrey B, Shi J, Kakuda Y, Jiang Y. Green tea extract thermogenesis-induced weight loss by epigallocatechin gallate inhibition of catechol-O-methyltransferase. *J Med Food*. 2006; 9(4):451–8.
1086. Bhagwat S, Haytowitz DB, Holden JM. USDA database for the flavonoid content of selected foods, release 3.0. Nutrient Data Laboratory, Agricultural Research Service, United States Department of Agriculture. Publicado en septiembre, 2011. Disponible en: [https://www.ars.usda.gov/ARSEUserFiles/80400525/Data/Flav/Flav\\_R03.pdf](https://www.ars.usda.gov/ARSEUserFiles/80400525/Data/Flav/Flav_R03.pdf). Acceso: abril, 17, 2019.
1087. Rains TM, Agarwal S, Maki KC. Antiobesity effects of green tea catechins: a mechanistic review. *J Nutr Biochem*. 2011; 22(1):1–7.
1088. Kadowaki M, Ootani E, Sugihara N, Furuno K. Inhibitory effects of catechin gallates on o-methyltranslation of protocatechuic acid in rat liver cytosolic preparations and cultured hepatocytes. *Biol Pharm Bull*. 2005; 28(8):1509–13.
1089. Dulloo AG, Duret C, Rohrer D, et al. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr*. 1999; 70(6):1040–5.
1090. Li G, Zhang Y, Thabane L, et al. Effect of green tea supplementation on blood pressure among overweight and obese adults: a systematic review and meta-analysis. *J Hypertens*. 2015; 33(2):243–54.
1091. Lorenz M, Paul F, Moobed M, et al. The activity of catechol-O-methyltransferase (COMT) is not impaired by high doses of epigallocatechin-3-gallate (EGCG) in vivo. *Eur J Pharmacol*. 2014; 740:645–51.
1092. Hodgson AB, Randell RK, Boon N, et al. Metabolic response to green tea extract during rest and moderate-intensity exercise. *J Nutr Biochem*. 2013; 24(1):325–34.
1093. Cardoso GA, Salgado JM, de Castro César M, Donado-Pestana CM. The effects of green tea consumption and resistance training on body composition and resting metabolic rate in overweight or obese women. *J Med Food*. 2013; 16(2):120–7.
1094. Mi Y, Liu X, Tian H, et al. EGCG stimulates the recruitment of brite adipocytes, suppresses adipogenesis and counteracts TNF- $\alpha$ -triggered insulin resistance in adipocytes. *Food Funct*. 2018; 9(6):3374–36.
1095. Gosselin C, Haman F. Effects of green tea extracts on non-shivering thermogenesis during mild cold exposure in young men. *Br J Nutr*. 2013; 110(2):282–8.
1096. Yoneshiro T, Matsushita M, Hibi M, et al. Tea catechin and caffeine activate brown adipose tissue and increase cold-induced thermogenic capacity in humans. *Am J Clin Nutr*. 2017; 105(4):873–81.
1097. Nirengi S, Amagasa S, Homma T, et al. Daily ingestion of catechin-rich beverage increases brown adipose tissue density and decreases extramyocellular lipids in healthy young women. *Springerplus*. 2016; 5(1):1363.
1098. Yoneshiro T, Matsushita M, Hibi M, et al. Tea catechin and caffeine activate brown adipose tissue and increase cold-induced thermogenic capacity in humans. *Am J Clin Nutr*. 2017; 105(4):873–81.

1099. Nirengi S, Amagasa S, Homma T, et al. Daily ingestion of catechin-rich beverage increases brown adipose tissue density and decreases extramyocellular lipids in healthy young women. *Springerplus*. 2016; 5(1):1363.
1100. Tang D, Li TY, Liu JJ, et al. Effects of prenatal exposure to coal-burning pollutants on children's development in China. *Environ Health Perspect*. 2008; 116(5):674–9.
1101. Han WY, Zhao FJ, Shi YZ, Ma LF, Ruan JY. Scale and causes of lead contamination in Chinese tea. *Environ Pollut*. 2006; 139(1):125–32.
1102. Han WY, Zhao FJ, Shi YZ, Ma LF, Ruan JY. Scale and causes of lead contamination in Chinese tea. *Environ Pollut*. 2006; 139(1):125–32.
1103. Chen Y, Xu J, Yu M, Chen X, Shi J. Lead contamination in different varieties of tea plant (*Camellia sinensis* L.) and factors affecting lead bioavailability. *J Sci Food Agric*. 2010; 90(9):1501–7.
1104. Shen FM, Chen HW. Element composition of tea leaves and tea infusions and its impact on health. *Bull Environ Contam Toxicol*. 2008; 80(3):300–4.
1105. Karak T, Bhagat R. Trace elements in tea leaves, made tea and tea infusion: a review. *Food Res Int*. 2010; 43(9):2234–52.
1106. Schwalfenberg G, Genuis SJ, Rodushkin I. The benefits and risks of consuming brewed tea: beware of toxic element contamination. *J Toxicol*. 2013; 2013:370460.
1107. Shen FM, Chen HW. Element composition of tea leaves and tea infusions and its impact on health. *Bull Environ Contam Toxicol*. 2008; 80(3):300–4.
1108. Karak T, Bhagat R. Trace elements in tea leaves, made tea and tea infusion: a review. *Food Res Int*. 2010; 43(9):2234–52.
1109. American College of Obstetricians and Gynecologists. Committee Opinion No. 462: moderate caffeine consumption during pregnancy. *Obstet Gynecol*. 2010; 116(2, Part 1):467–8.
1110. Chen IJ, Liu CY, Chiu JP, Hsu CH. Therapeutic effect of high-dose green tea extract on weight reduction: a randomized, double-blind, placebo-controlled clinical trial. *Clin Nutr*. 2016; 35(3):592–9.
1111. Hoofnagle JH, Wright EC. Weight loss from green tea extracts. *Clin Nutr*. 2016; 35(1):238.
1112. Hussain M, Habib-Ur-Rehman M, Akhtar L. Therapeutic benefits of green tea extract on various parameters in non-alcoholic fatty liver disease patients. *Pak J Med Sci*. 2017; 33(4):931–6.
1113. Josic J, Olsson AT, Wickeberg J, Lindstedt S, Hlebowicz J. Does green tea affect postprandial glucose, insulin and satiety in healthy subjects: a randomized controlled trial. *Nutr J*. 2010; 9:63.
1114. Auvichayapat P, Prapochanung M, Tunkamnerdthai O, et al. Effectiveness of green tea on weight reduction in obese Thais: a randomized, controlled trial. *Physiol Behav*. 2008; 93(3):486–91.

1115. Jurgens TM, Whelan AM, Killian L, Doucette S, Kirk S, Foy E. Green tea for weight loss and weight maintenance in overweight or obese adults. *Cochrane Database Syst Rev.* 2012; 12:CD008650.
1116. Phung OJ, Baker WL, Matthews LJ, Lanosa M, Thorne A, Coleman CI. Effect of green tea catechins with or without caffeine on anthropometric measures: a systematic review and meta-analysis. *Am J Clin Nutr.* 2010; 91(1):73–81.
1117. Hayat K, Iqbal H, Malik U, Bilal U, Mushtaq S. Tea and its consumption: benefits and risks. *Crit Rev Food Sci Nutr.* 2015; 55(7):939–54.
1118. Yuan F, Dong H, Fang K, Gong J, Lu F. Effects of green tea on lipid metabolism in overweight or obese people: a meta-analysis of randomized controlled trials. *Mol Nutr Food Res.* 2018; 62(1).
1119. Shin CM, Lee DH, Seo AY, et al. Green tea extracts for the prevention of metachronous colorectal polyps among patients who underwent endoscopic removal of colorectal adenomas: a randomized clinical trial. *Clin Nutr.* 2018; 37(2):452–8.
1120. Ide K, Yamada H, Kawasaki Y. Effect of gargling with tea and ingredients of tea on the prevention of influenza infection: a meta-analysis. *BMC Public Health.* 2016; 16:396.
1121. Tang J, Zheng JS, Fang L, Jin Y, Cai W, Li D. Tea consumption and mortality of all cancers, CVD and all causes: a meta-analysis of eighteen prospective cohort studies. *Br J Nutr.* 2015; 114(5):673–83.
1122. Basu A, Sanchez K, Leyva MJ, et al. Green tea supplementation affects body weight, lipids, and lipid peroxidation in obese subjects with metabolic syndrome. *J Am Coll Nutr.* 2010; 29(1):31–40.
1123. Navarro VJ, Bonkovsky HL, Hwang SI, Vega M, Barnhart H, Serrano J. Catechins in dietary supplements and hepatotoxicity. *Dig Dis Sci.* 2013; 58(9):2682–90.
1124. Phan AD, Netzel G, Wang D, Flanagan BM, D’Arcy BR, Gidley MJ. Binding of dietary polyphenols to cellulose: structural and nutritional aspects. *Food Chem.* 2015; 171:388–96.
1125. Glube N, von Moos L, Duchateau G. Capsule shell material impacts the in vitro disintegration and dissolution behaviour of a green tea extract. *Results Pharma Sci.* 2013; 3:1–6.
1126. Kim A, Chiu A, Barone MK, et al. Green tea catechins decrease total and low-density lipoprotein cholesterol: a systematic review and meta-analysis. *J Am Diet Assoc.* 2011; 111(11):1720–9.
1127. Sarma DN, Barrett ML, Chavez ML, et al. Safety of green tea extracts: a systematic review by the US Pharmacopeia. *Drug Saf.* 2008; 31(6):469–84.
1128. Hu J, Webster D, Cao J, Shao A. The safety of green tea and green tea extract consumption in adults—results of a systematic review. *Regul Toxicol Pharmacol.* 2018; 95:412–33.
1129. Sarma DN, Barrett ML, Chavez ML, et al. Safety of green tea extracts: a systematic review by the US Pharmacopeia. *Drug Saf.* 2008; 31(6):469–84.

1130. Dekant W, Fujii K, Shibata E, Morita O, Shimotoyodome A. Safety assessment of green tea based beverages and dried green tea extracts as nutritional supplements. *Toxicol Lett.* 2017; 277:104–8.
1131. Chang K. World tea production and trade current and future development. Food and Agriculture Organization of the United Nations. Publicado en 2015. Disponible en: <http://www.fao.org/3/a-i4480e.pdf>. Acceso: abril, 17, 2019.
1132. Grove KA, Lambert JD. Laboratory, epidemiological, and human intervention studies show that tea (*Camellia sinensis*) may be useful in the prevention of obesity. *J Nutr.* 2010; 140(3):446–53.
1133. Shanafelt TD, Call TG, Zent CS, et al. Phase 2 trial of daily, oral Polyphenon E in patients with asymptomatic, Rai stage 0 to II chronic lymphocytic leukemia. *Cancer.* 2013; 119(2):363–70.
1134. Dekant W, Fujii K, Shibata E, Morita O, Shimotoyodome A. Safety assessment of green tea based beverages and dried green tea extracts as nutritional supplements. *Toxicol Lett.* 2017; 277:104–8.
1135. Sarma DN, Barrett ML, Chavez ML, et al. Safety of green tea extracts: a systematic review by the US Pharmacopeia. *Drug Saf.* 2008; 31(6):469–84.
1136. Jochmann N, Lorenz M, Krosigk Av, et al. The efficacy of black tea in ameliorating endothelial function is equivalent to that of green tea. *Br J Nutr.* 2008; 99(4):863–8.
1137. Wang ZM, Zhou B, Wang YS, et al. Black and green tea consumption and the risk of coronary artery disease: a meta-analysis. *Am J Clin Nutr.* 2011; 93(3):506–15.
1138. Woodward M, Tunstall-Pedoe H. Coffee and tea consumption in the Scottish Heart Health Study follow up: conflicting relations with coronary risk factors, coronary disease, and all cause mortality. *J Epidemiol Community Health.* 1999; 53(8):481–7.
1139. Hertog MG, Sweetnam PM, Fehily AM, Elwood PC, Kromhout D. Antioxidant flavonols and ischemic heart disease in a Welsh population of men: the Caerphilly Study. *Am J Clin Nutr.* 1997; 65(5):1489–94.
1140. Hertog MG, Feskens EJ, Hollman PC, Katan MB, Kromhout D. Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *Lancet.* 1993; 342(8878):1007–11.
1141. Geleijnse JM, Launer LJ, Van der Kuip DA, Hofman A, Witteman JC. Inverse association of tea and flavonoid intakes with incident myocardial infarction: the Rotterdam Study. *Am J Clin Nutr.* 2002; 75(5):880–6.
1142. Lorenz M, Jochmann N, von Krosigk A, et al. Addition of milk prevents vascular protective effects of tea. *Eur Heart J.* 2007; 28(2):219–23.
1143. Hursel R, Westerterp-Plantenga MS. Consumption of milk-protein combined with green tea modulates diet-induced thermogenesis. *Nutrients.* 2011; 3(8):725–33.

1144. Lee RJ, Bayne A, Tiangco M, Garen G, Chow AK. Prevention of tea-induced extrinsic tooth stain. *Int J Dent Hyg*. 2014; 12(4):267–72.
1145. Serafini M, Testa MF, Villaño D, et al. Antioxidant activity of blueberry fruit is impaired by association with milk. *Free Radic Biol Med*. 2009; 46(6):769–74.
1146. Serafini M, Bugianesi R, Maiani G, Valtuena S, De Santis S, Crozier A. Plasma antioxidants from chocolate. *Nature*. 2003; 424(6952):1013.
1147. Duarte GS, Farah A. Effect of simultaneous consumption of milk and coffee on chlorogenic acids' bioavailability in humans. *J Agric Food Chem*. 2011; 59(14):7925–31.
1148. Budryn G, Pałecz B, Rachwał-Rosiak D, et al. Effect of inclusion of hydroxycinnamic and chlorogenic acids from green coffee bean in  $\beta$ -cyclodextrin on their interactions with whey, egg white and soy protein isolates. *Food Chem*. 2015; 168:276–87.
1149. Felberg I, Farah A, Monteiro M, et al. Effect of simultaneous consumption of soymilk and coffee on the urinary excretion of isoflavones, chlorogenic acids and metabolites in healthy adults. *J Funct Foods*. 2015; 19:688–99.
1150. Felberg I, Farah A, Monteiro M, et al. Effect of simultaneous consumption of soymilk and coffee on the urinary excretion of isoflavones, chlorogenic acids and metabolites in healthy adults. *J Funct Foods*. 2015; 19:688–99.
1151. European Society of Cardiology. Milk eliminates cardiovascular health benefits of tea, researchers warn. *ScienceDaily*. Publicado en enero, 9, 2007. Disponible en: <https://www.sciencedaily.com/releases/2007/01/070108191523.htm>. Acceso: abril, 17, 2019.
1152. Von Elm E, Antes G. Tea without milk: lifestyle advice based on a small lab study. *Eur Heart J*. 2007; 28(11):1398.
1153. Lorenz M, Stangl K, Stangl V. Milk casein and its benefits on cardiovascular risk: reply. *Eur Heart J*. 2007; 28(11):1397–8.
1154. Lazarou J, Pomeranz BH, Corey PN. Incidence of adverse drug reactions in hospitalized patients: a meta-analysis of prospective studies. *JAMA*. 1998; 279(15):1200–5.
1155. Marcason W. What is green coffee extract? *J Acad Nutr Diet*. 2013; 113(2):364.
1156. Mullin GE. Supplements for weight loss: hype or help for obesity? Part II. The inside scoop on green coffee bean extract. *Nutr Clin Pract*. 2015; 30(2):311–2.
1157. Vinson JA, Burnham BR, Nagendran MV. Randomized, double-blind, placebo-controlled, linear dose, crossover study to evaluate the efficacy and safety of a green coffee bean extract in overweight subjects. *Diabetes Metab Syndr Obes*. 2012; 5:21–7.
1158. *Federal Trade Commission v. Applied Food Sciences, Inc*, 1:14-CV: 00851 (U.S. District Court, Western District of TX, Austin, 2014).

1159. Mullin GE. Supplements for weight loss: hype or help for obesity? Part II. The inside scoop on green coffee bean extract. *Nutr Clin Pract*. 2015; 30(2):311–2.
1160. Vinson JA, Burnham BR, Nagendran MV. Randomized, double-blind, placebo-controlled, linear dose, crossover study to evaluate the efficacy and safety of a green coffee bean extract in overweight subjects [Retraction]. *Diabetes Metab Syndr Obes*. 2014; 7:467.
1161. Dellalibera O, Lemaire B, Lafay S. Svetol®, green coffee extract, induces weight loss and increases the lean to fat mass ratio in volunteers with overweight problem. *Phytotherapie*. 2006; 4(4):194–7.
1162. Thom E. The effect of chlorogenic acid enriched coffee on glucose absorption in healthy volunteers and its effect on body mass when used long-term in overweight and obese people. *J Int Med Res*. 2007; 35(6):900–8.
1163. Roshan H, Nikpayam O, Sedaghat M, Sohrab G. Effects of green coffee extract supplementation on anthropometric indices, glycaemic control, blood pressure, lipid profile, insulin resistance and appetite in patients with the metabolic syndrome: a randomised clinical trial. *Br J Nutr*. 2018; 119(3):250–8.
1164. Haggins H, Means J. The effect of certain drugs on the respiration and gaseous metabolism in normal human subjects. *J Pharmacol Exp Ther*. 1915:1–29.
1165. Kole J, Barnhill A. Caffeine content labeling: a missed opportunity for promoting personal and public health. *J Caffeine Res*. 2013; 3(3):108–13.
1166. Dulloo AG, Duret C, Rohrer D, et al. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr*. 1999; 70(6):1040–5.
1167. Clark I, Landolt HP. Coffee, caffeine, and sleep: a systematic review of epidemiological studies and randomized controlled trials. *Sleep Med Rev*. 2017; 31:70–8.
1168. Schubert MM, Hall S, Leveritt M, Grant G, Sabapathy S, Desbrow B. Caffeine consumption around an exercise bout: effects on energy expenditure, energy intake, and exercise enjoyment. *J Appl Physiol*. 2014; 117(7):745–54.
1169. Schubert MM, Hall S, Leveritt M, Grant G, Sabapathy S, Desbrow B. Caffeine consumption around an exercise bout: effects on energy expenditure, energy intake, and exercise enjoyment. *J Appl Physiol*. 2014; 117(7):745–54.
1170. Clarke ND, Richardson DL, Thie J, Taylor R. Coffee ingestion enhances 1-mile running race performance. *Int J Sports Physiol Perform*. 2018; 13(6):789–94.
1171. Richardson DL, Clarke ND. Effect of coffee and caffeine ingestion on resistance exercise performance. *J Strength Cond Res*. 2016; 30(10):2892–900.
1172. Schubert MM, Hall S, Leveritt M, Grant G, Sabapathy S, Desbrow B. Caffeine consumption around an exercise bout: effects on energy expenditure, energy intake, and exercise enjoyment. *J Appl Physiol*. 2014; 117(7):745–54.

1173. Dulloo AG, Geissler CA, Horton T, Collins A, Miller DS. Normal caffeine consumption: influence on thermogenesis and daily energy expenditure in lean and postobese human volunteers. *Am J Clin Nutr.* 1989; 49(1):44–50.
1174. Tagliabue A, Terracina D, Cena H, Turconi G, Lanzola E, Montomoli C. Coffee induced thermogenesis and skin temperature. *Int J Obes Relat Metab Disord.* 1994; 18(8):537–41.
1175. Bracco D, Ferrarra JM, Arnaud MJ, Jéquier E, Schutz Y. Effects of caffeine on energy metabolism, heart rate, and methylxanthine metabolism in lean and obese women. *Am J Physiol.* 1995; 269(4 Pt 1):E671–8.
1176. Agricultural Research Service, United States Department of Agriculture. Basic report: 14209, beverages, coffee, brewed, prepared with tap water. National Nutrient Database for Standard Reference 1. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/14209>. Acceso: abril, 17, 2019.
1177. Lenne RL, Mann T. Reducing sugar use in coffee while maintaining enjoyment: a randomized controlled trial. *J Health Psychol.* 2017:1359105317723452.
1178. An R, Shi Y. Consumption of coffee and tea with add-ins in relation to daily energy, sugar, and fat intake in US adults, 2001–2012. *Public Health.* 2017; 146:1–3.
1179. Dunkin Donuts. Nutrition guide. Actualizado en marzo, 26, 2019. Disponible en: <https://www.dunkindonuts.com/content/dam/dd/pdf/nutrition.pdf>. Acceso: abril, 17, 2019.
1180. Dulloo AG, Geissler CA, Horton T, Collins A, Miller DS. Normal caffeine consumption: influence on thermogenesis and daily energy expenditure in lean and postobese human volunteers. *Am J Clin Nutr.* 1989; 49(1):44–50.
1181. Gavrieli A, Karfopoulou E, Kardatou E, et al. Effect of different amounts of coffee on dietary intake and appetite of normal-weight and overweight/obese individuals. *Obesity (Silver Spring).* 2013; 21(6):1127–32.
1182. Schubert MM, Irwin C, Seay RF, Clarke HE, Allegro D, Desbrow B. Caffeine, coffee, and appetite control: a review. *Int J Food Sci Nutr.* 2017; 68(8):901–12.
1183. Ohnaka K, Ikeda M, Maki T, et al. Effects of 16-week consumption of caffeinated and decaffeinated instant coffee on glucose metabolism in a randomized controlled trial. *J Nutr Metab.* 2012; 2012:207426.
1184. Yoshioka M, Doucet E, Drapeau V, Dionne I, Tremblay A. Combined effects of red pepper and caffeine consumption on 24 h energy balance in subjects given free access to foods. *Br J Nutr.* 2001; 85(2):203–11.
1185. Harpaz E, Tamir S, Weinstein A, Weinstein Y. The effect of caffeine on energy balance. *J Basic Clin Physiol Pharmacol.* 2017; 28(1):1–10.
1186. Heath RD, Brahmabhatt M, Tahan AC, Ibdah JA, Tahan V. Coffee: the magical bean for liver diseases. *World J Hepatol.* 2017; 9(15):689–96.
1187. Poole R, Kennedy OJ, Roderick P, Fallowfield JA, Hayes PC, Parkes J. Coffee consumption and health: umbrella review of meta-analyses of multiple health outcomes. *BMJ.* 2017; 359:j5024.

1188. Surdea-Blaga T, Negrutiu DE, Palage M, Dumitrascu DL. Food and gastroesophageal reflux disease. *Curr Med Chem*. 2017; 5.
1189. Liu H, Yao K, Zhang W, Zhou J, Wu T, He C. Coffee consumption and risk of fractures: a meta-analysis. *Arch Med Sci*. 2012; 8(5):776–83.
1190. Chandrasekaran S, Rohtchina E, Mitchell P. Effects of caffeine on intraocular pressure: the Blue Mountains Eye Study. *J Glaucoma*. 2005; 14(6):504–7.
1191. Bryant CM, Dowell CJ, Fairbrother G. Caffeine reduction education to improve urinary symptoms. *Br J Nurs*. 2002; 11(8):560–5.
1192. Clark I, Landolt HP. Coffee, caffeine, and sleep: a systematic review of epidemiological studies and randomized controlled trials. *Sleep Med Rev*. 2017; 31:70–8.
1193. Drake C, Roehrs T, Shambroom J, Roth T. Caffeine effects on sleep taken 0, 3, or 6 hours before going to bed. *J Clin Sleep Med*. 2013; 9(11):1195–200.
1194. Landolt HP, Werth E, Borbély AA, Dijk DJ. Caffeine intake (200 mg) in the morning affects human sleep and EEG power spectra at night. *Brain Res*. 1995; 675(1–2):67–74.
1195. Clark I, Landolt HP. Coffee, caffeine, and sleep: a systematic review of epidemiological studies and randomized controlled trials. *Sleep Med Rev*. 2017; 31:70–8.
1196. Landolt HP, Werth E, Borbély AA, Dijk DJ. Caffeine intake (200 mg) in the morning affects human sleep and EEG power spectra at night. *Brain Res*. 1995; 675(1–2):67–74.
1197. Poole R, Kennedy OJ, Roderick P, Fallowfield JA, Hayes PC, Parkes J. Coffee consumption and health: umbrella review of meta-analyses of multiple health outcomes. *BMJ*. 2017; 359:j5024.
1198. Manchester J, Eshel I, Marion DW. The benefits and risks of energy drinks in young adults and military service members. *Mil Med*. 2017; 182(7):e1726–33.
1199. Thorlton J, Colby DA, Devine P. Proposed actions for the US Food and Drug Administration to implement to minimize adverse effects associated with energy drink consumption. *Am J Public Health*. 2014; 104(7):1175–80.
1200. Manchester J, Eshel I, Marion DW. The benefits and risks of energy drinks in young adults and military service members. *Mil Med*. 2017; 182(7):e1726–33.
1201. Mattson ME. Update on emergency department visits involving energy drinks: a continuing public health concern. The CBHSQ Report. Publicado en enero, 10, 2013. Disponible en: [https://www.ncbi.nlm.nih.gov/books/NBK384664/pdf/Bookshelf\\_NBK384664.pdf](https://www.ncbi.nlm.nih.gov/books/NBK384664/pdf/Bookshelf_NBK384664.pdf). Acceso: abril, 17, 2019.
1202. Ali F, Rehman H, Babayan Z, Stapleton D, Joshi DD. Energy drinks and their adverse health effects: a systematic review of the current evidence. *Postgrad Med*. 2015; 127(3):308–22.

1203. Al-Shaar L, Vercammen K, Lu C, Richardson S, Tamez M, Mattei J. Health effects and public health concerns of energy drink consumption in the United States: a mini-review. *Front Public Health*. 2017; 5:225.
1204. Al-Shaar L, Vercammen K, Lu C, Richardson S, Tamez M, Mattei J. Health effects and public health concerns of energy drink consumption in the United States: a mini-review. *Front Public Health*. 2017; 5:225.
1205. Alford C, Cox H, Wescott R. The effects of Red Bull Energy Drink on human performance and mood. *Amino Acids*. 2001; 21(2):139–50.
1206. Baum M, Weiss M. The influence of a taurine containing drink on cardiac parameters before and after exercise measured by echocardiography. *Amino Acids*. 2001; 20(1):75–82.
1207. Grasser EK, Yepuri G, Dulloo AG, Montani JP. Cardio-and cerebrovascular responses to the energy drink Red Bull in young adults: a randomized cross-over study. *Eur J Nutr*. 2014; 53(7):1561–71.
1208. Phillips MD, Rola KS, Christensen KV, Ross JW, Mitchell JB. Preexercise energy drink consumption does not improve endurance cycling performance but increases lactate, monocyte, and interleukin-6 response. *J Strength Cond Res*. 2014; 28(5):1443–53.
1209. Svatikova A, Covassin N, Somers KR, et al. A randomized trial of cardiovascular responses to energy drink consumption in healthy adults. *JAMA*. 2015; 314(19):2079–82.
1210. Higgins JP, Yang B, Herrin NE, et al. Consumption of energy beverage is associated with attenuation of arterial endothelial flow-mediated dilatation. *World J Cardiol*. 2017; 9(2):162–6.
1211. Fletcher EA, Lacey CS, Aaron M, Kolasa M, Occiano A, Shah SA. Randomized controlled trial of high-volume energy drink versus caffeine consumption on ECG and hemodynamic parameters. *J Am Heart Assoc*. 2017; 6(5).
1212. Fletcher EA, Lacey CS, Aaron M, Kolasa M, Occiano A, Shah SA. Randomized controlled trial of high-volume energy drink versus caffeine consumption on ECG and hemodynamic parameters. *J Am Heart Assoc*. 2017; 6(5).
1213. Seifert SM, Schaechter JL, Hershorin ER, Lipshultz SE. Health effects of energy drinks on children, adolescents, and young adults. *Pediatrics*. 2011; 127(3):511–28.
1214. Ahmad Fuzi SF, Koller D, Bruggraber S, Pereira DI, Dainty JR, Mushtaq S. A 1-h time interval between a meal containing iron and consumption of tea attenuates the inhibitory effects on iron absorption: a controlled trial in a cohort of healthy UK women using a stable iron isotope. *Am J Clin Nutr*. 2017; 106(6):1413–21.
1215. Wansink B, Sobal J. Mindless eating: the 200 daily food decisions we overlook. *Environ Behav*. 2007; 39:106–23. *Note:* The legitimacy of Brian Wansink's research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.

1216. Cleo G, Isenring E, Thomas R, Glasziou P. Could habits hold the key to weight loss maintenance? A narrative review. *J Hum Nutr Diet.* 2017; 30(5):655–64.
1217. Townsend D, Bever T. *Sentence Comprehension: The Integration of Habits and Rules.* Cambridge, MA: MIT Press; 2001.
1218. Rothman AJ, Sheeran P, Wood W. Reflective and automatic processes in the initiation and maintenance of dietary change. *Ann Behav Med.* 2009; 38 Suppl 1:S4–17.
1219. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract.* 2012; 62(605):664–6.
1220. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract.* 2012; 62(605):664–6.
1221. Orbell S, Verplanken B. The automatic component of habit in health behavior: habit as cue-contingent automaticity. *Health Psychol.* 2010; 29(4):374–83.
1222. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing.* 2006; 25:90–103.
1223. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract.* 2012; 62(605):664–6.
1224. Orbell S, Verplanken B. The automatic component of habit in health behavior: habit as cue-contingent automaticity. *Health Psychol.* 2010; 29(4):374–83.
1225. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract.* 2012; 62(605):664–6.
1226. Lally P, van Jaarsveld CHM, Potts HWW, Wardle J. How are habits formed: modelling habit formation in the real world. *Euro J Soc Psychol.* 2010; 40:998–1009.
1227. Orbell S, Verplanken B. The automatic component of habit in health behavior: habit as cue-contingent automaticity. *Health Psychol.* 2010; 29(4):374–83.
1228. Neal DT, Wood W, Wu M, Kurlander D. The pull of the past: when do habits persist despite conflict with motives? *Pers Soc Psychol Bull.* 2011; 37(11):1428–37.
1229. Neal DT, Wood W, Wu M, Kurlander D. The pull of the past: when do habits persist despite conflict with motives? *Pers Soc Psychol Bull.* 2011; 37(11):1428–37.
1230. Van't Riet J, Sijtsema SJ, Dagevos H, De Bruijn GJ. The importance of habits in eating behaviour. An overview and recommendations for future research. *Appetite.* 2011; 57(3):585–96.

1231. Lally P, Gardner B. Promoting habit formation. *Health Psychol Rev.* 2011; 7:sup1:S137–58.
1232. Wood W, Tam L, Witt MG. Changing circumstances, disrupting habits. *J Pers Soc Psychol.* 2005; 88(6):918–33.
1233. Lally P, Gardner B. Promoting habit formation. *Health Psychol Rev.* 2011; 7:sup1:S137–58.
1234. Neal DT, Wood W, Wu M, Kurlander D. The pull of the past: when do habits persist despite conflict with motives? *Pers Soc Psychol Bull.* 2011; 37(11):1428–37.
1235. Neal DT, Wood W, Wu M, Kurlander D. The pull of the past: when do habits persist despite conflict with motives? *Pers Soc Psychol Bull.* 2011; 37(11):1428–37.
1236. Neal DT, Wood W, Wu M, Kurlander D. The pull of the past: when do habits persist despite conflict with motives? *Pers Soc Psychol Bull.* 2011; 37(11):1428–37.
1237. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing.* 2006; 25:90–103.
1238. Wood W, Tam L, Witt MG. Changing circumstances, disrupting habits. *J Pers Soc Psychol.* 2005; 88(6):918–33.
1239. Derzon JH, Lipsey MW. A meta-analysis of the effectiveness of mass communication for changing substance-use knowledge, attitudes, and behavior. In: Crano WD, Burgoon M, eds. *Mass Media and Drug Prevention: Classic and Contemporary Theories and Research.* Mahwah, NJ: Lawrence Erlbaum Associates; 2002:231–58.
1240. Wood W, Tam L, Witt MG. Changing circumstances, disrupting habits. *J Pers Soc Psychol.* 2005; 88(6):918–33.
1241. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing.* 2006; 25:90–103.
1242. Van't Riet J, Sijtsma SJ, Dagevos H, De Bruijn GJ. The importance of habits in eating behaviour. An overview and recommendations for future research. *Appetite.* 2011; 57(3):585–96.
1243. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing.* 2006; 25:90–103.
1244. Heatherton TF, Nichols PA. Personal accounts of successful versus failed attempts at life change. *PSPB.* 1994; 20(6):664–75.
1245. Riskind J. [DARE's] program's cost soars past \$1 billion with little accounting. Center for Educational Research + Development. Publicado en junio, 30, 2002. Disponible en: <http://www.cerd.org/d-a-r-e-s-programs-cost-soars-past-1-billion-with-little-accounting>. Acceso: abril, 17, 2019.
1246. Kanof ME. Youth illicit drug use prevention: DARE long-term evaluations and federal efforts to identify effective programs. GAO-03-172R, United States General

- Accounting Office. Publicado en enero, 15, 2003. Disponible en: <https://www.gao.gov/new.items/d03172r.pdf>. Acceso: abril, 17, 2019.
1247. Steinberg L. How to improve the health of American adolescents. *Perspect Psychol Sci*. 2015; 10(6):711–5.
1248. Bryan CJ, Yeager DS, Hinojosa CP, et al. Harnessing adolescent values to motivate healthier eating. *Proc Natl Acad Sci USA*. 2016; 113(39):10830–5.
1249. Bryan CJ, Yeager DS, Hinojosa CP, et al. Harnessing adolescent values to motivate healthier eating. *Proc Natl Acad Sci USA*. 2016; 113(39):10830–5.
1250. Bryan CJ, Yeager DS, Hinojosa CP, et al. Harnessing adolescent values to motivate healthier eating. *Proc Natl Acad Sci USA*. 2016; 113(39):10830–5.
1251. Wilde O. *The Picture of Dorian Gray*. Brooklyn, NY: Millennium Publications; 1890.
1252. Gollwitzer PM. Implementation intentions: strong effects of simple plans. *Am Psychol*. 1999; 54:493–503.
1253. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing*. 2006; 25:90–103.
1254. Verplanken B, Faes S. Good intentions, bad habits, and effects of forming implementation intentions on healthy eating. *Eur J Soc Psychol*. 1999; 29(5–6):591–604.
1255. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing*. 2006; 25:90–103.
1256. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract*. 2012; 62(605):664–6.
1257. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract*. 2012; 62(605):664–6.
1258. Gardner B, Lally P, Wardle J. Making health habitual: the psychology of «habit-formation» and general practice. *Br J Gen Pract*. 2012; 62(605):664–6.
1259. Greger M. Does coffee affect cholesterol? NutritionFacts.org. Publicado en agosto, 27, 2018. Disponible en: <https://nutritionfacts.org/video/does-coffee-affect-cholesterol>. Acceso: abril, 17, 2019.
1260. Liu H, Wang C, Qi X, Zou J, Sun Z. Antiglycation and antioxidant activities of mogroside extract from *Siraitia grosvenorii* (swingle) fruits. *J Food Sci Technol*. 2018; 55(5):1880–8.
1261. Den Hartog GJ, Boots AW, Adam-Perrot A, et al. Erythritol is a sweet antioxidant. *Nutrition*. 2010; 26(4):449–58.
1262. Kimura T, Kanasaki A, Hayashi N, et al. d-Allulose enhances postprandial fat oxidation in healthy humans. *Nutrition*. 2017; 43–44:16–20.

1263. Verplanken B, Wood W. Interventions to break and create consumer habits. *J Pub Policy Marketing*. 2006; 25:90–103.
1264. Orbell S, Verplanken B. The automatic component of habit in health behavior: habit as cue-contingent automaticity. *Health Psychol*. 2010; 29(4):374–83.
1265. Mazhari F, Boskabady M, Moeintaghavi A, Habibi A. The effect of toothbrushing and flossing sequence on interdental plaque reduction and fluoride retention: a randomized controlled clinical trial. *J Periodontol*. 2018; 89(7):824–32.
1266. Torkezaban P, Arabi SR, Sabounchi SS, Roshanaei G. The efficacy of brushing and flossing sequence on control of plaque and gingival inflammation. *Oral Health Prev Dent*. 2015; 13(3):267–73.
1267. Pedersen S, Sniehotta FF, Sainsbury K, et al. The complexity of self-regulating food intake in weight loss maintenance. A qualitative study among short-and long-term weight loss maintainers. *Soc Sci Med*. 2018; 208:18–24.
1268. Stadler G, Oettingen G, Gollwitzer PM. Intervention effects of information and self-regulation on eating fruits and vegetables over two years. *Health Psychol*. 2010; 29(3):274–83.
1269. Stadler G, Oettingen G, Gollwitzer PM. Intervention effects of information and self-regulation on eating fruits and vegetables over two years. *Health Psychol*. 2010; 29(3):274–83.
1270. Michie S, Abraham C, Whittington C, McAteer J, Gupta S. Effective techniques in healthy eating and physical activity interventions: a meta-regression. *Health Psychol*. 2009; 28(6):690–701.
1271. Cleo G, Isenring E, Thomas R, Glasziou P. Could habits hold the key to weight loss maintenance? A narrative review. *J Hum Nutr Diet*. 2017; 30(5):655–64.
1272. 10 top tips for a healthy weight. Cancer Research UK. Publicado en julio, 2017. Disponible en: <https://publications.cancerresearchuk.org/publication/ten-top-tips-healthy-weight>. Acceso: abril, 17, 2019.
1273. Cleo G, Glasziou P, Beller E, Isenring E, Thomas R. Habit-based interventions for weight loss maintenance in adults with overweight and obesity: a randomized controlled trial. *Int J Obes (Lond)*. 2019; 43:374–83.
1274. Lally P, Wardle J, Gardner B. Experiences of habit formation: a qualitative study. *Psychol Health Med*. 2011; 16(4):484–9.
1275. Lally P, Wardle J, Gardner B. Experiences of habit formation: a qualitative study. *Psychol Health Med*. 2011; 16(4):484–9.
1276. Lally P, van Jaarsveld CHM, Potts HWW, Wardle J. How are habits formed: modelling habit formation in the real world. *Euro J Soc Psychol*. 2010; 40:998–1009.
1277. Spencer JA, Fremouw WJ. Binge eating as a function of restraint and weight classification. *J Abnorm Psychol*. 1979; 88(3):262–7.

1278. Cochran W, Tesser A. The «what the hell» effect: some effects of goal proximity and goal framing on performance. In: Martin LL, Tesser A, eds. *Striving and Feeling: Interactions Among Goals, Affect, and Self-Regulation*. Hillsdale, NJ: Lawrence Erlbaum Associates, Inc.; 1996:99–120.
1279. Chandon P, Wansink B. The biasing health halos of fast food restaurant health claims: lower calorie estimates and higher side-disk consumption intentions. *J Consumer Res.* 2007; 34:301–14. Note: The legitimacy of Brian Wansink's research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
1280. Soman D, Cheema A. When goals are counterproductive: the effects of violation of a behavioral goal on subsequent performance. *J Consumer Res.* 2004; 31(1):52–62.
1281. Cochran W, Tesser A. The «what the hell» effect: some effects of goal proximity and goal framing on performance. In: Martin LL, Tesser A, eds. *Striving and Feeling: Interactions Among Goals, Affect, and Self-Regulation*. Hillsdale, NJ: Lawrence Erlbaum Associates, Inc.; 1996:99–120.
1282. Cochran W, Tesser A. The «what the hell» effect: some effects of goal proximity and goal framing on performance. In: Martin LL, Tesser A, eds. *Striving and Feeling: Interactions Among Goals, Affect, and Self-Regulation*. Hillsdale, NJ: Lawrence Erlbaum Associates, Inc.; 1996:99–120.
1283. Prinsen S, Evers C, de Ridder D. Oops I did it again: examining self-licensing effects in a subsequent self-regulation dilemma. *Appl Psychol Health Well Being.* 2016; 8(1):104–26.
1284. Lee JM, Chen SH, Hsieh CJ. Does perceived safety of light cigarette encourage smokers to smoke more or to inhale more deeply? *Int J Public Health.* 2008; 53(5):236–44.
1285. Hennecke M, Freund AM. Identifying success on the process level reduces negative effects of prior weight loss on subsequent weight loss during a low-calorie diet. *Appl Psychol Health Well Being.* 2014; 6(1):48–66.
1286. Blanken I, van de Ven N, Zeelenberg M. A meta-analytic review of moral licensing. *Pers Soc Psychol Bull.* 2015; 41(4):540–58.
1287. Mazar N, Zhong CB. Do green products make us better people? *Psychol Sci.* 2010; 21(4):494–8.
1288. Effron DA, Conway P. When virtue leads to villainy: advances in research on moral self-licensing. *Curr Opin Psychol.* 2015; 6:32–5.
1289. Effron DA, Monin B, Miller DT. The unhealthy road not taken: licensing indulgence by exaggerating counterfactual sins. *J Exp Soc Psychol.* 2013; 49(3):573–8.
1290. Khan U, Dhar R. Where there is a way, is there a will? The effect of future choices on self-control. *J Exp Psychol Gen.* 2007; 136(2):277–88.
1291. Khan U, Dhar R. Where there is a way, is there a will? The effect of future choices on self-control. *J Exp Psychol Gen.* 2007; 136(2):277–88.

1292. Prinsen S, Dohle S, Evers C, de Ridder DTD, Hofmann W. Introducing functional and dysfunctional self-licensing: associations with indices of (un)successful dietary regulation. *J Pers.* 2019; 87(5):934–47.
1293. Pogue D. Technology’s friction problem. Make buying, voting and losing weight easier by blasting away unnecessary steps. *Sci Am.* 2012; 306(4):28.
1294. Sciamanna CN, Kiernan M, Rolls BJ, et al. Practices associated with weight loss versus weight-loss maintenance results of a national survey. *Am J Prev Med.* 2011; 41(2):159–66.
1295. Chang T, Ravi N, Plegue MA, Sonnevile KR, Davis MM. Inadequate hydration, BMI, and obesity among US adults: NHANES 2009–2012. *Ann Fam Med.* 2016; 14(4):320–4.
1296. Muckelbauer R, Barbosa CL, Mittag T, Burkhardt K, Mikelaishvili N, Müller-Nordhorn J. Association between water consumption and body weight outcomes in children and adolescents: a systematic review. *Obesity (Silver Spring).* 2014; 22(12):2462–75.
1297. Joiner BL. Lurking variables: some examples. *Am Stat.* 1981; 35(4):227–33.
1298. An R, McCaffrey J. Plain water consumption in relation to energy intake and diet quality among US adults, 2005–2012. *J Hum Nutr Diet.* 2016; 29(5):624–32.
1299. Stookey JJD. Negative, null and beneficial effects of drinking water on energy intake, energy expenditure, fat oxidation and weight change in randomized trials: a qualitative review. *Nutrients.* 2016; 8(1):19.
1300. Fresán U, Gea A, Bes-Rastrollo M, Ruiz-Canela M, Martínez-Gonzalez MA. Substitution models of water for other beverages, and the incidence of obesity and weight gain in the SUN cohort. *Nutrients.* 2016; 8(11):688.
1301. Wang YC, Ludwig DS, Sonnevile K, Gortmaker SL. Impact of change in sweetened caloric beverage consumption on energy intake among children and adolescents. *Arch Pediatr Adolesc Med.* 2009; 163(4):336–43.
1302. Pan A, Malik VS, Hao T, Willett WC, Mozaffarian D, Hu FB. Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *Int J Obes (Lond).* 2013; 37(10):1378–85.
1303. Stookey JD, Constant F, Popkin BM, Gardner CD. Drinking water is associated with weight loss in overweight dieting women independent of diet and activity. *Obesity (Silver Spring).* 2008; 16(11):2481–8.
1304. Leung CW, DiMatteo SG, Gosliner WA, Ritchie LD. Sugar-sweetened beverage and water intake in relation to diet quality in U.S. children. *Am J Prev Med.* 2018; 54(3):394–402.
1305. Goodman AB, Blanck HM, Sherry B, Park S, Nebeling L, Yaroch AL. Behaviors and attitudes associated with low drinking water intake among US adults, Food Attitudes and Behaviors Survey, 2007. *Prev Chronic Dis.* 2013; 10:E51.

1306. Kant AK, Graubard BI. Contributors of water intake in US children and adolescents: associations with dietary and meal characteristics—National Health and Nutrition Examination Survey 2005–2006. *Am J Clin Nutr.* 2010; 92(4):887–96.
1307. Pan A, Malik VS, Hao T, Willett WC, Mozaffarian D, Hu FB. Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *Int J Obes (Lond).* 2013; 37(10):1378–85.
1308. Maffeis C, Tommasi M, Tomasselli F, et al. Fluid intake and hydration status in obese vs normal weight children. *Eur J Clin Nutr.* 2016; 70(5):560–5.
1309. Carretero-Gómez J, Arévalo Lorido JC, Gómez Huelgas R, et al. Hydration and obesity among outpatient-based population: H2Ob study. *J Investig Med.* 2018; 66(4):780–3.
1310. Rosinger AY, Lawman HG, Akinbami LJ, Ogden CL. The role of obesity in the relation between total water intake and urine osmolality in US adults, 2009–2012. *Am J Clin Nutr.* 2016; 104(6):1554–61.
1311. Chang T, Ravi N, Plegue MA, Sonnevile KR, Davis MM. Inadequate hydration, BMI, and obesity among US adults: NHANES 2009–2012. *Ann Fam Med.* 2016; 14(4):320–4.
1312. Stookey JD, Constant F, Popkin BM, Gardner CD. Drinking water is associated with weight loss in overweight dieting women independent of diet and activity. *Obesity (Silver Spring).* 2008; 16(11):2481–8.
1313. Wong JMW, Ebbeling CB, Robinson L, Feldman HA, Ludwig DS. Effects of advice to drink 8 cups of water per day in adolescents with overweight or obesity: a randomized clinical trial. *JAMA Pediatr.* 2017; 171(5):e170012.
1314. Stookey JD, Del Toro R, Hamer J, et al. Qualitative and/or quantitative drinking water recommendations for pediatric obesity treatment. *J Obes Weight Loss Ther.* 2014; 4(4):232.
1315. Muckelbauer R, Libuda L, Clausen K, Toschke AM, Reinehr T, Kersting M. Promotion and provision of drinking water in schools for overweight prevention: randomized, controlled cluster trial. *Pediatrics.* 2009; 123(4):e661–7.
1316. Schwartz AE, Leardo M, Aneja S, Elbel B. Effect of a school-based water intervention on child body mass index and obesity. *JAMA Pediatr.* 2016; 170(3):220–6.
1317. Turner L, Hager E. The power of a simple intervention to improve student health: just add water. *JAMA Pediatr.* 2016; 170(3):199–200.
1318. Schwartz AE, Leardo M, Aneja S, Elbel B. Effect of a school-based water intervention on child body mass index and obesity. *JAMA Pediatr.* 2016; 170(3):220–6.
1319. Stookey JD. Under what conditions do water-intervention studies significantly improve child body weight? *Ann Nutr Metab.* 2017; 70 Suppl 1:62–7.
1320. Larnkjaer A, Arnberg K, Michaelsen KF, Jensen SM, Mølgaard C. Effect of increased intake of skimmed milk, casein, whey or water on body composition and leptin in overweight adolescents: a randomized trial. *Pediatr Obes.* 2015; 10(6):461–7.

1321. Larnkjaer A, Arnberg K, Michaelsen KF, Jensen SM, Mølgaard C. Effect of increased intake of skimmed milk, casein, whey or water on body composition and leptin in overweight adolescents: a randomized trial. *Pediatr Obes.* 2015; 10(6):461–7.
1322. Arnberg K, Mølgaard C, Michaelsen KF, Jensen SM, Trolle E, Larnkjær A. Skim milk, whey, and casein increase body weight and whey and casein increase the plasma C-peptide concentration in overweight adolescents. *J Nutr.* 2012; 142(12):2083–90.
1323. Liljeberg Elmståhl H, Björck I. Milk as a supplement to mixed meals may elevate postprandial insulinaemia. *Eur J Clin Nutr.* 2001; 55(11):994–9.
1324. Stookey JJ. Negative, null and beneficial effects of drinking water on energy intake, energy expenditure, fat oxidation and weight change in randomized trials: a qualitative review. *Nutrients.* 2016; 8(1):19.
1325. Keller U, Szinnai G, Bilz S, Berneis K. Effects of changes in hydration on protein, glucose and lipid metabolism in man: impact on health. *Eur J Clin Nutr.* 2003; 57 Suppl 2:S69–74.
1326. Jones BH, Standridge MK, Moustaid N. Angiotensin II increases lipogenesis in 3T3-L1 and human adipose cells. *Endocrinology.* 1997; 138(4):1512–9.
1327. Saiki A, Ohira M, Endo K, et al. Circulating angiotensin II is associated with body fat accumulation and insulin resistance in obese subjects with type 2 diabetes mellitus. *Metab Clin Exp.* 2009; 58(5):708–13.
1328. Thornton SN. Increased hydration can be associated with weight loss. *Front Nutr.* 2016; 3:18.
1329. Mao S, Huang S. A meta-analysis of the association between angiotensin-converting enzyme insertion/deletion gene polymorphism and the risk of overweight/obesity. *J Renin Angiotensin Aldosterone Syst.* 2015; 16(3):687–94.
1330. Onufrak SJ, Park S, Sharkey JR, Sherry B. The relationship of perceptions of tap water safety with intake of sugar-sweetened beverages and plain water among US adults. *Public Health Nutr.* 2014; 17(1):179–85.
1331. Saleh MA, Abdel-Rahman FH, Woodard BB, et al. Chemical, microbial and physical evaluation of commercial bottled waters in greater Houston area of Texas. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 2008; 43(4):335–47.
1332. Hrudey SE. Chlorination disinfection by-products, public health risk tradeoffs and me. *Water Res.* 2009; 43(8):2057–92.
1333. Hrudey SE. Chlorination disinfection by-products, public health risk tradeoffs and me. *Water Res.* 2009; 43(8):2057–92.
1334. Hrudey SE. Chlorination disinfection by-products, public health risk tradeoffs and me. *Water Res.* 2009; 43(8):2057–92.
1335. Villanueva CM, Fernández F, Malats N, Grimalt JO, Kogevinas M. Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer. *J Epidemiol Community Health.* 2003; 57(3):166–73.

1336. Hwang BF, Jaakkola JJ. Water chlorination and birth defects: a systematic review and meta-analysis. *Arch Environ Health*. 2003; 58(2):83–91.
1337. Hrudey SE. Chlorination disinfection by-products, public health risk tradeoffs and me. *Water Res*. 2009; 43(8):2057–92.
1338. Villanueva CM, Fernández F, Malats N, Grimalt JO, Kogevinas M. Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer. *J Epidemiol Community Health*. 2003; 57(3):166–73.
1339. Odom R, Regli S, Messner M, Cromwell J, Javdan M. Benefit-cost analysis of the Stage 1 D/DBP Rule. *J Am Water Works Assoc*. 1999; 91(4):137–47.
1340. Grellier J, Rushton L, Briggs DJ, Nieuwenhuijsen MJ. Assessing the human health impacts of exposure to disinfection by-products—a critical review of concepts and methods. *Environ Int*. 2015; 78:61–81.
1341. Villanueva CM, Fernández F, Malats N, Grimalt JO, Kogevinas M. Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer. *J Epidemiol Community Health*. 2003; 57(3):166–73.
1342. Stalter D, O'Malley E, von Gunten U, Escher B. Point-of-use water filters can effectively remove disinfection by-products and toxicity from chlorinated and chloraminated tap water. *Environ Sci Water Res Technol*. 2016; 2(5):875–83.
1343. Anumol T, Clarke BO, Merel S, Snyder SA. Point-of-use devices for attenuation of trace organic compounds in water. *J Am Water Works Assoc*. 2015; 107(9):E474–85.
1344. Anumol T, Clarke BO, Merel S, Snyder SA. Point-of-use devices for attenuation of trace organic compounds in water. *J Am Water Works Assoc*. 2015; 107(9):E474–85.
1345. Weinberg HS, Pereira VRPJ, Singer PC, Savitz DA. Considerations for improving the accuracy of exposure to disinfection by-products by ingestion in epidemiologic studies. *Sci Total Environ*. 2006; 354(1):35–42.
1346. Stalter D, O'Malley E, von Gunten U, Escher B. Point-of-use water filters can effectively remove disinfection by-products and toxicity from chlorinated and chloraminated tap water. *Environ Sci Water Res Technol*. 2016; 2(5):875–83.
1347. Anumol T, Clarke BO, Merel S, Snyder SA. Point-of-use devices for attenuation of trace organic compounds in water. *J Am Water Works Assoc*. 2015; 107(9):E474–85.
1348. Stalter D, O'Malley E, von Gunten U, Escher B. Point-of-use water filters can effectively remove disinfection by-products and toxicity from chlorinated and chloraminated tap water. *Environ Sci Water Res Technol*. 2016; 2(5):875–83.
1349. McKenzie AL, Muñoz CX, Armstrong LE. Accuracy of urine color to detect equal to or greater than 2% body mass loss in men. *J Athl Train*. 2015; 50(12):1306–9.
1350. Perrier ET, Johnson EC, McKenzie AL, Ellis LA, Armstrong LE. Urine colour change as an indicator of change in daily water intake: a quantitative analysis. *Eur J Nutr*. 2016; 55(5):1943–9.

1351. McKenzie AL, Armstrong LE. Monitoring body water balance in pregnant and nursing women: the validity of urine color. *Ann Nutr Metab.* 2017; 70 Suppl 1:18–22.
1352. Ellis LA, Yates BA, McKenzie AL, Muñoz CX, Casa DJ, Armstrong LE. Effects of three oral nutritional supplements on human hydration indices. *Int J Sport Nutr Exerc Metab.* 2016; 26(4):356–62.
1353. Kenefick RW, Heavens KR, Dennis WE, et al. Quantification of chromatographic effects of vitamin B supplementation in urine and implications for hydration assessment. *J Appl Physiol.* 2015; 119(2):110–5.
1354. Institute of Medicine. *Dietary Reference Intakes: The Essential Guide to Nutrient Requirements.* Washington, D.C.: National Academies Press; 2006.
1355. Rosner MH. Preventing deaths due to exercise-associated hyponatremia: the 2015 Consensus Guidelines. *Clin J Sport Med.* 2015; 25(4):301–2.
1356. Institute of Medicine. *Dietary Reference Intakes: The Essential Guide to Nutrient Requirements.* Washington, D.C.: National Academies Press; 2006.
1357. Shivappa N, Steck SE, Hurley TG, Hussey JR, Hébert JR. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr.* 2014; 17(8):1689–96.
1358. Barbaresko J, Koch M, Schulze MB, Nöthlings U. Dietary pattern analysis and biomarkers of low-grade inflammation: a systematic literature review. *Nutr Rev.* 2013; 71(8):511–27.
1359. Eichelmann F, Schwingshackl L, Fedirko V, Aleksandrova K. Effect of plant-based diets on obesity-related inflammatory profiles: a systematic review and meta-analysis of intervention trials. *Obes Rev.* 2016; 17(11):1067–79.
1360. Agricultural Research Service, United States Department of Agriculture. Nutrients: 22:6 n-3 (DHA)(g) ; 20:5 n-3 (EPA)(g) Food groups: finfish and shellfish products. USDA Food Composition Databases. Publicado en 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/nutrients/report/nutrientsfrm?max=25&offset=0&totalCount=0&nutrient1=621&nutrient2=629&nutrient3=&fg=15&subset=0&sort=c&measureby=g>. Acceso: agosto, 24, 2018.
1361. Buoite Stella A, Gortan Cappellari G, Barazzoni R, Zanetti M. Update on the impact of omega 3 fatty acids on inflammation, insulin resistance and sarcopenia: a review. *Int J Mol Sci.* 2018; 19(1):218.
1362. Du S, Jin J, Fang W, Su Q. Does fish oil have an anti-obesity effect in overweight/obese adults? A meta-analysis of randomized controlled trials. *PLoS ONE.* 2015; 10(11):e0142652.
1363. Sutcliffe JT, Wilson LD, de Heer HD, Foster RL, Carnot MJ. C-reactive protein response to a vegan lifestyle intervention. *Complement Ther Med.* 2015; 23(1):32–7.

1364. Macknin M, Kong T, Weier A, et al. Plant-based, no-added-fat or American Heart Association diets: impact on cardiovascular risk in obese children with hypercholesterolemia and their parents. *J Pediatr*. 2015; 166(4):953–9.e1–3.
1365. Turner-McGrievy GM, Wirth MD, Shivappa N, et al. Randomization to plant-based dietary approaches leads to larger short-term improvements in Dietary Inflammatory Index scores and macronutrient intake compared with diets that contain meat. *Nutr Res*. 2015; 35(2):97–106.
1366. Hosseinpour-Niazi S, Mirmiran P, Fallah-Ghohroudi A, Azizi F. Non-soya legume-based therapeutic lifestyle change diet reduces inflammatory status in diabetic patients: a randomised cross-over clinical trial. *Br J Nutr*. 2015; 114(2):213–9.
1367. Watzl B, Kulling SE, Möseneder J, Barth SW, Bub A. A 4-wk intervention with high intake of carotenoid-rich vegetables and fruit reduces plasma C-reactive protein in healthy, nonsmoking men. *Am J Clin Nutr*. 2005; 82(5):1052–8.
1368. Lee-Kwan SH, Moore LV, Blanck HM, Harris DM, Galuska D. Disparities in state-specific adult fruit and vegetable consumption—United States, 2015. *MMWR Morb Mortal Wkly Rep*. 2017; 66:1241–7.
1369. Kopf JC, Suhr MJ, Clarke J, et al. Role of whole grains versus fruits and vegetables in reducing subclinical inflammation and promoting gastrointestinal health in individuals affected by overweight and obesity: a randomized controlled trial. *Nutr J*. 2018; 17(1):72.
1370. Vincent HK, Innes KE, Vincent KR. Oxidative stress and potential interventions to reduce oxidative stress in overweight and obesity. *Diabetes Obes Metab*. 2007; 9(6):813–39.
1371. Ryan BJ, Nissim A, Winyard PG. Oxidative post-translational modifications and their involvement in the pathogenesis of autoimmune diseases. *Redox Biol*. 2014; 2:715–24.
1372. Jeszka-Skowron M, Zgoła-Grześkowiak A, Stanisz E, Waskiewicz A. Potential health benefits and quality of dried fruits: goji fruits, cranberries and raisins. *Food Chem*. 2017; 221:228–36.
1373. Wang S, Suh JH, Zheng X, Wang Y, Ho CT. Identification and quantification of potential anti-inflammatory hydroxycinnamic acid amides from wolfberry. *J Agric Food Chem*. 2017; 65(2):364–72.
1374. Wu WB, Hung DK, Chang FW, Ong ET, Chen BH. Anti-inflammatory and anti-angiogenic effects of flavonoids isolated from *Lycium barbarum* Linnaeus on human umbilical vein endothelial cells. *Food Funct*. 2012; 3(10):1068–81.
1375. Oh YC, Cho WK, Im GY, et al. Anti-inflammatory effect of Lycium Fruit water extract in lipopolysaccharide-stimulated RAW 264.7 macrophage cells. *Int Immunopharmacol*. 2012; 13(2):181–9.
1376. Lee YJ, Ahn Y, Kwon O, et al. Dietary wolfberry extract modifies oxidative stress by controlling the expression of inflammatory mRNAs in overweight and hypercholesterolemic subjects: a randomized, double-blind, placebo-controlled trial. *J Agric Food Chem*. 2017; 65(2):309–16.

1377. Vidal K, Bucheli P, Gao Q, et al. Immunomodulatory effects of dietary supplementation with a milk-based wolfberry formulation in healthy elderly: a randomized, double-blind, placebo-controlled trial. *Rejuvenation Res.* 2012; 15(1):89–97.
1378. Hsu CH, Nance DM, Amagase H. A meta-analysis of clinical improvements of general well-being by a standardized *Lycium barbarum*. *J Med Food.* 2012; 15(11):1006–14.
1379. *Burge v. Freelif International, Inc*, CV 09-1159 (D. Ariz. 2009).
1380. De Souza Zanchet MZ, Nardi GM, de Oliveira Souza Bratti L, Filippin-Monteiro FB, Locatelli C. *Lycium barbarum* reduces abdominal fat and improves lipid profile and antioxidant status in patients with metabolic syndrome. *Oxid Med Cell Longev.* 2017; 2017:9763210.
1381. Agricultural Research Service, United States Department of Agriculture. Full report (all nutrients): 45243476, goji berries, UPC: 760286615304. USDA Branded Food Products Database. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/45243476>. Acceso: abril, 17, 2019.
1382. De Souza Zanchet MZ, Nardi GM, de Oliveira Souza Bratti L, Filippin-Monteiro FB, Locatelli C. *Lycium barbarum* reduces abdominal fat and improves lipid profile and antioxidant status in patients with metabolic syndrome. *Oxid Med Cell Longev.* 2017; 2017:9763210.
1383. Bays H, Weiter K, Anderson J. A randomized study of raisins versus alternative snacks on glycemic control and other cardiovascular risk factors in patients with type 2 diabetes mellitus. *Phys Sportsmed.* 2015; 43(1):37–43.
1384. Bentley J. Potatoes and tomatoes account for over half of U.S. vegetable availability. Economic Research Service, United States Department of Agriculture. Publicado en septiembre, 8, 2015. Disponible en: <https://www.ers.usda.gov/amber-waves/2015/september/potatoes-and-tomatoes-account-for-over-half-of-us-vegetable-availability>. Acceso: abril, 17, 2019.
1385. Kim YI, Mohri S, Hirai S, et al. Tomato extract suppresses the production of proinflammatory mediators induced by interaction between adipocytes and macrophages. *Biosci Biotechnol Biochem.* 2015; 79(1):82–7.
1386. Colmán-Martínez M, Martínez-Huélamo M, Valderas-Martínez P, et al. *trans*-Lycopene from tomato juice attenuates inflammatory biomarkers in human plasma samples: an intervention trial. *Mol Nutr Food Res.* 2017; 61(11).
1387. Ghavipour M, Saedisomeolia A, Djalali M, et al. Tomato juice consumption reduces systemic inflammation in overweight and obese females. *Br J Nutr.* 2013; 109(11):2031–5.
1388. Biddle MJ, Lennie TA, Bricker GV, Kopec RE, Schwartz SJ, Moser DK. Lycopene dietary intervention: a pilot study in patients with heart failure. *J Cardiovasc Nurs.* 2015; 30(3):205–12.
1389. Xaplanteris P, Vlachopoulos C, Pietri P, et al. Tomato paste supplementation improves endothelial dynamics and reduces plasma total oxidative status in healthy subjects. *Nutr Res.* 2012; 32(5):390–4.

1390. Burton-Freeman B, Talbot J, Park E, Krishnankutty S, Edirisinghe I. Protective activity of processed tomato products on postprandial oxidation and inflammation: a clinical trial in healthy weight men and women. *Mol Nutr Food Res*. 2012; 56(4):622–31.
1391. Krasinska B, Osińska A, Osinski M, et al. Standardised tomato extract as an alternative to acetylsalicylic acid in patients with primary hypertension and high cardiovascular risk—a randomised, controlled trial. *Arch Med Sci*. 2018; 14(4):773–80.
1392. Ghavipour M, Saedisomeolia A, Djalali M, et al. Tomato juice consumption reduces systemic inflammation in overweight and obese females. *Br J Nutr*. 2013; 109(11):2031–5.
1393. Mohri S, Takahashi H, Sakai M, et al. Wide-range screening of anti-inflammatory compounds in tomato using LC-MS and elucidating the mechanism of their functions. *PLoS ONE*. 2018; 13(1):e0191203.
1394. Markovits N, Ben Amotz A, Levy Y. The effect of tomato-derived lycopene on low carotenoids and enhanced systemic inflammation and oxidation in severe obesity. *Isr Med Assoc J*. 2009; 11(10):598–601.
1395. Hirose A, Terauchi M, Tamura M, et al. Tomato juice intake increases resting energy expenditure and improves hypertriglyceridemia in middle-aged women: an open-label, single-arm study. *Nutr J*. 2015; 14:34.
1396. Li YF, Chang YY, Huang HC, Wu YC, Yang MD, Chao PM. Tomato juice supplementation in young women reduces inflammatory adipokine levels independently of body fat reduction. *Nutrition*. 2015; 31(5):691–6.
1397. George T, Sharma V, Methven L, Lovegrove J. The effects of enriching white bread with vegetables on measures of hunger in young women. *Proc Nutr Soc*. 2010; 69(OCE1).
1398. Vinha AF, Barreira SV, Costa AS, Alves RC, Oliveira MB. Pre-meal tomato (*Lycopersicon esculentum*) intake can have anti-obesity effects in young women? *Int J Food Sci Nutr*. 2014; 65(8):1019–26.
1399. United States Department of Agriculture. Tomatoes, fresh. Household USDA Foods Fact Sheet. Publicado en octubre, 2012. Disponible en: [https://whatscooking.fns.usda.gov/sites/default/files/factsheets/HHFS\\_TOMATOES\\_FRESH\\_Oct2012.pdf](https://whatscooking.fns.usda.gov/sites/default/files/factsheets/HHFS_TOMATOES_FRESH_Oct2012.pdf). Acceso: abril, 17, 2019.
1400. Conceição de Oliveira M, Sichiari R, Sanchez Moura A. Weight loss associated with a daily intake of three apples or three pears among overweight women. *Nutrition*. 2003; 19(3):253–6.
1401. Shivappa N, Steck SE, Hurley TG, Hussey JR, Hébert JR. Designing and developing a literature-derived, population-based dietary inflammatory index. *Public Health Nutr*. 2014; 17(8):1689–96.
1402. Allijn IE, Vaessen SF, Quarles van Ufford LC, et al. Head-to-head comparison of anti-inflammatory performance of known natural products in vitro. *PLoS ONE*. 2016; 11(5):e0155325.

1403. Daily JW, Yang M, Park S. Efficacy of turmeric extracts and curcumin for alleviating the symptoms of joint arthritis: a systematic review and meta-analysis of randomized clinical trials. *J Med Food*. 2016; 19(8):717–29.
1404. Abidi A, Gupta S, Agarwal M, Bhalla HL, Saluja M. Evaluation of efficacy of curcumin as an add-on therapy in patients of bronchial asthma. *J Clin Diagn Res*. 2014; 8(8):HC19–24.
1405. Panahi Y, Sahebkar A, Parvin S, Saadat A. A randomized controlled trial on the anti-inflammatory effects of curcumin in patients with chronic sulphur mustard-induced cutaneous complications. *Ann Clin Biochem*. 2012; 49(Pt 6):580–8.
1406. Garg SK, Ahuja V, Sankar MJ, Kumar A, Moss AC. Curcumin for maintenance of remission in ulcerative colitis. *Cochrane Database Syst Rev*. 2012; 10:CD008424.
1407. Khajehdehi P, Zanjanejad B, Aflaki E, et al. Oral supplementation of turmeric decreases proteinuria, hematuria, and systolic blood pressure in patients suffering from relapsing or refractory lupus nephritis: a randomized and placebo-controlled study. *J Ren Nutr*. 2012; 22(1):50–7.
1408. Vors C, Couillard C, Paradis ME, et al. Supplementation with resveratrol and curcumin does not affect the inflammatory response to a high-fat meal in older adults with abdominal obesity: a randomized, placebo-controlled crossover trial. *J Nutr*. 2018; 148(3):379–88.
1409. Derosa G, Maffioli P, Simental-Mendía LE, Bo S, Sahebkar A. Effect of curcumin on circulating interleukin-6 concentrations: a systematic review and meta-analysis of randomized controlled trials. *Pharmacol Res*. 2016; 111:394–404.
1410. Sahebkar A, Cicero AFG, Simental-Mendía LE, Aggarwal BB, Gupta SC. Curcumin downregulates human tumor necrosis factor- $\alpha$  levels: a systematic review and meta-analysis of randomized controlled trials. *Pharmacol Res*. 2016; 107:234–42.
1411. Haldar S, Lim J, Chia SC, Ponnalagu S, Henry CJ. Effects of two doses of curry prepared with mixed spices on postprandial ghrelin and subjective appetite responses—a randomized controlled crossover trial. *Foods*. 2018; 7(4):47.
1412. Shao W, Yu Z, Chiang Y, et al. Curcumin prevents high fat diet induced insulin resistance and obesity via attenuating lipogenesis in liver and inflammatory pathway in adipocytes. *PLoS ONE*. 2012; 7(1):e28784.
1413. Hariri M, Haghightadost F. Effect of curcumin on anthropometric measures: a systematic review on randomized clinical trials. *J Am Coll Nutr*. 2018; 37(3):215–22.
1414. Kohl A, Gögebakan O, Möhlig M, et al. Increased interleukin-10 but unchanged insulin sensitivity after 4 weeks of (1, 3)(1, 6)- $\beta$ -glucan consumption in overweight humans. *Nutr Res*. 2009; 29(4):248–54.
1415. Yenidogan E, Akgul GG, Gulcelik MA, Dinc S, Colakoglu MK, Kayaoglu HA. Effect of  $\beta$ -glucan on drain fluid and amount of drainage following modified radical mastectomy. *Adv Ther*. 2014; 31(1):130–9.

1416. Talbott SM, Talbott JA, Talbott TL, Dingler E.  $\beta$ -glucan supplementation, allergy symptoms, and quality of life in self-described ragweed allergy sufferers. *Food Sci Nutr*. 2013; 1(1):90–101.
1417. Mosikanon K, Arthan D, Kettawan A, Tungtrongchitr R, Prangthip P. Yeast  $\beta$ -glucan modulates inflammation and waist circumference in overweight and obese subjects. *J Diet Suppl*. 2017; 14(2):173–85.
1418. Santas J, Lázaro E, Cuñé J. Effect of a polysaccharide-rich hydrolysate from *Saccharomyces cerevisiae* (LipiGo®) in body weight loss: randomised, double-blind, placebo-controlled clinical trial in overweight and obese adults. *J Sci Food Agric*. 2017; 97(12):4250–7.
1419. Barclay GR, McKenzie H, Pennington J, Parratt D, Pennington CR. The effect of dietary yeast on the activity of stable chronic Crohn's disease. *Scand J Gastroenterol*. 1992; 27(3):196–200.
1420. Cannistrà C, Finocchi V, Trivisonno A, Tambasco D. New perspectives in the treatment of hidradenitis suppurativa: surgery and brewer's yeast-exclusion diet. *Surgery*. 2013; 154(5):1126–30.
1421. Ruder K. The Biggest Loser. Erik Chopin fought diabetes—and his demons—to win big on the hit television show. *Diabetes Forecast*. 2007:48–52.
1422. Sturm R. Increases in morbid obesity in the USA: 2000–2005. *Public Health*. 2007; 121(7):492–6.
1423. Marzocchi R, Cappellari D, Dalle Grave R, Marchesini G. Massive weight loss without surgery in a super obese patient. *Obes Surg*. 2011; 21(4):540–5.
1424. Applebaum M. Why diets fail—expert diet advice as a cause of diet failure. *Am Psychol*. 2008; 63(3):200–2.
1425. Wadden TA, Van Itallie TB, Blackburn GL. Responsible and irresponsible use of very-low-calorie diets in the treatment of obesity. *JAMA*. 1990; 263(1):83–5.
1426. Thomas DM, Gonzalez MC, Pereira AZ, Redman LM, Heymsfield SB. Time to correctly predict the amount of weight loss with dieting. *J Acad Nutr Diet*. 2014; 114(6):857–61.
1427. Guth E. Counting calories as an approach to achieve weight control. *JAMA*. 2018; 319(3):225–6.
1428. The best ways to cut calories from your diet. Mayo Clinic. Publicado en marzo, 28, 2018. Disponible en: <https://www.mayoclinic.org/healthy-lifestyle/weight-loss/in-depth/calories/art-20048065>. Acceso: abril, 17, 2019.
1429. United States Department of Health and Human Services. Overweight and obesity: what you can do. SurgeonGeneral.gov. Disponible en: [https://web.archive.org/web/20121014023446/http://www.surgeongeneral.gov/library/calls/obesity/fact\\_whatcanyoudo.html](https://web.archive.org/web/20121014023446/http://www.surgeongeneral.gov/library/calls/obesity/fact_whatcanyoudo.html). Acceso: abril, 17, 2019.
1430. Guth E. JAMA patient page. Healthy weight loss. *JAMA*. 2014; 312(9):974.
1431. Wishnofsky M. Caloric equivalents of gained or lost weight. *Am J Clin Nutr*. 1958; 6(5):542–6.

1432. Guo J, Brager DC, Hall KD. Simulating long-term human weight-loss dynamics in response to calorie restriction. *Am J Clin Nutr.* 2018; 107(4):558–65.
1433. National Institute of Diabetes and Digestive and Kidney Diseases. Body weight planner. National Institutes of Health. Disponible en: <https://www.niddk.nih.gov/bwp>. Acceso: abril, 17, 2019.
1434. Dulloo AG. Explaining the failures of obesity therapy: willpower attenuation, target miscalculation or metabolic compensation? *Int J Obes (Lond).* 2012; 36(11):1418–20.
1435. University of Texas M. D. Anderson Cancer Center. Obesity reversed in mice by destroying blood vessels that service fat cells. *ScienceDaily.* Publicado en mayo, 10, 2004. Disponible en: <https://www.sciencedaily.com/releases/2004/05/040510012211.htm>. Acceso: abril, 17, 2019.
1436. National Institute of Diabetes and Digestive and Kidney Diseases. Body weight planner. National Institutes of Health. Disponible en: <https://www.niddk.nih.gov/bwp>. Acceso: abril, 17, 2019.
1437. Thomas DM, Martin CK, Lettieri S, et al. Can a weight loss of one pound a week be achieved with a 3500-kcal deficit? Commentary on a commonly accepted rule. *Int J Obes (Lond).* 2013; 37(12):1611–3.
1438. Moyer VA. What we don't know can hurt our patients: physician innumeracy and overuse of screening tests. *Ann Intern Med.* 2012; 156(5):392–3.
1439. Counting calories in kids' meals. Fast Food Facts. Disponible en: [http://www.fastfoodmarketing.org/media/fastfoodfacts\\_kidsmealcalories.pdf](http://www.fastfoodmarketing.org/media/fastfoodfacts_kidsmealcalories.pdf). Acceso: agosto, 9, 2018.
1440. Freij MY, Sell RL, Bozack AK, Weiss LJ, Garcia AC. Modeling potential effects of reduced calories in kids' meals with toy giveaways. *Child Obes.* 2014; 10(1):58–63.
1441. Brown AW, Hall KD, Thomas D, Dhurandhar NV, Heymsfield SB, Allison DB. Order of magnitude misestimation of weight effects of children's meal policy proposals. *Child Obes.* 2014; 10(6):542–4.
1442. Retraction of «modeling potential effects of reduced calories in kids' meals with toy giveaways.» *Child Obes.* 2014; 10(6):546.
1443. Dulloo AG. Explaining the failures of obesity therapy: willpower attenuation, target miscalculation or metabolic compensation? *Int J Obes (Lond).* 2012; 36(11):1418–20.
1444. Redman LM, Heilbronn LK, Martin CK, et al. Metabolic and behavioral compensations in response to caloric restriction: implications for the maintenance of weight loss. *PLoS ONE.* 2009; 4(2):e4377.
1445. Hall KD. Metabolic adaptations to weight loss. *Obesity (Silver Spring).* 2018; 26(5):790–1.
1446. Schwartz A, Doucet E. Relative changes in resting energy expenditure during weight loss: a systematic review. *Obes Rev.* 2010; 11(7):531–47.

1447. Astrup A, Gøtzsche PC, Van de Werken K, et al. Meta-analysis of resting metabolic rate in formerly obese subjects. *Am J Clin Nutr.* 1999; 69(6):1117–22.
1448. Johannsen DL, Knuth ND, Huizenga R, Rood JC, Ravussin E, Hall KD. Metabolic slowing with massive weight loss despite preservation of fat-free mass. *J Clin Endocrinol Metab.* 2012; 97(7):2489–96.
1449. Fothergill E, Guo J, Howard L, et al. Persistent metabolic adaptation 6 years after «The Biggest Loser» competition. *Obesity (Silver Spring).* 2016; 24(8):1612–9.
1450. Knowler WC, Barrett-Connor E, Fowler SE, et al. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med.* 2002; 346(6):393–403.
1451. Klos LA, Greenleaf C, Paly N, Kessler MM, Shoemaker CG, Suchla EA. Losing weight on reality TV: a content analysis of the weight loss behaviors and practices portrayed on *The Biggest Loser*. *J Health Commun.* 2015; 20(6):639–46.
1452. Hall KD. Diet versus exercise in «The Biggest Loser» weight loss competition. *Obesity (Silver Spring).* 2013; 21(5):957–9.
1453. Hall KD. Diet versus exercise in «The Biggest Loser» weight loss competition. *Obesity (Silver Spring).* 2013; 21(5):957–9.
1454. Hall KD, Sacks G, Chandramohan D, et al. Quantification of the effect of energy imbalance on bodyweight. *Lancet.* 2011; 378(9793):826–37.
1455. Hall KD, Sacks G, Chandramohan D, et al. Quantification of the effect of energy imbalance on bodyweight. *Lancet.* 2011; 378(9793):826–37.
1456. Hall KD, Kahan S. Maintenance of lost weight and long-term management of obesity. *Med Clin North Am.* 2018; 102(1):183–97.
1457. Guo J, Brager DC, Hall KD. Simulating long-term human weight-loss dynamics in response to calorie restriction. *Am J Clin Nutr.* 2018; 107(4):558–65.
1458. Hall KD, Sacks G, Chandramohan D, et al. Quantification of the effect of energy imbalance on bodyweight. *Lancet.* 2011; 378(9793):826–37.
1459. Hall KD, Schoeller DA, Brown AW. Reducing calories to lose weight. *JAMA.* 2018; 319(22):2336–7.
1460. Hall KD, Schoeller DA, Brown AW. Reducing calories to lose weight. *JAMA.* 2018; 319(22):2336–7.
1461. Osborne TB, Mendel LB, Ferry EL. The effect of retardation of growth upon the breeding period and duration of life of rats. *Science.* 1917; 45(1160):294–5.
1462. Redman LM, Smith SR, Burton JH, Martin CK, Il'yasova D, Ravussin E. Metabolic slowing and reduced oxidative damage with sustained caloric restriction support the rate of living and oxidative damage theories of aging. *Cell Metab.* 2018; 27(4):805–15.e4.

1463. European hare (*Lepus europaeus*) longevity, ageing, and life history. Human Ageing Genomic Resources. Publicado en octubre, 14, 2017. Disponible en: [http://genomics.senescence.info/species/entry.php?species=Lepus\\_europaeus](http://genomics.senescence.info/species/entry.php?species=Lepus_europaeus). Acceso: abril, 17, 2019.
1464. Galapagos tortoise (*Chelonoidis nigra*) longevity, ageing, and life history. Human Ageing Genomic Resources. Publicado en 2018. Disponible en: [http://genomics.senescence.info/species/entry.php?species=Chelonoidis\\_nigra](http://genomics.senescence.info/species/entry.php?species=Chelonoidis_nigra). Acceso: agosto, 10, 2018.
1465. Civitarese AE, Carling S, Heilbronn LK, et al. Calorie restriction increases muscle mitochondrial biogenesis in healthy humans. *PLoS MED*. 2007; 4(3):e76.
1466. Redman LM, Smith SR, Burton JH, Martin CK, Il'yasova D, Ravussin E. Metabolic slowing and reduced oxidative damage with sustained caloric restriction support the rate of living and oxidative damage theories of aging. *Cell Metab*. 2018; 27(4):805–15.e4.
1467. Bourzac K. Interventions: live long and prosper. *Nature*. 2012; 492(7427):S18–20.
1468. Rebrin I, Forster MJ, Sohal RS. Association between life-span extension by caloric restriction and thiol redox state in two different strains of mice. *Free Radic Biol Med*. 2011; 51(1):225–33.
1469. Le Bourg E, Redman LM. Do-it-yourself calorie restriction: the risks of simplistically translating findings in animal models to humans. *Bioessays*. 2018; 40(9):e1800087.
1470. Dai DF, Chiao YA, Marcinek DJ, Szeto HH, Rabinovitch PS. Mitochondrial oxidative stress in aging and healthspan. *Longev Healthspan*. 2014; 3:6.
1471. Most J, Gilmore LA, Smith SR, Han H, Ravussin E, Redman LM. Significant improvement in cardiometabolic health in healthy nonobese individuals during caloric restriction–induced weight loss and weight loss maintenance. *Am J Physiol Endocrinol Metab*. 2018; 314(4):E396–405.
1472. Anderson RM, Le Couteur DG, de Cabo R. Caloric restriction research: new perspectives on the biology of aging. *J Gerontol A Biol Sci Med Sci*. 2017; 73(1):1–3.
1473. Most J, Gilmore LA, Smith SR, Han H, Ravussin E, Redman LM. Significant improvement in cardiometabolic health in healthy nonobese individuals during caloric restriction-induced weight loss and weight loss maintenance. *Am J Physiol Endocrinol Metab*. 2018; 314(4):E396–405.
1474. Ravussin E, Redman LM, Rochon J, et al. A 2-year randomized controlled trial of human caloric restriction: feasibility and effects on predictors of health span and longevity. *J Gerontol A Biol Sci Med Sci*. 2015; 70(9):1097–104.
1475. Das SK, Roberts SB, Bhapkar MV, et al. Body-composition changes in the Comprehensive Assessment of Long-term Effects of Reducing Intake of Energy (CALERIE)-2 study: a 2-y randomized controlled trial of calorie restriction in nonobese humans. *Am J Clin Nutr*. 2017; 105(4):913–27.

1476. Dirks AJ, Leeuwenburgh C. Caloric restriction in humans: potential pitfalls and health concerns. *Mech Ageing Dev.* 2006; 127(1):1–7.
1477. Martin CK, Bhapkar M, Pittas AG, et al. Effect of caloric restriction on mood, quality of life, sleep, and sexual function in healthy nonobese adults: the CALERIE 2 randomized clinical trial. *JAMA Intern Med.* 2016; 176(6):743–52.
1478. Das SK, Roberts SB, Bhapkar MV, et al. Body-composition changes in the Comprehensive Assessment of Long-term Effects of Reducing Intake of Energy (CALERIE)-2 study: a 2-y randomized controlled trial of caloric restriction in nonobese humans. *Am J Clin Nutr.* 2017; 105(4):913–27.
1479. Franklin JC, Scheile BC. Observations on human behavior in experimental semi-starvation and rehabilitation. *J Clin Psychol.* 1948; 4(1):28–45.
1480. Dulloo AG, Jacquet J, Montani JP. How dieting makes some fatter: from a perspective of human body composition autoregulation. *Proc Nutr Soc.* 2012; 71(3):379–89.
1481. Dulloo AG, Jacquet J, Montani JP. How dieting makes some fatter: from a perspective of human body composition autoregulation. *Proc Nutr Soc.* 2012; 71(3):379–89.
1482. Marlatt KL, Redman LM, Burton JH, Martin CK, Ravussin E. Persistence of weight loss and acquired behaviors 2 y after stopping a 2-y caloric restriction intervention. *Am J Clin Nutr.* 2017; 105(4):928–35.
1483. Kahathuduwa CN, Binks M, Martin CK, Dawson JA. Extended caloric restriction suppresses overall and specific food cravings: a systematic review and a meta-analysis. *Obes Rev.* 2017; 18(10):1122–35.
1484. Nicoll R, Henein MY. Caloric restriction and its effect on blood pressure, heart rate variability and arterial stiffness and dilatation: a review of the evidence. *Int J Mol Sci.* 2018; 19(3):751.
1485. Florian JP, Baisch FJ, Heer M, Pawelczyk JA. Caloric restriction decreases orthostatic tolerance independently from 6° head-down bedrest. *PLoS ONE.* 2015; 10(4):e0118812.
1486. Lu CC, Diedrich A, Tung CS, et al. Water ingestion as prophylaxis against syncope. *Circulation.* 2003; 108(21):2660–5.
1487. Most J, Gilmore LA, Smith SR, Han H, Ravussin E, Redman LM. Significant improvement in cardiometabolic health in healthy nonobese individuals during caloric restriction-induced weight loss and weight loss maintenance. *Am J Physiol Endocrinol Metab.* 2018; 314(4):E396–405.
1488. Das SK, Roberts SB, Bhapkar MV, et al. Body-composition changes in the Comprehensive Assessment of Long-term Effects of Reducing Intake of Energy (CALERIE)-2 study: a 2-y randomized controlled trial of caloric restriction in nonobese humans. *Am J Clin Nutr.* 2017; 105(4):913–27.
1489. Racette SB, Rochon J, Uhrich ML, et al. Effects of two years of caloric restriction on aerobic capacity and muscle strength. *Med Sci Sports Exerc.* 2017; 49(11):2240–9.

1490. Cava E, Yeat NC, Mittendorfer B. Preserving healthy muscle during weight loss. *Adv Nutr.* 2017; 8(3):511–9.
1491. Backx EM, Tieland M, Borgonjen-van den Berg KJ, Claessen PR, van Loon LJ, de Groot LC. Protein intake and lean body mass preservation during energy intake restriction in overweight older adults. *Int J Obes (Lond).* 2016; 40(2):299–304.
1492. Kim JE, O'Connor LE, Sands LP, Slebodnik MB, Campbell WW. Effects of dietary protein intake on body composition changes after weight loss in older adults: a systematic review and meta-analysis. *Nutr Rev.* 2016; 74(3):210–24.
1493. Cava E, Yeat NC, Mittendorfer B. Preserving healthy muscle during weight loss. *Adv Nutr.* 2017; 8(3):511–9.
1494. Smith GI, Yoshino J, Kelly SC, et al. High-protein intake during weight loss therapy eliminates the weight-loss-induced improvement in insulin action in obese postmenopausal women. *Cell Rep.* 2016; 17(3):849–61.
1495. Knuth ND, Johannsen DL, Tamboli RA, et al. Metabolic adaptation following massive weight loss is related to the degree of energy imbalance and changes in circulating leptin. *Obesity (Silver Spring).* 2014; 22(12):2563–9.
1496. Sardeli AV, Komatsu TR, Mori MA, Gáspari AF, Chacon-Mikahil MPT. Resistance training prevents muscle loss induced by caloric restriction in obese elderly individuals: a systematic review and meta-analysis. *Nutrients.* 2018; 10(4):423.
1497. Villareal DT, Fontana L, Weiss EP, et al. Bone mineral density response to caloric restriction–induced weight loss or exercise-induced weight loss: a randomized controlled trial. *Arch Intern Med.* 2006; 166(22):2502–10.
1498. Romashkan SV, Das SK, Villareal DT, et al. Safety of two-year caloric restriction in non-obese healthy individuals. *Oncotarget.* 2016; 7(15):19124–33.
1499. Tufan F, Soyuk O, Karan MA. Healthy behaviors potentially due to caloric restriction. *JAMA Intern Med.* 2016; 176(11):1724.
1500. Collier R. Intermittent fasting: the next big weight loss fad. *CMAJ.* 2013; 185(8):E321–2.
1501. Stewart WK, Fleming LW, Robertson PC. Massive obesity treated by intermittent fasting. A metabolic and clinical study. *Am J Med.* 1966; 40(6):967–86.
1502. Johnstone AM. Fasting—the ultimate diet? *Obes Rev.* 2007; 8(3):211–22.
1503. Follin O, Denis W. On starvation and obesity, with special reference to acidosis. *J Biol Chem.* 1915; 21:181–92.
1504. Stewart WK, Fleming LW. Features of a successful therapeutic fast of 382 days' duration. *Postgrad Med J.* 1973; 49(569):203–9.
1505. Stewart WK, Fleming LW. Features of a successful therapeutic fast of 382 days' duration. *Postgrad Med J.* 1973; 49(569):203–9.
1506. Karns R. «Dramatic» treatment for obesity: diseased patients test starvation diet. *JAMA.* 1966; 197(1):22,31.

1507. Thomson TJ, Runcie J, Miller V. Treatment of obesity by total fasting for up to 249 days. *Lancet*. 1966; 2(7471):992–6.
1508. Duncan GG, Jenson WK, Fraser RI, Cristofori FC. Correction and control of intractable obesity. Practicable application of intermittent periods of total fasting. *JAMA*. 1962; 181:309–12.
1509. Harrison M. The long-term value of fasting in the treatment of obesity. *Lancet*. 1966; 288(7477):1340–2.
1510. Spencer IO. Death during therapeutic starvation for obesity. *Lancet*. 1968; 1(7555):1288–90.
1511. Duncan GG, Jenson WK, Fraser RI, Cristofori FC. Correction and control of intractable obesity. Practicable application of intermittent periods of total fasting. *JAMA*. 1962; 181:309–12.
1512. Silverstone JT, Stark JE, Buckle RM. Hunger during total starvation. *Lancet*. 1966; 1(7451):1343–4.
1513. Karns R. «Dramatic» treatment for obesity: diseased patients test starvation diet. *JAMA*. 1966; 197(1):22,31.
1514. Duncan GG, Jenson WK, Fraser RI, Cristofori FC. Correction and control of intractable obesity. Practicable application of intermittent periods of total fasting. *JAMA*. 1962; 181:309–12.
1515. Thomson TJ, Runcie J, Miller V. Treatment of obesity by total fasting for up to 249 days. *Lancet*. 1966; 2(7471):992–6.
1516. Watkins E, Serpell L. The psychological effects of short-term fasting in healthy women. *Front Nutr*. 2016; 3:27.
1517. Appleton KM, Baker S. Distraction, not hunger, is associated with lower mood and lower perceived work performance on fast compared to non-fast days during intermittent fasting. *J Health Psychol*. 2015; 20(6):702–11.
1518. Michalsen A, Li C. Fasting therapy for treating and preventing disease—current state of evidence. *Forsch Komplementmed*. 2013; 20(6):444–53.
1519. Komaki G, Tamai H, Sumioki H, et al. Plasma beta-endorphin during fasting in man. *Horm Res*. 1990; 33(6):239–43.
1520. Michalsen A, Li C. Fasting therapy for treating and preventing disease—current state of evidence. *Forsch Komplementmed*. 2013; 20(6):444–53.
1521. MacCuish AC, Munro JF, Duncan LJ. Follow-up study of refractory obesity treated by fasting. *Br Med J*. 1968; 1(5584):91–2.
1522. Swanson DW, Dinello FA. Follow-up of patients starved for obesity. *Psychosom Med*. 1970; 32(2):209–14.
1523. Maagoe H, Mogensen EF. The effect of treatment on obesity. A follow-up investigation of a material treated with complete starvation. *Dan Med Bull*. 1970; 17(7):206–9.

1524. Duncan GG. Intermittent fasts in the correction and control of intractable obesity. *Trans Am Clin Climatol Assoc.* 1962; 74:121–9.
1525. Mayer J. Reducing by total fasting. *Postgrad Med.* 1964; 35:279–82.
1526. Harrison M. The long-term value of fasting in the treatment of obesity. *Lancet.* 1966; 2(7477):1340–2.
1527. Drenick EJ, Johnson D. Weight reduction by fasting and semistarvation in morbid obesity: long-term follow-up. *Int J Obes.* 1978; 2(2):123–32.
1528. Stunkard A, McLaren-Hume M. The results of treatment for obesity: a review of the literature and report of a series. *AMA Arch Intern Med.* 1959; 103(1):79–85.
1529. Innes J, Campbell I, Campbell C, Needle A, Munro J. Long-term follow-up of therapeutic starvation. *BMJ.* 1974; 2(5915):356–9.
1530. Innes J, Campbell I, Campbell C, Needle A, Munro J. Long-term follow-up of therapeutic starvation. *BMJ.* 1974; 2(5915):356–9.
1531. Sievers ML, Hendriks ME. Two weight-reduction programs among southwestern Indians. *Health Serv Rep.* 1972; 87(6):530–6.
1532. Casazza K, Fontaine KR, Astrup A, et al. Myths, presumptions, and facts about obesity. *N Engl J Med.* 2013; 368(5):446–54.
1533. Johnstone AM. Fasting—the ultimate diet? *Obes Rev.* 2007; 8(3):211–22.
1534. Johnson D. Therapeutic fasting in morbid obesity. *Arch Intern Med.* 1977; 137(10):1381–2.
1535. Munro JF, MacCuish AC, Goodall JA, Fraser J, Duncan LJ. Further experience with prolonged therapeutic starvation in gross refractory obesity. *Br Med J.* 1970; 4(5737):712–4.
1536. Beer AM, Ismar LE, Wessely DK, Pötschke T, Weidner B, Wiebelitz KR. Retrospective long-term comparison of naturopathic fasting therapy and weight reduction diet in overweight patients. *Evid Based Complement Alternat Med.* 2014; 2014:453407.
1537. Boschmann M, Michalsen A. Fasting therapy—old and new perspectives. *Forsch Komplementmed.* 2013; 20(6):410–1.
1538. Cahill GF. Survival in starvation. *Am J Clin Nutr.* 1998; 68(1):1–2.
1539. Owen OE, Smalley KJ, D’Alessio DA, Mozzoli MA, Dawson EK. Protein, fat, and carbohydrate requirements during starvation: anaplerosis and cataplerosis. *Am J Clin Nutr.* 1998; 68(1):12–34.
1540. Boschmann M, Michalsen A. Fasting therapy—old and new perspectives. *Forsch Komplementmed.* 2013; 20(6):410–1.
1541. Goldhamer A, Helms S, Salloum TK. Chapter 37: Fasting. In: Pizzorno J, Murray M, eds. *Textbook of Natural Medicine.* 4th ed. St. Louis, MO: Churchill Livingstone; 2013.      Disponible      en:      <https://brightlineeating.com/wp->

content/uploads/2017/08/Textbook-of-Natural-Medicine-4th-Edition-Chapter-37.pdf.  
Acceso: abril, 17, 2019.

1542. Hall KD. Quantitative physiology of human starvation: adaptations of energy expenditure, macronutrient metabolism and body composition. In: McCue MD, ed. *Comparative Physiology of Fasting, Starvation, and Food Limitation*. Berlin: Springer-Verlag Berlin Heidelberg; 2012:379–93.
1543. Ball MF, Canary JJ, Kyle LH. Comparative effects of caloric restriction and total starvation on body composition in obesity. *Ann Intern Med*. 1967; 67(1):60–7.
1544. Mayer J. Should you starve yourself thin? *Family Health/Today's Health*. 1977.
1545. Hodges RE, Hood J, Canham JE, Sauberlich HE, Baker EM. Clinical manifestations of ascorbic acid deficiency in man. *Am J Clin Nutr*. 1971; 24(4):432–43.
1546. Drenick EJ, Joven CB, Swendseid ME. Occurrence of acute Wernicke's encephalopathy during prolonged starvation for the treatment of obesity. *N Engl J Med*. 1966; 274(17):937–9.
1547. Hutcheon DA. Malnutrition-induced Wernicke's encephalopathy following a water-only fasting diet. *Nutr Clin Pract*. 2015; 30(1):92–9.
1548. Başoğlu M, Yetimlar Y, Gürgör N, et al. Neurological complications of prolonged hunger strike. *Eur J Neurol*. 2006; 13(10):1089–97.
1549. Goldhamer A, Helms S, Salloum TK. Chapter 37: Fasting. In: Pizzorno J, Murray M, eds. *Textbook of Natural Medicine*. 4th ed. St. Louis, MO: Churchill Livingstone; 2013. Disponible en: <https://brightlineeating.com/wp-content/uploads/2017/08/Textbook-of-Natural-Medicine-4th-Edition-Chapter-37.pdf>. Acceso: abril, 17, 2019.
1550. Sotaniemi KA, Kaarela K. Dry beriberi in a slimmer. *Br Med J*. 1977; 2(6103):1634–5.
1551. Devathanan G, Koh C. Wernicke's encephalopathy in prolonged fasting. *Lancet*. 1982; 2(8307):1108–9.
1552. Lana-Peixoto MA, Dos Santos EC, Pittella JE. Coma and death in unrecognized Wernicke's encephalopathy. An autopsy study. *Arq Neuropsiquiatr*. 1992; 50(3):329–33.
1553. Spencer IO. Death during therapeutic starvation for obesity. *Lancet*. 1968; 1(7555):1288–90.
1554. Drenick EJ. Death during therapeutic starvation. *Lancet*. 1968; 292(7567):573.
1555. Spencer IO. Death during therapeutic starvation for obesity. *Lancet*. 1968; 1(7555):1288–90.
1556. Kahan A, Porter AMW. Death during therapeutic starvation. *Lancet*. 1968; 291(7556):1378–9.
1557. Keys A. Caloric undernutrition and starvation, with notes on protein deficiency. *J Am Med Assoc*. 1948; 138(7):500–11.

1558. Leitner ZA. Fragmentation of cardiac myofibrils after therapeutic starvation. *Lancet*. 1969; 1(7605):1101.
1559. Garnett ES, Barnard DL, Ford J, Goodbody RA, Woodehouse MA. Gross fragmentation of cardiac myofibrils after therapeutic starvation for obesity. *Lancet*. 1969; 1(7601):914–6.
1560. Michalsen A, Li C. Fasting therapy for treating and preventing disease—current state of evidence. *Forsch Komplementmed*. 2013; 20(6):444–53.
1561. Schnitker MA, Mattman PE, Bliss TL. A clinical study of malnutrition in Japanese prisoners of war. *Ann Intern Med*. 1951; 35(1):69–96.
1562. Boateng AA, Sriram K, Meguid MM, Crook M. Refeeding syndrome: treatment considerations based on collective analysis of literature case reports. *Nutrition*. 2010; 26(2):156–67.
1563. Skipper A. Refeeding syndrome or refeeding hypophosphatemia: a systematic review of cases. *Nutr Clin Pract*. 2012; 27(1):34–40.
1564. Boateng AA, Sriram K, Meguid MM, Crook M. Refeeding syndrome: treatment considerations based on collective analysis of literature case reports. *Nutrition*. 2010; 26(2):156–67.
1565. Hopmann RFW, Brugnoli GP. Decomposition of the yellow form of thiamine. *Angew Chem*. 1981; 20(11):961–2.
1566. Van Zanten AR. How relevant is refeeding syndrome? *Neth J Med*. 2016; 74(3):102–3.
1567. Finnell JS, Saul BC, Goldhamer AC, Myers TR. Is fasting safe? A chart review of adverse events during medically supervised, water-only fasting. *BMC Complement Altern Med*. 2018; 18(1):67.
1568. Michalsen A, Li C. Fasting therapy for treating and preventing disease—current state of evidence. *Forsch Komplementmed*. 2013; 20(6):444–53.
1569. Finnell JS, Saul BC, Goldhamer AC, Myers TR. Is fasting safe? A chart review of adverse events during medically supervised, water-only fasting. *BMC Complement Altern Med*. 2018; 18(1):67.
1570. Longo VD, Mattson MP. Fasting: molecular mechanisms and clinical applications. *Cell Metab*. 2014; 19(2):181–92.
1571. Runcie J, Thomson TJ. Prolonged starvation—a dangerous procedure? *Br Med J*. 1970; 3(5720):432–5.
1572. Liu G, Slater N, Perkins A. Epilepsy: treatment options. *Am Fam Physician*. 2017; 96(2):87–96.
1573. Johnstone AM. Fasting—the ultimate diet? *Obes Rev*. 2007; 8(3):211–22.
1574. Duncan GG, Jenson WK, Fraser RI, Cristofori FC. Correction and control of intractable obesity. Practicable application of intermittent periods of total fasting. *JAMA*. 1962; 181:309–12.

1575. Brosnan JT. Comments on metabolic needs for glucose and the role of gluconeogenesis. *Eur J Clin Nutr.* 1999; 53 Suppl 1:S107–11.
1576. Kamel SK, Lin SH, Cheema-Dhadli S, Marliiss EB, Halperin ML. Prolonged total fasting: a feast for the integrative physiologist. *Kidney Int.* 1998; 53(3):531–9.
1577. Saudek CD, Felig P. The metabolic events of starvation. *Am J Med.* 1976; 60(1):117–26.
1578. Cahill GF. Survival in starvation. *Am J Clin Nutr.* 1998; 68(1):1–2.
1579. VanItallie TB, Nufert TH. Ketones: metabolism's ugly duckling. *Nutr Rev.* 2003; 61(10):327–41.
1580. Owen OE, Morgan AP, Kemp HG, Sullivan JM, Herrera MG, Cahill GF. Brain metabolism during fasting. *J Clin Invest.* 1967; 46(10):1589–95.
1581. Gibson AA, Seimon RV, Lee CM, et al. Do ketogenic diets really suppress appetite? A systematic review and meta-analysis. *Obes Rev.* 2015; 16(1):64–76.
1582. Duncan G, Cristofori F, Yue J, Murthy M. The control of obesity by intermittent fasts. *Med Clin North Am.* 1964; 48(5):1359–72.
1583. Wheless JW. History of the ketogenic diet. *Epilepsia.* 2008; 49 Suppl 8:3–5.
1584. Turner RP. Letter to the editor. *Lancet.* 2003; 4(5):592–3.
1585. Rho JM. How does the ketogenic diet induce anti-seizure effects? *Neurosci Lett.* 2017; 637:4–10.
1586. Wilder RM. The effect of ketonemia on the course of epilepsy. *Mayo Clin Bull.* 1921; 2:307–8.
1587. Peterman M. The ketogenic diet in the treatment of epilepsy. *Am J Dis Child.* 1924:28–33.
1588. Levy RG, Cooper PN, Giri P. Ketogenic diet and other dietary treatments for epilepsy. *Cochrane Database Syst Rev.* 2012; (3):CD001903.
1589. Wheless JW. History of the ketogenic diet. *Epilepsia.* 2008; 49 Suppl 8:3–5.
1590. Kossoff EH, Zupec-Kania BA, Auvin S, et al. Optimal clinical management of children receiving dietary therapies for epilepsy: updated recommendations of the International Ketogenic Diet Study Group. *Epilepsia Open.* 2018; 3(2):175–92.
1591. What is ketosis? Learn about the benefits and how to achieve ketosis. Charlie Foundation. Disponible en: <https://charliefoundation.org/learn-about-ketosis>. Acceso: abril, 17, 2019.
1592. Martin-McGill KJ, Srikandarajah N, Marson AG, Tudur Smith C, Jenkinson MD. The role of ketogenic diets in the therapeutic management of adult and paediatric gliomas: a systematic review. *CNS Oncol.* 2018; 7(2):CNS17.
1593. Klement RJ, Feinman RD, Gross EC, et al. Need for new review of article on ketogenic dietary regimes for cancer patients. *Med Oncol.* 2017; 34(6):108.

1594. Gonder U. Article on ketogenic dietary regimes for cancer highly misleading. *Med Oncol.* 2017; 34(6):109.
1595. Klement RJ, Feinman RD, Gross EC, et al. Need for new review of article on ketogenic dietary regimes for cancer patients. *Med Oncol.* 2017; 34(6):108.
1596. Erickson N, Boscheri A, Linke B, Huebner J. Systematic review: isocaloric ketogenic dietary regimes for cancer patients. *Med Oncol.* 2017; 34(5):72.
1597. Deng G, Cassileth B. Complementary or alternative medicine in cancer care—myths and realities. *Nat Rev Clin Oncol.* 2013; 10(11):656–64.
1598. Bonuccelli G, Tsirigos A, Whitaker-Menezes D, et al. Ketones and lactate «fuel» tumor growth and metastasis: evidence that epithelial cancer cells use oxidative mitochondrial metabolism. *Cell Cycle.* 2010; 9(17):3506–14.
1599. Martinez-Outschoorn UE, Prisco M, Ertel A, et al. Ketones and lactate increase cancer cell «stemness,» driving recurrence, metastasis and poor clinical outcome in breast cancer: achieving personalized medicine via metabolo-genomics. *Cell Cycle.* 2011; 10(8):1271–86.
1600. Martinez-Outschoorn UE, Prisco M, Ertel A, et al. Ketones and lactate increase cancer cell «stemness,» driving recurrence, metastasis and poor clinical outcome in breast cancer: achieving personalized medicine via metabolo-genomics. *Cell Cycle.* 2011; 10(8):1271–86.
1601. Martinez-Outschoorn UE, Lin Z, Whitaker-Menezes D, Howell A, Sotgia F, Lisanti MP. Ketone body utilization drives tumor growth and metastasis. *Cell Cycle.* 2012; 11(21):3964–71.
1602. Brenner DR, Brockton NT, Kotsopoulos J, et al. Breast cancer survival among young women: a review of the role of modifiable lifestyle factors. *Cancer Causes Control.* 2016; 27(4):459–72.
1603. Fradet Y, Meyer F, Bairati I, Shadmani R, Moore L. Dietary fat and prostate cancer progression and survival. *Eur Urol.* 1999; 35(5–6):388–91.
1604. Brennan SF, Woodside JV, Lunny PM, Cardwell CR, Cantwell MM. Dietary fat and breast cancer mortality: a systematic review and meta-analysis. *Crit Rev Food Sci Nutr.* 2017; 57(10):1999–2008.
1605. Runowicz CD, Leach CR, Henry NL, et al. American Cancer Society / American Society of Clinical Oncology Breast Cancer Survivorship Care Guideline. *J Clin Oncol.* 2016; 34(6):611–35.
1606. Mayer A, Vaupel P, Struss HG, Giese A, Stockinger M, Schmidberger H. Response to commentary by Champ and Klement: is a ketogenic diet the solution for the hyperglycemia problem in glioblastoma therapy? *Strahlenther Onkol.* 2015; 191(3):283–4.
1607. Martin-McGill KJ, Srikandarajah N, Marson AG, Tudur Smith C, Jenkinson MD. The role of ketogenic diets in the therapeutic management of adult and paediatric gliomas: a systematic review. *CNS Oncol.* 2018; 7(2):CNS17.

1608. Aragon AA, Schoenfeld BJ, Wildman R, et al. International Society of Sports Nutrition position stand: diets and body composition. *J Int Soc Sports Nutr.* 2017; 14:16.
1609. Hall KD, Bemis T, Brychta R, et al. Calorie for calorie, dietary fat restriction results in more body fat loss than carbohydrate restriction in people with obesity. *Cell Metab.* 2015; 22(3):427–36.
1610. Hall KD, Chen KY, Guo J, et al. Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men. *Am J Clin Nutr.* 2016; 104(2):324–33.
1611. Howell S, Kones R. «Calories in, calories out» and macronutrient intake: the hope, hype, and science of calories. *Am J Physiol Endocrinol Metab.* 2017; 313(5):E608–12.
1612. Taubes G. What if it's all been a big fat lie? *New York Times*. Publicado en julio, 7, 2002. Disponible en: <https://www.nytimes.com/2002/07/07/magazine/what-if-it-s-all-been-a-big-fat-lie.html>. Acceso: abril, 17, 2019.
1613. Yoder S. The Big Fat Surprise: a critical review; part 1. The Science of Nutrition. Publicado en agosto, 10, 2014. <https://thescienceofnutrition.wordpress.com/2014/08/10/the-big-fat-surprise-a-critical-review-part-1>. Acceso: agosto, 14, 2018.
1614. Fumento M. Big fat fake. Reason. Publicado en marzo, 2003. Disponible en: <https://reason.com/2003/03/01/big-fat-fake-2/>. Acceso: agosto, 14, 2018.
1615. Liebman B. The truth about the Atkins diet. *Nutrition Action Healthletter.* 2002; 29(9):3–7.
1616. Hall KD, Chen KY, Guo J, et al. Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men. *Am J Clin Nutr.* 2016; 104(2):324–33.
1617. Hall KD, Chen KY, Guo J, et al. Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men. *Am J Clin Nutr.* 2016; 104(2):324–33.
1618. Kephart WC, Pledge CD, Roberson PA, et al. The three-month effects of a ketogenic diet on body composition, blood parameters, and performance metrics in crossfit trainees: a pilot study. *Sports (Basel).* 2018; 6(1):1.
1619. Hall KD. A review of the carbohydrate–insulin model of obesity. *Eur J Clin Nutr.* 2017; 71(3):323–6.
1620. Hall KD. A review of the carbohydrate–insulin model of obesity. *Eur J Clin Nutr.* 2017; 71(3):323–6.
1621. Hall KD, Bemis T, Brychta R, et al. Calorie for calorie, dietary fat restriction results in more body fat loss than carbohydrate restriction in people with obesity. *Cell Metab.* 2015; 22(3):427–36.

1622. Bray GA. Low-carbohydrate diets and realities of weight loss. *JAMA*. 2003; 289(14):1853–5.
1623. Banting W. *Letter on Corpulence*. New York: Mohun, Ebbs & Hough; 1864.
1624. Fumento M. *The Fat of the Land: The Obesity Epidemic and How Overweight Americans Can Help Themselves*. New York: Viking Penguin; 1997.
1625. Hall KD, Bemis T, Brychta R, et al. Calorie for calorie, dietary fat restriction results in more body fat loss than carbohydrate restriction in people with obesity. *Cell Metab*. 2015; 22(3):427–36.
1626. Hall KD, Guo J. Obesity energetics: body weight regulation and the effects of diet composition. *Gastroenterology*. 2017; 152(7):1718–27.e3.
1627. Hall KD. A review of the carbohydrate–insulin model of obesity. *Eur J Clin Nutr*. 2017; 71(3):323–6.
1628. Molteni M, Simon M, Niiler E, Thompson A. The struggles of a \$40 million nutrition science crusade. *Wired*. Publicado en junio, 18, 2018. Disponible en: <https://www.wired.com/story/how-a-dollar40-million-nutrition-science-crusade-fell-apart>. Acceso: abril, 17, 2019.
1629. Internal Revenue Service. 2012–2016. Nutrition Science Initiative Form 990 Section A.1a(D) Reportable compensation from the organization (W-2/1099-MISC).
1630. Roberts SB, Das SK. One strike against low-carbohydrate diets. *Cell Metab*. 2015; 22(3):357–8.
1631. Hall KD, Bemis T, Brychta R, et al. Calorie for calorie, dietary fat restriction results in more body fat loss than carbohydrate restriction in people with obesity. *Cell Metab*. 2015; 22(3):427–36.
1632. Freedhoff Y, Hall K. Weight loss diet studies: we need help not hype. *Lancet*. 2016; 388(10047):849–51.
1633. Gibson AA, Seimon RV, Lee CM, et al. Do ketogenic diets really suppress appetite? A systematic review and meta-analysis. *Obes Rev*. 2015; 16(1):64–76.
1634. Hall KD, Chung ST. Low-carbohydrate diets for the treatment of obesity and type 2 diabetes. *Curr Opin Clin Nutr Metab Care*. 2018; 21(4):308–12.
1635. Ye F, Li XJ, Jiang WL, Sun HB, Liu J. Efficacy of and patient compliance with a ketogenic diet in adults with intractable epilepsy: a meta-analysis. *J Clin Neurol*. 2015; 11(1):26–31.
1636. Vaccarezza MM, Silva WH. Dietary therapy is not the best option for refractory nonsurgical epilepsy. *Epilepsia*. 2015; 56(9):1330–4.
1637. Willmott NS, Bryan RA. Case report: scurvy in an epileptic child on a ketogenic diet with oral complications. *Eur Arch Paediatr Dent*. 2008; 9(3):148–52.
1638. Bank IM, Shemie SD, Rosenblatt B, Bernard C, Mackie AS. Sudden cardiac death in association with the ketogenic diet. *Pediatr Neurol*. 2008; 39(6):429–31.

1639. United States Food and Drug Administration. The declaration of certain isolated or synthetic non-digestible carbohydrates as dietary fiber on nutrition and supplement facts labels: guidance for industry. FDA.gov. Publicado en junio, 2018. Disponible en: <https://www.fda.gov/downloads/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/UCM610144.pdf>. Acceso: abril, 17, 2019.
1640. Wibisono C, Rowe N, Beavis E, et al. Ten-year single-center experience of the ketogenic diet: factors influencing efficacy, tolerability, and compliance. *J Pediatr*. 2015; 166(4):1030–6.e1.
1641. Zhang Y, Zhou S, Zhou Y, Yu L, Zhang L, Wang Y. Altered gut microbiome composition in children with refractory epilepsy after ketogenic diet. *Epilepsy Res*. 2018; 145:163–8.
1642. Wu GD, Chen J, Hoffmann C, et al. Linking long-term dietary patterns with gut microbial enterotypes. *Science*. 2011; 334(6052):105–8.
1643. Gabert L, Vors C, Louche-Pélessier C, et al. 13C tracer recovery in human stools after digestion of a fat-rich meal labelled with [1,1,1-13C3]tripalmitin and [1,1,1-13C3]triolein. *Rapid Commun Mass Spectrom*. 2011; 25(19):2697–703.
1644. Tremblay F, Krebs M, Dombrowski L, et al. Overactivation of S6 kinase 1 as a cause of human insulin resistance during increased amino acid availability. *Diabetes*. 2005; 54(9):2674–84.
1645. Brinkworth GD, Noakes M, Clifton PM, Bird AR. Comparative effects of very low-carbohydrate, high-fat and high-carbohydrate, low-fat weight-loss diets on bowel habit and faecal short-chain fatty acids and bacterial populations. *Br J Nutr*. 2009; 101(10):1493–502.
1646. Noto H, Goto A, Tsujimoto T, Noda M. Low-carbohydrate diets and all-cause mortality: a systematic review and meta-analysis of observational studies. *PLoS ONE*. 2013; 8(1):e55030.
1647. Li S, Flint A, Pai JK, et al. Low carbohydrate diet from plant or animal sources and mortality among myocardial infarction survivors. *J Am Heart Assoc*. 2014; 3(5):e001169.
1648. Nestel PJ, Whyte HM, Goodman DS. Distribution and turnover of cholesterol in humans. *J Clin Invest*. 1969; 48(6):982–91.
1649. Dattilo AM, Kris-Etherton PM. Effects of weight reduction on blood lipids and lipoproteins: a meta-analysis. *Am J Clin Nutr*. 1992; 56(2):320–8.
1650. Bueno NB, de Melo IS, de Oliveira SL, da Rocha Ataide T. Very-low-carbohydrate ketogenic diet v. low-fat diet for long-term weight loss: a meta-analysis of randomised controlled trials. *Br J Nutr*. 2013; 110(7):1178–87.
1651. Sacks FM, Lichtenstein AH, Wu JHY, et al. Dietary fats and cardiovascular disease: a presidential advisory from the American Heart Association. *Circulation*. 2017; 136(3):e1–23.

1652. Nicholls SJ, Lundman P, Harmer JA, et al. Consumption of saturated fat impairs the anti-inflammatory properties of high-density lipoproteins and endothelial function. *J Am Coll Cardiol*. 2006; 48(4):715–20.
1653. Phillips SA, Jurva JW, Syed AQ, et al. Benefit of low-fat over low-carbohydrate diet on endothelial health in obesity. *Hypertension*. 2008; 51(2):376–82.
1654. Schwingshackl L, Hoffmann G. Low-carbohydrate diets impair flow-mediated dilatation: evidence from a systematic review and meta-analysis. *Br J Nutr*. 2013; 110(5):969–70.
1655. Hussain TA, Mathew TC, Dashti AA, Asfar S, Al-Zaid N, Dashti HM. Effect of low-calorie versus low-carbohydrate ketogenic diet in type 2 diabetes. *Nutrition*. 2012; 28(10):1016–21.
1656. Henry K. Published study reports use of nutritional ketosis with mobile app intervention could reverse type 2 diabetes. *Purdue University Research Foundation News*. Publicado en febrero, 7, 2018. Disponible en: <https://www.purdue.edu/newsroom/releases/2018/Q1/published-study-reports-use-of-nutritional-ketosis-with-mobile-app-intervention-could-reverse-type-2-diabetes.html>. Acceso: abril, 17, 2019.
1657. Sweeney JS. Dietary factors that influence the dextrose tolerance test. *Arch Intern Med*. 1927; 40(6):818.
1658. Himsworth HP. The dietetic factor determining the glucose tolerance and sensitivity to insulin in healthy men. *Clin Sci*. 1935; 2:67–94.
1659. Parry SA, Woods RM, Hodson L, Hulston CJ. A single day of excessive dietary fat intake reduces whole-body insulin sensitivity: the metabolic consequence of binge eating. *Nutrients*. 2017; 9(8):818.
1660. Robertson MD, Henderson RA, Vist GE, Rumsey RD. Extended effects of evening meal carbohydrate-to-fat ratio on fasting and postprandial substrate metabolism. *Am J Clin Nutr*. 2002; 75(3):505–10.
1661. Hernández EÁ, Kahl S, Seelig A, et al. Acute dietary fat intake initiates alterations in energy metabolism and insulin resistance. *J Clin Invest*. 2017; 127(2):695–708.
1662. Hallberg SJ, McKenzie AL, Williams PT, et al. Effectiveness and safety of a novel care model for the management of type 2 diabetes at 1 year: an open-label, non-randomized, controlled study. *Diabetes Ther*. 2018; 9(2):583–612.
1663. Anderson JW, Ward K. High-carbohydrate, high-fiber diets for insulin-treated men with diabetes mellitus. *Am J Clin Nutr*. 1979; 32(11):2312–21.
1664. Anderson JW, Ward K. High-carbohydrate, high-fiber diets for insulin-treated men with diabetes mellitus. *Am J Clin Nutr*. 1979; 32(11):2312–21.
1665. Angeloni C, Zamboni L, Hrelia S. Role of methylglyoxal in Alzheimer's disease. *Biomed Res Int*. 2014; 2014:238485.
1666. Semba RD, Nicklett EJ, Ferrucci L. Does accumulation of advanced glycation end products contribute to the aging phenotype? *J Gerontol A Biol Sci Med Sci*. 2010; 65(9):963–75.

1667. Uribarri J, Woodruff S, Goodman S, et al. Advanced glycation end products in foods and a practical guide to their reduction in the diet. *J Am Diet Assoc.* 2010; 110(6):911–16.e12.
1668. Beisswenger BG, Delucia EM, Lapoint N, Sanford RJ, Beisswenger PJ. Ketosis leads to increased methylglyoxal production on the Atkins diet. *Ann NY Acad Sci.* 2005; 1043:201–10.
1669. Jones AW, Rössner S. False-positive breath-alcohol test after a ketogenic diet. *Int J Obes (Lond).* 2007; 31(3):559–61.
1670. Franz MJ. Protein and diabetes: much advice, little research. *Curr Diab Rep.* 2002; 2(5):457–64.
1671. Beisswenger BG, Delucia EM, Lapoint N, Sanford RJ, Beisswenger PJ. Ketosis leads to increased methylglyoxal production on the Atkins diet. *Ann NY Acad Sci.* 2005; 1043:201–10.
1672. Beisswenger BG, Delucia EM, Lapoint N, Sanford RJ, Beisswenger PJ. Ketosis leads to increased methylglyoxal production on the Atkins diet. *Ann NY Acad Sci.* 2005; 1043:201–10.
1673. Sheikh M, Chahal M, Rock-Willoughby J, Grubb BP. Carbohydrate-restricted diet and acute coronary syndrome: a case report and review of this conflicting and yet unknown association. *Am J Ther.* 2014; 21(2):e41–4.
1674. Aragon AA, Schoenfeld BJ, Wildman R, et al. International Society of Sports Nutrition position stand: diets and body composition. *J Int Soc Sports Nutr.* 2017; 14:16.
1675. White AM, Johnston CS, Swan PD, Tjonn SL, Sears B. Blood ketones are directly related to fatigue and perceived effort during exercise in overweight adults adhering to low-carbohydrate diets for weight loss: a pilot study. *J Am Diet Assoc.* 2007; 107(10):1792–6.
1676. Kephart WC, Pledge CD, Roberson PA, et al. The three-month effects of a ketogenic diet on body composition, blood parameters, and performance metrics in crossfit trainees: a pilot study. *Sports (Basel).* 2018; 6(1):1.
1677. Burke LM, Ross ML, Garvican-Lewis LA, et al. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol (Lond).* 2016; 595(9):2785–807.
1678. Vargas S, Romance R, Petro JL, et al. Efficacy of ketogenic diet on body composition during resistance training in trained men: a randomized controlled trial. *J Int Soc Sports Nutr.* 2018; 15(1):31.
1679. Paoli A, Bianco A, Grimaldi KA. The ketogenic diet and sport: a possible marriage? *Exerc Sport Sci Rev.* 2015; 43(3):153–62.
1680. Groesbeck DK, Bluml RM, Kossoff EH. Long-term use of the ketogenic diet in the treatment of epilepsy. *Dev Med Child Neurol.* 2006; 48(12):978–81.
1681. Simm PJ, Bicknell-Royle J, Lawrie J, et al. The effect of the ketogenic diet on the developing skeleton. *Epilepsy Res.* 2017; 136:62–6.

1682. Nordli D. The ketogenic diet: uses and abuses. *Neurology*. 2002; 58(12 Suppl 7):S21–4.
1683. Bergqvist AG, Schall JI, Stallings VA, Zemel BS. Progressive bone mineral content loss in children with intractable epilepsy treated with the ketogenic diet. *Am J Clin Nutr*. 2008; 88(6):1678–84.
1684. Yancy WS, Olsen MK, Dudley T, Westman EC. Acid-base analysis of individuals following two weight loss diets. *Eur J Clin Nutr*. 2007; 61(12):1416–22.
1685. Wijnen BFM, de Kinderen RJA, Lambrechts DAJE, et al. Long-term clinical outcomes and economic evaluation of the ketogenic diet versus care as usual in children and adolescents with intractable epilepsy. *Epilepsy Res*. 2017; 132:91–9.
1686. Liu G, Slater N, Perkins A. Epilepsy: treatment options. *Am Fam Physician*. 2017; 96(2):87–96.
1687. Kouda K, Iki M. Beneficial effects of mild stress (hormetic effects): dietary restriction and health. *J Physiol Anthropol*. 2010; 29(4):127–32.
1688. Collier R. Intermittent fasting: the science of going without. *CMAJ*. 2013; 185(9):E363–4.
1689. Twain M. *My Debut as a Literary Person: With Other Essays and Stories*. Hartford, CT: American Pub Co; 1903.
1690. Twain M. *A Connecticut Yankee in King Arthur's Court*. New York: Charles L. Webster and Co; 1889.
1691. Collier R. Intermittent fasting: the science of going without. *CMAJ*. 2013; 185(9):E363–4.
1692. Tinsley GM, La Bounty PM. Effects of intermittent fasting on body composition and clinical health markers in humans. *Nutr Rev*. 2015; 73(10):661–74.
1693. Johnstone AM. Fasting—the ultimate diet? *Obes Rev*. 2007; 8(3):211–22.
1694. Awada A, Al Jumah M. The first-of-Ramadan headache. *Headache*. 1999; 39(7):490–3.
1695. Mosek A, Korczyn AD. Yom Kippur headache. *Neurology*. 1995; 45(11):1953–5.
1696. Tinsley GM, La Bounty PM. Effects of intermittent fasting on body composition and clinical health markers in humans. *Nutr Rev*. 2015; 73(10):661–74.
1697. Cronise RJ, Sinclair DA, Bremer AA. Oxidative priority, meal frequency, and the energy economy of food and activity: implications for longevity, obesity, and cardiometabolic disease. *Metab Syndr Relat Disord*. 2017; 15(1):6–17.
1698. Anton SD, Moehl K, Donahoo WT, et al. Flipping the metabolic switch: understanding and applying the health benefits of fasting. *Obesity (Silver Spring)*. 2018; 26(2):254–68.

1699. Klein S, Sakurai Y, Romijn JA, Carroll RM. Progressive alterations in lipid and glucose metabolism during short-term fasting in young adult men. *Am J Physiol*. 1993; 265(5 Pt 1):E801–6.
1700. Anton SD, Moehl K, Donahoo WT, et al. Flipping the metabolic switch: understanding and applying the health benefits of fasting. *Obesity (Silver Spring)*. 2018; 26(2):254–68.
1701. Anson RM, Guo Z, De Cabo R, et al. Intermittent fasting dissociates beneficial effects of dietary restriction on glucose metabolism and neuronal resistance to injury from calorie intake. *Proc Natl Acad Sci USA*. 2003; 100(10):6216–20.
1702. Horne BD, Muhlestein JB, Anderson JL. Health effects of intermittent fasting: hormesis or harm? A systematic review. *Am J Clin Nutr*. 2015; 102(2):464–70.
1703. Johnstone AM, Faber P, Gibney ER, et al. Effect of an acute fast on energy compensation and feeding behaviour in lean men and women. *Int J Obes Relat Metab Disord*. 2002; 26(12):1623–8.
1704. Harvey J, Howell A, Morris J, Harvie M. Intermittent energy restriction for weight loss: spontaneous reduction of energy intake on unrestricted days. *Food Sci Nutr*. 2018; 6(3):674–80.
1705. Antoni R, Johnston KL, Collins AL, Robertson MD. Investigation into the acute effects of total and partial energy restriction on postprandial metabolism among overweight/obese participants. *Br J Nutr*. 2016; 115(6):951–9.
1706. Clayton DJ, Creese M, Skidmore N, Stensel DJ, James LJ. No effect of 24 h severe energy restriction on appetite regulation and ad libitum energy intake in overweight and obese males. *Int J Obes (Lond)*. 2016; 40(11):1662–70.
1707. Harvey J, Howell A, Morris J, Harvie M. Intermittent energy restriction for weight loss: spontaneous reduction of energy intake on unrestricted days. *Food Sci Nutr*. 2018; 6(3):674–80.
1708. Levitsky DA, Derosimo L. One day of food restriction does not result in an increase in subsequent daily food intake in humans. *Physiol Behav*. 2010; 99(4):495–9.
1709. Tinsley GM, Moore ML, Graybeal AJ. Reliability of hunger-related assessments during 24-hour fasts and their relationship to body composition and subsequent energy compensation. *Physiol Behav*. 2018; 188:221–6.
1710. Klempel MC, Bhutani S, Fitzgibbon M, Freels S, Varady KA. Dietary and physical activity adaptations to alternate day modified fasting: implications for optimal weight loss. *Nutr J*. 2010; 9:35.
1711. Varady KA, Bhutani S, Klempel MC, et al. Alternate day fasting for weight loss in normal weight and overweight subjects: a randomized controlled trial. *Nutr J*. 2013; 12(1):146.
1712. Hoddy KK, Kroeger CM, Trepanowski JF, Barnosky A, Bhutani S, Varady KA. Meal timing during alternate day fasting: impact on body weight and cardiovascular disease risk in obese adults. *Obesity (Silver Spring)*. 2014; 22(12):2524–31.

1713. Eshghinia S, Mohammadzadeh F. The effects of modified alternate-day fasting diet on weight loss and CAD risk factors in overweight and obese women. *J Diabetes Metab Disord.* 2013; 12(1):4.
1714. Kroeger CM, Trepanowski JF, Klempel MC, et al. Eating behavior traits of successful weight losers during 12 months of alternate-day fasting: an exploratory analysis of a randomized controlled trial. *Nutr Health.* 2018; 24(1):5–10.
1715. Anton SD, Moehl K, Donahoo WT, et al. Flipping the metabolic switch: understanding and applying the health benefits of fasting. *Obesity (Silver Spring).* 2018; 26(2):254–68.
1716. Varady KA. Alternate day fasting: effects on body weight and chronic disease risk in humans and animals. In: McCue MD, ed. *Comparative Physiology of Fasting, Starvation, and Food Limitation.* Berlin: Springer-Verlag Berlin Heidelberg; 2012.
1717. Catenacci VA, Pan Z, Ostendorf D, et al. A randomized pilot study comparing zero-calorie alternate-day fasting to daily caloric restriction in adults with obesity. *Obesity (Silver Spring).* 2016; 24(9):1874–83.
1718. Coutinho SR, Halset EH, Gåsbakk S, et al. Compensatory mechanisms activated with intermittent energy restriction: a randomized control trial. *Clin Nutr.* 2018; 37(3):815–23.
1719. Trepanowski JF, Kroeger CM, Barnosky A, et al. Effect of alternate-day fasting on weight loss, weight maintenance, and cardioprotection among metabolically healthy obese adults: a randomized clinical trial. *JAMA Intern Med.* 2017; 177(7):930–8.
1720. Trepanowski JF, Kroeger CM, Barnosky A, et al. Effect of alternate-day fasting on weight loss, weight maintenance, and cardioprotection among metabolically healthy obese adults: a randomized clinical trial. *JAMA Intern Med.* 2017; 177(7):930–8.
1721. Benau EM, Orloff NC, Janke EA, Serpell L, Timko CA. A systematic review of the effects of experimental fasting on cognition. *Appetite.* 2014; 77:52–61.
1722. Hoddy KK, Kroeger CM, Trepanowski JF, Barnosky AR, Bhutani S, Varady KA. Safety of alternate day fasting and effect on disordered eating behaviors. *Nutr J.* 2015; 14:44.
1723. Schaumberg K, Anderson DA, Reilly EE, Anderson LM. Does short-term fasting promote pathological eating patterns? *Eat Behav.* 2015; 19:168–72.
1724. Barnosky A, Kroeger CM, Trepanowski JF, et al. Effect of alternate day fasting on markers of bone metabolism: an exploratory analysis of a 6-month randomized controlled trial. *Nutr Healthy Aging.* 2017; 4(3):255–63.
1725. Golbidi S, Daiber A, Korac B, Li H, Essop MF, Laher I. Health benefits of fasting and caloric restriction. *Curr Diab Rep.* 2017; 17(12):123.
1726. Varady KA. Intermittent versus daily calorie restriction: which diet regimen is more effective for weight loss? *Obes Rev.* 2011; 12(7):e593–601.
1727. Anton SD, Moehl K, Donahoo WT, et al. Flipping the metabolic switch: understanding and applying the health benefits of fasting. *Obesity (Silver Spring).* 2018; 26(2):254–68.

1728. St-Onge MP, Ard J, Baskin ML, et al. Meal timing and frequency: implications for cardiovascular disease prevention: a scientific statement from the American Heart Association. *Circulation*. 2017; 135(9):e96–121.
1729. Bhutani S, Klempel M, Kroeger C, et al. Alternate day fasting with or without exercise: effects on endothelial function and adipokines in obese humans. *e-SPEN Journal*. 2013; 8(5):e205–9.
1730. Klempel MC, Kroeger CM, Norkeviciute E, Goslawski M, Phillips SA, Varady KA. Benefit of a low-fat over high-fat diet on vascular health during alternate day fasting. *Nutr Diabetes*. 2013; 3:e71.
1731. Horne BD, Muhlestein JB, Butler AR, Brown H, Anderson JL. Effects of water-only fasting among pre-diabetic patients. *Behavioral Medicine, Clinical Nutrition, Education, and Exercise*. 2014; 63 (Suppl 1):A590 (abstr). Available at: [http://hw-f5-diabetes.highwire.org/content/diabetes/63/Supplement\\_1/A582.full.pdf](http://hw-f5-diabetes.highwire.org/content/diabetes/63/Supplement_1/A582.full.pdf). Acceso: agosto, 6, 2018.
1732. Antoni R, Johnston KL, Collins AL, Robertson MD. Investigation into the acute effects of total and partial energy restriction on postprandial metabolism among overweight/obese participants. *Br J Nutr*. 2016; 115(6):951–9.
1733. Anton SD, Moehl K, Donahoo WT, et al. Flipping the metabolic switch: understanding and applying the health benefits of fasting. *Obesity (Silver Spring)*. 2018; 26(2):254–68.
1734. Trepanowski JF, Kroeger CM, Barnosky A, et al. Effect of alternate-day fasting on weight loss, weight maintenance, and cardioprotection among metabolically healthy obese adults: a randomized clinical trial. *JAMA Intern Med*. 2017; 177(7):930–8.
1735. Ference BA, Ginsberg HN, Graham I, et al. Low-density lipoproteins cause atherosclerotic cardiovascular disease. 1. Evidence from genetic, epidemiologic, and clinical studies. A consensus statement from the European Atherosclerosis Society Consensus Panel. *Eur Heart J*. 2017; 38(32):2459–72.
1736. Roberts WC. It's the cholesterol, stupid! *Am J Cardiol*. 2010; 106(9):1364–6.
1737. Corley BT, Carroll RW, Hall RM, Weatherall M, Parry-Strong A, Krebs JD. Intermittent fasting in type 2 diabetes mellitus and the risk of hypoglycaemia: a randomized controlled trial. *Diabet Med*. 2018; 35(5):588–94.
1738. Lammers LA, Achterbergh R, de Vries EM, et al. Short-term fasting alters cytochrome P450-mediated drug metabolism in humans. *Drug Metab Dispos*. 2015; 43(6):819–28.
1739. Johnson JB, Laub DR, John S. The effect on health of alternate day calorie restriction: eating less and more than needed on alternate days prolongs life. *Med Hypotheses*. 2006; 67(2):209–11.
1740. Johnstone A. Fasting for weight loss: an effective strategy or latest dieting trend? *Int J Obes (Lond)*. 2015; 39(5):727–33.
1741. Johnson JB, Summer W, Cutler RG, et al. Alternate day calorie restriction improves clinical findings and reduces markers of oxidative stress and inflammation

- in overweight adults with moderate asthma. *Free Radic Biol Med.* 2007; 42(5):665–74.
1742. Vallejo EA. La dieta de hambre a dias alternos en la alimentacion de los viejos. *Rev Clin Esp.* 1956; 63:25–7.
1743. Johnson JB, Laub DR, John S. The effect on health of alternate day calorie restriction: eating less and more than needed on alternate days prolongs life. *Med Hypotheses.* 2006; 67(2):209–11.
1744. Vallejo EA. La dieta de hambre a dias alternos en la alimentacion de los viejos. *Rev Clin Esp.* 1956; 63:25–7.
1745. Stunkard AJ. Nutrition, aging and obesity: a critical review of a complex relationship. *Int J Obes.* 1983; 7(3):201–20.
1746. Conley M, Le Fevre L, Haywood C, Proietto J. Is two days of intermittent energy restriction per week a feasible weight loss approach in obese males? A randomised pilot study. *Nutr Diet.* 2018; 75(1):65–72.
1747. Harvie MN, Pegington M, Mattson MP, et al. The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. *Int J Obes (Lond).* 2011; 35(5):714–27.
1748. Sundfør TM, Svendsen M, Tonstad S. Effect of intermittent versus continuous energy restriction on weight loss, maintenance and cardiometabolic risk: a randomized 1-year trial. *Nutr Metab Cardiovasc Dis.* 2018; 28(7):698–706.
1749. Sundfør TM, Svendsen M, Tonstad S. Effect of intermittent versus continuous energy restriction on weight loss, maintenance and cardiometabolic risk: a randomized 1-year trial. *Nutr Metab Cardiovasc Dis.* 2018; 28(7):698–706.
1750. Harvie MN, Pegington M, Mattson MP, et al. The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. *Int J Obes (Lond).* 2011; 35(5):714–27.
1751. Solianik R, Sujeta A. Two-day fasting evokes stress, but does not affect mood, brain activity, cognitive, psychomotor, and motor performance in overweight women. *Behav Brain Res.* 2018; 338:166–72.
1752. Solianik R, Sujeta A, Čekanauskaitė A. Effects of 2-day calorie restriction on cardiovascular autonomic response, mood, and cognitive and motor functions in obese young adult women. *Exp Brain Res.* 2018; 236(8):2299–308.
1753. Solianik R, Sujeta A, Čekanauskaitė A. Effects of 2-day calorie restriction on cardiovascular autonomic response, mood, and cognitive and motor functions in obese young adult women. *Exp Brain Res.* 2018; 236(8):2299–308.
1754. Davis CS, Clarke RE, Coulter SN, et al. Intermittent energy restriction and weight loss: a systematic review. *Eur J Clin Nutr.* 2016; 70(3):292–9.
1755. Antoni R, Johnston KL, Collins AL, Robertson MD. Intermittent v. continuous energy restriction: differential effects on postprandial glucose and lipid metabolism following matched weight loss in overweight/obese participants. *Br J Nutr.* 2018; 119(5):507–16.

1756. Harvie MN, Pegington M, Mattson MP, et al. The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. *Int J Obes (Lond)*. 2011; 35(5):714–27.
1757. Davis CS, Clarke RE, Coulter SN, et al. Intermittent energy restriction and weight loss: a systematic review. *Eur J Clin Nutr*. 2016; 70(3):292–9.
1758. Harvie MN, Pegington M, Mattson MP, et al. The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. *Int J Obes (Lond)*. 2011; 35(5):714–27.
1759. Conley M, Le Fevre L, Haywood C, Proietto J. Is two days of intermittent energy restriction per week a feasible weight loss approach in obese males? A randomised pilot study. *Nutr Diet*. 2018; 75(1):65–72.
1760. SundfØr TM, Svendsen M, Tonstad S. Effect of intermittent versus continuous energy restriction on weight loss, maintenance and cardiometabolic risk: a randomized 1-year trial. *Nutr Metab Cardiovasc Dis*. 2018; 28(7):698–706.
1761. Stewart WK, Fleming LW, Robertson PC. Massive obesity treated by intermittent fasting. A metabolic and clinical study. *Am J Med*. 1966; 40(6):967–86.
1762. Keogh JB, Pedersen E, Petersen KS, Clifton PM. Effects of intermittent compared to continuous energy restriction on short-term weight loss and long-term weight loss maintenance. *Clin Obes*. 2014; 4(3):150–6.
1763. Arguin H, Dionne IJ, S n chal M, et al. Short-and long-term effects of continuous versus intermittent restrictive diet approaches on body composition and the metabolic profile in overweight and obese postmenopausal women: a pilot study. *Menopause*. 2012; 19(8):870–6.
1764. Arguin H, Dionne IJ, S n chal M, et al. Short-and long-term effects of continuous versus intermittent restrictive diet approaches on body composition and the metabolic profile in overweight and obese postmenopausal women: a pilot study. *Menopause*. 2012; 19(8):870–6.
1765. Byrne NM, Sainsbury A, King NA, Hills AP, Wood RE. Intermittent energy restriction improves weight loss efficiency in obese men: the MATADOR study. *Int J Obes (Lond)*. 2018; 42(2):129–38.
1766. Harris L, McGarty A, Hutchison L, Ells L, Hankey C. Short-term intermittent energy restriction interventions for weight management: a systematic review and meta-analysis. *Obes Rev*. 2018; 19(1):1–13.
1767. Davis CS, Clarke RE, Coulter SN, et al. Intermittent energy restriction and weight loss: a systematic review. *Eur J Clin Nutr*. 2016; 70(3):292–9.
1768. Brandhorst S, Choi IY, Wei M, et al. A periodic diet that mimics fasting promotes multi-system regeneration, enhanced cognitive performance, and healthspan. *Cell Metab*. 2015; 22(1):86–99.
1769. Wei M, Brandhorst S, Shelehchi M, et al. Fasting-mimicking diet and markers / risk factors for aging, diabetes, cancer, and cardiovascular disease. *Sci Transl Med*. 2017; 9(377):8700.

1770. Abbasi J. Can a diet that mimics fasting turn back the clock? *JAMA*. 2017; 318(3):227–9.
1771. Wei M, Brandhorst S, Shelahchi M, et al. Fasting-mimicking diet and markers / risk factors for aging, diabetes, cancer, and cardiovascular disease. *Sci Transl Med*. 2017; 9(377):8700.
1772. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab*. 2015; 22(5):789–98.
1773. Anton SD, Moehl K, Donahoo WT, et al. Flipping the metabolic switch: understanding and applying the health benefits of fasting. *Obesity (Silver Spring)*. 2018; 26(2):254–68.
1774. TestDiet. Publicado en 2013. Disponible en: <https://docplayer.net/14971978-1942-labdiet-5001-rodent-diet-introduced-first-diet-specifically-for-laboratory-research-animals.html>. Acceso: abril, 17, 2019.
1775. Hatori M, Vollmers C, Zarrinpar A, et al. Time-restricted feeding without reducing caloric intake prevents metabolic diseases in mice fed a high-fat diet. *Cell Metab*. 2012; 15(6):848–60.
1776. Lai M, Chandrasekera PC, Barnard ND. You are what you eat, or are you? The challenges of translating high-fat-fed rodents to human obesity and diabetes. *Nutr Diabetes*. 2014; 4:e135.
1777. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab*. 2015; 22(5):789–98.
1778. Rothschild J, Hoddy KK, Jambazian P, Varady KA. Time-restricted feeding and risk of metabolic disease: a review of human and animal studies. *Nutr Rev*. 2014; 72(5):308–18.
1779. LeCheminant JD, Christenson E, Bailey BW, Tucker LA. Restricting night-time eating reduces daily energy intake in healthy young men: a short-term cross-over study. *Br J Nutr*. 2013; 110(11):2108–13.
1780. Gabel K, Hoddy KK, Haggerty N, et al. Effects of 8-hour time restricted feeding on body weight and metabolic disease risk factors in obese adults: a pilot study. *Nutr Healthy Aging*. 2018; 4(4):345–53.
1781. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab*. 2015; 22(5):789–98.
1782. Jiang P, Turek FW. Timing of meals: when is as critical as what and how much. *Am J Physiol Endocrinol Metab*. 2017; 312(5):E369–80.
1783. Nelson MC, Kocos R, Lytle LA, Perry CL. Understanding the perceived determinants of weight-related behaviors in late adolescence: a qualitative analysis among college youth. *J Nutr Educ Behav*. 2009; 41(4):287–92.
1784. Thomson M, Spence JC, Raine K, Laing L. The association of television viewing with snacking behavior and body weight of young adults. *Am J Health Promot*. 2008; 22(5):329–35.

1785. LeCheminant JD, Christenson E, Bailey BW, Tucker LA. Restricting night-time eating reduces daily energy intake in healthy young men: a short-term cross-over study. *Br J Nutr*. 2013; 110(11):2108–13.
1786. Hirsch EHE, Halberg F, Goetz FC, et al. Body weight change during 1 week on a single daily 2000-calorie meal consumed as breakfast (B) or dinner (D). *Chronobiologia*. 1975; 2(Suppl 1):31–2.
1787. Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring)*. 2013; 21(12):2504–12.
1788. Hibi M, Masumoto A, Naito Y, et al. Nighttime snacking reduces whole body fat oxidation and increases LDL cholesterol in healthy young women. *Am J Physiol Regul Integr Comp Physiol*. 2013; 304(2):R94–101.
1789. Morris CJ, Garcia JI, Myers S, Yang JN, Trienekens N, Scheer FA. The human circadian system has a dominating role in causing the morning/evening difference in diet-induced thermogenesis. *Obesity (Silver Spring)*. 2015; 23(10):2053–8.
1790. Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring)*. 2013; 21(12):2504–12.
1791. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab*. 2015; 22(5):789–98.
1792. Stote KS, Baer DJ, Spears K, et al. A controlled trial of reduced meal frequency without caloric restriction in healthy, normal-weight, middle-aged adults. *Am J Clin Nutr*. 2007; 85(4):981–8.
1793. Moro T, Tinsley G, Bianco A, et al. Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and cardiovascular risk factors in resistance-trained males. *J Transl Med*. 2016; 14(1):290.
1794. Stote KS, Baer DJ, Spears K, et al. A controlled trial of reduced meal frequency without caloric restriction in healthy, normal-weight, middle-aged adults. *Am J Clin Nutr*. 2007; 85(4):981–8.
1795. Sutton EF, Beyl R, Early KS, Cefalu WT, Ravussin E, Peterson CM. Early time-restricted feeding improves insulin sensitivity, blood pressure, and oxidative stress even without weight loss in men with prediabetes. *Cell Metab*. 2018; 27(6):1212–21.e3.
1796. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab*. 2015; 22(5):789–98.
1797. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab*. 2015; 22(5):789–98.
1798. Marinac CR, Sears DD, Natarajan L, Gallo LC, Breen CI, Patterson RE. Frequency and circadian timing of eating may influence biomarkers of inflammation and insulin resistance associated with breast cancer risk. *PLoS ONE*. 2015; 10(8):e0136240.

1799. Marinac CR, Natarajan L, Sears DD, et al. Prolonged nightly fasting and breast cancer risk: findings from NHANES (2009–2010). *Cancer Epidemiol Biomarkers Prev.* 2015; 24(5):783–9.
1800. Marinac CR, Nelson SH, Breen CI, et al. Prolonged nightly fasting and breast cancer prognosis. *JAMA Oncol.* 2016; 2(8):1049–55.
1801. Schloss J, Steel A. Medical synopsis: nightly fasting may assist breast cancer patients and other people with cancer. *Adv Integr Med.* 2016; 3(2):66–7.
1802. Fraser GE, Shavlik DJ. Ten years of life: is it a matter of choice? *Arch Intern Med.* 2001; 161(13):1645–52.
1803. Kahleova H, Lloren JI, Mashchak A, Hill M, Fraser GE. Meal frequency and timing are associated with changes in body mass index in Adventist Health Study 2. *J Nutr.* 2017; 147(9):1722–8.
1804. Hall KD, Kahan S. Maintenance of lost weight and long-term management of obesity. *Med Clin North Am.* 2018; 102(1):183–97.
1805. Longo VD, Mattson MP. Fasting: molecular mechanisms and clinical applications. *Cell Metab.* 2014; 19(2):181–92.
1806. Harris L, Hamilton S, Azevedo LB, et al. Intermittent fasting interventions for treatment of overweight and obesity in adults: a systematic review and meta-analysis. *JBI Database System Rev Implement Rep.* 2018; 16(2):507–47.
1807. Duffey KJ, Popkin BM. Energy density, portion size, and eating occasions: contributions to increased energy intake in the United States, 1977–2006. *PLoS MED.* 2011; 8(6):e1001050.
1808. Popkin BM, Duffey KJ. Does hunger and satiety drive eating anymore? Increasing eating occasions and decreasing time between eating occasions in the United States. *Am J Clin Nutr.* 2010; 91(5):1342–7.
1809. Mattes R. Energy intake and obesity: ingestive frequency outweighs portion size. *Physiol Behav.* 2014; 134:110–8.
1810. McCrory MA, Howarth NC, Roberts SB, Huang TT. Eating frequency and energy regulation in free-living adults consuming self-selected diets. *J Nutr.* 2011; 141(1):148–53.
1811. Kulovitz MG, Kravitz LR, Mermier C, et al. Potential role of meal frequency as a strategy for weight loss and health in overweight or obese adults. *Nutrition.* 2014; 30(4):386–92.
1812. Palmer M, Capra S, Baines S. To snack or not to snack: what should we advise for weight management? *Nutr Diet.* 2011; 68(1):60–4.
1813. Bellisle F. Impact of the daily meal pattern on energy balance. *Food Nutr Res.* 2004; 48(3):114–8.
1814. Zhu Y, Hollis JH. Associations between eating frequency and energy intake, energy density, diet quality and body weight status in adults from the USA. *Br J Nutr.* 2016; 115(12):2138–44.

1815. Holmbäck I, Ericson U, Gullberg B, Wirfält E. A high eating frequency is associated with an overall healthy lifestyle in middle-aged men and women and reduced likelihood of general and central obesity in men. *Br J Nutr.* 2010; 104(7):1065–73.
1816. Bellisle F, McDevitt R, Prentice AM. Meal frequency and energy balance. *Br J Nutr.* 1997; 77 Suppl 1:S57–70.
1817. Bellisle F, McDevitt R, Prentice AM. Meal frequency and energy balance. *Br J Nutr.* 1997; 77 Suppl 1:S57–70.
1818. Rothblum ED. Women and weight: fad and fiction. *J Psychol.* 1990; 124(1):5–24.
1819. Lichtman SW, Pisarska K, Berman ER, et al. Discrepancy between self-reported and actual caloric intake and exercise in obese subjects. *N Engl J Med.* 1992; 327(27):1893–8.
1820. Reynolds J. *A Discourse Upon Prodigious Abstinence: Occasioned by the Twelve Moneths Fasting of Martha Taylor, the Famed Derbyshire Damosell: Proving That Without Any Miracle, the Texture of Humane Bodies May Be So Altered, That Life May Be Long Continued Without the Supplies of Meat & Drink.* London: RW; 1669.
1821. Heymsfield SB, Darby PC, Muhlheim LS, Gallagher D, Wolper C, Allison DB. The caloric: myth, measurement, and reality. *Am J Clin Nutr.* 1995; 62(5 Suppl):1034S–41S.
1822. Breatharian Institute of America. <https://web.archive.org/web/20151107030359/http://www.breatharian.com/initiationworkshops.html>. Acceso: agosto, 29, 2018.
1823. Shay KJ. *Walking through the Wall.* Morrisville, NC: Lulu Press; 2012.
1824. Lichtman SW, Pisarska K, Berman ER, et al. Discrepancy between self-reported and actual caloric intake and exercise in obese subjects. *N Engl J Med.* 1992; 327(27):1893–8.
1825. Lichtman SW, Pisarska K, Berman ER, et al. Discrepancy between self-reported and actual caloric intake and exercise in obese subjects. *N Engl J Med.* 1992; 327(27):1893–8.
1826. Newburgh LH, Johnston MW. Endogenous obesity—a misconception. *Ann Intern Med.* 1930; 3(8):815–25.
1827. Bellisle F, McDevitt R, Prentice AM. Meal frequency and energy balance. *Br J Nutr.* 1997; 77 Suppl 1:S57–70.
1828. Heitmann BL, Lissner L. Dietary underreporting by obese individuals—is it specific or non-specific? *BMJ.* 1995; 311(7011):986–9.
1829. Bellisle F. Impact of the daily meal pattern on energy balance. *Food Nutr Res.* 2004; 48(3):114–8.
1830. Murakami K, Livingstone MB. Eating frequency is positively associated with overweight and central obesity in U.S. adults. *J Nutr.* 2015; 145(12):2715–24.

1831. McCrory MA, Campbell WW. Effects of eating frequency, snacking, and breakfast skipping on energy regulation: symposium overview. *J Nutr.* 2011; 141(1):144–7.
1832. Ohkawara K, Cornier MA, Kohrt WM, Melanson EL. Effects of increased meal frequency on fat oxidation and perceived hunger. *Obesity (Silver Spring).* 2013; 21(2):336–43.
1833. Bellisle F, McDevitt R, Prentice AM. Meal frequency and energy balance. *Br J Nutr.* 1997; 77 Suppl 1:S57–70.
1834. Ohkawara K, Cornier MA, Kohrt WM, Melanson EL. Effects of increased meal frequency on fat oxidation and perceived hunger. *Obesity (Silver Spring).* 2013; 21(2):336–43.
1835. Kant AK. Evidence for efficacy and effectiveness of changes in eating frequency for body weight management. *Adv Nutr.* 2014; 5(6):822–8.
1836. Stote KS, Baer DJ, Spears K, et al. A controlled trial of reduced meal frequency without caloric restriction in healthy, normal-weight, middle-aged adults. *Am J Clin Nutr.* 2007; 85(4):981–8.
1837. Carlson O, Martin B, Stote KS, et al. Impact of reduced meal frequency without caloric restriction on glucose regulation in healthy, normal-weight middle-aged men and women. *Metab Clin Exp.* 2007; 56(12):1729–34.
1838. Mann J. Meal frequency and plasma lipids and lipoproteins. *Br J Nutr.* 1997; 77 Suppl 1:S83–90.
1839. Jenkins DJ, Wolever TM, Vuksan V, et al. Nibbling versus gorging: metabolic advantages of increased meal frequency. *N Engl J Med.* 1989; 321(14):929–34.
1840. Jenkins DJ, Wolever TM, Vuksan V, et al. Nibbling versus gorging: metabolic advantages of increased meal frequency. *N Engl J Med.* 1989; 321(14):929–34.
1841. Mann J. Meal frequency and plasma lipids and lipoproteins. *Br J Nutr.* 1997; 77 Suppl 1:S83–90.
1842. Jenkins DJ, Khan A, Jenkins AL, et al. Effect of nibbling versus gorging on cardiovascular risk factors: serum uric acid and blood lipids. *Metab Clin Exp.* 1995; 44(4):549–55.
1843. Jenkins DJ, Wolever TM, Vuksan V, et al. Nibbling versus gorging: metabolic advantages of increased meal frequency. *N Engl J Med.* 1989; 321(14):929–34.
1844. Goff LM, Cowland DE, Hooper L, Frost GS. Low glycaemic index diets and blood lipids: a systematic review and meta-analysis of randomised controlled trials. *Nutr Metab Cardiovasc Dis.* 2013; 23(1):1–10.
1845. Mattes RD. Snacking: a cause for concern. *Physiol Behav.* 2018; 193(Pt B):279–83.
1846. Koopman KE, Caan MW, Nederveen AJ, et al. Hypercaloric diets with increased meal frequency, but not meal size, increase intrahepatic triglycerides: a randomized controlled trial. *Hepatology.* 2014; 60(2):545–53.
1847. Hutchison AT, Heilbronn LK. Metabolic impacts of altering meal frequency and timing— does when we eat matter? *Biochimie.* 2016; 124:187–97.

1848. Hägele FA, Büsing F, Nas A, et al. High orange juice consumption with or in-between three meals a day differently affects energy balance in healthy subjects. *Nutr Diabetes*. 2018; 8(1):19.
1849. Potter M, Vlassopoulos A, Lehmann U. Snacking recommendations worldwide: a scoping review. *Adv Nutr*. 2018; 9(2):86–98.
1850. Njike VY, Kavak Y, Treu JA, Doughty K, Katz DL. Snacking, satiety, and weight: a randomized, controlled trial. *Am J Health Promot*. 2017; 31(4):296–301.
1851. Wansink B, Painter JE, Lee YK. The office candy dish: proximity’s influence on estimated and actual consumption. *Int J Obes (Lond)*. 2006; 30(5):871–5. *Note:* The legitimacy of Brian Wansink’s research has been called into serious question. Véase, por ejemplo, <https://www.chronicle.com/article/Spoiled-Science/239529>.
1852. Skorka-Brown J, Andrade J, May J. Playing «Tetris» reduces the strength, frequency and vividness of naturally occurring cravings. *Appetite*. 2014; 76:161–5.
1853. Cutting W, Tainter M. Metabolic actions of dinitrophenol. *J Am Med Assoc*. 1933; 101(27):193–5.
1854. Clapham JC, Arch JR. Thermogenic and metabolic antiobesity drugs: rationale and opportunities. *Diabetes Obes Metab*. 2007; 9(3):259–75.
1855. Seamon MJ, Clauson KA. Yesterday, DSHEA, and tomorrow—a ten year perspective on the Dietary Supplement Health and Education Act of 1994. *J Herb Pharmacother*. 2005; 5(3):67–86.
1856. Astrup A, Lundsgaard C, Madsen J, Christensen NJ. Enhanced thermogenic responsiveness during chronic ephedrine treatment in man. *Am J Clin Nutr*. 1985; 42(1):83–94.
1857. Shekelle PG, Hardy ML, Morton SC, et al. Efficacy and safety of ephedra and ephedrine for weight loss and athletic performance: a meta-analysis. *JAMA*. 2003; 289(12):1537–45.
1858. Woolf AD, Watson WA, Smolinske S, Litovitz T. The severity of toxic reactions to ephedra: comparisons to other botanical products and national trends from 1993–2002. *Clin Toxicol (Phila)*. 2005; 43(5):347–55.
1859. Seamon MJ, Clauson KA. Yesterday, DSHEA, and tomorrow—a ten year perspective on the Dietary Supplement Health and Education Act of 1994. *J Herb Pharmacother*. 2005; 5(3):67–86.
1860. Seamon MJ, Clauson KA. Yesterday, DSHEA, and tomorrow—a ten year perspective on the Dietary Supplement Health and Education Act of 1994. *J Herb Pharmacother*. 2005; 5(3):67–86.
1861. Seamon MJ, Clauson KA. Yesterday, DSHEA, and tomorrow—a ten year perspective on the Dietary Supplement Health and Education Act of 1994. *J Herb Pharmacother*. 2005; 5(3):67–86.
1862. Ashar BH, Miller RG, Getz KJ, Pichard CP. A critical evaluation of internet marketing of products that contain ephedra. *Mayo Clin Proc*. 2003; 78(8):944–6.

1863. Hilts P. U.S. in criminal inquiry on Metabolife product. *New York Times*. Publicado en agosto, 16, 2002. Disponible en: <https://www.nytimes.com/2002/08/16/business/us-in-criminal-inquiry-on-metabolife-product.html>. Acceso: abril, 17, 2019.
1864. Onakpoya IJ, Heneghan CJ, Aronson JK. Post-marketing withdrawal of anti-obesity medicinal products because of adverse drug reactions: a systematic review. *BMC Med*. 2016; 14(1):191.
1865. Lubetzky R, Mimouni FB, Dollberg S, Reifen R, Ashbel G, Mandel D. Effect of music by Mozart on energy expenditure in growing preterm infants. *Pediatrics*. 2010; 125(1):e24–8.
1866. Carlsson E, Helgegren H, Slinde F. Resting energy expenditure is not influenced by classical music. *J Negat Results Biomed*. 2005; 4:6.
1867. Keidar HR, Mandel D, Mimouni FB, Lubetzky R. Bach music in preterm infants: no «Mozart effect» on resting energy expenditure. *J Perinatol*. 2014; 34(2):153–5.
1868. Snell B, Fullmer S, Eggett DL. Reading and listening to music increase resting energy expenditure during an indirect calorimetry test. *J Acad Nutr Diet*. 2014; 114(12):1939–42.
1869. Stork MJ, Kwan MY, Gibala MJ, Martin Gginis KA. Music enhances performance and perceived enjoyment of sprint interval exercise. *Med Sci Sports Exerc*. 2015; 47(5):1052–60.
1870. Jarraya M, Chtourou H, Aloui A, et al. The effects of music on high-intensity short-term exercise in well trained athletes. *Asian J Sports Med*. 2012; 3(4):233–8.
1871. Manchester RA. Energy expenditure in the performing arts. *Med Probl Perform Art*. 2011; 26(4):183–4.
1872. De La Rue SE, Draper SB, Potter CR, Smith MS. Energy expenditure in rock/pop drumming. *Int J Sports Med*. 2013; 34(10):868–72.
1873. Romero B, Coburn J, Brown L, Galpin A. Metabolic demands of heavy metal drumming. *IJKSS*. 2016; 4(3):32–6.
1874. Vega JL. Edmund Goodwyn and the first description of diving bradycardia. *J Appl Physiol*. 2017; 123(2):275–7.
1875. Khurana RK, Watabiki S, Hebel JR, Toro R, Nelson E. Cold face test in the assessment of trigeminal-brainstem-vagal function in humans. *Ann Neurol*. 1980; 7(2):144–9.
1876. Smith G, Morgans A, Taylor DM, Cameron P. Use of the human dive reflex for the management of supraventricular tachycardia: a review of the literature. *Emerg Med J*. 2012; 29(8):611–6.
1877. Geelen G, Greenleaf JE, Keil LC. Drinking-induced plasma vasopressin and norepinephrine changes in dehydrated humans. *J Clin Endocrinol Metab*. 1996; 81(6):2131–5.

1878. Scott EM, Greenwood JP, Gilbey SG, Stoker JB, Mary DA. Water ingestion increases sympathetic vasoconstrictor discharge in normal human subjects. *Clin Sci*. 2001; 100(3):335–42.
1879. Scott EM, Greenwood JP, Gilbey SG, Stoker JB, Mary DA. Water ingestion increases sympathetic vasoconstrictor discharge in normal human subjects. *Clin Sci*. 2001; 100(3):335–42.
1880. Joannidès R, Moore N, de la Gueronnière V, Thuillez C. Effect of water on arteries. *Lancet*. 1999; 354(9177):516.
1881. Lu CC, Li MH, Lin TC, et al. Water ingestion reduces skin blood flow through sympathetic vasoconstriction. *Clin Auton Res*. 2012; 22(2):63–9.
1882. Lu CC, Diedrich A, Tung CS, et al. Water ingestion as prophylaxis against syncope. *Circulation*. 2003; 108(21):2660–5.
1883. Lu CC, Diedrich A, Tung CS, et al. Water ingestion as prophylaxis against syncope. *Circulation*. 2003; 108(21):2660–5.
1884. Ayala ES, Meuret AE, Ritz T. Treatments for blood-injury-injection phobia: a critical review of current evidence. *J Psychiatr Res*. 2009; 43(15):1235–42.
1885. Lu CC, Diedrich A, Tung CS, et al. Water ingestion as prophylaxis against syncope. *Circulation*. 2003; 108(21):2660–5.
1886. Schroeder C, Bush VE, Norcliffe LJ, et al. Water drinking acutely improves orthostatic tolerance in healthy subjects. *Circulation*. 2002; 106(22):2806–11.
1887. Jordan J, Shannon JR, Black BK, et al. The pressor response to water drinking in humans: a sympathetic reflex? *Circulation*. 2000; 101(5):504–9.
1888. Routledge HC, Chowdhary S, Coote JH, Townend JN. Cardiac vagal response to water ingestion in normal human subjects. *Clin Sci*. 2002; 103(2):157–62.
1889. Routledge HC, Chowdhary S, Coote JH, Townend JN. Cardiac vagal response to water ingestion in normal human subjects. *Clin Sci*. 2002; 103(2):157–62.
1890. Jordan J, Shannon JR, Black BK, et al. The pressor response to water drinking in humans: a sympathetic reflex? *Circulation*. 2000; 101(5):504–9.
1891. McKee K, Nelson S, Batra A, Klein JP, Henderson GV. Diving into the ice bucket challenge: intraparenchymal hemorrhage and the mammalian diving reflex. *Neurohospitalist*. 2015; 5(3):182–4.
1892. May M, Jordan J. The osmopressor response to water drinking. *Am J Physiol Regul Integr Comp Physiol*. 2011; 300(1):R40–6.
1893. Boschmann M, Steiniger J, Hille U, et al. Water-induced thermogenesis. *J Clin Endocrinol Metab*. 2003; 88(12):6015–9.
1894. Charrière N, Miles-Chan JL, Montani JP, Dulloo AG. Water-induced thermogenesis and fat oxidation: a reassessment. *Nutr Diabetes*. 2015; 5:e190.

1895. Boschmann M, Steiniger J, Hille U, et al. Water-induced thermogenesis. *J Clin Endocrinol Metab.* 2003; 88(12):6015–9.
1896. Shannon JR, Gottesdiener K, Jordan J, et al. Acute effect of ephedrine on 24-h energy balance. *Clin Sci.* 1999; 96(5):483–91.
1897. May M, Jordan J. The osmopressor response to water drinking. *Am J Physiol Regul Integr Comp Physiol.* 2011; 300(1):R40–6.
1898. Dubnov-Raz G, Constantini NW, Yariv H, Nice S, Shapira N. Influence of water drinking on resting energy expenditure in overweight children. *Int J Obes (Lond).* 2011; 35(10):1295–300.
1899. Institute of Medicine. *Dietary Reference Intakes: The Essential Guide to Nutrient Requirements.* Washington, D.C.: National Academies Press; 2006.
1900. Kocelak P, Zak-Gołąb A, Rzemieniuk A, et al. The influence of oral water load on energy expenditure and sympatho-vagal balance in obese and normal weight women. *Arch Med Sci.* 2012; 8(6):1003–8.
1901. Brown CM, Dulloo AG, Montani JP. Water-induced thermogenesis reconsidered: the effects of osmolality and water temperature on energy expenditure after drinking. *J Clin Endocrinol Metab.* 2006; 91(9):3598–602.
1902. Charrière N, Miles-Chan JL, Montani JP, Dulloo AG. Water-induced thermogenesis and fat oxidation: a reassessment. *Nutr Diabetes.* 2015; 5:e190.
1903. May M, Jordan J. The osmopressor response to water drinking. *Am J Physiol Regul Integr Comp Physiol.* 2011; 300(1):R40–6.
1904. Adams CP, Brantner VV. Estimating the cost of new drug development: is it really 802 million dollars? *Health Aff (Millwood).* 2006; 25(2):420–8.
1905. May M, Jordan J. The osmopressor response to water drinking. *Am J Physiol Regul Integr Comp Physiol.* 2011; 300(1):R40–6.
1906. Stookey JD, Constant F, Popkin BM, Gardner CD. Drinking water is associated with weight loss in overweight dieting women independent of diet and activity. *Obesity (Silver Spring).* 2008; 16(11):2481–8.
1907. Vij VA, Joshi AS. Effect of «water induced thermogenesis» on body weight, body mass index and body composition of overweight subjects. *J Clin Diagn Res.* 2013; 7(9):1894–6.
1908. Johns DJ, Hartmann-Boyce J, Jebb SA, Aveyard P. Weight change among people randomized to minimal intervention control groups in weight loss trials. *Obesity (Silver Spring).* 2016; 24(4):772–80.
1909. Dennis EA, Dengo AL, Comber DL, et al. Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. *Obesity (Silver Spring).* 2010; 18(2):300–7.
1910. Parretti HM, Aveyard P, Blannin A, et al. Efficacy of water preloading before main meals as a strategy for weight loss in primary care patients with obesity: RCT. *Obesity (Silver Spring).* 2015; 23(9):1785–91.

1911. Jolly K, Lewis A, Beach J, et al. Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: Lighten Up randomised controlled trial. *BMJ*. 2011; 343:d6500.
1912. Parretti HM, Aveyard P, Blannin A, et al. Efficacy of water preloading before main meals as a strategy for weight loss in primary care patients with obesity: RCT. *Obesity (Silver Spring)*. 2015; 23(9):1785–91.
1913. Shen WK, Sheldon RS, Benditt DG, et al. 2017 ACC / AHA / HRS guideline for the evaluation and management of patients with syncope: a report of the American College of Cardiology / American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. *Circulation*. 2017; 136(5):e60–122.
1914. Lu CC, Li MH, Ho ST, et al. Glucose reduces the effect of water to promote orthostatic tolerance. *Am J Hypertens*. 2008; 21(11):1177–82.
1915. Raj SR, Biaggioni I, Black BK, et al. Sodium paradoxically reduces the gastropressor response in patients with orthostatic hypotension. *Hypertension*. 2006; 48(2):329–34.
1916. Van Orshoven NP, Oey PL, van Schelven LJ, Roelofs JM, Jansen PA, Akkermans LM. Effect of gastric distension on cardiovascular parameters: gastrovascular reflex is attenuated in the elderly. *J Physiol (Lond)*. 2004; 555(Pt 2):573–83.
1917. Boschmann M, Steiniger J, Franke G, Birkenfeld AL, Luft FC, Jordan J. Water drinking induces thermogenesis through osmosensitive mechanisms. *J Clin Endocrinol Metab*. 2007; 92(8):3334–7.
1918. May M, Jordan J. The osmopressor response to water drinking. *Am J Physiol Regul Integr Comp Physiol*. 2011; 300(1):R40–6.
1919. Tank J, Schroeder C, Stoffels M, et al. Pressor effect of water drinking in tetraplegic patients may be a spinal reflex. *Hypertension*. 2003; 41(6):1234–9.
1920. May M, Gueler F, Barg-Hock H, et al. Liver afferents contribute to water drinking– induced sympathetic activation in human subjects: a clinical trial. *PLoS ONE*. 2011; 6(10):e25898.
1921. Durie B. Senses special: doors of perception. *New Sci*. 2005; 2484.
1922. Dubnov-Raz G, Constantini NW, Yariv H, Nice S, Shapira N. Influence of water drinking on resting energy expenditure in overweight children. *Int J Obes (Lond)*. 2011; 35(10):1295–300.
1923. Madjd A, Taylor MA, Delavari A, Malekzadeh R, MacDonald IA, Farshchi HR. Beneficial effects of replacing diet beverages with water on type 2 diabetic obese women following a hypo-energetic diet: a randomized, 24-week clinical trial. *Diabetes Obes Metab*. 2017; 19(1):125–32.
1924. Madjd A, Taylor MA, Delavari A, Malekzadeh R, MacDonald IA, Farshchi HR. Effects on weight loss in adults of replacing diet beverages with water during a hypoenergetic diet: a randomized, 24-wk clinical trial. *Am J Clin Nutr*. 2015; 102(6):1305–12.

1925. Maughan RJ, Watson P, Cordery PA, et al. A randomized trial to assess the potential of different beverages to affect hydration status: development of a beverage hydration index. *Am J Clin Nutr.* 2016; 103(3):717–23.
1926. Wong KV. Temperature of food and drink intake matters. *J Energy Resour Technol.* 2016; 138(5):054701.
1927. Bradley TH, Melby CL. Discussion: «Temperature of Food and Drink Intake Matters» (Wong KV, 2016, ASME J. Energy Resour. Technol., 138(5), p. 054701). *J Energy Resour Technol.* 2017; 139(1):015501–1–2.
1928. Weiner BC, Weiner AC. The ice diet. *Ann Intern Med.* 2010; 153(4):279.
1929. Kocelak P, Zak-Gołąb A, Rzemieniuk A, et al. The influence of oral water load on energy expenditure and sympatho-vagal balance in obese and normal weight women. *Arch Med Sci.* 2012; 8(6):1003–8.
1930. Girona M, Grasser EK, Dulloo AG, Montani JP. Cardiovascular and metabolic responses to tap water ingestion in young humans: does the water temperature matter? *Acta Physiol (Oxf).* 2014; 211(2):358–70.
1931. Verbalis JG, Goldsmith SR, Greenberg A, Schrier RW, Sterns RH. Hyponatremia treatment guidelines 2007: expert panel recommendations. *Am J Med.* 2007; 120(11 Suppl 1):S1– 21.
1932. Boschmann M, Steiniger J, Hille U, et al. Water-induced thermogenesis. *J Clin Endocrinol Metab.* 2003; 88(12):6015–9.
1933. Collins S, Bordicchia M. Heart hormones fueling a fire in fat. *Adipocyte.* 2013; 2(2):104–8.
1934. Sengenès C, Berlan M, De Glisezinski I, Lafontan M, Galitzky J. Natriuretic peptides: a new lipolytic pathway in human adipocytes. *FASEB J.* 2000; 14(10):1345–51.
1935. Engeli S, Birkenfeld AL, Badin PM, et al. Natriuretic peptides enhance the oxidative capacity of human skeletal muscle. *J Clin Invest.* 2012; 122(12):4675–9.
1936. Birkenfeld AL, Budziarek P, Boschmann M, et al. Atrial natriuretic peptide induces postprandial lipid oxidation in humans. *Diabetes.* 2008; 57(12):3199–204.
1937. Engeli S, Birkenfeld AL, Badin PM, et al. Natriuretic peptides enhance the oxidative capacity of human skeletal muscle. *J Clin Invest.* 2012; 122(12):4675–9.
1938. Wang TJ, Larson MG, Levy D, et al. Impact of obesity on plasma natriuretic peptide levels. *Circulation.* 2004; 109(5):594–600.
1939. Moro C, Crampes F, Sengenès C, et al. Atrial natriuretic peptide contributes to physiological control of lipid mobilization in humans. *FASEB J.* 2004; 18(7):908–10.
1940. Verboven K, Hansen D, Jocken JWE, Blaak EE. Natriuretic peptides in the control of lipid metabolism and insulin sensitivity. *Obes Rev.* 2017; 18(11):1243–59.

1941. Thornton SN. Increased hydration can be associated with weight loss. *Front Nutr.* 2016; 3:18.
1942. Nishiuchi T, Saito H, Yamasaki Y, Saito S. Radioimmunoassay for atrial natriuretic peptide: method and results in normal subjects and patients with various diseases. *Clin Chim Acta.* 1986; 159(1):45–57.
1943. Kimura T, Abe K, Ota K, et al. Effects of acute water load, hypertonic saline infusion, and furosemide administration on atrial natriuretic peptide and vasopressin release in humans. *J Clin Endocrinol Metab.* 1986; 62(5):1003–10.
1944. Institute of Medicine. *Dietary Reference Intakes: The Essential Guide to Nutrient Requirements.* Washington, D.C.: National Academies Press; 2006.
1945. Moro C, Pillard F, De Glizezinski I, et al. Atrial natriuretic peptide contribution to lipid mobilization and utilization during head-down bed rest in humans. *Am J Physiol Regul Integr Comp Physiol.* 2007; 293(2):R612–7.
1946. Lathers CM, Diamandis PH, Riddle JM, et al. Acute and intermediate cardiovascular responses to zero gravity and to fractional gravity levels induced by head-down or head-up tilt. *J Clin Pharmacol.* 1990; 30(6):494–523.
1947. Van Oosterhout WP, Terwindt GM, Vein AA, Ferrari MD. Space headache on Earth: head-down-tilted bed rest studies simulating outer-space microgravity. *Cephalalgia.* 2015; 35(4):335–43.
1948. Liu Q, Zhou R, Chen S, Tan C. Effects of head-down bed rest on the executive functions and emotional response. *PLoS ONE.* 2012; 7(12):e52160.
1949. Montmerle S, Spaak J, Linnarsson D. Lung function during and after prolonged head-down bed rest. *J Appl Physiol.* 2002; 92(1):75–83.
1950. Liu Q, Zhou R, Chen S, Tan C. Effects of head-down bed rest on the executive functions and emotional response. *PLoS ONE.* 2012; 7(12):e52160.
1951. Montmerle S, Spaak J, Linnarsson D. Lung function during and after prolonged head-down bed rest. *J Appl Physiol.* 2002; 92(1):75–83.
1952. Kelsen J, Bartels LE, Dige A, et al. 21 days head-down bed rest induces weakening of cell-mediated immunity—some spaceflight findings confirmed in a ground-based analog. *Cytokine.* 2012; 59(2):403–9.
1953. Ritz P, Acheson KJ, Gachon P, et al. Energy and substrate metabolism during a 42-day bed-rest in a head-down tilt position in humans. *Eur J Appl Physiol Occup Physiol.* 1998; 78(4):308–14.
1954. Johnson PC, Leach CS, Rambaut PC. Estimates of fluid and energy balances of Apollo 17. *Aerosp Med.* 1973; 44(11):1227–30.
1955. Krebs JM, Schneider VS, Evans H, et al. Energy absorption, lean body mass, and total body fat changes during 5 weeks of continuous bed rest. *Aviat Space Environ Med.* 1990; 61(4):314–8.
1956. Martin JT. The Trendelenburg position: a review of current slants about head down tilt. *AANA J.* 1995; 63(1):29–36.

1957. Halm MA. Trendelenburg position: «put to bed» or angled toward use in your unit? *Am J Crit Care*. 2012; 21(6):449–52.
1958. Taketani Y, Mayama C, Suzuki N, et al. Transient but significant visual field defects after robot-assisted laparoscopic radical prostatectomy in deep Trendelenburg position. *PLoS ONE*. 2015; 10(4):e0123361.
1959. Sanborn GE, Friberg TR, Allen R. Optic nerve dysfunction during gravity inversion. Visual field abnormalities. *Arch Ophthalmol*. 1987; 105(6):774–8.
1960. Cramer H, Krucoff C, Dobos G. Adverse events associated with yoga: a systematic review of published case reports and case series. *PLoS ONE*. 2013; 8(10):e75515.
1961. Linder BJ, Trick GL, Wolf ML. Altering body position affects intraocular pressure and visual function. *Invest Ophthalmol Vis Sci*. 1988; 29(10):1492–7.
1962. Marshall-Goebel K, Mulder E, Bershad E, et al. Intracranial and intraocular pressure during various degrees of head-down tilt. *Aerosp Med Hum Perform*. 2017; 88(1):10–6.
1963. Kergoat H, Lovasik JV. Seven-degree head-down tilt reduces choroidal pulsatile ocular blood flow. *Aviat Space Environ Med*. 2005; 76(10):930–4.
1964. Linder BJ, Trick GL, Wolf ML. Altering body position affects intraocular pressure and visual function. *Invest Ophthalmol Vis Sci*. 1988; 29(10):1492–7.
1965. Marshall-Goebel K, Mulder E, Bershad E, et al. Intracranial and intraocular pressure during various degrees of head-down tilt. *Aerosp Med Hum Perform*. 2017; 88(1):10–6.
1966. Marshall-Goebel K, Ambarki K, Eklund A, et al. Effects of short-term exposure to head-down tilt on cerebral hemodynamics: a prospective evaluation of a spaceflight analog using phase-contrast MRI. *J Appl Physiol*. 2016; 120(12):1466–73.
1967. Federenko YF, Charapakhin KP, Yaroshenko YN, Denogratov SK. Bone density benefits with periodic fluid redistribution during diminished muscular activity in humans. *Indian J Physiol Pharmacol*. 2015; 59(1):100–8.
1968. Kakuris KK, Yaroshenko YN, Charapakhin KP, Neofitov NH. Chronic head-down-tilt sleeping as physiological regulator of bone remodelling during diminished muscular activity in humans. *Clin Physiol Funct Imaging*. 2017; 37(4):428–36.
1969. Kakuris KK, Yaroshenko YN, Charapakhin KP, Neofitov NH. Chronic head-down-tilt sleeping as physiological regulator of bone remodelling during diminished muscular activity in humans. *Clin Physiol Funct Imaging*. 2017; 37(4):428–36.
1970. Kirsch KA, Baartz FJ, Gunga HC, Röcker L. Fluid shifts into and out of superficial tissues under microgravity and terrestrial conditions. *Clin Investig*. 1993; 71(9):687–9.
1971. Butler GC, Xing HC, Northey DR, Hughson RL. Reduced orthostatic tolerance following 4 h head-down tilt. *Eur J Appl Physiol Occup Physiol*. 1991; 62(1):26–30.

1972. Figueroa JJ, Basford JR, Low PA. Preventing and treating orthostatic hypotension: as easy as A, B, C. *Cleve Clin J Med*. 2010; 77(5):298–306.
1973. Maillet A, Pavy-Le Traon A, Allevard AM, et al. Hormone changes induced by 37.5-h head-down tilt (-6 degrees) in humans. *Eur J Appl Physiol Occup Physiol*. 1994; 68(6):497–503.
1974. Davy BM, Dennis EA, Dengo AL, Wilson KL, Davy KP. Water consumption reduces energy intake at a breakfast meal in obese older adults. *J Am Diet Assoc*. 2008; 108(7):1236–9.
1975. Van Walleghen EL, Orr JS, Gentile CL, Davy BM. Pre-meal water consumption reduces meal energy intake in older but not younger subjects. *Obesity (Silver Spring)*. 2007; 15(1):93–9.
1976. Clarkston WK, Pantano MM, Morley JE, Horowitz M, Littlefield JM, Burton FR. Evidence for the anorexia of aging: gastrointestinal transit and hunger in healthy elderly vs. young adults. *Am J Physiol*. 1997; 272(1 Pt 2):R243–8.
1977. Vist GE, Maughan RJ. Gastric emptying of ingested solutions in man: effect of beverage glucose concentration. *Med Sci Sports Exerc*. 1994; 26(10):1269–73.
1978. Corney RA, Sunderland C, James LJ. Immediate pre-meal water ingestion decreases voluntary food intake in lean young males. *Eur J Nutr*. 2016; 55(2):815–9.
1979. Dennis EA, Dengo AL, Comber DL, et al. Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. *Obesity (Silver Spring)*. 2010; 18(2):300–7.
1980. Dennis EA, Dengo AL, Comber DL, et al. Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. *Obesity (Silver Spring)*. 2010; 18(2):300–7.
1981. Wakisaka S, Nagai H, Mura E, Matsumoto T, Moritani T, Nagai N. The effects of carbonated water upon gastric and cardiac activities and fullness in healthy young women. *J Nutr Sci Vitaminol*. 2012; 58(5):333–8.
1982. Moorhead SA, Livingstone MB, Dunne A, Welch RW. The level of carbonation of a sugar-sweetened beverage preload affects satiety and short-term energy and food intakes. *Br J Nutr*. 2008; 99(6):1362–9.
1983. Cuomo R, Savarese MF, Sarnelli G, et al. The role of a pre-load beverage on gastric volume and food intake: comparison between non-caloric carbonated and non-carbonated beverage. *Nutr J*. 2011; 10:114.
1984. Suzuki M, Mura E, Taniguchi A, Moritani T, Nagai N. Oral carbonation attenuates feeling of hunger and gastric myoelectrical activity in young women. *J Nutr Sci Vitaminol*. 2017; 63(3):186–92.
1985. Takagi A, Taniguchi A, Komai N, et al. Evaluation of postprandial core or peripheral temperatures after oral stimulation with carbonated water using a modified sham-feeding test. *Nihon Eiyo Shokuryo Gakkai Shi*. 2014; 67(1):19–25.

1986. Chapelot D, Payen F. Comparison of the effects of a liquid yogurt and chocolate bars on satiety: a multidimensional approach. *Br J Nutr.* 2010; 103(5):760–7.
1987. Harper A, James A, Flint A, Astrup A. Increased satiety after intake of a chocolate milk drink compared with a carbonated beverage, but no difference in subsequent ad libitum lunch intake. *Br J Nutr.* 2007; 97(3):579–83.
1988. Onvani S, Haghghatdoost F, Surkan PJ, Azadbakht L. Dairy products, satiety and food intake: a meta-analysis of clinical trials. *Clin Nutr.* 2017; 36(2):389–98.
1989. Westerterp-Plantenga MS, Verwegen CR. The appetizing effect of an apéritif in overweight and normal-weight humans. *Am J Clin Nutr.* 1999; 69(2):205–12.
1990. Caton SJ, Ball M, Ahern A, Hetherington MM. Dose-dependent effects of alcohol on appetite and food intake. *Physiol Behav.* 2004; 81(1):51–8.
1991. Christiansen P, Rose A, Randall-Smith L, Hardman CA. Alcohol's acute effect on food intake is mediated by inhibitory control impairments. *Health Psychol.* 2016; 35(5):518–22.
1992. Poppitt SD, Eckhardt JW, McGonagle J, Murgatroyd PR, Prentice AM. Short-term effects of alcohol consumption on appetite and energy intake. *Physiol Behav.* 1996; 60(4):1063–70.
1993. Williamson DA, Geiselman PJ, Lovejoy J, et al. Effects of consuming mycoprotein, tofu or chicken upon subsequent eating behaviour, hunger and safety. *Appetite.* 2006; 46(1):41–8.
1994. Jane M, McKay J, Pal S. Effects of daily consumption of psyllium, oat bran and polyGlycopleX on obesity-related disease risk factors: a critical review. *Nutrition.* 2018; 57:84–91.
1995. Thompson SV, Hannon BA, An R, Holscher HD. Effects of isolated soluble fiber supplementation on body weight, glycemia, and insulinemia in adults with overweight and obesity: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2017; 106(6):1514–28.
1996. Hylander B, Rössner S. Effects of dietary fiber intake before meals on weight loss and hunger in a weight-reducing club. *Acta Med Scand.* 1983; 213(3):217–20.
1997. Georg Jensen M, Kristensen M, Astrup A. Can alginate-based preloads increase weight loss beyond calorie restriction? A pilot study in obese individuals. *Appetite.* 2011; 57(3):601–4.
1998. Lambert JE, Parnell JA, Tunnicliffe JM, Han J, Sturzenegger T, Reimer RA. Consuming yellow pea fiber reduces voluntary energy intake and body fat in overweight/obese adults in a 12-week randomized controlled trial. *Clin Nutr.* 2017; 36(1):126–33.
1999. Au-Yeung F, Jovanovski E, Jenkins AL, Zurbau A, Ho HVT, Vuksan V. The effects of gelled konjac glucomannan fibre on appetite and energy intake in healthy individuals: a randomised cross-over trial. *Br J Nutr.* 2018; 119(1):109–16.

2000. Jackman C, Waddell R, Fisher L, et al. Konjac flour noodles associated with gastric outlet obstruction. *Emerg Med Australas*. 2018; 30(2):283–4.
2001. Seidel JS, Gausche-Hill M. Lychee-flavored gel candies: a potentially lethal snack for infants and children. *Arch Pediatr Adolesc Med*. 2002; 156(11):1120–2.
2002. Walker MJ, Colwell P, Craston D, Axford IP, Crane J. Analytical strategy for the evaluation of a specific food choking risk, a case study on jelly mini-cups. *Food Anal Methods*. 2011; 5(1):54–61.
2003. Lyon MR, Reichert RG. The effect of a novel viscous polysaccharide along with lifestyle changes on short-term weight loss and associated risk factors in overweight and obese adults: an observational retrospective clinical program analysis. *Altern Med Rev*. 2010; 15(1):68–75.
2004. Onakpoya IJ, Heneghan CJ. Effect of the novel functional fibre, polyglycoplex (PGX), on body weight and metabolic parameters: a systematic review of randomized clinical trials. *Clin Nutr*. 2015; 34(6):1109–14.
2005. Pal S, Ho S, Gahler RJ, Wood S. Effect on body weight and composition in overweight/obese Australian adults over 12 months consumption of two different types of fibre supplementation in a randomized trial. *Nutr Metab (Lond)*. 2016; 13:82.
2006. Pal S, Khossousi A, Binns C, Dhaliwal S, Ellis V. The effect of a fibre supplement compared to a healthy diet on body composition, lipids, glucose, insulin and other metabolic syndrome risk factors in overweight and obese individuals. *Br J Nutr*. 2011; 105(1):90–100.
2007. Cicero A, Derosa G, Bove M, Imola F, Borghi C, Gaddi A. Psyllium improves dyslipidaemia, hyperglycaemia and hypertension, while guar gum reduces body weight more rapidly in patients affected by metabolic syndrome following an AHA Step 2 diet. *Med J Nutrition Metab*. 2009; 3(1):47–54.
2008. McRorie JW. Evidence-based approach to fiber supplements and clinically meaningful health benefits, part 2: what to look for and how to recommend an effective fiber therapy. *Nutr Today*. 2015; 50(2):90–7.
2009. Dubnov-Raz G, Constantini NW, Yariv H, Nice S, Shapira N. Influence of water drinking on resting energy expenditure in overweight children. *Int J Obes (Lond)*. 2011; 35(10):1295–300.
2010. Clegg M, Cooper C. Exploring the myth: does eating celery result in a negative energy balance? *Proc Nutr Soc*. 2012; 71(OCE3):E217.
2011. Rolls BJ, Roe LS, Meengs JS. Salad and satiety: energy density and portion size of a first-course salad affect energy intake at lunch. *J Am Diet Assoc*. 2004; 104(10):1570–6.
2012. Rolls BJ, Roe LS, Meengs JS. Salad and satiety: energy density and portion size of a first-course salad affect energy intake at lunch. *J Am Diet Assoc*. 2004; 104(10):1570–6.
2013. Buckland NJ, Finlayson G, Hetherington MM. Slimming starters. Intake of a diet-congruent food reduces meal intake in active dieters. *Appetite*. 2013; 71:430–7.

2014. Rolls BJ, Roe LS. Effect of the volume of liquid food infused intragastrically on satiety in women. *Physiol Behav.* 2002; 76(4–5):623–31.
2015. Rolls BJ, Castellanos VH, Halford JC, et al. Volume of food consumed affects satiety in men. *Am J Clin Nutr.* 1998; 67(6):1170–7.
2016. Azadbakht L, Haghghatdoost F, Karimi G, Esmaillzadeh A. Effect of consuming salad and yogurt as preload on body weight management and cardiovascular risk factors: a randomized clinical trial. *Int J Food Sci Nutr.* 2013; 64(4):392–9.
2017. Gutzwiller JP, Drewe J, Ketterer S, Hildebrand P, Krauthaim A, Beglinger C. Interaction between CCK and a preload on reduction of food intake is mediated by CCK-A receptors in humans. *Am J Physiol Regul Integr Comp Physiol.* 2000; 279(1):R189–95.
2018. Roe LS, Meengs JS, Rolls BJ. Salad and satiety. The effect of timing of salad consumption on meal energy intake. *Appetite.* 2012; 58(1):242–8.
2019. Boffa MJ, Gilmour E, Ead RD. Celery soup causing severe phototoxicity during PUVA therapy. *Br J Dermatol.* 1996; 135(2):334.
2020. Birmingham D. Phototoxic bullae among celery harvesters. *Arch Dermatol.* 1961; 83(1):73–87.
2021. Seligman PJ, Mathias CG, O'Malley MA, et al. Phytophotodermatitis from celery among grocery store workers. *Arch Dermatol.* 1987; 123(11):1478–82.
2022. Dobson J, Ondhia C, Skellett AM, Coelho R. Image gallery: phototoxic rash from celery diet. *Br J Dermatol.* 2016; 175(5):e133.
2023. Ljunggren B. Severe phototoxic burn following celery ingestion. *Arch Dermatol.* 1990; 126(10):1334–6.
2024. Flood-Obbagy JE, Rolls BJ. The effect of fruit in different forms on energy intake and satiety at a meal. *Appetite.* 2009; 52(2):416–22.
2025. Flood-Obbagy JE, Rolls BJ. The effect of fruit in different forms on energy intake and satiety at a meal. *Appetite.* 2009; 52(2):416–22.
2026. Lubransky A, Monro J, Mishra S, Yu H, Haszard JJ, Venn BJ. Postprandial glycaemic, hormonal and satiety responses to rice and kiwifruit preloads in Chinese adults: a randomised controlled crossover trial. *Nutrients.* 2018; 10(8):1110.
2027. Rolls BJ, Fedoroff IC, Guthrie JF, Laster LJ. Foods with different satiating effects in humans. *Appetite.* 1990; 15(2):115–26.
2028. Rogers PJ, Shahrokni R. A comparison of the satiety effects of a fruit smoothie, its fresh fruit equivalent and other drinks. *Nutrients.* 2018; 10(4):431.
2029. De Oliveira MC, Sichieri R, Venturim Mozzer R. A low-energy-dense diet adding fruit reduces weight and energy intake in women. *Appetite.* 2008; 51(2):291–5.
2030. Silver HJ, Dietrich MS, Niswender KD. Effects of grapefruit, grapefruit juice and water preloads on energy balance, weight loss, body composition, and cardiometabolic risk in free-living obese adults. *Nutr Metab (Lond).* 2011; 8(1):8.

2031. Cunningham E, Marcason W. Is it possible to burn calories by eating grapefruit or vinegar? *J Am Diet Assoc.* 2001; 101(10):1198.
2032. Silver HJ, Dietrich MS, Niswender KD. Effects of grapefruit, grapefruit juice and water preloads on energy balance, weight loss, body composition, and cardiometabolic risk in free-living obese adults. *Nutr Metab (Lond).* 2011; 8(1):8.
2033. Bertrais S, Galan P, Renault N, Zarebska M, Preziosi P, Hercberg S. Consumption of soup and nutritional intake in French adults: consequences for nutritional status. *J Hum Nutr Diet.* 2001; 14(2):121–8.
2034. Kuroda M, Ohta M, Okufuji T, et al. Frequency of soup intake is inversely associated with body mass index, waist circumference, and waist-to-hip ratio, but not with other metabolic risk factors in Japanese men. *J Am Diet Assoc.* 2011; 111(1):137–42.
2035. Zhu Y, Hollis JH. Soup consumption is associated with a lower dietary energy density and a better diet quality in US adults. *Br J Nutr.* 2014; 111(8):1474–80.
2036. Zhu Y, Hollis JH. Soup consumption is associated with a reduced risk of overweight and obesity but not metabolic syndrome in US adults: NHANES 2003–2006. *PLoS ONE.* 2013; 8(9):e75630.
2037. Zhu Y, Hollis JH. Soup consumption is associated with a lower dietary energy density and a better diet quality in US adults. *Br J Nutr.* 2014; 111(8):1474–80.
2038. Rolls BJ, Roe LS, Beach AM, Kris-Etherton PM. Provision of foods differing in energy density affects long-term weight loss. *Obes Res.* 2005; 13(6):1052–60.
2039. Spiegel TA, Kaplan JM, Alavi A, Kim PS, Tse KK. Effects of soup preloads on gastric emptying and fullness ratings following an egg sandwich meal. *Physiol Behav.* 1994; 56(3):571–5.
2040. Flood JE, Rolls BJ. Soup preloads in a variety of forms reduce meal energy intake. *Appetite.* 2007; 49(3):626–34.
2041. Himaya A, Louis-Sylvestre J. The effect of soup on satiation. *Appetite.* 1998; 30(2):199–210.
2042. Spill MK, Birch LL, Roe LS, Rolls BJ. Serving large portions of vegetable soup at the start of a meal affected children's energy and vegetable intake. *Appetite.* 2011; 57(1):213–9.
2043. Rolls BJ, Bell EA, Thorwart ML. Water incorporated into a food but not served with a food decreases energy intake in lean women. *Am J Clin Nutr.* 1999; 70(4):448–55.
2044. Rolls BJ, Fedoroff IC, Guthrie JF, Laster LJ. Foods with different satiating effects in humans. *Appetite.* 1990; 15(2):115–26.
2045. Clegg ME, Ranawana V, Shafat A, Henry CJ. Soups increase satiety through delayed gastric emptying yet increased glycaemic response. *Eur J Clin Nutr.* 2013; 67(1):8–11.

2046. Lucassen EA, Rother KI, Cizza G. Interacting epidemics? Sleep curtailment, insulin resistance, and obesity. *Ann NY Acad Sci.* 2012; 1264:110–34.
2047. Sleeplessness. *BMJ.* 1894; 2(1761):719.
2048. Matricciani L, Olds T, Petkov J. In search of lost sleep: secular trends in the sleep time of school-aged children and adolescents. *Sleep Med Rev.* 2012; 16(3):203–11.
2049. Youngstedt SD, Goff EE, Reynolds AM, et al. Has adult sleep duration declined over the last 50+ years? *Sleep Med Rev.* 2016; 28:69–85.
2050. Youngstedt SD, Goff EE, Reynolds AM, et al. Has adult sleep duration declined over the last 50+ years? *Sleep Med Rev.* 2016; 28:69–85.
2051. Marshall NS, Lallukka T. Sleep pirates—are we really living through a sleep deprivation epidemic and what’s stealing our sleep? *Eur J Public Health.* 2018; 28(3):394–5.
2052. Marshall NS. The sleep loss epidemic: hunting ninjas in the dark. *J Sleep Res.* 2015; 24(1):1–2.
2053. Ogilvie RP, Patel SR. The epidemiology of sleep and obesity. *Sleep Health.* 2017; 3(5):383–8.
2054. Everson CA, Bergmann BM, Rechtschaffen A. Sleep deprivation in the rat: III. Total sleep deprivation. *Sleep.* 1989; 12(1):13–21.
2055. Xie L, Kang H, Xu Q, et al. Sleep drives metabolite clearance from the adult brain. *Science.* 2013; 342(6156):373–7.
2056. Absinta M, Ha SK, Nair G, et al. Human and nonhuman primate meninges harbor lymphatic vessels that can be visualized noninvasively by MRI. *Elife.* 2017; 6:e29738.
2057. Wu L, Sun D, Tan Y. A systematic review and dose-response meta-analysis of sleep duration and the occurrence of cognitive disorders. *Sleep Breath.* 2018; 22(3):805–14.
2058. Shokri-Kojori E, Wang G, Wiers C, et al.  $\beta$ -Amyloid accumulation in the human brain after one night of sleep deprivation. *PNAS.* 2018; 115(17):4483–8.
2059. Wu L, Sun D, Tan Y. A systematic review and dose-response meta-analysis of sleep duration and the occurrence of cognitive disorders. *Sleep Breath.* 2018; 22(3):805–14.
2060. Anothaisintawee T, Reutrakul S, Van Cauter E, Thakkinstian A. Sleep disturbances compared to traditional risk factors for diabetes development: systematic review and meta-analysis. *Sleep Med Rev.* 2016; 30:11–24.
2061. Yin J, Jin X, Shan Z, et al. Relationship of sleep duration with all-cause mortality and cardiovascular events: a systematic review and dose-response meta-analysis of prospective cohort studies. *J Am Heart Assoc.* 2017; 6(9):e005947.
2062. Yetish G, Kaplan H, Gurven M, et al. Natural sleep and its seasonal variations in three pre-industrial societies. *Curr Biol.* 2015; 25(21):2862–8.

2063. García-Perdomo HA, Zapata-Copete J, Rojas-Cerón CA. Sleep duration and risk of all-cause mortality: a systematic review and meta-analysis. *Epidemiol Psychiatr Sci.* 2018; Jul 30:1–11.
2064. Knutson KL, Turek FW. The U-shaped association between sleep and health: the 2 peaks do not mean the same thing. *Sleep.* 2006; 29(7):878–9.
2065. Li L, Zhang S, Huang Y, Chen K. Sleep duration and obesity in children: a systematic review and meta-analysis of prospective cohort studies. *J Paediatr Child Health.* 2017; 53(4):378–85.
2066. Wu Y, Zhai L, Zhang D. Sleep duration and obesity among adults: a meta-analysis of prospective studies. *Sleep Med.* 2014; 15(12):1456–62.
2067. Ogilvie RP, Patel SR. The epidemiology of sleep and obesity. *Sleep Health.* 2017; 3(5):383–8.
2068. Kim AM, Keenan BT, Jackson N, et al. Tongue fat and its relationship to obstructive sleep apnea. *Sleep.* 2014; 37(10):1639–48.
2069. Ng WL, Stevenson CE, Wong E, et al. Does intentional weight loss improve daytime sleepiness? A systematic review and meta-analysis. *Obes Rev.* 2017; 18(4):460–75.
2070. Patel SR, Hu FB. Short sleep duration and weight gain: a systematic review. *Obesity (Silver Spring).* 2008; 16(3):643–53.
2071. Knutson KL. Does inadequate sleep play a role in vulnerability to obesity? *Am J Hum Biol.* 2012; 24(3):361–71.
2072. Patel SR, Hu FB. Short sleep duration and weight gain: a systematic review. *Obesity (Silver Spring).* 2008; 16(3):643–53.
2073. Schmid SM, Hallschmid M, Jauch-Chara K, Born J, Schultes B. A single night of sleep deprivation increases ghrelin levels and feelings of hunger in normal-weight healthy men. *J Sleep Res.* 2008; 17(3):331–4.
2074. Hogenkamp PS, Nilsson E, Nilsson VC, et al. Acute sleep deprivation increases portion size and affects food choice in young men. *Psychoneuroendocrinology.* 2013; 38(9):1668–74.
2075. Calvin AD, Carter RE, Adachi T, et al. Effects of experimental sleep restriction on caloric intake and activity energy expenditure. *Chest.* 2013; 144(1):79–86.
2076. McNeil J, St-Onge MP. Increased energy intake following sleep restriction in men and women: a one-size-fits-all conclusion? *Obesity (Silver Spring).* 2017; 25(6):989–92.
2077. St-Onge MP, Grandner MA, Brown D, et al. Sleep duration and quality: impact on lifestyle behaviors and cardiometabolic health: a scientific statement from the American Heart Association. *Circulation.* 2016; 134(18):e367–86.
2078. Heath G, Roach GD, Dorrian J, Ferguson SA, Darwent D, Sargent C. The effect of sleep restriction on snacking behaviour during a week of simulated shiftwork. *Accid Anal Prev.* 2012; 45 Suppl:62–7.

2079. Lv W, Finlayson G, Dando R. Sleep, food cravings and taste. *Appetite*. 2018; 125:210–6.
2080. Greer SM, Goldstein AN, Walker MP. The impact of sleep deprivation on food desire in the human brain. *Nat Commun*. 2013; 4:2259.
2081. St-Onge MP. Sleep-obesity relation: underlying mechanisms and consequences for treatment. *Obes Rev*. 2017; 18 Suppl 1:34–9.
2082. Hanlon EC, Tasali E, Leproult R, et al. Sleep restriction enhances the daily rhythm of circulating levels of endocannabinoid 2-arachidonoylglycerol. *Sleep*. 2016; 39(3):653–64.
2083. St-Onge MP, Grandner MA, Brown D, et al. Sleep duration and quality: impact on lifestyle behaviors and cardiometabolic health: a scientific statement from the American Heart Association. *Circulation*. 2016; 134(18):e367–86.
2084. Reutrakul S, Van Cauter E. Sleep influences on obesity, insulin resistance, and risk of type 2 diabetes. *Metab Clin Exp*. 2018; 84:56–66.
2085. St-Onge MP. Sleep-obesity relation: underlying mechanisms and consequences for treatment. *Obes Rev*. 2017; 18 Suppl 1:34–9.
2086. Reutrakul S, Van Cauter E. Sleep influences on obesity, insulin resistance, and risk of type 2 diabetes. *Metab Clin Exp*. 2018; 84:56–66.
2087. Nedeltcheva AV, Kilkus JM, Imperial J, Schoeller DA, Penev PD. Insufficient sleep undermines dietary efforts to reduce adiposity. *Ann Intern Med*. 2010; 153(7):435–41.
2088. Cedernaes J, Schönke M, Westholm JO, et al. Acute sleep loss results in tissue-specific alterations in genome-wide DNA methylation state and metabolic fuel utilization in humans. *Sci Adv*. 2018; 4(8):eaar8590.
2089. Nedeltcheva AV, Kilkus JM, Imperial J, Schoeller DA, Penev PD. Insufficient sleep undermines dietary efforts to reduce adiposity. *Ann Intern Med*. 2010; 153(7):435–41.
2090. Wang X, Sparks JR, Bowyer KP, Youngstedt SD. Influence of sleep restriction on weight loss outcomes associated with caloric restriction. *Sleep*. 2018; 41(5):1–11.
2091. Hart CN, Carskadon MA, Considine RV, et al. Changes in children’s sleep duration on food intake, weight, and leptin. *Pediatrics*. 2013; 132(6):e1473–80.
2092. Chaput JP, Després JP, Bouchard C, Tremblay A. Longer sleep duration associates with lower adiposity gain in adult short sleepers. *Int J Obes (Lond)*. 2012; 36(5):752–6.
2093. Chaput JP, Tremblay A. Sleeping habits predict the magnitude of fat loss in adults exposed to moderate caloric restriction. *Obes Facts*. 2012; 5(4):561–6.
2094. Tasali E, Chapotot F, Wroblewski K, Schoeller D. The effects of extended bedtimes on sleep duration and food desire in overweight young adults: a home-based intervention. *Appetite*. 2014; 80:220–4.
2095. Al Khatib HK, Hall WL, Creedon A, et al. Sleep extension is a feasible lifestyle intervention in free-living adults who are habitually short sleepers: a

- potential strategy for decreasing intake of free sugars? A randomized controlled pilot study. *Am J Clin Nutr.* 2018; 107(1):43–53.
2096. Logue EE, Bourguet CC, Palmieri PA, et al. The better weight–better sleep study: a pilot intervention in primary care. *Am J Health Behav.* 2012; 36(3):319–34.
2097. Haines J, McDonald J, O’Brien A, et al. Healthy Habits, Happy Homes: randomized trial to improve household routines for obesity prevention among preschool-aged children. *JAMA Pediatr.* 2013; 167(11):1072–9.
2098. Anderson SE, Whitaker RC. Household routines and obesity in US preschool-aged children. *Pediatrics.* 2010; 125(3):420–8.
2099. Haines J, McDonald J, O’Brien A, et al. Healthy Habits, Happy Homes: randomized trial to improve household routines for obesity prevention among preschool-aged children. *JAMA Pediatr.* 2013; 167(11):1072–9.
2100. Capers PL, Fobian AD, Kaiser KA, Borah R, Allison DB. A systematic review and meta-analysis of randomized controlled trials of the impact of sleep duration on adiposity and components of energy balance. *Obes Rev.* 2015; 16(9):771–82.
2101. Puhan MA, Suarez A, Lo Cascio C, Zahn A, Heitz M, Braendli O. Didgeridoo playing as alternative treatment for obstructive sleep apnoea syndrome: randomised controlled trial. *BMJ.* 2006; 332(7536):266–70.
2102. Patel SR. Reduced sleep as an obesity risk factor. *Obes Rev.* 2009; 10 Suppl 2:61–8.
2103. Nielsen LS, Danielsen KV, Sørensen TI. Short sleep duration as a possible cause of obesity: critical analysis of the epidemiological evidence. *Obes Rev.* 2011; 12(2):78–92.
2104. Marshall NS, Glozier N, Grunstein RR. Is sleep duration related to obesity? A critical review of the epidemiological evidence. *Sleep Med Rev.* 2008; 12(4):289–98.
2105. Bioulac S, Franchi JM, Arnaud M, et al. Risk of motor vehicle accidents related to sleepiness at the wheel: a systematic review and meta-analysis. *Sleep.* 2017; 40(10):1–31.
2106. Van Dongen HP, Maislin G, Mullington JM, Dinges DF. The cumulative cost of additional wakefulness: dose-response effects on neurobehavioral functions and sleep physiology from chronic sleep restriction and total sleep deprivation. *Sleep.* 2003; 26(2):117–26.
2107. Kripke DF, Langer RD, Kline LE. Hypnotics’ association with mortality or cancer: a matched cohort study. *BMJ Open.* 2012; 2(1):1–10.
2108. Baber R. Climacteric commentaries. Better sleep but higher mortality risk. *Climacteric.* 2012; 15(4):401.
2109. Kripke DF, Langer RD, Kline LE. Hypnotics’ association with mortality or cancer: a matched cohort study. *BMJ Open.* 2012; 2(1):1–10.
2110. Rabin RC. New worries about sleeping pills. *New York Times: Well.* Publicado en marzo, 12, 2012. Disponible en: <https://well.blogs.nytimes.com/2012/03/12/new-worries-about-sleeping-pills>. Acceso: abril, 17, 2019.

2111. Kripke DF. Mortality risk of hypnotics: strengths and limits of evidence. *Drug Saf.* 2016; 39(2):93–107.
2112. Bianchi MT, Thomas RJ, Ellenbogen JM. Hypnotics and mortality risk. *J Clin Sleep Med.* 2012; 8(4):351–2.
2113. Kripke DF, Langer RD, Kline LE. Do no harm: not even to some degree. *J Clin Sleep Med.* 2012; 8(4):353–4.
2114. Mitchell MD, Gehrman P, Perlis M, Umscheid CA. Comparative effectiveness of cognitive behavioral therapy for insomnia: a systematic review. *BMC Fam Pract.* 2012; 13:40.
2115. Qaseem A, Kansagara D, Forcica MA, Cooke M, Denberg TD. Management of chronic insomnia disorder in adults: a clinical practice guideline from the American College of Physicians. *Ann Intern Med.* 2016; 165(2):125–33.
2116. Bjorvatn B, Fiske E, Pallesen S. A self-help book is better than sleep hygiene advice for insomnia: a randomized controlled comparative study. *Scand J Psychol.* 2011; 52(6):580–5.
2117. Irish LA, Kline CE, Gunn HE, Buysse DJ, Hall MH. The role of sleep hygiene in promoting public health: a review of empirical evidence. *Sleep Med Rev.* 2015; 22:23–36.
2118. Irish LA, Kline CE, Gunn HE, Buysse DJ, Hall MH. The role of sleep hygiene in promoting public health: a review of empirical evidence. *Sleep Med Rev.* 2015; 22:23–36.
2119. Youngstedt SD, O'Connor PJ, Dishman RK. The effects of acute exercise on sleep: a quantitative synthesis. *Sleep.* 1997; 20(3):203–14.
2120. Irish LA, Kline CE, Gunn HE, Buysse DJ, Hall MH. The role of sleep hygiene in promoting public health: a review of empirical evidence. *Sleep Med Rev.* 2015; 22:23–36.
2121. Landolt HP, Werth E, Borbély AA, Dijk DJ. Caffeine intake (200 mg) in the morning affects human sleep and EEG power spectra at night. *Brain Res.* 1995; 675(1–2):67–74.
2122. Irish LA, Kline CE, Gunn HE, Buysse DJ, Hall MH. The role of sleep hygiene in promoting public health: a review of empirical evidence. *Sleep Med Rev.* 2015; 22:23–36.
2123. Landolt HP, Roth C, Dijk DJ, Borbély AA. Late-afternoon ethanol intake affects nocturnal sleep and the sleep EEG in middle-aged men. *J Clin Psychopharmacol.* 1996; 16(6):428–36.
2124. Jaehne A, Loessl B, Bárkai Z, Riemann D, Hornyak M. Effects of nicotine on sleep during consumption, withdrawal and replacement therapy. *Sleep Med Rev.* 2009; 13(5):363–77.
2125. Hayley AC, Downey LA. Quitters never sleep: the effect of nicotine withdrawal upon sleep. *Curr Drug Abuse Rev.* 2015; 8(2):73–4.

2126. Irish LA, Kline CE, Gunn HE, Buysse DJ, Hall MH. The role of sleep hygiene in promoting public health: a review of empirical evidence. *Sleep Med Rev.* 2015; 22:23–36.
2127. Xie H, Kang J, Mills GH. Clinical review: the impact of noise on patients' sleep and the effectiveness of noise reduction strategies in intensive care units. *Crit Care.* 2009; 13(2):208.
2128. Golem DL, Martin-Biggers JT, Koenings MM, Davis KF, Byrd-Bredbenner C. An integrative review of sleep for nutrition professionals. *Adv Nutr.* 2014; 5(6):742–59.
2129. Black DS, O'Reilly GA, Olmstead R, Breen EC, Irwin MR. Mindfulness meditation and improvement in sleep quality and daytime impairment among older adults with sleep disturbances: a randomized clinical trial. *JAMA Intern Med.* 2015; 175(4):494–501.
2130. Feng F, Zhang Y, Hou J, et al. Can music improve sleep quality in adults with primary insomnia? A systematic review and network meta-analysis. *Int J Nurs Stud.* 2018; 77:189–96.
2131. Brown RF, Thorsteinsson EB, Smithson M, Birmingham CL, Aljarallah H, Nolan C. Can body temperature dysregulation explain the co-occurrence between overweight/obesity, sleep impairment, late-night eating, and a sedentary lifestyle? *Eat Weight Disord.* 2017; 22(4):599–608.
2132. Brown RF, Thorsteinsson EB, Smithson M, Birmingham CL, Aljarallah H, Nolan C. Can body temperature dysregulation explain the co-occurrence between overweight/obesity, sleep impairment, late-night eating, and a sedentary lifestyle? *Eat Weight Disord.* 2017; 22(4):599–608.
2133. Sung EJ, Tochihara Y. Effects of bathing and hot footbath on sleep in winter. *J Physiol Anthropol Appl Human Sci.* 2000; 19(1):21–7.
2134. St-Onge MP, Roberts A, Shechter A, Choudhury AR. Fiber and saturated fat are associated with sleep arousals and slow wave sleep. *J Clin Sleep Med.* 2016; 12(1):19–24.
2135. Grandner MA, Kripke DF, Naidoo N, Langer RD. Relationships among dietary nutrients and subjective sleep, objective sleep, and napping in women. *Sleep Med.* 2010; 11(2):180–4.
2136. McClernon FJ, Yancy WS, Eberstein JA, Atkins RC, Westman EC. The effects of a low-carbohydrate ketogenic diet and a low-fat diet on mood, hunger, and other self-reported symptoms. *Obesity (Silver Spring).* 2007; 15(1):182–7.
2137. Majid MS, Ahmad HS, Bizhan H, Hosein HZM, Mohammad A. The effect of vitamin D supplement on the score and quality of sleep in 20–50 year-old people with sleep disorders compared with control group. *Nutr Neurosci.* 2018; 21(7):511–9.
2138. Tomiyama AJ. Stress and obesity. *Annu Rev Psychol.* 2019; 70:703–18.
2139. Baxter AJ, Scott KM, Ferrari AJ, Norman RE, Vos T, Whiteford HA. Challenging the myth of an «epidemic» of common mental disorders: trends in the

- global prevalence of anxiety and depression between 1990 and 2010. *Depress Anxiety*. 2014; 31(6):506–16.
2140. Wardle J, Chida Y, Gibson EL, Whitaker KL, Steptoe A. Stress and adiposity: a meta-analysis of longitudinal studies. *Obesity (Silver Spring)*. 2011; 19(4):771–8.
2141. Scherrer JF, Salas J, Lustman PJ, et al. The role of obesity in the association between posttraumatic stress disorder and incident diabetes. *JAMA Psychiatry*. 2018; 75(11):1189–98.
2142. Stults-Kolehmainen MA, Sinha R. The effects of stress on physical activity and exercise. *Sports Med*. 2014; 44(1):81–121.
2143. Kiecolt-Glaser JK, Habash DL, Fagundes CP, et al. Daily stressors, past depression, and metabolic responses to high-fat meals: a novel path to obesity. *Biol Psychiatry*. 2015; 77(7):653–60.
2144. Adam TC, Epel ES. Stress, eating and the reward system. *Physiol Behav*. 2007; 91(4):449–58.
2145. Tomiyama A. Stress and obesity. *Annu Rev Psychol*. 2019; 70:703–18.
2146. Tryon MS, DeCant R, Laugero KD. Having your cake and eating it too: a habit of comfort food may link chronic social stress exposure and acute stress-induced cortisol hyporesponsiveness. *Physiol Behav*. 2013; 114–5:32–7.
2147. Zellner DA, Loaiza S, Gonzalez Z, et al. Food selection changes under stress. *Physiol Behav*. 2006; 87(4):789–93.
2148. Al'Absi M, Nakajima M, Hooker S, Wittmers L, Cragin T. Exposure to acute stress is associated with attenuated sweet taste. *Psychophysiology*. 2012; 49(1):96–103.
2149. Aguiar-Bloemer AC, Diez-Garcia RW. Influence of emotions evoked by life events on food choice. *Eat Weight Disord*. 2018; 23(1):45–53.
2150. Tenk J, Mátrai P, Hegyi P, et al. Perceived stress correlates with visceral obesity and lipid parameters of the metabolic syndrome: a systematic review and meta-analysis. *Psychoneuroendocrinology*. 2018; 95:63–73.
2151. Van der Valk ES, Savas M, van Rossum EFC. Stress and obesity: are there more susceptible individuals? *Curr Obes Rep*. 2018; 7(2):193–203.
2152. Tomiyama A. Stress and obesity. *Annu Rev Psychol*. 2019; 70:703–18.
2153. Van der Valk ES, Savas M, van Rossum EFC. Stress and obesity: are there more susceptible individuals? *Curr Obes Rep*. 2018; 7(2):193–203.
2154. George SA, Khan S, Briggs H, Abelson JL. CRH-stimulated cortisol release and food intake in healthy, non-obese adults. *Psychoneuroendocrinology*. 2010; 35(4):607–12.

2155. Bruera E, Roca E, Cedaro L, Carraro S, Chacon R. Action of oral methylprednisolone in terminal cancer patients: a prospective randomized double-blind study. *Cancer Treat Rep*. 1985; 69(7–8):751–4.
2156. Berthon BS, MacDonald-Wicks LK, Wood LG. A systematic review of the effect of oral glucocorticoids on energy intake, appetite, and body weight in humans. *Nutr Res*. 2014; 34(3):179–90.
2157. Tataranni PA, Larson DE, Snitker S, Young JB, Flatt JP, Ravussin E. Effects of glucocorticoids on energy metabolism and food intake in humans. *Am J Physiol*. 1996; 271(2 Pt 1):E317–25.
2158. Tryon MS, DeCant R, Laugero KD. Having your cake and eating it too: a habit of comfort food may link chronic social stress exposure and acute stress-induced cortisol hyporesponsiveness. *Physiol Behav*. 2013; 114–5:32–7.
2159. Rebuffé-Scrive M, Lundholm K, Björntorp P. Glucocorticoid hormone binding to human adipose tissue. *Eur J Clin Invest*. 1985; 15(5):267–71.
2160. Björntorp P. Do stress reactions cause abdominal obesity and comorbidities? *Obes Rev*. 2001; 2(2):73–86.
2161. Tomiyama A. Stress and obesity. *Annu Rev Psychol*. 2019; 70:703–18.
2162. Drapeau V, Therrien F, Richard D, Tremblay A. Is visceral obesity a physiological adaptation to stress? *Panminerva Med*. 2003; 45(3):189–95.
2163. Wester VL, Staufenbiel SM, Veldhorst MA, et al. Long-term cortisol levels measured in scalp hair of obese patients. *Obesity (Silver Spring)*. 2014; 22(9):1956–8.
2164. Van Rossum EF. Obesity and cortisol: new perspectives on an old theme. *Obesity (Silver Spring)*. 2017; 25(3):500–1.
2165. Stalder T, Steudte-Schmiedgen S, Alexander N, et al. Stress-related and basic determinants of hair cortisol in humans: a meta-analysis. *Psychoneuroendocrinology*. 2017; 77:261–74.
2166. Noppe G, van den Akker EL, de Rijke YB, Koper JW, Jaddoe VW, van Rossum EF. Long-term glucocorticoid concentrations as a risk factor for childhood obesity and adverse body-fat distribution. *Int J Obes (Lond)*. 2016; 40(10):1503–9.
2167. Bergendahl M, Vance ML, Iranmanesh A, Thorner MO, Veldhuis JD. Fasting as a metabolic stress paradigm selectively amplifies cortisol secretory burst mass and delays the time of maximal nyctohemeral cortisol concentrations in healthy men. *J Clin Endocrinol Metab*. 1996; 81(2):692–9.
2168. Nakamura Y, Walker BR, Ikuta T. Systematic review and meta-analysis reveals acutely elevated plasma cortisol following fasting but not less severe caloric restriction. *Stress*. 2016; 19(2):151–7.
2169. Tomiyama AJ. Weight stigma is stressful. A review of evidence for the Cyclic Obesity / Weight-Based Stigma model. *Appetite*. 2014; 82:8–15.

2170. Jackson SE, Kirschbaum C, Steptoe A. Perceived weight discrimination and chronic biochemical stress: a population-based study using cortisol in scalp hair. *Obesity (Silver Spring)*. 2016; 24(12):2515–21.
2171. Jackson SE, Steptoe A. Obesity, perceived weight discrimination, and hair cortisol: a population-based study. *Psychoneuroendocrinology*. 2018; 98:67–73.
2172. Jackson SE, Kirschbaum C, Steptoe A. Perceived weight discrimination and chronic biochemical stress: a population-based study using cortisol in scalp hair. *Obesity (Silver Spring)*. 2016; 24(12):2515–21.
2173. Himmelstein MS, Incollingo Belsky AC, Tomiyama AJ. The weight of stigma: cortisol reactivity to manipulated weight stigma. *Obesity (Silver Spring)*. 2015; 23(2):368–74.
2174. Schvey NA, Puhl RM, Brownell KD. The stress of stigma: exploring the effect of weight stigma on cortisol reactivity. *Psychosom Med*. 2014; 76(2):156–62.
2175. Schvey NA, Puhl RM, Brownell KD. The impact of weight stigma on caloric consumption. *Obesity (Silver Spring)*. 2011; 19(10):1957–62.
2176. Salvy SJ, Bowker JC, Nitecki LA, Kluczynski MA, Germeroth LJ, Roemmich JN. Impact of simulated ostracism on overweight and normal-weight youths' motivation to eat and food intake. *Appetite*. 2011; 56(1):39–45.
2177. Incollingo Rodriguez AC, Heldreth CM, Tomiyama AJ. Putting on weight stigma: a randomized study of the effects of wearing a fat suit on eating, well-being, and cortisol. *Obesity (Silver Spring)*. 2016; 24(9):1892–8.
2178. Meadows A, Daniélsdóttir S, Calogero R, O'Reilly C. Why fat suits do not advance the scientific study of weight stigma. *Obesity (Silver Spring)*. 2017; 25(2):275.
2179. Leow S, Jackson B, Alderson JA, Guelfi KJ, Dimmock JA. A role for exercise in attenuating unhealthy food consumption in response to stress. *Nutrients*. 2018; 10(2):176.
2180. Dedovic K, Renwick R, Mahani NK, Engert V, Lupien SJ, Pruessner JC. The Montreal Imaging Stress Task: using functional imaging to investigate the effects of perceiving and processing psychosocial stress in the human brain. *J Psychiatry Neurosci*. 2005; 30(5):319–25.
2181. Zschucke E, Renneberg B, Dimeo F, Wüstenberg T, Ströhle A. The stress-buffering effect of acute exercise: evidence for HPA axis negative feedback. *Psychoneuroendocrinology*. 2015; 51:414–25.
2182. Neumeier WH, Goodner E, Biasini F, et al. Exercise following mental work prevented overeating. *Med Sci Sports Exerc*. 2016; 48(9):1803–9.
2183. Buchowski MS, Majchrzak KM, Blomquist K, Chen KY, Byrne DW, Bachorowski JA. Energy expenditure of genuine laughter. *Int J Obes (Lond)*. 2007; 31(1):131–7.
2184. Gervais M, Wilson DS. The evolution and functions of laughter and humor: a synthetic approach. *Q Rev Biol*. 2005; 80(4):395–430.

2185. Berk LS, Tan SA, Fry WF, et al. Neuroendocrine and stress hormone changes during mirthful laughter. *Am J Med Sci.* 1989; 298(6):390–6.
2186. Bennett MP, Lengacher C. Humor and laughter may influence health IV. Humor and immune function. *Evid Based Complement Alternat Med.* 2009; 6(2):159–64.
2187. Bennett MP, Zeller JM, Rosenberg L, McCann J. The effect of mirthful laughter on stress and natural killer cell activity. *Altern Ther Health Med.* 2003; 9(2):38–45.
2188. Fujisawa A, Ota A, Matsunaga M, et al. Effect of laughter yoga on salivary cortisol and dehydroepiandrosterone among healthy university students: a randomized controlled trial. *Complement Ther Clin Pract.* 2018; 32:6–11.
2189. Tanaka A, Tokuda N, Ichihara K. Psychological and physiological effects of laughter yoga sessions in Japan: a pilot study. *Nurs Health Sci.* 2018; 20(3):304–12.
2190. Fujisawa A, Ota A, Matsunaga M, et al. Effect of laughter yoga on salivary cortisol and dehydroepiandrosterone among healthy university students: a randomized controlled trial. *Complement Ther Clin Pract.* 2018; 32:6–11.
2191. Tanaka A, Tokuda N, Ichihara K. Psychological and physiological effects of laughter yoga sessions in Japan: a pilot study. *Nurs Health Sci.* 2018; 20(3):304–12.
2192. Cramer H, Ward L, Steel A, Lauche R, Dobos G, Zhang Y. Prevalence, patterns, and predictors of yoga use: results of a U.S. nationally representative survey. *Am J Prev Med.* 2016; 50(2):230–5.
2193. Cramer H, Thoms MS, Anheyer D, Lauche R, Dobos G. Yoga in women with abdominal obesity: a randomized controlled trial. *Dtsch Arztebl Int.* 2016; 113(39):645–52.
2194. Pascoe MC, Thompson DR, Ski CF. Yoga, mindfulness-based stress reduction and stress-related physiological measures: a meta-analysis. *Psychoneuroendocrinology.* 2017; 86:152–68.
2195. Kristal AR, Littman AJ, Benitez D, White E. Yoga practice is associated with attenuated weight gain in healthy, middle-aged men and women. *Altern Ther Health Med.* 2005; 11(4):28–33.
2196. Kristal AR, Littman AJ, Benitez D, White E. Yoga practice is associated with attenuated weight gain in healthy, middle-aged men and women. *Altern Ther Health Med.* 2005; 11(4):28–33.
2197. Yadav R, Yadav RK, Khadgawat R, Pandey RM. Comparative efficacy of a 12 week yoga-based lifestyle intervention and dietary intervention on adipokines, inflammation, and oxidative stress in adults with metabolic syndrome: a randomized controlled trial. *Transl Behav Med.* 2018; Jul 17.
2198. Cramer H, Thoms MS, Anheyer D, Lauche R, Dobos G. Yoga in women with abdominal obesity: a randomized controlled trial. *Dtsch Arztebl Int.* 2016; 113(39):645–52.
2199. Hagins M, Moore W, Rundle A. Does practicing hatha yoga satisfy recommendations for intensity of physical activity which improves and maintains health and cardiovascular fitness? *BMC Complement Altern Med.* 2007; 7:40.

2200. Ruby M, Repka CP, Arciero PJ. Comparison of protein-pacing alone or with yoga/stretching and resistance training on glycemia, total and regional body composition, and aerobic fitness in overweight women. *J Phys Act Health*. 2016; 13(7):754–64.
2201. Telles S, Sharma SK, Yadav A, Singh N, Balkrishna A. A comparative controlled trial comparing the effects of yoga and walking for overweight and obese adults. *Med Sci Monit*. 2014; 20:894–904.
2202. Larson-Meyer DE. A systematic review of the energy cost and metabolic intensity of yoga. *Med Sci Sports Exerc*. 2016; 48(8):1558–69.
2203. Larson-Meyer DE. A systematic review of the energy cost and metabolic intensity of yoga. *Med Sci Sports Exerc*. 2016; 48(8):1558–69.
2204. Rshikesan PB, Subramanya P, Nidhi R. Yoga practice for reducing the male obesity and weight related psychological difficulties—a randomized controlled trial. *J Clin Diagn Res*. 2016; 10(11):OC22–8.
2205. Juneau AL, Aita M, Héon M. Review and critical analysis of massage studies for term and preterm infants. *Neonatal Netw*. 2015; 34(3):165–77.
2206. Holst S, Lund I, Petersson M, Uvnäs-Moberg K. Massage-like stroking influences plasma levels of gastrointestinal hormones, including insulin, and increases weight gain in male rats. *Auton Neurosci*. 2005; 120(1–2):73–9.
2207. He J, Zhang X, Qu Y, et al. Effect of combined manual acupuncture and massage on body weight and body mass index reduction in obese and overweight women: a randomized, short-term clinical trial. *J Acupunct Meridian Stud*. 2015; 8(2):61–5.
2208. Donoyama N, Suoh S, Ohkoshi N. Adiponectin increase in mildly obese women after massage treatment. *J Altern Complement Med*. 2018; 24(7):741–2.
2209. Adler DS. Archaeology: the earliest musical tradition. *Nature*. 2009; 460(7256):695–6.
2210. Kane E. Phonograph in operating-room. *J Am Med Assoc*. 1914; LXII(23):1829.
2211. Weinbroum AA, Szold O, Ogorek D, Flaishon R. The midazolam-induced paradox phenomenon is reversible by flumazenil. Epidemiology, patient characteristics and review of the literature. *Eur J Anaesthesiol*. 2001; 18(12):789–97.
2212. Bringman H, Giesecke K, Thörne A, Bringman S. Relaxing music as pre-medication before surgery: a randomised controlled trial. *Acta Anaesthesiol Scand*. 2009; 53(6):759–64.
2213. Mamalaki E, Zachari K, Karfopoulou E, Zervas E, Yannakoulia M. Presence of music while eating: effects on energy intake, eating rate and appetite sensations. *Physiol Behav*. 2017; 168:31–3.
2214. Fancourt D, Ockelford A, Belai A. The psychoneuroimmunological effects of music: a systematic review and a new model. *Brain Behav Immun*. 2014; 36:15–26.

2215. McCraty R, Barrios-Choplin B, Atkinson M, Tomasino D. The effects of different types of music on mood, tension, and mental clarity. *Altern Ther Health Med*. 1998; 4(1):75–84.
2216. Gerra G, Zaimovic A, Franchini D, et al. Neuroendocrine responses of healthy volunteers to «techno-music»: relationships with personality traits and emotional state. *Int J Psychophysiol*. 1998; 28(1):99–111.
2217. Bernardi L, Porta C, Sleight P. Cardiovascular, cerebrovascular, and respiratory changes induced by different types of music in musicians and non-musicians: the importance of silence. *Heart*. 2006; 92(4):445–52.
2218. Bowman A, Dowell FJ, Evans NP. The effect of different genres of music on the stress levels of kennelled dogs. *Physiol Behav*. 2017; 171:207–15.
2219. Kogan L, Schoenfeld-Tacher R, Simon A. Behavioral effects of auditory stimulation on kenneled dogs. *Journal of Veterinary Behavior*. 2012; 7(5):268–75.
2220. Labbé E, Schmidt N, Babin J, Pharr M. Coping with stress: the effectiveness of different types of music. *Appl Psychophysiol Biofeedback*. 2007; 32(3–4):163–8.
2221. Nater UM, Abbruzzese E, Krebs M, Ehlert U. Sex differences in emotional and psychophysiological responses to musical stimuli. *Int J Psychophysiol*. 2006; 62(2):300–8.
2222. Chatterton RT, Vogelsong KM, Lu YC, Hudgens GA. Hormonal responses to psychological stress in men preparing for skydiving. *J Clin Endocrinol Metab*. 1997; 82(8):2503–9.
2223. Speirs RL, Herring J, Cooper WD, Hardy CC, Hind CR. The influence of sympathetic activity and isoprenaline on the secretion of amylase from the human parotid gland. *Arch Oral Biol*. 1974; 19(9):747–52.
2224. Nater UM, Abbruzzese E, Krebs M, Ehlert U. Sex differences in emotional and psychophysiological responses to musical stimuli. *Int J Psychophysiol*. 2006; 62(2):300–8.
2225. Schell LK, Monsef I, Wöckel A, Skoetz N. Mindfulness-based stress reduction for women diagnosed with breast cancer. *Cochrane Database Syst Rev*. 2019; 3:CD011518.
2226. Mathieu J. What should you know about mindful and intuitive eating? *J Am Diet Assoc*. 2009; 109(12):1982–7.
2227. Blass EM, Anderson DR, Kirkorian HL, Pempek TA, Price I, Koleini MF. On the road to obesity: television viewing increases intake of high-density foods. *Physiol Behav*. 2006; 88(4–5):597–604.
2228. Gore SA, Foster JA, Dillillo VG, Kirk K, Smith West D. Television viewing and snacking. *Eat Behav*. 2003; 4(4):399–405.
2229. Matheson DM, Killen JD, Wang Y, Varady A, Robinson TN. Children’s food consumption during television viewing. *Am J Clin Nutr*. 2004; 79(6):1088–94.
2230. Boon B, Stroebe W, Schut H, Ijntema R. Ironic processes in the eating behaviour of restrained eaters. *Br J Health Psychol*. 2002; 7(Pt 1):1–10.

2231. Bellisle F, Dalix AM. Cognitive restraint can be offset by distraction, leading to increased meal intake in women. *Am J Clin Nutr.* 2001; 74(2):197–200.
2232. Hetherington MM, Anderson AS, Norton GN, Newson L. Situational effects on meal intake: a comparison of eating alone and eating with others. *Physiol Behav.* 2006; 88(4–5):498–505.
2233. Oldham-Cooper RE, Hardman CA, Nicoll CE, Rogers PJ, Brunstrom JM. Playing a computer game during lunch affects fullness, memory for lunch, and later snack intake. *Am J Clin Nutr.* 2011; 93(2):308–13.
2234. Seguias L, Tapper K. The effect of mindful eating on subsequent intake of a high calorie snack. *Appetite.* 2018; 121:93–100.
2235. Robinson E, Kersbergen I, Higgs S. Eating «attentively» reduces later energy consumption in overweight and obese females. *Br J Nutr.* 2014; 112(4):657–61.
2236. Yeomans MR. Adverse effects of consuming high fat–sugar diets on cognition: implications for understanding obesity. *Proc Nutr Soc.* 2017; 76(4):455–65.
2237. Whitelock V, Higgs S, Brunstrom JM, Halford JCG, Robinson E. No effect of focused attention whilst eating on later snack food intake: two laboratory experiments. *Appetite.* 2018; 128:188–96.
2238. Van Dam NT, van Vugt MK, Vago DR, et al. Mind the hype: a critical evaluation and prescriptive agenda for research on mindfulness and meditation. *Perspect Psychol Sci.* 2018; 13(1):36–61.
2239. Jenkins KT, Tapper K. Resisting chocolate temptation using a brief mindfulness strategy. *Br J Health Psychol.* 2014; 19(3):509–22.
2240. Moffitt R, Brinkworth G, Noakes M, Mohr P. A comparison of cognitive restructuring and cognitive defusion as strategies for resisting a craved food. *Psychol Health.* 2012; 27 Suppl 2:74–90.
2241. Jenkins KT, Tapper K. Resisting chocolate temptation using a brief mindfulness strategy. *Br J Health Psychol.* 2014; 19(3):509–22.
2242. Moffitt R, Brinkworth G, Noakes M, Mohr P. A comparison of cognitive restructuring and cognitive defusion as strategies for resisting a craved food. *Psychol Health.* 2012; 27 Suppl 2:74–90.
2243. Jenkins KT, Tapper K. Resisting chocolate temptation using a brief mindfulness strategy. *Br J Health Psychol.* 2014; 19(3):509–22.
2244. Lindahl JR, Fisher NE, Cooper DJ, Rosen RK, Britton WB. The varieties of contemplative experience: a mixed-methods study of meditation-related challenges in Western Buddhists. *PLoS ONE.* 2017; 12(5):e0176239.
2245. Wolever RQ, Schwartz ER, Schoenberg PLA. Mindfulness in corporate America: is the Trojan Horse ethical? *J Altern Complement Med.* 2018; 24(5):403–6.
2246. Mantzios M, Wilson JC. Mindfulness, eating behaviours, and obesity: a review and reflection on current findings. *Curr Obes Rep.* 2015; 4(1):141–6.

2247. Hyland T. McDonaldizing spirituality. *J Transform Educ.* 2017; 15(4):334–56.
2248. Van Dam NT, van Vugt MK, Vago DR, et al. Mind the hype: a critical evaluation and prescriptive agenda for research on mindfulness and meditation. *Perspect Psychol Sci.* 2018; 13(1):36–61.
2249. Van Dam NT, van Vugt MK, Vago DR, et al. Mind the hype: a critical evaluation and prescriptive agenda for research on mindfulness and meditation. *Perspect Psychol Sci.* 2018; 13(1):36–61.
2250. Shapiro DH. Adverse effects of meditation: a preliminary investigation of long-term meditators. *Int J Psychosom.* 1992; 39(1–4):62–7.
2251. Lindahl JR, Fisher NE, Cooper DJ, Rosen RK, Britton WB. The varieties of contemplative experience: a mixed-methods study of meditation-related challenges in Western Buddhists. *PLoS ONE.* 2017; 12(5):e0176239.
2252. Van Dam NT, van Vugt MK, Vago DR, et al. Reiterated concerns and further challenges for mindfulness and meditation research: a reply to Davidson and Dahl. *Perspect Psychol Sci.* 2018; 13(1):66–9.
2253. Crawford MJ, Thana L, Farquharson L, et al. Patient experience of negative effects of psychological treatment: results of a national survey. *Br J Psychiatry.* 2016; 208(3):260–5.
2254. Clarke TC, Black LI, Stussman BJ, Barnes PM, Nahin RL. Trends in the use of complementary health approaches among adults: United States, 2002–2012. *Natl Health Stat Report.* 2015; (79):1–16.
2255. Barnes PM, Bloom B, Nahin RL. Complementary and alternative medicine use among adults and children: United States, 2007. *Natl Health Stat Report.* 2008; (12):1–23.
2256. Farias M, Wikholm C. Has the science of mindfulness lost its mind? *BJPsych Bull.* 2016; 40(6):329–32.
2257. Farias M, Wikholm C. Has the science of mindfulness lost its mind? *BJPsych Bull.* 2016; 40(6):329–32.
2258. Farias M, Wikholm C. Has the science of mindfulness lost its mind? *BJPsych Bull.* 2016; 40(6):329–32.
2259. Lilienfeld SO. Psychology’s replication crisis and the grant culture: righting the ship. *Perspect Psychol Sci.* 2017; 12(4):660–4.
2260. Camerer C, Dreber A, Holzmeister F, et al. Evaluating the replicability of social science experiments in *Nature* and *Science* between 2010 and 2015. *Nat Hum Behav.* 2018; 2(9):637–44.
2261. Coronado-Montoya S, Levis AW, Kwakkenbos L, Steele RJ, Turner EH, Thombs BD. Reporting of positive results in randomized controlled trials of mindfulness-based mental health interventions. *PLoS ONE.* 2016; 11(4):e0153220.
2262. Goyal M, Singh S, Sibinga EM, et al. Meditation programs for psychological stress and well-being: a systematic review and meta-analysis. *JAMA Intern Med.* 2014; 174(3):357–68.

2263. Sharma M, Rush SE. Mindfulness-based stress reduction as a stress management intervention for healthy individuals: a systematic review. *J Evid Based Complementary Altern Med*. 2014; 19(4):271–86.
2264. Jenkins KT, Tapper K. Resisting chocolate temptation using a brief mindfulness strategy. *Br J Health Psychol*. 2014; 19(3):509–22.
2265. Ruffault A, Czernichow S, Hagger MS, et al. The effects of mindfulness training on weight-loss and health-related behaviours in adults with overweight and obesity: a systematic review and meta-analysis. *Obes Res Clin Pract*. 2017; 11(5 Suppl 1):90–111.
2266. Katterman SN, Kleinman BM, Hood MM, Nackers LM, Corsica JA. Mindfulness meditation as an intervention for binge eating, emotional eating, and weight loss: a systematic review. *Eat Behav*. 2014; 15(2):197–204.
2267. Katterman SN, Kleinman BM, Hood MM, Nackers LM, Corsica JA. Mindfulness meditation as an intervention for binge eating, emotional eating, and weight loss: a systematic review. *Eat Behav*. 2014; 15(2):197–204.
2268. Tapper K, Shaw C, Ilsley J, Hill AJ, Bond FW, Moore L. Exploratory randomised controlled trial of a mindfulness-based weight loss intervention for women. *Appetite*. 2009; 52(2):396–404.
2269. Daubenmier J, Kristeller J, Hecht FM, et al. Mindfulness intervention for stress eating to reduce cortisol and abdominal fat among overweight and obese women: an exploratory randomized controlled study. *J Obes*. 2011; 2011:651936.
2270. Carrière K, Khoury B, Günak MM, Knäuper B. Mindfulness-based interventions for weight loss: a systematic review and meta-analysis. *Obes Rev*. 2018; 19(2):164–77.
2271. Jakulj F, Zernicke K, Bacon SL, et al. A high-fat meal increases cardiovascular reactivity to psychological stress in healthy young adults. *J Nutr*. 2007; 137(4):935–9.
2272. Agricultural Research Service, United States Department of Agriculture. Basic report: 01123, egg, whole, raw, fresh. National Nutrient Database for Standard Reference 1. Publicado en abril, 2018. Disponible en: <https://ndb.nal.usda.gov/ndb/foods/show/01123>. Acceso: abril, 17, 2019.
2273. Kalmijn S, van Boxtel MP, Ocké M, Verschuren WM, Kromhout D, Launer LJ. Dietary intake of fatty acids and fish in relation to cognitive performance at middle age. *Neurology*. 2004; 62(2):275–80.
2274. The Epidemiology and Genomics Research Program. Top food sources of saturated fat among U.S. population, 2005–2006 NHANES. National Cancer Institute’s Division of Cancer Control and Population Sciences, National Institutes of Health. Actualizado en abril, 20, 2018. Disponible en: [https://epi.grants.cancer.gov/diet/foodsources/sat\\_fat/sf.html](https://epi.grants.cancer.gov/diet/foodsources/sat_fat/sf.html). Acceso: abril, 17, 2019.
2275. Beezhold B, Radnitz C, Rinne A, Dimatteo J. Vegans report less stress and anxiety than omnivores. *Nutr Neurosci*. 2015; 18(7):289–96.

2276. Beezhold BL, Johnston CS, Daigle DR. Vegetarian diets are associated with healthy mood states: a cross-sectional study in Seventh Day Adventist adults. *Nutr J*. 2010; 9:26.
2277. Food sources of arachidonic acid (PFA 20:4), listed in descending order by percentages of their contribution to intake, based on data from the National Health and Nutrition Examination Survey 2005–2006. National Institutes of Health. Actualizado en abril, 20, 2018. Disponible en: [https://epi.grants.cancer.gov/diet/foodsources/fatty\\_acids/table4.html](https://epi.grants.cancer.gov/diet/foodsources/fatty_acids/table4.html). Acceso: abril, 17, 2019.
2278. The Epidemiology and Genomics Research Program. Top food sources of saturated fat among U.S. population, 2005–2006 NHANES. National Cancer Institute's Division of Cancer Control and Population Sciences, National Institutes of Health. Actualizado en abril, 20, 2018. Disponible en: [https://epi.grants.cancer.gov/diet/foodsources/sat\\_fat/sf.html](https://epi.grants.cancer.gov/diet/foodsources/sat_fat/sf.html). Acceso: abril, 17, 2019.
2279. Bercik P, Denou E, Collins J, et al. The intestinal microbiota affect central levels of brain-derived neurotropic factor and behavior in mice. *Gastroenterology*. 2011; 141(2):599–609.e1–3.
2280. Null G, Pennesi L. Diet and lifestyle intervention on chronic moderate to severe depression and anxiety and other chronic conditions. *Complement Ther Clin Pract*. 2017; 29:189–93.
2281. Agarwal U, Mishra S, Xu J, Levin S, Gonzales J, Barnard ND. A multicenter randomized controlled trial of a nutrition intervention program in a multiethnic adult population in the corporate setting reduces depression and anxiety and improves quality of life: the GEICO study. *Am J Health Promot*. 2015; 29(4):245–54.
2282. Kahleova H, Matoulek M, Malinska H, et al. Vegetarian diet improves insulin resistance and oxidative stress markers more than conventional diet in subjects with type 2 diabetes. *Diabet Med*. 2011; 28(5):549–59.
2283. Kahleova H, Hrachovinova T, Hill M, Pelikanova T. Vegetarian diet in type 2 diabetes—improvement in quality of life, mood and eating behaviour. *Diabet Med*. 2013; 30(1):127–9.
2284. Beezhold BL, Johnston CS. Restriction of meat, fish, and poultry in omnivores improves mood: a pilot randomized controlled trial. *Nutr J*. 2012; 11:9.
2285. Slag MF, Ahmad M, Gannon MC, Nuttall FQ. Meal stimulation of cortisol secretion: a protein induced effect. *Metabolism*. 1981; 30(11):1104–8.
2286. Gibson EL, Checkley S, Papadopoulos A, Poon L, Daley S, Wardle J. Increased salivary cortisol reliably induced by a protein-rich midday meal. *Psychosom Med*. 1999; 61(2):214–24.
2287. Gibson EL, Checkley S, Papadopoulos A, Poon L, Daley S, Wardle J. Increased salivary cortisol reliably induced by a protein-rich midday meal. *Psychosom Med*. 1999; 61(2):214–24.

2288. Vogelzangs N, Beekman AT, Milaneschi Y, Bandinelli S, Ferrucci L, Penninx BW. Urinary cortisol and six-year risk of all-cause and cardiovascular mortality. *J Clin Endocrinol Metab.* 2010; 95(11):4959–64.
2289. Buckley T, McKinley S, Tofler G, Bartrop R. Cardiovascular risk in early bereavement: a literature review and proposed mechanisms. *Int J Nurs Stud.* 2010; 47(2):229–38.
2290. T Buckley, D Sunari, A Marshall, R Bartrop, S McKinley, G Tofler. Physiological correlates of bereavement and the impact of bereavement interventions. *Dialogues Clin Neurosci.* 2012; 14(2):129–39.
2291. Anderson KE, Rosner W, Khan MS, et al. Diet-hormone interactions: protein/carbohydrate ratio alters reciprocally the plasma levels of testosterone and cortisol and their respective binding globulins in man. *Life Sci.* 1987; 40(18):1761–8.
2292. Anderson KE, Rosner W, Khan MS, et al. Diet-hormone interactions: protein/carbohydrate ratio alters reciprocally the plasma levels of testosterone and cortisol and their respective binding globulins in man. *Life Sci.* 1987; 40(18):1761–8.
2293. Cook TM, Russell JM, Barker ME. Dietary advice for muscularity, leanness and weight control in *Men's Health* magazine: a content analysis. *BMC Public Health.* 2014; 14:1062.
2294. Anderson KE, Rosner W, Khan MS, et al. Diet-hormone interactions: protein/carbohydrate ratio alters reciprocally the plasma levels of testosterone and cortisol and their respective binding globulins in man. *Life Sci.* 1987; 40(18):1761–8.
2295. Hill P, Wynder EL, Garbaczewski L, Walker AR. Effect of diet on plasma and urinary hormones in South African black men with prostatic cancer. *Cancer Res.* 1982; 42(9):3864–9.
2296. Khaw KT, Barrett-Connor E. Lower endogenous androgens predict central adiposity in men. *Ann Epidemiol.* 1992; 2(5):675–82.
2297. Slag MF, Ahmad M, Gannon MC, Nuttall FQ. Meal stimulation of cortisol secretion: a protein induced effect. *Metabolism.* 1981; 30(11):1104–8.
2298. Herrick K, Phillips DI, Haselden S, Shiell AW, Campbell-Brown M, Godfrey KM. Maternal consumption of a high-meat, low-carbohydrate diet in late pregnancy: relation to adult cortisol concentrations in the offspring. *J Clin Endocrinol Metab.* 2003; 88(8):3554–60.
2299. Rush D, Stein Z, Susser M. A randomized controlled trial of prenatal nutritional supplementation in New York City. *Pediatrics.* 1980; 65(4):683–97.
2300. Herrick K, Phillips DI, Haselden S, Shiell AW, Campbell-Brown M, Godfrey KM. Maternal consumption of a high-meat, low-carbohydrate diet in late pregnancy: relation to adult cortisol concentrations in the offspring. *J Clin Endocrinol Metab.* 2003; 88(8):3554–60.
2301. Carter JP, Furman T, Hutcheson HR. Preeclampsia and reproductive performance in a community of vegans. *South Med J.* 1987; 80(6):692–7.

2302. Duhig KE, Shennan AH. Recent advances in the diagnosis and management of pre-eclampsia. *F1000Prime Rep*. 2015; 7:24.
2303. Carter JP, Furman T, Hutcheson HR. Preeclampsia and reproductive performance in a community of vegans. *South Med J*. 1987; 80(6):692–7.
2304. Herrick K, Phillips DI, Haselden S, Shiell AW, Campbell-Brown M, Godfrey KM. Maternal consumption of a high-meat, low-carbohydrate diet in late pregnancy: relation to adult cortisol concentrations in the offspring. *J Clin Endocrinol Metab*. 2003; 88(8):3554–60.
2305. Herrick K, Phillips DI, Haselden S, Shiell AW, Campbell-Brown M, Godfrey KM. Maternal consumption of a high-meat, low-carbohydrate diet in late pregnancy: relation to adult cortisol concentrations in the offspring. *J Clin Endocrinol Metab*. 2003; 88(8):3554–60.
2306. Maslova E, Rytter D, Bech BH, et al. Maternal protein intake during pregnancy and offspring overweight 20 y later. *Am J Clin Nutr*. 2014; 100(4):1139–48.
2307. Swartz J, Stenius F, Alm J, Theorell T, Lindblad F. Lifestyle and salivary cortisol at the age of 12 and 24 months. *Acta Paediatr*. 2012; 101(9):979–84.
2308. Herrick K, Phillips DI, Haselden S, Shiell AW, Campbell-Brown M, Godfrey KM. Maternal consumption of a high-meat, low-carbohydrate diet in late pregnancy: relation to adult cortisol concentrations in the offspring. *J Clin Endocrinol Metab*. 2003; 88(8):3554–60.
2309. Yin J, Quinn S, Dwyer T, Ponsonby AL, Jones G. Maternal diet, breastfeeding and adolescent body composition: a 16-year prospective study. *Eur J Clin Nutr*. 2012; 66(12):1329–34.
2310. Reynolds RM, Godfrey KM, Barker M, Osmond C, Phillips DI. Stress responsiveness in adult life: influence of mother's diet in late pregnancy. *J Clin Endocrinol Metab*. 2007; 92(6):2208–10.
2311. Maslova E, Rytter D, Bech BH, et al. Maternal protein intake during pregnancy and offspring overweight 20 y later. *Am J Clin Nutr*. 2014; 100(4):1139–48.
2312. Roseboom TJ, Watson ED. The next generation of disease risk: are the effects of prenatal nutrition transmitted across generations? Evidence from animal and human studies. *Placenta*. 2012; 33 Suppl 2:e40–4.
2313. Mattes RD. Dietary compensation by humans for supplemental energy provided as ethanol or carbohydrate in fluids. *Physiol Behav*. 1996; 59(1):179–87.
2314. Brownell KD, Frieden TR. Ounces of prevention—the public policy case for taxes on sugared beverages. *N Engl J Med*. 2009; 360(18):1805–8.
2315. Woodward-Lopez G, Kao J, Ritchie L. To what extent have sweetened beverages contributed to the obesity epidemic? *Public Health Nutr*. 2011; 14(3):499–509.
2316. Brownell KD, Frieden TR. Ounces of prevention—the public policy case for taxes on sugared beverages. *N Engl J Med*. 2009; 360(18):1805–8.

2317. Basu S, Seligman HK, Gardner C, Bhattacharya J. Ending SNAP subsidies for sugar-sweetened beverages could reduce obesity and type 2 diabetes. *Health Aff (Millwood)*. 2014; 33(6):1032–9.
2318. Brownell KD, Ludwig DS. The Supplemental Nutrition Assistance Program, soda, and USDA policy: who benefits? *JAMA*. 2011; 306(12):1370–1.
2319. Food and Nutrition Service. Implications of restricting the use of food stamp benefits— summary. United States Department of Agriculture. Publicado en marzo, 1, 2007. Disponible en: <https://fns-prod.azureedge.net/sites/default/files/FSPFoodRestrictions.pdf>. Acceso: abril, 17, 2019.
2320. Laraia BA. Carrots, sticks, or carrot sticks?: using federal food policy to engineer dietary change. *Am J Prev Med*. 2012; 43(4):456–7.
2321. Long MW, Leung CW, Cheung LW, Blumenthal SJ, Willett WC. Public support for policies to improve the nutritional impact of the Supplemental Nutrition Assistance Program (SNAP). *Public Health Nutr*. 2014; 17(1):219–24.
2322. Hillier-Brown FC, Bambra CL, Cairns JM, Kasim A, Moore HJ, Summerbell CD. A systematic review of the effectiveness of individual, community and societal-level interventions at reducing socio-economic inequalities in obesity among adults. *Int J Obes (Lond)*. 2014; 38(12):1483–90.
2323. Ohri-Vachaspati P, Isgor Z, Rimkus L, Powell LM, Barker DC, Chaloupka FJ. Child-directed marketing inside and on the exterior of fast food restaurants. *Am J Prev Med*. 2015; 48(1):22–30.
2324. Gentry E, Poirier K, Wilkinson T, Nhean S, Nyborn J, Siegel M. Alcohol advertising at Boston subway stations: an assessment of exposure by race and socioeconomic status. *Am J Public Health*. 2011; 101(10):1936–41.
2325. Hackbarth DP, Silvestri B, Cospser W. Tobacco and alcohol billboards in 50 Chicago neighborhoods: market segmentation to sell dangerous products to the poor. *J Public Health Policy*. 1995; 16(2):213–30.
2326. Moran AJ, Musicus A, Gorski Findling MT, et al. Increases in sugary drink marketing during Supplemental Nutrition Assistance Program benefit issuance in New York. *Am J Prev Med*. 2018; 55(1):55–62.
2327. Bates C, Rowell A. Tobacco explained. Action on Smoking and Health. Disponible en: <http://www.who.int/tobacco/media/en/TobaccoExplained.pdf>. Acceso: julio, 27, 2018.
2328. Bellentani S. The epidemiology of non-alcoholic fatty liver disease. *Liver Int*. 2017; 37 Suppl 1:81–4.
2329. Rinella ME. Nonalcoholic fatty liver disease: a systematic review. *JAMA*. 2015; 313(22):2263–73.
2330. Lockman KA. Editorial: alcohol and obesity—the double peril. *Aliment Pharmacol Ther*. 2015; 41(7):694.
2331. Mahli A, Hellerbrand C. Alcohol and obesity: a dangerous association for fatty liver disease. *Dig Dis*. 2016; 34 Suppl 1:32–9.

2332. Bendsen NT, Christensen R, Bartels EM, et al. Is beer consumption related to measures of abdominal and general obesity? A systematic review and meta-analysis. *Nutr Rev.* 2013; 71(2):67–87.
2333. Sonko BJ, Prentice AM, Murgatroyd PR, Goldberg GR, van de Ven ML, Coward WA. Effect of alcohol on postmeal fat storage. *Am J Clin Nutr.* 1994; 59(3):619–25.
2334. Flechtner-Mors M, Biesalski HK, Jenkinson CP, Adler G, Ditschuneit HH. Effects of moderate consumption of white wine on weight loss in overweight and obese subjects. *Int J Obes Relat Metab Disord.* 2004; 28(11):1420–6.
2335. Jatoi A, Qin R, Satele D, et al. «Enjoy glass of wine before eating»: a randomized trial to test the orexigenic effects of this advice in advanced cancer patients. *Support Care Cancer.* 2016; 24(9):3739–46.
2336. Buemann B, Toubro S, Astrup A. The effect of wine or beer versus a carbonated soft drink, served at a meal, on ad libitum energy intake. *Int J Obes Relat Metab Disord.* 2002; 26(10):1367–72.
2337. Golan R, Shelef I, Shemesh E, et al. Effects of initiating moderate wine intake on abdominal adipose tissue in adults with type 2 diabetes: a 2-year randomized controlled trial. *Public Health Nutr.* 2017; 20(3):549–55.
2338. GBD 2016 Alcohol and Drug Use Collaborators. The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Psychiatry.* 2018; 5(12):987–1012.
2339. Haber GB, Heaton KW, Murphy D, Burroughs LF. Depletion and disruption of dietary fibre. Effects on satiety, plasma-glucose, and serum-insulin. *Lancet.* 1977; 2(8040):679–82.
2340. Martens MJ, Lemmens SG, Born JM, Westerterp-Plantenga MS. A solid high-protein meal evokes stronger hunger suppression than a liquefied high-protein meal. *Obesity (Silver Spring).* 2011; 19(3):522–7.
2341. Anne Moorhead S, Welch RW, Barbara M, et al. The effects of the fibre content and physical structure of carrots on satiety and subsequent intakes when eaten as part of a mixed meal. *Br J Nutr.* 2006; 96(3):587–95.
2342. Flood-Obbagy JE, Rolls BJ. The effect of fruit in different forms on energy intake and satiety at a meal. *Appetite.* 2009; 52(2):416–22.
2343. Cassidy BA, Considine RV, Mattes RD. Beverage consumption, appetite, and energy intake: what did you expect? *Am J Clin Nutr.* 2012; 95(3):587–93.
2344. Levine AS, Silvis SE. Absorption of whole peanuts, peanut oil, and peanut butter. *N Engl J Med.* 1980; 303(16):917–8.
2345. Grundy MM, Grassby T, Mandalari G, et al. Effect of mastication on lipid bioaccessibility of almonds in a randomized human study and its implications for digestion kinetics, metabolizable energy, and postprandial lipemia. *Am J Clin Nutr.* 2015; 101(1):25–33.

2346. Gebauer SK, Novotny JA, Bornhorst GM, Baer DJ. Food processing and structure impact the metabolizable energy of almonds. *Food Funct.* 2016; 7(10):4231–8.
2347. Gebauer SK, Novotny JA, Bornhorst GM, Baer DJ. Food processing and structure impact the metabolizable energy of almonds. *Food Funct.* 2016; 7(10):4231–8.
2348. Cassady BA, Hollis JH, Fulford AD, Considine RV, Mattes RD. Mastication of almonds: effects of lipid bioaccessibility, appetite, and hormone response. *Am J Clin Nutr.* 2009; 89(3):794–800.
2349. Brand JC, Nicholson PL, Thorburn AW, Truswell AS. Food processing and the glycemic index. *Am J Clin Nutr.* 1985; 42(6):1192–6.
2350. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care.* 2008; 31(12):2281–3.
2351. Mackie AR, Bajka BH, Rigby NM, et al. Oatmeal particle size alters glycemic index but not as a function of gastric emptying rate. *Am J Physiol Gastrointest Liver Physiol.* 2017; 313(3):G239–46.
2352. Ludwig DS, Majzoub JA, Al-Zahrani A, Dallal GE, Blanco I, Roberts SB. High glycemic index foods, overeating, and obesity. *Pediatrics.* 1999; 103(3):E26.
2353. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care.* 2008; 31(12):2281–3.
2354. Brand JC, Nicholson PL, Thorburn AW, Truswell AS. Food processing and the glycemic index. *Am J Clin Nutr.* 1985; 42(6):1192–6.
2355. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care.* 2008; 31(12):2281–3.
2356. Granfeldt Y, Björck I, Hagander B. On the importance of processing conditions, product thickness and egg addition for the glycaemic and hormonal responses to pasta: a comparison with bread made from «pasta ingredients.» *Eur J Clin Nutr.* 1991; 45(10):489–99.
2357. Campfield LA, Smith FJ, Rosenbaum M, Hirsch J. Human eating: evidence for a physiological basis using a modified paradigm. *Neurosci Biobehav Rev.* 1996; 20(1):133–7.
2358. Page KA, Seo D, Belfort-Deaguiar R, et al. Circulating glucose levels modulate neural control of desire for high-calorie foods in humans. *J Clin Invest.* 2011; 121(10):4161–9.
2359. Bornet FR, Jardy-Gennetier AE, Jacquet N, Stowell J. Glycaemic response to foods: impact on satiety and long-term weight regulation. *Appetite.* 2007; 49(3):535–53.

2360. Geliebter A, Grillot CL, Aviram-Friedman R, Haq S, Yahav E, Hashim SA. Effects of oatmeal and corn flakes cereal breakfasts on satiety, gastric emptying, glucose, and appetite-related hormones. *Ann Nutr Metab.* 2015; 66(2–3):93–103.
2361. Crapo PA, Henry RR. Postprandial metabolic responses to the influence of food form. *Am J Clin Nutr.* 1988; 48(3):560–4.
2362. Anguah KO, Wonnell BS, Campbell WW, McCabe GP, McCrory MA. A blended-rather than whole-lentil meal with or without  $\alpha$ -galactosidase mildly increases healthy adults' appetite but not their glycemic response. *J Nutr.* 2014; 144(12):1963–9.
2363. Jenkins DJ, Thorne MJ, Camelon K, et al. Effect of processing on digestibility and the blood glucose response: a study of lentils. *Am J Clin Nutr.* 1982; 36(6):1093–101.
2364. Anderson GH, Liu Y, Smith CE, et al. The acute effect of commercially available pulse powders on postprandial glycaemic response in healthy young men. *Br J Nutr.* 2014; 112(12):1966–73.
2365. Würsch P, Del Vedovo S, Koellreutter B. Cell structure and starch nature as key determinants of the digestion rate of starch in legume. *Am J Clin Nutr.* 1986; 43(1):25–9.
2366. Hovey AL, Jones GP, Devereux HM, Walker KZ. Whole cereal and legume seeds increase faecal short chain fatty acids compared to ground seeds. *Asia Pac J Clin Nutr.* 2003; 12(4):477–82.
2367. Hovey AL, Jones GP, Devereux HM, Walker KZ. Whole cereal and legume seeds increase faecal short chain fatty acids compared to ground seeds. *Asia Pac J Clin Nutr.* 2003; 12(4):477– 82.
2368. Hellström PM, Grybäck P, Jacobsson H. The physiology of gastric emptying. *Best Pract Res Clin Anaesthesiol.* 2006; 20(3):397–407.
2369. Grundy MM, Edwards CH, Mackie AR, Gidley MJ, Butterworth PJ, Ellis PR. Re-evaluation of the mechanisms of dietary fibre and implications for macronutrient bioaccessibility, digestion and postprandial metabolism. *Br J Nutr.* 2016; 116(5):816–33.
2370. Edwards CH, Grundy MM, Grassby T, et al. Manipulation of starch bioaccessibility in wheat endosperm to regulate starch digestion, postprandial glycemia, insulinemia, and gut hormone responses: a randomized controlled trial in healthy ileostomy participants. *Am J Clin Nutr.* 2015; 102(4):791–800.
2371. Hareland G. Evaluation of flour particle size distribution by laser diffraction, sieve analysis and near-infrared reflectance spectroscopy. *J Cereal Sci.* 1994; 20(2):183–90.
2372. Grassby T, Picout DR, Mandalari G, et al. Modelling of nutrient bioaccessibility in almond seeds based on the fracture properties of their cell walls. *Food Funct.* 2014; 5(12):3096–106.
2373. Ellis PR, Kendall CW, Ren Y, et al. Role of cell walls in the bioaccessibility of lipids in almond seeds. *Am J Clin Nutr.* 2004; 80(3):604–13.

2374. Gebauer SK, Novotny JA, Bornhorst GM, Baer DJ. Food processing and structure impact the metabolizable energy of almonds. *Food Funct.* 2016; 7(10):4231–8.
2375. Holscher HD, Taylor AM, Swanson KS, Novotny JA, Baer DJ. Almond consumption and processing affects the composition of the gastrointestinal microbiota of healthy adult men and women: a randomized controlled trial. *Nutrients.* 2018; 10(2):126.
2376. Nilsson A, Johansson E, Ekström L, Björck I. Effects of a brown beans evening meal on metabolic risk markers and appetite regulating hormones at a subsequent standardized breakfast: a randomized cross-over study. *PLoS ONE.* 2013; 8(4):e59985.
2377. McArthur BM, Mattes RD, Considine RV. Mastication of nuts under realistic eating conditions: implications for energy balance. *Nutrients.* 2018; 10(6):710.
2378. Mori AM, Considine RV, Mattes RD. Acute and second-meal effects of almond form in impaired glucose tolerant adults: a randomized crossover trial. *Nutr Metab (Lond).* 2011; 8(1):6.
2379. Ibrügger S, Vignæs LK, Blennow A, et al. Second meal effect on appetite and fermentation of wholegrain rye foods. *Appetite.* 2014; 80:248–56.
2380. Isaksson H, Rakha A, Andersson R, Fredriksson H, Olsson J, Aman P. Rye kernel breakfast increases satiety in the afternoon—an effect of food structure. *Nutr J.* 2011; 10:31.
2381. Seal CJ, Nugent AP, Tee ES, Thielecke F. Whole-grain dietary recommendations: the need for a unified global approach. *Br J Nutr.* 2016; 115(11):2031–8.
2382. Seal CJ, Nugent AP, Tee ES, Thielecke F. Whole-grain dietary recommendations: the need for a unified global approach. *Br J Nutr.* 2016; 115(11):2031–8.
2383. Burkitt DP, Walker AR, Painter NS. Effect of dietary fibre on stools and the transit-times, and its role in the causation of disease. *Lancet.* 1972; 2(7792):1408–12.
2384. Dietary fiber market to reach \$3.25 billion by 2017. *Neutraceuticals World.* Publicado en octubre, 29, 2012. Disponible en: [https://nutraceuticalsworld.com/contents/view\\_breaking-news/2012-10-29/dietary-fiber-market-to-reach-325-billion-by-2017](https://nutraceuticalsworld.com/contents/view_breaking-news/2012-10-29/dietary-fiber-market-to-reach-325-billion-by-2017). Acceso: abril, 17, 2019.
2385. Eastwood M, Kritchevsky D. Dietary fiber: how did we get where we are? *Annu Rev Nutr.* 2005; 25:1–8.
2386. Threapleton DE, Greenwood DC, Evans CE, et al. Dietary fibre intake and risk of cardiovascular disease: systematic review and meta-analysis. *BMJ.* 2013; 347:f6879.
2387. Flood-Obbagy JE, Rolls BJ. The effect of fruit in different forms on energy intake and satiety at a meal. *Appetite.* 2009; 52(2):416–22.
2388. Fardet A. A shift toward a new holistic paradigm will help to preserve and better process grain products' food structure for improving their health effects. *Food Funct.* 2015; 6(2):363–82.

2389. Wahlqvist ML. Food structure is critical for optimal health. *Food Funct.* 2016; 7(3):1245–50.
2390. Hlebowicz J, Lindstedt S, Björgell O, Höglund P, Almér LO, Darwiche G. The botanical integrity of wheat products influences the gastric distention and satiety in healthy subjects. *Nutr J.* 2008; 7:12.
2391. Luo K, Wang X, Zhang G. The anti-obesity effect of starch in a whole grain-like structural form. *Food Funct.* 2018; 9(7):3755–63.
2392. Zinöcker MK, Lindseth IA. The Western diet-microbiome-host interaction and its role in metabolic disease. *Nutrients.* 2018; 10(3):365.
2393. Spreadbury I. Comparison with ancestral diets suggests dense acellular carbohydrates promote an inflammatory microbiota, and may be the primary dietary cause of leptin resistance and obesity. *Diabetes Metab Syndr Obes.* 2012; 5:175–89.
2394. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care.* 2008; 31(12):2281–3.
2395. Grundy MM, Carrière F, Mackie AR, Gray DA, Butterworth PJ, Ellis PR. The role of plant cell wall encapsulation and porosity in regulating lipolysis during the digestion of almond seeds. *Food Funct.* 2016; 7(1):69–78.
2396. Loria Kohen V, Gómez Candela C, Fernández Fernández C, Pérez Torres A, Villarino Sanz M, Bermejo LM. Impact of two low-calorie meals with and without bread on the sensation of hunger, satiety and amount of food consumed. *Nutr Hosp.* 2011; 26(5):1155–60.
2397. Holt SH, Miller JC, Petocz P, Farmakalidis E. A satiety index of common foods. *Eur J Clin Nutr.* 1995; 49(9):675–90.
2398. Grimes DS, Gordon C. Satiety value of wholemeal and white bread. *Lancet.* 1978; 2(8080):106.
2399. Gonzalez-Anton C, Artacho R, Ruiz-Lopez MD, Gil A, Mesa MD. Modification of appetite by bread consumption: a systematic review of randomized controlled trials. *Crit Rev Food Sci Nutr.* 2017; 57(14):3035–50.
2400. Bautista-Castaño I, Sánchez-Villegas A, Estruch R, et al. Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk. *Br J Nutr.* 2013; 110(2):337–46.
2401. Mann KD, Pearce MS, McKeivith B, Thielecke F, Seal CJ. Whole grain intake and its association with intakes of other foods, nutrients and markers of health in the National Diet and Nutrition Survey rolling programme 2008–11. *Br J Nutr.* 2015; 113(10):1595–602.
2402. Bautista-Castaño I, Sánchez-Villegas A, Estruch R, et al. Changes in bread consumption and 4-year changes in adiposity in Spanish subjects at high cardiovascular risk. *Br J Nutr.* 2013; 110(2):337–46.
2403. De La Fuente-Arrillaga C, Martinez-Gonzalez MA, Zazpe I, Vazquez-Ruiz Z, Benito-Corchon S, Bes-Rastrollo M. Glycemic load, glycemic index, bread and

- incidence of overweight/obesity in a Mediterranean cohort: the SUN project. *BMC Public Health*. 2014; 14:1091.
2404. Romaguera D, Ångquist L, Du H, et al. Food composition of the diet in relation to changes in waist circumference adjusted for body mass index. *PLoS ONE*. 2011; 6(8):e23384.
2405. Mofidi A, Ferraro ZM, Stewart KA, et al. The acute impact of ingestion of sourdough and whole-grain breads on blood glucose, insulin, and incretins in overweight and obese men. *J Nutr Metab*. 2012; 2012:184710.
2406. Scazzina F, Siebenhandl-Ehn S, Pellegrini N. The effect of dietary fibre on reducing the glycaemic index of bread. *Br J Nutr*. 2013; 109(7):1163–74.
2407. Burton P, Lightowler HJ. The impact of freezing and toasting on the glycaemic response of white bread. *Eur J Clin Nutr*. 2008; 62(5):594–9.
2408. Scazzina F, Siebenhandl-Ehn S, Pellegrini N. The effect of dietary fibre on reducing the glycaemic index of bread. *Br J Nutr*. 2013; 109(7):1163–74.
2409. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care*. 2008; 31(12):2281–3.
2410. The University of Sydney. GI foods: search results. Actualizado en mayo, 2, 2017. Disponible en: <http://www.glycemicindex.com/foodSearch.php?num=643&ak=detail>. Acceso: abril, 17, 2019.
2411. Jenkins DJ, Wesson V, Wolever TM, et al. Wholemeal versus wholegrain breads: proportion of whole or cracked grain and the glycaemic response. *BMJ*. 1988; 297(6654):958–60.
2412. Hlebowicz J, Lindstedt S, Björgell O, Höglund P, Almér LO, Darwiche G. The botanical integrity of wheat products influences the gastric distention and satiety in healthy subjects. *Nutr J*. 2008; 7:12.
2413. Breen C, Ryan M, Gibney MJ, Corrigan M, O’Shea D. Glycemic, insulinemic, and appetite responses of patients with type 2 diabetes to commonly consumed breads. *Diabetes Educ*. 2013; 39(3):376–86.
2414. Atkinson FS, Foster-Powell K, Brand-Miller JC. International tables of glycemic index and glycemic load values: 2008. *Diabetes Care*. 2008; 31(12):2281–3.
2415. Suhr J, Vuholm S, Iversen KN, Landberg R, Kristensen M. Wholegrain rye, but not wholegrain wheat, lowers body weight and fat mass compared with refined wheat: a 6-week randomized study. *Eur J Clin Nutr*. 2017; 71(8):959–67.
2416. Suhr J, Vuholm S, Iversen KN, Landberg R, Kristensen M. Wholegrain rye, but not wholegrain wheat, lowers body weight and fat mass compared with refined wheat: a 6-week randomized study. *Eur J Clin Nutr*. 2017; 71(8):959–67.
2417. Mishra S, Monro J. Wholeness and primary and secondary food structure effects on in vitro digestion patterns determine nutritionally distinct carbohydrate fractions in cereal foods. *Food Chem*. 2012; 135(3):1968–74.

2418. Simonato B, Curioni A, Pasini G. Digestibility of pasta made with three wheat types: a preliminary study. *Food Chem.* 2015; 174:219–25.
2419. Jenkins DJ, Wolever TM, Jenkins AL, Lee R, Wong GS, Josse R. Glycemic response to wheat products: reduced response to pasta but no effect of fiber. *Diabetes Care.* 1983; 6(2):155–9.
2420. Sicignano A, Di Monaco R, Masi P, Cavella S. From raw material to dish: pasta quality step by step. *J Sci Food Agric.* 2015; 95(13):2579–87.
2421. Granfeldt Y, Björck I, Hagander B. On the importance of processing conditions, product thickness and egg addition for the glycaemic and hormonal responses to pasta: a comparison with bread made from «pasta ingredients.» *Eur J Clin Nutr.* 1991; 45(10):489–99.
2422. Hoebler C, Devaux MF, Karintha A, Belleville C, Barry JL. Particle size of solid food after human mastication and in vitro simulation of oral breakdown. *Int J Food Sci Nutr.* 2000; 51(5):353–66.
2423. Granfeldt Y, Björck I, Hagander B. On the importance of processing conditions, product thickness and egg addition for the glycaemic and hormonal responses to pasta: a comparison with bread made from «pasta ingredients.» *Eur J Clin Nutr.* 1991; 45(10):489–99.
2424. Wolever TM, Jenkins DJ, Kalmusky J, et al. Glycemic response to pasta: effect of surface area, degree of cooking, and protein enrichment. *Diabetes Care.* 1986; 9(4):401–4.
2425. Akilen R, Deljoomanesh N, Hunschede S, et al. The effects of potatoes and other carbohydrate side dishes consumed with meat on food intake, glycemia and satiety response in children. *Nutr Diabetes.* 2016; 6:e195.
2426. Costabile G, Griffo E, Cipriano P, et al. Subjective satiety and plasma PYY concentration after wholemeal pasta. *Appetite.* 2018; 125:172–81.
2427. Kristensen M, Jensen MG, Riboldi G, et al. Wholegrain vs. refined wheat bread and pasta. Effect on postprandial glycemia, appetite, and subsequent ad libitum energy intake in young healthy adults. *Appetite.* 2010; 54(1):163–9.
2428. Sieri S, Krogh V. Dietary glycemic index, glycemic load and cancer: an overview of the literature. *Nutr Metab Cardiovasc Dis.* 2017; 27(1):18–31.
2429. Runchey SS, Pollak MN, Valsta LM, et al. Glycemic load effect on fasting and post-prandial serum glucose, insulin, IGF-1 and IGFBP-3 in a randomized, controlled feeding study. *Eur J Clin Nutr.* 2012; 66(10):1146–52.
2430. Augustin LS, Malerba S, Lugo A, et al. Associations of bread and pasta with the risk of cancer of the breast and colorectum. *Ann Oncol.* 2013; 24(12):3094–9.
2431. Pounis G, Castelnuovo AD, Costanzo S, et al. Association of pasta consumption with body mass index and waist-to-hip ratio: results from Moli-sani and INHES studies. *Nutr Diabetes.* 2016; 6(7):e218.
2432. Chiavaroli L, Kendall CWC, Braunstein CR, et al. Effect of pasta in the context of low-glycaemic index dietary patterns on body weight and markers of adiposity: a

- systematic review and meta-analysis of randomised controlled trials in adults. *BMJ Open*. 2018; 8(3):e019438.
2433. Huang M, Li J, Ha MA, Riccardi G, Liu S. A systematic review on the relations between pasta consumption and cardio-metabolic risk factors. *Nutr Metab Cardiovasc Dis*. 2017; 27(11):939–48.
2434. Drewnowski A, Rehm CD. Sodium intakes of US children and adults from foods and beverages by location of origin and by specific food source. *Nutrients*. 2013; 5(6):1840–55.
2435. Bibbins-Domingo K, Chertow GM, Coxson PG, et al. Projected effect of dietary salt reductions on future cardiovascular disease. *N Engl J Med*. 2010; 362(7):590–9.
2436. Willett WC. The dietary pyramid: does the foundation need repair? *Am J Clin Nutr*. 1998; 68(2):218–9.
2437. Rebello CJ, O’Neil CE, Greenway FL. Dietary fiber and satiety: the effects of oats on satiety. *Nutr Rev*. 2016; 74(2):131–47.
2438. Decker EA, Rose DJ, Stewart D. Processing of oats and the impact of processing operations on nutrition and health benefits. *Br J Nutr*. 2014; 112 Suppl 2:S58–64.
2439. Decker EA, Rose DJ, Stewart D. Processing of oats and the impact of processing operations on nutrition and health benefits. *Br J Nutr*. 2014; 112 Suppl 2:S58–64.
2440. Alshikh N, de Camargo A, Shahidi F. Phenolics of selected lentil cultivars: antioxidant activities and inhibition of low-density lipoprotein and DNA damage. *J Funct Foods*. 2015; 18:1022–38.

## 5. Los 21 potenciadores del doctor Greger

1. Ramage S, Farmer A, Eccles KA, McCargar L. Healthy strategies for successful weight loss and weight maintenance: a systematic review. *Appl Physiol Nutr Metab*. 2014; 39(1):1–20.
2. Guth E. JAMA patient page. Healthy weight loss. *JAMA*. 2014; 312(9):974.
3. Greger M. Dr. Greger in the kitchen: my new favorite beverage. NutritionFacts.org. Publicado en noviembre, 13, 2017. Disponible en: <https://nutritionfacts.org/video/dr-greger-in-the-kitchen-my-new-favorite-beverage>. Acceso: abril, 17, 2019.

## 6. Conclusión

1. Mokdad AH, Ballesteros K, Echko M, et al. The state of US health, 1990–2016: burden of diseases, injuries, and risk factors among US states. *JAMA*. 2018; 319(14):1444–72.
2. U.S. News Best Diets: how we rated 41 eating plans. *U.S. News & World Report*. Publicado en enero, 2, 2019. Disponible en:

<https://health.usnews.com/wellness/food/articles/how-us-news-ranks-best-diets>. Acceso: abril, 17, 2019.

3. Brasher P. Diet advice alarms meat, egg groups. *Des Moines Register*. Publicado en julio, 8, 2010.
4. Ungar N, Sieverding M, Stadnitski T. Increasing fruit and vegetable intake. «Five a day» versus «just one more.» *Appetite*. 2013; 65:200–4.
5. Nestle M. *Unsavory Truth*. New York: Basic Books; 2018:116.